
Incubed Documentation

Release 2.3

Blockchains LLC

Dec 13, 2021

1	Getting Started	1
1.1	Command-line Tool	1
1.2	TypeScript/JavaScript	2
1.3	As Docker Container	3
1.4	C Implementation	3
1.5	Java	4
1.6	Python	5
1.7	DotNet	5
1.8	Supported Chains	6
1.9	Registering an Incubed Node	7
2	Downloading in3	9
2.1	in3-node	9
2.2	in3-client (ts)	10
2.3	in3-client(C)	10
3	Running an in3 node on a VPS	13
3.1	Side notes/ chat summary	17
3.2	Recommendations	19
4	IN3-Protocol	21
4.1	Incubed Requests	21
4.2	Incubed Responses	22
4.3	ChainId	24
4.4	Registry	24
4.5	Binary Format	28
4.6	Communication	30
5	Features	33
5.1	General	33
5.2	Nodelist	33
5.3	Verification	34
5.4	Bindings	35
5.5	Embedded	35
6	Benchmarks	37
6.1	Setup and Tools	37

6.2	Considerations	39
6.3	Results/Baseline	39
7	Embedded Devices	41
7.1	Hardware Requirements	41
7.2	Incubed with ESP-IDF	41
7.3	Incubed with Zephyr	44
8	Configuration	45
8.1	chainId	45
8.2	finality	46
8.3	includeCode	47
8.4	debug	47
8.5	maxAttempts	48
8.6	keepIn3	49
8.7	stats	49
8.8	useBinary	50
8.9	experimental	51
8.10	timeout	51
8.11	proof	52
8.12	replaceLatestBlock	53
8.13	autoUpdateList	53
8.14	signatureCount	54
8.15	bootWeights	55
8.16	useHttp	55
8.17	minDeposit	56
8.18	nodeProps	57
8.19	requestCount	57
8.20	rpc	58
8.21	nodes	59
8.22	zksync	60
8.23	key	65
8.24	pk	66
8.25	btc	66
8.26	cmdline options	67
9	API RPC	77
9.1	account	77
9.2	btc	92
9.3	config	118
9.4	eth	123
9.5	ipfs	174
9.6	odelist	176
9.7	utils	187
9.8	zksync	202
10	API Reference C	243
10.1	Overview	243
10.2	Building	246
10.3	Examples	253
10.4	How it works	270
10.5	Plugins	275
10.6	Integration of Ledger Nano S	288
10.7	Module api	291
10.8	Module core	317

10.9	Module init	407
10.10	Module pay	408
10.11	Module signer	416
10.12	Module transport	421
10.13	Module verifier	423
11	API Reference TS/JS	471
11.1	Installing	471
11.2	Building from Source	472
11.3	Examples	472
11.4	Incubed - from Typescript to WASM	476
11.5	How to migrate?	477
11.6	IN3 Module	478
11.7	Package index	565
12	API Reference Python	653
12.1	Python Incubed client	653
12.2	Examples	654
12.3	Incubed Modules	661
12.4	Library Runtime	675
13	API Reference Java	679
13.1	Installing	679
13.2	How to use IN3 in android project.	679
13.3	Examples	681
13.4	Package in3	686
13.5	Package in3.btc	696
13.6	Package in3.config	705
13.7	Package in3.eth1	714
13.8	Package in3.ipfs	736
13.9	Package in3.ipfs.API	737
13.10	Package in3.utils	737
13.11	Package in3.zksync	749
14	API Reference Dotnet	759
14.1	Runtimes	759
14.2	Quickstart	759
14.3	Examples	760
14.4	Examples	825
14.5	Index	830
15	API Reference Rust	891
15.1	IN3 Rust API features:	891
15.2	Quickstart	891
15.3	Crate	894
15.4	Api Documentation	894
16	API Reference Swift	895
16.1	Classes	895
16.2	Structs	1061
16.3	Enums	1314
16.4	Interfaces	1328
17	API Reference CMD	1331
17.1	Usage	1331

17.2	Install	1333
17.3	Environment Variables	1334
17.4	Methods	1335
17.5	Running as Server	1336
17.6	Cache	1336
17.7	Signing	1336
17.8	Autocompletion	1337
17.9	Function Signatures	1337
17.10	Examples	1337
18	API Reference Node/Server	1341
18.1	Command-line Arguments	1341
18.2	in3-server-setup tool	1343
18.3	Registering Your Own Incubed Node	1343
19	API Reference Solidity	1345
19.1	NodeRegistryData functions	1345
19.2	NodeRegistryLogic functions	1350
19.3	BlockHashRegistry functions	1354
20	Concept	1357
20.1	Situation	1357
20.2	Low-Performance Hardware	1358
20.3	Scalability	1358
20.4	Use Cases	1358
20.5	Architecture	1361
20.6	Scaling	1371
21	Ethereum	1373
21.1	Blockheader Verification	1373
21.2	Proof of Work	1374
21.3	Proof of Authority	1375
21.4	Ethereum Verification	1375
22	Bitcoin	1383
22.1	Concept	1383
22.2	Security Calculation	1385
22.3	Proofs	1387
22.4	Conviction	1392
23	Incentivization	1395
23.1	Decentralizing Access	1395
23.2	Incentivization for Nodes	1395
23.3	Connecting Clients and Server	1396
23.4	Ensuring Client Access	1396
23.5	Deposit	1399
23.6	LoadBalancing	1400
23.7	Free Access	1400
23.8	Convict	1400
23.9	Handling conflicts	1401
23.10	Payment	1401
23.11	Client Identification	1401
24	Decentralizing Central Services	1403
24.1	Incentivization	1405

24.2	Verification	1405
25	Threat Model for Incubed	1407
25.1	Registry Issues	1407
25.2	Network Attacks	1410
25.3	Privacy	1412
25.4	Risk Calculation	1412
	Index	1415

CHAPTER 1

Getting Started

Incubed can be used in different ways:

Stack	Size	Use Case
TS/JS/WASM	450 KB	JS client based on WASM or asm.js for Web, nodejs or mobile application
C/C++	128 KB (minimal)	IoT devices can be integrated nicely on many micro controllers (like Zephyr-supported boards (https://docs.zephyrproject.org/latest/boards/index.html)) or any other C/C++ application
Rust	2.6MB	Rust crates based on bindgen
Java	705 KB	Java implementation of a JNI wrapper for native android or other java applications
Python	4MB	Multi PPlatform Python Bindings wrapping native incubed core
.NET	705 KB	.NET implementation of a native wrapper for all supported platforms
Docker	40 MB	For replacing existing clients with this docker and connecting to Incubed via localhost:8545 without needing to change the architecture
CMD	400 KB	The command-line tool can be used directly as executable within Bash script or on the shell it can execute all methods either as argument or from stdin

Other languages will be supported soon (or simply use the shared library directly).

1.1 Command-line Tool

Based on the C implementation, we build a powerful command-line utility, which executes a JSON-RPC request and only delivers the result. This can be used within Bash scripts:

```
#  
CURRENT_BLOCK = `in3 eth_blockNumber`  
  
# or to send a transaction  
in3 -pk my_key_file.json send -to mycontract.ens -value 0.2eth  
  
# or call a function in a contract
```

(continues on next page)

(continued from previous page)

```
DAO_PROPOSALS=`in3 call -to 0xbb9bc244d798123fde783fcc1c72d3bb8c189413
↪ "numberOfProposals():uint"`

# or compile - deploy - and use the address in one line
DEPLOYED_ADDRESS=`solc --bin ServerRegistry.sol | in3 -gas 5000000 -pk my_private_key.
↪ json -d - -w send | jq -r .contractAddress`
```

More details and examples See [CMD](#)

1.2 TypeScript/JavaScript

Installing Incubed is as easy as installing any other module:

```
npm install --save in3
```

1.2.1 As Provider in Web3

The Incubed client also implements the provider interface used in the Web3 library and can be used directly without the need to refactor or change the code of your application.

```
// import in3-Module
import In3Client from 'in3'
import * as web3 from 'web3'

// use the In3Client as Http-Provider
const web3 = new Web3(new In3Client({
  proof          : 'standard',
  signatureCount : 1,
  requestCount   : 2,
  chainId        : 'mainnet'
}).createWeb3Provider())

// use the web3
const block = await web3.eth.getBlockByNumber('latest')
...
```

1.2.2 Direct API

Incubed includes a API, allowing the ability to not only use all RPC methods in a type-safe way but also sign transactions and call functions of a contract without the Web3 library.

For more details, see the [API doc](#).

```
// import in3-Module
import In3Client from 'in3'

// use the In3Client
const in3 = new In3Client({
  proof          : 'standard',
  signatureCount : 1,
  requestCount   : 2,
```

(continues on next page)

(continued from previous page)

```

    chainId      : 'mainnet'
  })

  // use the API to call a function..
  const myBalance = await in3.eth.callFn(myTokenContract, 'balanceOf(address):uint',
    ↪myAccount)

  // ot to send a transaction..
  const receipt = await in3.eth.sendTransaction({
    to      : myTokenContract,
    method  : 'transfer(address,uint256)',
    args    : [target,amount],
    confirmations: 2,
    pk      : myKey
  })
  ...

```

More details See [API TS/JS](#)

1.3 As Docker Container

To start Incubed as a standalone client (allowing other non-JS applications to connect to it), you can start the container as the following:

```
docker run -d -p 8545:8545 slockit/in3:latest -port 8545
```

1.4 C Implementation

For embedded Devices or other C/C++ Application using the C-Code directly is the best option. It also gives you the flexibility to only include what you need by using CMake-Flags to configure the included features.

```

#include <in3/in3_init.h> // the core client file with all the plugins activated
#include <in3/eth_api.h>  // wrapper for easier use

#include <inttypes.h>
#include <stdio.h>

int main(int argc, char* argv[]) {

    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // the b lock we want to get
    uint64_t block_number = 8432424;

    // get the specified block without the transaction details
    eth_block_t* block = eth_getBlockByNumber(in3, block_number, false);

    // if the result is null there was an error an we can get the latest error message_
    ↪from eth_last_error()
    if (!block)

```

(continues on next page)

(continued from previous page)

```

    printf("error getting the block : %s\n", eth_last_error());
else {
    printf("Number of transactions in Block #llu: %d\n", block->number, block->tx_
↪count);
    free(block);
}

// cleanup client after usage
in3_free(in3);
}

```

More details See [APIC](#)

1.5 Java

The Java implementation uses a wrapper of the C implemenation. The deployed jar-file includes all the binaries for all platforms and is all you need.

```
java -cp in3.jar:. HelloIN3.class
```

```

import java.util.*;
import in3.*;
import in3.eth1.*;
import java.math.BigInteger;

public class HelloIN3 {
    //
    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = new IN3();

        // configure
        in3.setChainId(0x1); // set it to mainnet (which is also dthe default)

        // read the latest Block including all Transactions.
        Block latestBlock = in3.getEth1API().getBlockByNumber(Block.LATEST, true);

        // Use the getters to retrieve all containing data
        System.out.println("current BlockNumber : " + latestBlock.getNumber());
        System.out.println("minded at : " + new Date(latestBlock.getTimestamp()) + " by " ↪
↪+ latestBlock.getAuthor());

        // get all Transaction of the Block
        Transaction[] transactions = latestBlock.getTransactions();

        BigInteger sum = BigInteger.valueOf(0);
        for (int i = 0; i < transactions.length; i++)
            sum = sum.add(transactions[i].getValue());

        System.out.println("total Value transfered in all Transactions : " + sum + " wei
↪");
    }
}

```

More details See [API Java](#)

1.6 Python

Python works nice with native code written in C, so we build the python in a way to make it feel natural for python developers:

```
pip install in3
```

And use incubed in your code:

```
import in3

in3_client = in3.Client()
# Sends a request to the Incubed Network, that in turn will collect proofs from the_
↳Ethereum client,
# attest and sign the response, then send back to the client, that will verify_
↳signatures and proofs.
block_number = in3_client.eth.block_number()
print(block_number) # Mainnet's block number
```

More details See [API Python](#)

1.7 DotNet

The .NET implementation is registered on nuget and ships with binaries for all supported platforms. Just install

```
dotnet add package Blockchains.In3
```

And use incubed in your code:

```
using System;
using System.Threading;
using System.Threading.Tasks;
using In3;
using In3.Crypto;
using In3.Eth1;

namespace SendTransaction
{
    public class Program
    {
        static async Task Main()
        {
            // create a client on a testnet
            IN3 goerliClient = IN3.ForChain(Chain.Goerli);

            string myPrivateKey =
↳"0x0829B3C639A3A8F2226C8057F100128D4F7AE8102C92048BA6DE38CF4D3BC6F1";
            string receivingAddress = "0x6FA33809667A99A805b610C49EE2042863b1bb83";

            // Get the wallet, which is the default signer.
            SimpleWallet myAccountWallet = (SimpleWallet)goerliClient.Signer;
```

(continues on next page)

(continued from previous page)

```
// add your account to the wallet
string myAccount = myAccountWallet.AddRawKey(myPrivateKey);

// Create the transaction request
TransactionRequest tx = new TransactionRequest();
tx.To = receivingAddress;
tx.From = myAccount;
tx.Value = 300;

// and send it
string transactionHash = await goerliClient.Eth1.SendTransaction(tx);
Console.Out.WriteLine($"Transaction {transactionHash} sent, See Details_
↪on https://goerli.etherscan.io/tx/{transactionHash}.");

    }
}
}
```

More details See [API DotNet](#)

1.8 Supported Chains

Currently, Incubed is deployed on the following chains:

1.8.1 Mainnet

Registry-contract: 0x6c095a05764a23156efd9d603eada144a9b1af33

ChainId: 0x1 (alias mainnet)

current NodeList: https://in3-v2.slock.it/mainnet/nd-3/api/in3_nodeList

1.8.2 Görli (Testnet)

Registry Contract: 0x635cccc1db6fc9e3b029814720595092affba12f

ChainId: 0x5 (alias goerli)

NodeList: https://in3-v2.slock.it/goerli/nd-3/api/in3_nodeList

1.8.3 EWC (Energy Web Chain)

Registry Contract: 0x638428ebaa190c6c6331a3a02f3b8c5d8310986b

ChainId: 0xf6 (alias ewc)

NodeList: https://in3-v2.slock.it/ewc/nd-3/api/in3_nodeList

1.8.4 IPFS

Registry: `0xcb61736de539acfa0ee97bc6bbf9108ef906c88c`

ChainId: `0x7d0` (alias `ipfs`)

NodeList: https://in3-v2.slock.it/ipfs/nd-3/api/in3_nodeList

1.8.5 BTC

(currently experimental)

Registry: `0xc3845e55756db9990ea06de9ea73dc99769f6c7f`

ChainId: `0x7d0` (alias `ipfs`)

NodeList: https://in3-v2.slock.it/ipfs/nd-3/api/in3_nodeList

1.9 Registering an Incubed Node

If you want to participate in this network and also register a node (or even want to setup incubed nodes in your private chain), you need the following:

1. deployed registry-contracts (See the addresses or above or deploy those [contracts](#))
2. for each node you want to add make sure you have a synced geth, nethermind or openethereum client running.
3. for each node run the `in3-node` which connects to the ethereum-node and register this url with the signer address by sending a transaction to the registry contract, calling `registerNode(string _url, uint _props, uint64 _weight, uint _deposit)`.

For more details on how this is done See

- [Setting up a node](#)
- [API Reference Node](#)
- [The Registry Contracts](#)

or simply use our [setup-tool](#), which helps you generate the docker-compose file and will manage the registry-transactions.

CHAPTER 2

Downloading in3

in3 is divided into two distinct components, the in3-node and in3-client. The in3-node is currently written in typescript, whereas the in3-client has a version in typescript as well as a smaller and more feature packed version written in C.

In order to compile from scratch, please use the sources from our [github page](#) or the [public gitlab page](#). Instructions for building from scratch can be found in our documentation.

The in3-server and in3-client has been published in multiple package managers and locations, they can be found here:

	Package manager	Link	Use case
in3-node(ts)	Docker Hub	Docker-Hub	To run the in3-server, which the in3-client can use to connect to the in3 network
in3-client(ts)	NPM	NPM	To use with js applications
in3-client(C)	Ubuntu Launchpad	Ubuntu	It can be quickly integrated on linux systems, IoT devices or any micro controllers
	Docker Hub	Docker-Hub	Quick and easy way to get in3 client running
	Brew	Home-brew	Easy to install on MacOS or linux/windows subsystems
	Release page	Github	For directly playing with the binaries/deb/jar/wasm files

2.1 in3-node

2.1.1 Docker Hub

1. Pull the image from docker using `docker pull slockit/in3-node`
2. In order to run your own in3-node, you must first register the node. The information for registering a node can be found [here](#)

3. Run the in3-node image using a direct docker command or a docker-compose file, the parameters for which are explained [here](#)

2.2 in3-client (ts)

2.2.1 npm

1. Install the package by running `npm install --save in3`
2. `import In3Client from "in3"`
3. View our examples for information on how to use the module

2.3 in3-client(C)

2.3.1 Ubuntu Launchpad

There are 2 packages published to Ubuntu Launchpad: `in3` and `in3-dev`. The package `in3` only installs the binary file and allows you to use `in3` via command line. The package `in3-dev` would install the binary as well as the library files, allowing you to use `in3` not only via command line, but also inside your C programs by including the statically linked files.

Installation instructions for `in3`:

This package will only install the `in3` binary in your system.

1. Add the slock.it ppa to your system with `sudo add-apt-repository ppa:devops-slock-it/in3`
2. Update the local sources `sudo apt-get update`
3. Install `in3` with `sudo apt-get install in3`

Installation instructions for `in3-dev`:

This package will install the statically linked library files and the include files in your system.

1. Add the slock.it ppa to your system with `sudo add-apt-repository ppa:devops-slock-it/in3`
2. Update the local sources `sudo apt-get update`
3. Install `in3` with `sudo apt-get install in3-dev`

2.3.2 Docker Hub

Usage instructions:

1. Pull the image from docker using `docker pull slockit/in3`
2. Run the client using: `docker run -d -p 8545:8545 slockit/in3:latest --chainId=goerli -port 8545`
3. More parameters and their descriptions can be found [here](#).

2.3.3 Release page

Usage instructions:

1. Navigate to the in3-client [release page](#) on this github repo
2. Download the binary that matches your target system, or read below for architecture specific information:

For WASM:

1. Download the WASM binding with `npm install --save in3-wasm`
2. More information on how to use the WASM binding can be found [here](#)
3. Examples on how to use the WASM binding can be found [here](#)

For C library:

1. Download the C library from the release page or by installing the `in3-dev` package from ubuntu launchpad
2. Include the C library in your code, as shown in our [examples](#)
3. Build your code with `gcc -std=c99 -o test test.c -lin3 -lcurl`, more information can be found [here](#)

For Java:

1. Download the Java file from the release page
2. Use the java binding as show in our [example](#)
3. Build your java project with `javac -cp $IN3_JAR_LOCATION/in3.jar *.java`


2.3.4 Brew

Usage instructions:

1. Ensure that homebrew is installed on your system
2. Add a brew tap with `brew tap slockit/in3`
3. Install in3 with `brew install in3`
4. You should now be able to use `in3` in the terminal, can be verified with `in3 eth_blockNumber`

CHAPTER 3

Running an in3 node on a VPS



Disclaimers: This guide is meant to give you a general idea of the steps needed to run an in3 node on a VPS, please do not take it as a definitive source for all the information. An in3 node is a public facing service that comes with all the associated security implications and complexity. This guide is meant for internal use at this time, once a target audience and depth has been defined, a public version will be made.

That being said, setup of an in3 node requires the following steps:

1. Generate a private key **and** docker-compose file **from** in3-setup.slock.it
2. Setup a VPS
3. Start the Ethereum RPC node using the docker-compose

(continues on next page)

(continued from previous page)

4. Assign a DNS domain, static IP (**or** Dynamic DNS) to the server
5. Run the in3 node docker image **with** the required flags
6. Register the in3 node **with** in3-setup.slock.it

1. Generate a private key and docker-compose file using in3-setup.slock.it: We will use the in3-setup tool to guide us through the process of starting an incubed node. Begin by filling up the required details, add metadata if you improve our statistics. Choose the required chain and logging level. Choose a secure private key passphrase, it is important to save it in your password manager or somewhere secure, we cannot recover it for you. Click on generate private key, this process takes some time. Download the private key and store it in the secure location.

Once the private key is downloaded, enter your Ethereum node URL in case you already have one. Generate the docker-compose file and save it in the same folder as the private key.

1. Setup a VPS:

A VPS is basically a computer away from home that offers various preselected (usually) Linux distros out of the box. You can then set it up with any service you like - for example Hetzner, Contabo, etc. ServerHunter is a good comparison portal to find a suitable VPS service. The minimum specs required for a server to host both an ethereum RPC node as well as an in3 node would be:

```
4 CPU cores
8GB of Ram
300GB SSD disk space or more
Atleast 5MBit/s up/down
Linux OS, eg: Ubuntu
```

Once the server has been provisioned, look for the IP address, SSH port and username. This information would be used to login, transfer files to the VPS.

Transfer the files to the server using a file browser or an scp command. The target directory for docker-compose.yml and exported-private.key.json file on the incubed server is the /int3 directory. The scp command to transfer the files are:

```
scp docker-compose.yml user@ip-address:
scp exported-private-key.json user@ip-address:
```

If you are using windows you should use Winscp. Copy it to your home directory and then move the files to /int3

Once the files have been transferred, we will SSH into the server with:

```
ssh username@ip-address
```

Now we will install the dependencies required to run in3. This is possible through a one step install script that can be found (here)[https://github.com/slockit/in3-server-setup-tool/blob/master/incubed_dependency_install_script.sh] or by installing each dependency individually.

If you wish to use our dependency install script, please run the following commands in your VPS, then skip to step 4 and setup your domain name:

```
curl -o incubed_dependency_install_script.sh https://raw.githubusercontent.com/
↪slockit/in3-server-setup-tool/master/incubed_dependency_install_script.sh
chmod +x incubed_dependency_install_script.sh
sudo su
./incubed_dependency_install_script.sh
```

If you wish to install each dependency individually, please follow the proceeding steps. Begin by removing older installations of docker:

```
# remove existing docker installations
sudo apt remove docker docker-engine docker.io
```

Make sure you have the necessary packages to allow the use of Docker's repository:

```
# install dependencies
sudo apt install apt-transport-https ca-certificates curl software-properties-common
```

To verify the hashes of the docker images from dockerhub you must add Docker's GPG key:

```
# add the docker gpg key
curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo apt-key add -
```

Verify the fingerprint of the GPG key, the UID should say "Docker Release":

```
# verify the gpg key
sudo apt-key fingerprint 0EBFCD88
```

Add the stable Docker repository:

```
# add the stable Docker repository
sudo add-apt-repository "deb [arch=amd64] https://download.docker.com/linux/ubuntu
↪$(lsb_release -cs) stable"
```

Update and install docker-ce:

```
# update the sources
sudo apt update
# install docker-ce
sudo apt install docker-ce
```

Add your limited Linux user account to the docker group:

```
# add your limited Linux user account to the docker group
sudo usermod -aG docker $USER
```

Verify your installation with a hello-world image:

```
docker run hello-world
```

Now we will continue to install docker-compose by downloading it and moving it to the right location:

```
# install docker-compose
sudo curl -L https://github.com/docker/compose/releases/download/1.18.0/docker-
↪compose-`uname -s`-`uname -m` -o /usr/local/bin/docker-compose
```

Set the right permissions:

```
# set the right permissions
sudo chmod +x /usr/local/bin/docker-compose
```

Verify the installation with:

```
docker-compose --version
```

1. Start the Ethereum RPC node using the docker-compose: We will use the downloaded docker-compose file to start the Ethereum RPC node.

Change directory to the created in3 folder, verify that the files exist there and then start parity with:

```
screen
docker-compose up incubed-parity
control+A and control+D to exit from screen
```

The time for the whole sync with parity is nearly 4h. The sync process starts with Block snapshots. After This is ready the block syncing starts. In order to verify the status of the syncing, run:

```
echo $((`curl --data '{"method":"eth_blockNumber","params":[],"id":1,"jsonrpc":"2.0"}'
↪ -H "Content-Type: application/json" -X POST 172.15.0.3:8545 | grep -oh "\w*0x\w*"
↪`))
```

That command will return the latest block number, verify that the block number is the latest one by checking on etherscan. We recommend to go forward with Step 4. if sync is completly finished.

1. Run the in3 node docker image with the required flags Once the Ethereum RPC node has been synced, we can proceed with starting the in3-node. This can also be done with the docker-compose file that we used earlier.

```
docker-compose up incubed-server
```

Wait for the in3-server to finish starting, then run the below command to verify the functioning of the in3-server:

```
echo $((`curl --data '{"method":"eth_blockNumber","params":[],"id":1,"jsonrpc":"2.0"}'
↪ -H "Content-Type: application/json" -X POST 172.15.0.2:8500 | grep -oh "\w*0x\w*"
↪`))
```

You can now type “exit” to end the SSH session, we should be done with the setup stages in the VPS.

1. Assign a DNS domain, static IP (or Dynamic DNS) to the server You need to register a DNS domain name using cloudflare or some other DNS provider. This Domain name needs to point to your server. A simple way to test it once it is up is with the following command run from your computer:

```
echo $((`curl --data '{"method":"eth_blockNumber","params":[],"id":1,"jsonrpc":"2.0"}'
↪ -H "Content-Type: application/json" -X POST Domain-name:80 | grep -oh "\w*0x\w*"
↪`))
```

1. Setup https for your domain

a) Install nginx and certbot and generate certificates.

```
sudo apt-get install certbot nginx
sudo certbot certonly --standalone
# check if automatic renewal of the certificates works as expected
sudo certbot renew --dry-run
```

b) Configure nginx as a reverse proxy using SSL. Replace /etc/nginx/sites/available/default with the following content. (Comment everything else out, also the certbot generated stuff.)

```
server {
    listen 443 default_server;
    server_name Domain-name;
    ssl on;
    ssl_certificate /etc/letsencrypt/live/Domain-name/fullchain.pem;
    ssl_certificate_key /etc/letsencrypt/live/Domain-name/privkey.pem;
    ssl_session_cache shared:SSL:10m;

    location / {
```

(continues on next page)

(continued from previous page)

```

        proxy_pass http://localhost:80;
        proxy_set_header Host $host;

        proxy_redirect http:// https://;
    }
}

```

c) Restart nginx.

```
sudo service nginx restart
```

HTTPS should be working now. Check with:

```

echo $((`curl --data '{"method":"eth_blockNumber","params":[],"id":1,"jsonrpc":"2.0"}'
↪ -H "Content-Type: application/json" -X POST Domain-name:443 | grep -oh "\w*0x\w*"
↪ `))

```

1. Register the in3 node with in3-setup.slock.it. Lastly, we need to head back to in3-setup.slock.it and register our new node. Enter the URL address from which the in3 node can be reached. Add the deposit amount in Ether and click on “Register in3 server” to send the transaction.

3.1 Side notes/ chat summary

1. Redirect HTTP to HTTPS

Using the above config file nginx doesn’t listen on port 80, that port is already being listened to by the incubed-server image (see docker-compose file, mapping 80:8500). That way the port is open for normal HTTP requests and when registering the node one can “check” the HTTP capability. If that is unwanted one can append

```

server {
    listen 80;
    return 301 https://$host$request_uri;
}

```

to the nginx config file and change the port mapping for the incubed-server image. One also needs then to adjust the port that nginx redirects to on localhost. For example

```

ports:
- 8080:8500/tcp

```

In the incubed-server section in the docker compose file and

```
proxy_pass http://localhost:8080;
```

in the nginx config. (Port 8080 also has to be closed using the firewall, e.g. `ufw deny 8080`)

1. OOM - Out of memory

If having memory issues while syncing adding some parity flags might help (need to be added in the docker-compose for incubed-parity)

```

--pruning-history=[NUM]
    Set a minimum number of recent states to keep in memory when pruning is_
↪ active. (default: 64)

```

(continues on next page)

(continued from previous page)

```
--pruning-memory=[MB]
    The ideal amount of memory in megabytes to use to store recent states. As
↳ many states as possible will be kept
    within this limit, and at least --pruning-history states will always be kept.
↳ (default: 32)
```

with appropriate values. Note that inside the docker compose file pruning-memory is set to 30000, which might exceed your RAM!

1. Saving the chaindb on disk using docker volume

To prevent the chaindb data being lost add

```
volumes:
  - /wherever-you-want-to-store-data/:/home/parity/.local/share/io.parity.
↳ ethereum/
```

to the parity section in the docker compose file.

1. Added stability/ speed while syncing

Exposing the port 30303 to the public will prevent parity having to rely on UPnP for node discovery. For this add

```
ports:
  - 30303:30303
  - 30303:30303/udp
```

to the parity section in the docker compose file.

Increasing the database, state and queuing cache can improve the syncing speed (default is around 200MB). The needed flag for it is:

```
--cache-size=[MB]
    Set total amount of discretionary memory to use for the entire system,
↳ overrides other cache and queue options.
```


1. If you like a UI to manage and check your docker containers, please have a look at Portainer.io

Installation instructions can be found here: <https://www.portainer.io/installation/>.

It can be run with docker, using:

```
sudo docker run -d --restart always -p 8000:8000 -p 9000:9000 -v /var/run/docker.
↳ sock:/var/run/docker.sock -v portainer_data:/data portainer/portainer
```

After the setup, it will be available on port 9000. The enabled WebGUI looks like the below picture:



3.2 Recommendations

1. Disable SSH PasswordAuthentication & RootLogin and install fail2ban to protect your VPS from unauthorized access and brute-force attacks. See [How To Configure SSH Key-Based Authentication on a Linux Server](#) and [How To Protect SSH with Fail2Ban](#).

This document describes the communication between a Incubed client and a Incubed node. This communication is based on requests that use extended [JSON-RPC-Format](#). Especially for ethereum-based requests, this means each node also accepts all standard requests as defined at [Ethereum JSON-RPC](#), which also includes handling Bulk-requests.

Each request may add an optional `in3` property defining the verification behavior for Incubed.

4.1 Incubed Requests

Requests without an `in3` property will also get a response without `in3`. This allows any Incubed node to also act as a raw ethereum JSON-RPC endpoint. The `in3` property in the request is defined as the following:

- **chainId** `string<hex>` - The requested [chainId](#). This property is optional, but should always be specified in case a node may support multiple chains. In this case, the default of the node would be used, which may end up in an undefined behavior since the client cannot know the default.
- **includeCode** `boolean` - Applies only for `eth_call`-requests. If true, the request should include the codes of all accounts. Otherwise only the `codeHash` is returned. In this case, the client may ask by calling `eth_getCode()` afterwards.
- **verifiedHashes** `string<bytes32>[]` - If the client sends an array of blockhashes, the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This allows the client to skip requiring signed blockhashes for blocks already verified.
- **latestBlock** `integer` - If specified, the blocknumber `latest` will be replaced by a `blockNumber`-specified value. This allows the Incubed client to define finality for PoW-Chains, which is important, since the `latest`-block cannot be considered final and therefore it would be unlikely to find nodes willing to sign a blockhash for such a block.
- **useRef** `boolean` - If true, binary-data (starting with a `0x`) will be referred if occurring again. This decreases the payload especially for recurring data such as merkle proofs. If supported, the server (and client) will keep track of each binary value storing them in a temporary array. If the previously used value is used again, the server replaces it with `:<index>`. The client then resolves such refs by lookups in the temporary array.

- **useBinary** *boolean* - If true, binary-data will be used. This format is optimized for embedded devices and reduces the payload to about 30%. For details see *the Binary-spec*.
- **useFullProof** *boolean* - If true, all data in the response will be proven, which leads to a higher payload. The result depends on the method called and will be specified there.
- **finality** *number* - For PoA-Chains, it will deliver additional proof to reach finality. If given, the server will deliver the blockheaders of the following blocks until at least the number in percent of the validators is reached.
- **verification** *string* - Defines the kind of proof the client is asking for. Must be one of the these values:
 - 'never': No proof will be delivered (default). Also no `in3`-property will be added to the response, but only the raw JSON-RPC response will be returned.
 - 'proof': The proof will be created including a blockheader, but without any signed blockhashes.
- **preBIP34** *boolean* - Defines if the client wants to verify blocks before BIP34 (height < 227836). If true, the `proof`-section will include data to verify the existence and correctness of *old* blocks as well (before BIP34).
- **whiteList** *address* - If specified, the incubed server will respond with `lastWhiteList`, which will indicate the last block number of whitelist contract event.
- **signers** *string<address>[]* - A list of addresses (as 20bytes in hex) requested to sign the blockhash.

A example of an Incubed request may look like this:

```
{
  "jsonrpc": "2.0",
  "id": 2,
  "method": "eth_getTransactionByHash",
  "params": ["0xf84cfb78971ebd940d7e4375b077244e93db2c3f88443bb93c561812cfed055c"],
  "in3": {
    "chainId": "0x1",
    "verification": "proof",
    "whiteList": "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b",
    "signers": ["0x784bfa9eb182C3a02DbeB5285e3dBa92d717E07a"]
  }
}
```

4.2 Incubed Responses

Each Incubed node response is based on JSON-RPC, but also adds the `in3` property. If the request does not contain a `in3` property or does not require proof, the response must also omit the `in3` property.

If the proof is requested, the `in3` property is defined with the following properties:

- **proof** *Proof* - The Proof-data, which depends on the requested method. For more details, see the *Proofs* section.
- **lastNodeList** *number* - The blocknumber for the last block updating the `nodeList`. This blocknumber should be used to indicate changes in the `nodeList`. If the client has a smaller blocknumber, it should update the `nodeList`.
- **lastValidatorChange** *number* - The blocknumber of the last change of the `validatorList` (only for PoA-chains). If the client has a smaller number, it needs to update the `validatorlist` first. For details, see *PoA Validations*
- **lastWhiteList** *number* - The blocknumber for the last block updating the whitelist nodes in whitelist contract. This blocknumber could be used to detect if there is any change in whitelist nodes. If the client has a smaller blocknumber, it should update the white list.
- **currentBlock** *number* - The current blocknumber. This number may be stored in the client in order to run sanity checks for latest blocks or `eth_blockNumber`, since they cannot be verified directly.

(continued from previous page)

```
        "v": 27,
        "msgHash":
    ↪ "0xa8fc6e2564e496efc5fd7db8e70f03fd50af53e092f47c98329c84c96026fdff"
    }
  ],
  "currentBlock": 7994124,
  "lastValidatorChange": 0,
  "lastNodeList": 6619795,
  "lastWhiteList": 1546354
}
```

4.3 ChainId

Incubed supports multiple chains and a client may even run requests to different chains in parallel. While, in most cases, a chain refers to a specific running blockchain, chainIds may also refer to abstract networks such as ipfs. So, the definition of a chain in the context of Incubed is simply a distributed data domain offering verifiable api-functions implemented in an in3-node.

Each chain is identified by a `uint64` identifier written as hex-value (without leading zeros). Since incubed started with ethereum, the chainIds for public ethereum-chains are based on the intrinsic chainId of the ethereum-chain. See <https://chainid.network>.

For each chain, Incubed manages a list of nodes as stored in the *server registry* and a chainspec describing the verification. These chainspecs are held in the client, as they specify the rules about how responses may be validated.

4.4 Registry

As Incubed aims for fully decentralized access to the blockchain, the registry is implemented as an ethereum smart contract.

This contract serves different purposes. Primarily, it manages all the Incubed nodes, both the onboarding and also unregistering process. In order to do so, it must also manage the deposits: reverting when the amount of provided ether is smaller than the current minimum deposit; but also locking and/or sending back deposits after a server leaves the in3-network.

In addition, the contract is also used to secure the in3-network by providing functions to “convict” servers that provided a wrongly signed block, and also having a function to vote out inactive servers.

4.4.1 Register and Unregister of nodes

Register

There are two ways of registering a new node in the registry: either calling `[registerNode()][registerNode]` or by calling `[registerNodeFor()][registerNodeFor]`. Both functions share some common parameters that have to be provided:

- `url` the url of the to be registered node
- `props` the properties of the node

- `weight` the amount of requests per second the node is capable of handling
- `deposit` the deposit of the node in ERC20 tokens.

Those described parameters are sufficient when calling `[registerNode()][registerNode]` and will register a new node in the registry with the sender of the transaction as the owner. However, if the designated signer and the owner should use different keys, `[registerNodeFor()][registerNodeFor]` has to be called. In addition to the already described parameters, this function also needs a certain signature (i.e. `v, r, s`). This signature has to be created by hashing the url, the properties, the weight and the designated owner (i.e. `keccak256(url, properties, weight, owner)`) and signing it with the `privateKey` of the signer. After this has been done, the owner then can call `[registerNodeFor()][registerNodeFor]` and register the node.

However, in order for the register to succeed, at least the correct amount of deposit has to be approved by the designated owner of the node. The supported token can be received by calling `[supportedToken()][supportedToken]` the registry contract. The same approach also applied to the minimal amount of tokens needed for registering by calling `[minDeposit()][minDeposit]`.

In addition to that, during the first year after deployment there is also a maximum deposit for each node. This can be received by calling `[maxDepositFirstYear()][maxDepositFirstYear]`. Providing a deposit greater then this will result in a failure when trying to register.

Unregister a node

In order to remove a node from the registry, the function `[unregisteringNode()][unregisteringNode]` can be used, but is only callable by the owner the node.

While after a successful call the node will be removed from the `nodeList` immediately, the deposit of the former node will still be locked for the next 40 days after this function had been called. After the timeout is over, the function `[returnDeposit()][returnDeposit]` can be called in order to get the deposit back. The reason for that decision is simple: this approach makes sure that there is enough time to convict a malicious node even after he unregistered his node.

4.4.2 Convicting a node

After a malicious node signed a wrong blockhash, he can be convicted resulting in him loosing the whole deposit while the caller receives 50% of the deposit. There are two steps needed for the process to succeed: calling `[convict()][convict]` and `[revealConvict()][revealConvict]`.

calling convict

The first step for convicting a malicious node is calling the `[convict()][convict]`-function. This function will store a specific hash within the smart contract.

The hash needed for convicting requires some parameters:

- `blockhash` the wrongly blockhash that got signed the by malicious node
- `sender` the account that sends this transaction
- `v` of the signature of the wrong block
- `r` of the signature of the wrong block
- `s` of the signature of the wrong block

All those values are getting hashed (`keccak256(blockhash, sender, v, r, s)`) and are stored within the smart contract.

calling revealConvict

This function requires that at least 2 blocks have passed since `[convict ()]` was called. This mechanic reduces the risks of successful frontrunning attacks.

In addition, there are more requirements for successfully convicting a malicious node:

- the blocknumber of the wrongly signed block has to be either within the latest 256 blocks or be stored within the BlockhashRegistry.
- the malicious node provided a signature for the wong block and it was signed by the node
- the specific hash of the convict-call can be recreated (i.e. the caller provided the very same parameters again)
- the malicious node is either currently active or did not withdraw his deposit yet

If the `[revealConvict ()]`-call passes, the malicious node will be removed immediately from the `nodeList`. As a reward for finding a malicious node the caller receives 50% of the deposit of the malicious node. The remaining 50% will stay within the `nodeRegistry`, but nobody will be able to access/transfer them anymore.

recreating blockheaders

When a malicious node returns a block that is not within the latest 256 blocks, the BlockhashRegistry has to be used.

There are different functions to store a blockhash and its number in the registry:


- `[snapshot][snapshot]` stores the blockhash and its number of the previous block
- `[saveBlockNumber][saveBlockNumber]` stores a blockhash and its number from the latest 256 blocks
- `[recreateBlockheaders][recreateBlockheaders]` starts from an already stored block and recreates a chain of blocks. Stores the last block at the end.

In order to reduce the costs of convicting, both `[snapshot][snapshot]` and `[saveBlockNumber][saveBlockNumber]` are the cheapest options, but are limited to the latest 256 blocks.

Recreating a chain of blocks is way more expensive, but it provides the possibility to recreate way older blocks. It requires the blocknumber of an already stored hash in the smart contract as first parameter. As a second parameter an array of serialized blockheaders have to be provided. This array has to start with the blockheader of the stored block and then the previous blockheaders in reverse order (e.g. 100,99,98). The smart contract will try to recreate the chain by comparing both the provided (hashed) headers with the calculated parent and also by comparing the extracted blocknumber with the calculated one. After the smart contracts successfully recreates the provided chain, the blockhash of the last element gets stored within the smart contract.

4.4.3 Updating the NodeRegistry

In ethereum the deployed code of an already existing smart contract cannot be changed. This means, that as soon as the Registry smart contract gets updated, the address would change which would result in changing the address of the smart contract containing the `nodeList` in each client and device.



In order to solve this issue, the registry is divided between two different deployed smart contracts:

- `NodeRegistryData`: a smart contract to store the `nodeList`
- `NodeRegistryLogic`: a smart contract that has the logic needed to run the registry

There is a special relationship between those two smart contracts: The `NodeRegistryLogic` “owns” the `NodeRegistryData`. This means, that only he is allowed to call certain functions of the `NodeRegistryData`. In our case this means all writing operations, i.e. he is the only entity that is allowed to actually be allowed to store data within the smart contract. We are using this approach to make sure that only the `NodeRegistryLogic` can call the register, update and remove functions of the `NodeRegistryData`. In addition, he is the only one allowed to change the ownership to a new contract. Doing so results in the old `NodeRegistryLogic` to lose write access.

In the `NodeRegistryLogic` there are 2 special parameters for the update process:

- `updateTimeout`: a timestamp that defines when it’s possible to update the registry to the new contract
- `pendingNewLogic`: the address of the already deployed new `NodeRegistryLogic` contract for the updated registry

When an update of the Registry is needed, the function `adminUpdateLogic` gets called by the owner of the `NodeRegistryLogic`. This function will set the address of the new pending contract and also set a timeout of 47 days until the new logic can be applied to the `NodeRegistryData` contract. After 47 days everyone is allowed to call `activateNewLogic` resulting in an update of the registry.

The timeout of accessing the deposit of a node after removing it from the `nodeList` is only 40 days. In case a node owner dislikes the pending registry, he has 7 days to unregister in order to be able to get his deposit back before the new update can be applied.

4.4.4 Node structure

Each Incubed node must be registered in the `NodeRegistry` in order to be known to the network. A node or server is defined as:

- **url** string - The public url of the node, which must accept JSON-RPC requests.
- **owner** address - The owner of the node with the permission to edit or remove the node.
- **signer** address - The address used when signing blockhashes. This address must be unique within the `nodeList`.

- **timeout** `uint64` - Timeout after which the owner is allowed to receive its stored deposit. This information is also important for the client, since an invalid blockhash-signature can only “convict” as long as the server is registered. A long timeout may provide higher security since the node can not lie and unregister right away.
- **deposit** `uint256` - The deposit stored for the node, which the node will lose if it signs a wrong blockhash.
- **props** `uint192` - A bitmask defining the capabilities of the node:
 - **proof** (`0x01`) : The node is able to deliver proof. If not set, it may only serve pure ethereum JSON/RPC. Thus, simple remote nodes may also be registered as Incubed nodes.
 - **multichain** (`0x02`) : The same RPC endpoint may also accept requests for different chains. if this is set the `chainId-prop` in the request is required.
 - **archive** (`0x04`) : If set, the node is able to support archive requests returning older states. If not, only a pruned node is running.
 - **http** (`0x08`) : If set, the node will also serve requests on standard http even if the url specifies https. This is relevant for small embedded devices trying to save resources by not having to run the TLS.
 - **binary** (`0x10`) : If set, the node accepts request with `binary:true`. This reduces the payload to about 30% for embedded devices.
 - **onion** (`0x20`) : If set, the node is reachable through onionrouting and url will be a onion url.
 - **signer** (`0x40`) : If set, the node will sign blockhashes.
 - **data** (`0x80`) : If set, the node will provide rpc responses (at least without proof).
 - **stats** (`0x100`) : If set, the node will provide an endpoint for delivering metrics, which is usually the `/metrics-` endpoint, which can be used by prometheus to fetch statistics.
 - **minBlockHeight** (`0x0100000000 - 0xFF00000000`) : : The min number of blocks this node is willing to sign. if this number is low (like <6) the risk of signing unintentionally a wrong blockhash because of reorgs is high. The default should be 10)

```
minBlockHeight = props >> 32 & 0xFF
```

More capabilities will be added in future versions.

- **unregisterTime** `uint64` - The earliest timestamp when the node can unregister itself by calling `confirmUnregisteringServer`. This will only be set after the node requests an unregister. The client nodes with an `unregisterTime` set have less trust, since they will not be able to convict after this timestamp.
- **registerTime** `uint64` - The timestamp, when the server was registered.
- **weight** `uint64` - The number of parallel requests this node may accept. A higher number indicates a stronger node, which will be used within the incentivization layer to calculate the score.

4.5 Binary Format

Since Incubed is optimized for embedded devices, a server can not only support JSON, but a special binary-format. You may wonder why we don’t want to use any existing binary serialization for JSON like CBOR or others. The reason is simply: because we do not need to support all the features JSON offers. The following features are not supported:

- no escape sequences (this allows use of the string without copying it)
- no float support (at least for now)
- no string literals starting with `0x` since this is always considered as hexcoded bytes

- no propertyNames within the same object with the same key hash

Since we are able to accept these restrictions, we can keep the JSON-parser simple. This binary-format is highly optimized for small devices and will reduce the payload to about 30%. This is achieved with the following optimizations:

- All strings starting with 0x are interpreted as binary data and stored as such, which reduces the size of the data to 50%.
- Recurring byte-values will use references to previous data, which reduces the payload, especially for merkle proofs.
- All propertyNames of JSON-objects are hashed to a 16bit-value, reducing the size of the data to a significant amount (depending on the propertyName).


The hash is calculated very easily like this:

```
static d_key_t key(const char* c) {
    uint16_t val = 0, l = strlen(c);
    for (; l; l--, c++) val ^= *c | val << 7;
    return val;
}
```

Note: A very important limitation is the fact that property names are stored as 16bit hashes, which decreases the payload, but does not allow for the restoration of the full json without knowing all property names!

The binary format is based on JSON-structure, but uses a RLP-encoding approach. Each node or value is represented by these four values:

- **key** uint16_t - The key hash of the property. This value will only pass before the property node if the structure is a property of a JSON-object.
- **type** d_type_t - 3 bit : defining the type of the element.
- **len** uint32_t - 5 bit : the length of the data (for bytes/string/array/object). For (boolean or integer) the length will specify the value.
- **data** bytes_t - The bytes or value of the node (only for strings or bytes).



The serialization depends on the type, which is defined in the first 3 bits of the first byte of the element:

```
d_type_t type = *val >> 5; // first 3 bits define the type
uint8_t len = *val & 0x1f; // the other 5 bits (0-31) the length
```

The len depends on the size of the data. So, the last 5 bit of the first bytes are interpreted as follows:

- 0x00 - 0x1c : The length is taken as is from the 5 bits.
- 0x1d - 0x1f : The length is taken by reading the big-endian value of the next len - 0x1c bytes (len ext).

After the type-byte and optional length bytes, the 2 bytes representing the property hash is added, but only if the element is a property of a JSON-object.

Depending on these types, the length will be used to read the next bytes:

- **0x0 : binary data** - This would be a value or property with binary data. The `len` will be used to read the number of bytes as binary data.
- **0x1 : string data** - This would be a value or property with string data. The `len` will be used to read the number of bytes (+1) as string. The string will always be null-terminated, since it will allow small devices to use the data directly instead of copying memory in RAM.
- **0x2 : array** - Represents an array node, where the `len` represents the number of elements in the array. The array elements will be added right after the array-node.
- **0x3 : object** - A JSON-object with `len` properties coming next. In this case the properties following this element will have a leading `key` specified.
- **0x4 : boolean** - Boolean value where `len` must be either `0x1 = true` or `0x0 = false`. If `len > 1` this element is a copy of a previous node and may reference the same data. The index of the source node will then be `len-2`.
- **0x5 : integer** - An integer-value with max 29 bit (since the 3 bits are used for the type). If the value is higher than `0x20000000`, it will be stored as binary data.
- **0x6 : null** - Represents a null-value. If this value has a `len > 0` it will indicate the beginning of data, where `len` will be used to specify the number of elements to follow. This is optional, but helps small devices to allocate the right amount of memory.

4.6 Communication

Incubed requests follow a simple request/response schema allowing even devices with a small bandwidth to retrieve all the required data with one request. But there are exceptions when additional data need to be fetched.

These are:


1. Changes in the NodeRegistry

Changes in the `NodeRegistry` are based on one of the following events:

- `LogNodeRegistered`
- `LogNodeRemoved`
- `LogNodeChanged`

The server needs to watch for events from the `NodeRegistry` contract, and update the `nodeList` when needed.

Changes are detected by the client by comparing the `blocknumber` of the latest change with the last known `blocknumber`. Since each response will include the `lastNodeList`, a client may detect this change after receiving the data. The client is then expected to call `in3_nodeList` to update its `nodeList` before sending out the next request. In the event that the node is not able to proof the new `nodeList`, the client may blacklist such a node.



1. Changes in the ValidatorList

This only applies to PoA-chains where the client needs a defined and verified validatorList. Depending on the consensus, changes in the validatorList must be detected by the node and indicated with the `lastValidatorChange` on each response. This `lastValidatorChange` holds the last blocknumber of a change in the validatorList.

Changes are detected by the client by comparing the blocknumber of the latest change with the last known blocknumber. Since each response will include the `lastValidatorChange` a client may detect this change after receiving the data or in case of an unverifiable response. The client is then expected to call `in3_validatorList` to update its list before sending out the next request. In the event that the node is not able to proof the new nodeList, the client may blacklist such a node.

2. Failover

It is also good to have a second request in the event that a valid response is not delivered. This could happen if a node does not respond at all or the response cannot be validated. In both cases, the client may blacklist the node for a while and send the same request to another node.

Incubed comes with a lot of features. This is a summary:

5.1 General

- **Configurable size** : using cmake-options allows to reduce the size down to 300k or even less by removing features like error-messages and so adjust it for embedded devices.
- **Plugin-Architecture** - The client has a small core and a lot of plugin , which makes it highly customizable in size and function. Custom Plugins can be added and extended, allowing to add rpc-methods, signers, transports or verifiers to be added.
- **Signer** - Signer infrastructure allowing to manage keys either locally or as part of the HardwareWallet (NanoLedger support)
- **Ethereum API**: Incubed comes with a type-safe API, which covers all standard JSON-RPC requests (`in3.eth.getBalance('0x52bc44d5378309EE2abF1539BF71dE1b7d7bE3b5')`) as well as an ABI-Encoder and other ethereum features. This API also includes support for signing and sending transactions, as well as calling methods in smart contracts without a complete ABI by simply passing the signature of the method as an argument.
- **Caching Support**: An optional cache enables storage of the results of RPC requests that can automatically be used again within a configurable time span or if the client is offline. This also includes RPC requests, blocks, code, and NodeLists.
- **High Test-coverage** : Incubed is Tested in a CI-Pipeline with over 80 Jobs and 4500 Tests on a lot of different platforms (win, linux (x86), arm and macos, esp32, ...)

5.2 Nodelist

- **No Single Point of Failure** : A decentralized nodelist allows Incubed to run without any single point of failure or dependency to any CDN or company.

- **Fail-safe Connection:** The Incubed client will connect to any Ethereum blockchain (providing Incubed servers) by randomly selecting nodes within the Incubed network and, if the node cannot be reached or does not deliver verifiable responses, automatically retrying with different nodes.
- **Reputation Management:** Nodes that are not available will be temporarily blacklisted and lose reputation. The selection of a node is based on the weight (or performance) of the node and its availability.
- **Automatic NodeList Updates:** All Incubed nodes are registered in smart contracts on chain and will trigger events if the NodeList changes. Each request will always return the blockNumber of the last event so that the client knows when to update its NodeList.
- **Partial NodeList:** To support small devices, the NodeList can be limited and still be fully verified by basing the selection of nodes deterministically on a client-generated seed.
- **Multichain Support:** Incubed is supporting any Ethereum-based or Bitcoin chain. The client can even run parallel requests to different networks without the need to synchronize first.
- **Preconfigured Boot Nodes:** While you can configure any registry contract, the standard version contains configuration with boot nodes for mainnet, kovan, ewf, tobalaba, btc and ipfs.
- **Network Balancing:** Nodes will balance the network based on load and reputation.

5.3 Verification

- **Full Verification of JSON-RPC Methods:** Incubed is able to fully verify all important JSON-RPC methods. This even includes calling functions in smart contract and verifying their return value (`eth_call`), which means executing each opcode locally in the client to confirm the result.
- **IPFS Support:** Incubed is able to write and read IPFS content and verify the data by hashing and creating the multihash.
- **Bitcoin Support:** Incubed is able connect to the Bitcoin chain verifying Blocks and Transactions
- **Proof Levels:** Incubed supports different proof levels: `none` for no verification, `standard` for verifying only relevant properties, and `full` for complete verification, including uncle blocks or previous transactions (higher payload).
- **Security Levels:** Configurable number of signatures (for PoW) and minimal deposit stored.
- **PoW Support:** For PoW, blocks are verified based on blockhashes signed by Incubed nodes storing a deposit, which they lose if this blockhash is not correct.
- **PoA Support:** (experimental) For PoA chains (using Aura and clique), blockhashes are verified by extracting the signature from the sealed fields of the blockheader and by using the Aura algorithm to determine the signer from the validatorlist (with static validatorlist or contract-based validators).
- **PoA Clique:** Supports Clique PoA to verify blockheaders.
- **Finality Support:** For PoA chains, the client can require a configurable number of signatures (in percent) to accept them as final.
- **Flexible Transport Layer:** The communication layer between clients and nodes can be overridden, but the layer already supports different transport formats (JSON/CBOR/Incubed).
- **Replace Latest Blocks:** Since most applications per default always ask for the latest block, which cannot be considered final in a PoW chain, a configuration allows applications to automatically use a certain block height to run the request (like six blocks).
- **Signed Requests:** Incubed supports the incentivization layer, which requires signed requests to assign client requests to certain nodes.

- **Full EVM** : Incubed comes with a full EVM-Implementation allowing to verify the outcome of a EVM-tx or call.

5.4 Bindings

5.4.1 JS/TS

- **JS/TS Bindings** - based on WASM with TS-Interface Incubed can be used as WASM or ASMJS running on all Javascript environments (Browser, ReactNative, nodejs, ...)
- **Web3-Support** - Incubed can be used either as RPCProvider for Web3 or standalone supporting even the same Interfaces as Web3 when working with contracts, allowing a easy transition of existsting code.
- **No Dependency** - The npm-package comes with zero dependencies, which allows a very small footprint and introduces no additional security risks.

5.4.2 Java

- **Java-Bindings**: java version of the Incubed client based on the C sources (using JNI)
- **Native Android**: Incubed bindings allow to run natively in android based on CMAKE-Config

5.4.3 Rust

- **Rust-Bindings**: Full native Bindings based on bindgen allowing async and sync usage.

5.4.4 .NET

- **Dot-Bindings**: Dot-Net Bindings supporting full async request handling and offering the full feature set of incubed.
- **all-platforms** : The dotnet-bindings are available through nuget for linux x86, windows, macos and arm

5.4.5 Python

- **python**: seamless python-binding with full feature support
- **multi-platform** : The python package includes binaries for all major platforms and architectures (linux x86, windows, macos and arm)

5.5 Embedded

- **Zephyr-Support** : Incubed can be fully used with Zephyr-based embedded frameworks
- **Minimal-Requirements** : DRAM : min 50kB (depends on the requests send) and 150-200kb flash

These benchmarks aim to test the Incubed version for stability and performance on the server. As a result, we can gauge the resources needed to serve many clients.

6.1 Setup and Tools

- JMeter is used to send requests parallel to the server
- Custom Python scripts is used to generate lists of transactions as well as randomize them (used to create test plan)
- Link for making JMeter tests online without setting up the server: <https://www.blazemeter.com/>

JMeter can be downloaded from: https://jmeter.apache.org/download_jmeter.cgi

Install JMeter on Mac OS With HomeBrew

1. Open a Mac Terminal where we will be running all the commands
2. First, check to see if HomeBrew is installed on your Mac by executing this command. You can either run `brew help` or `brew -v`
3. If HomeBrew is not installed, run the following command to install HomeBrew on Mac:

```
ruby -e "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/  
install/master/install)"
```

Once HomeBrew is installed, we can **continue** to install JMeter.

4. To install JMeter without the extra plugins, run the following command:

```
brew install jmeter
```

5. To install JMeter with all the extra plugins, run the following command:

```
brew install jmeter --with-plugins
```

6. Finally, verify the installation by executing `jmeter -v`
7. Run JMeter using 'jmeter' which should load the JMeter GUI

JMeter on EC2 instance CLI only (testing pending):

1. Login to AWS and navigate to the EC2 instance page
2. Create a new instance, choose an Ubuntu AMI]
3. Provision the AWS instance with the needed information, enable CloudWatch monitoring
4. Configure the instance to allow all outgoing traffic, and fine tune Security group rules to suit your need
5. Save the SSH key, use the SSH key to login to the EC2 instance

6. Install Java:

```
sudo add-apt-repository ppa:linuxuprising/java
sudo apt-get update
sudo apt-get install oracle-java11-installer
```

7. Install JMeter using:

```
sudo apt-get install jmeter
```

8. Get the JMeter Plugins:

```
wget http://jmeter-plugins.org/downloads/file/JMeterPlugins-
↳Standard-1.2.0.zip
wget http://jmeter-plugins.org/downloads/file/JMeterPlugins-
↳Extras-1.2.0.zip
wget http://jmeter-plugins.org/downloads/file/JMeterPlugins-
↳ExtrasLibs-1.2.0.zip
```

9. Move the unzipped jar files to the install location:

```
sudo unzip JMeterPlugins-Standard-1.2.0.zip -d /usr/share/jmeter/
sudo unzip JMeterPlugins-Extras-1.2.0.zip -d /usr/share/jmeter/
sudo unzip JMeterPlugins-ExtrasLibs-1.2.0.zip -d /usr/share/
↳jmeter/
```

10. Copy the JML file to the EC2 instance using:

(On host computer)

```
scp -i <path_to_key> <path_to_local_file> <user>@<server_url>:
↳<path_on_server>
```

11. Run JMeter without the GUI:

```
jmeter -n -t <path_to_jmx> -l <path_to_output_jtl>
```

12. Copy the JTL file back to the host computer and view the file using JMeter with GUI

Python script to create test plan:

1. Navigate to the txGenerator folder in the in3-tests repo.
2. Run the main.py file while referencing the start block (-s), end block (-e) and number of blocks to choose in this range (-n). The script will randomly choose three transactions per block.

3. The transactions chosen are sent through a tumble function, resulting in a randomized list of transactions from random blocks. This should be a realistic scenario to test with, and prevents too many concurrent cache hits.
4. Import the generated CSV file into the loaded test plan on JMeter.
5. Refer to existing test plans for information on how to read transactions from CSV files and to see how it can be integrated into the requests.

6.2 Considerations

- When the Incubed benchmark is run on a new server, create a baseline before applying any changes.
- Run the same benchmark test with the new codebase, test for performance gains.
- The tests can be modified to include the number of users and duration of the test. For a stress test, choose 200 users and a test duration of 500 seconds or more.
- When running in an EC2 instance, up to 500 users can be simulated without issues. Running in GUI mode reduces this number.
- A beneficial method for running the test is to slowly ramp up the user count. Start with a test of 10 users for 120 seconds in order to test basic stability. Work your way up to 200 users and longer durations.
- Parity might often be the bottleneck; you can confirm this by using the `get_avg_stddev_in3_response.sh` script in the scripts directory of the in3-test repo. This would help show what optimizations are needed.

6.3 Results/Baseline

- The baseline test was done with our existing server running multiple docker containers. It is not indicative of a perfect server setup, but it can be used to benchmark upgrades to our codebase.
- The baseline for our current system is given below. This system has multithreading enabled and has been tested with ethCalls included in the test plan.

Users/ Duration	Number of re- quests	tps	get- Block- By- Hash (ms)	get- Block- ByNum- ber (ms)	get- Trans- action- Hash (ms)	get- Trans- action- Re- ceipt (ms)	Eth- Call (ms)	eth_getStorage (ms)	Storage
10/120s									
20/120s	4800	40	580	419	521	923	449	206	
40/120s	5705	47	1020	708	902	1508	816	442	
80/120s	7970	66	1105	790	2451	3197	984	452	
100/120s	9911	57	1505	1379	2501	4310	1486	866	
110/120s	10000	50	1789	1646	4204	5662	1811	1007	
120/500s	2000	65	1331	1184	4600	5314	1815	1607	
140/500s	31000	62	1666	1425	5207	6722	1760	941	
160/500s	33000	65	1949	1615	6269	7604	1900	930	In3 -> 400ms, rpc -> 2081ms
200/500s	34000	70	1270	1031	12500	14349	1251	716	At higher loads, the RPC delay adds up. It is the bottlenecking factor. Able to handle 200 users on sustained loads.

- More benchmarks and their results can be found in the in3-tests repo

7.1 Hardware Requirements

7.1.1 Memory

For the memory this example requires:

- Dynamic memory(DRAM) : 30 - 50kB
- Flash Memory : 150 - 200kB

7.1.2 Networking

In3 client needs to have a reliable internet connection to work properly, so your hardware must support any network interface or module that could give you access to it. i.e Bluetooth, Wifi, ethernet, etc.

7.2 Incubed with ESP-IDF


7.2.1 Use case example: Airbnb Property access

A smart door lock that grants access to a rented flat is installed on the property. It is able to connect to the Internet to check if renting is allowed and that the current user is authorized to open the lock.

The computational power of the control unit is restricted to the control of the lock. And it is also needed to maintain a permanent Internet connection.

You want to enable this in your application as an example of how in3 can help you, we will guide through the steps of doing it, from the very basics and the resources you will need

Hardware requirements



from

<https://docs.espressif.com/projects/esp-idf/en/stable/get-started/>

- ESP32-DevKitC V4 or similar dev board
- Android phone
- Laptop MAC, Linux, Windows
- USB Cable

Software requirements

- In3 C client
- Esp-idf toolchain and sdk, (please follow this [guide](#)) and be sure on the cloning step to use release/v4.0 branch

```
git clone -b release/v4.0 --recursive https://github.com/espressif/esp-idf.git
```

- Android Studio
- Solidity smart contract: we will control access to properties using a public smart contract, for this example, we will use the following template
- Silab USB drivers

```
pragma solidity ^0.5.1;

contract Access {
    uint8 access;
```

(continues on next page)

(continued from previous page)

```


constructor() public {
    access = 0;
}

function hasAccess() public view returns(uint8) {
    return access;
}

function setAccess(uint8 accessUpdate) public{
    access = accessUpdate;
}
}

```

How it works



In3 will support a wide range of microcontrollers, in this guide we will use well-known esp32 with freertos framework, and an example android app to interact with it via Wifi connection.

Installation instructions

1. Clone the repo

```
git clone --recursive https://github.com/sloikit/in3-devices-esp
```

1. Deploy the contract with your favorite tool (truffle, etc) or use our previously deployed contract on goerli, with address `0x36643F8D17FE745a69A2Fd22188921Fde60a98B`
2. Config your SSID and password inside sdkconfig file `sdkconfig.defaults`

```

CONFIG_WIFI_SSID="YOUR SSID"
CONFIG_WIFI_PASSWORD="YOUR PWD"

```

1. Build the code `idf.py build`
2. Connect the usb cable to flash and monitor the serial output from the application.

```
idf.py flash && idf.py monitor
```

after the build finishes and the serial monitor is running you will see the configuration and init logs.

1. Configure the ip address of the example, to work with: Take a look at the initial output of the serial output of the `idf.py monitor` command, you will the ip address, as follows

```
I (2647) tcpip_adapter: sta ip: 192.168.178.64, mask: 255.255.255.0, gw: 192.168.178.1
I (2647) IN3: got ip:192.168.178.64
```

take note if your ip address which will be used in the android application example.

1. Clone the android repository, compile the android application and install the in3 demo application in your phone.

```
git clone https://github.com/slockit/in3-android-example
```

1. Modify the android source changing ip address variable inside kotlin source file `MainActivity.kt`, with the IP address found on step 6.

```
(L:20) private const val ipaddress = "http://192.168.xx.xx"
```

1. If you want to test directly without using android you can also do it with the following http curl requests:

- `curl -X GET http://slock.local/api/access`
- `curl -X GET http://slock.local/api/retrieve`

we need 2 requests as the verification process needs to be executed in asynchronous manner, first one will trigger the execution and the result could be retrieved with the second one

7.3 Incubed with Zephyr

...(Comming soon)

When creating a new Incubed Instance you can configure it. The Configuration depends on the registered plugins. This page describes the available configuration parameters.

8.1 chainId

the chainId or the name of a known chain. It defines the nodelist to connect to. *This config is optional.* (default: "mainnet")

Type: string | uint?

Possible Values are:

- mainnet : Mainnet Chain
- goerli : Goerli Testnet
- ewc : Energy WebFoundation
- btc : Bitcoin
- ipfs : ipfs
- local : local-chain

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -c goerli ....
> in3 --chainId=goerli ....
```

```
const in3 = new IN3({
  "chainId": "goerli"
})
```

```
in3_configure(in3, "{\
  \"chainId\": \"goerli\"\\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
  "chainId": "goerli"
}
""")));
```

```
let in3 = IN3( chainId: "goerli")
```

8.2 finality

the number in percent needed in order reach finality (% of signature of the validators). *This config is optional.*

Type: int?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -f 50 ....
> in3 --finality=50 ....
```

```
const in3 = new IN3({
  "finality": 50
})
```

```
in3_configure(in3, "{\
  \"finality\": 50\\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
  "finality": 50
}
""")));
```

```
let in3 = IN3( finality: 50)
```

8.3 includeCode

if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --includeCode ....
```

```
const in3 = new IN3({
  "includeCode": true
})
```

```
in3_configure(in3, "{\
  \"includeCode\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
  "includeCode": true
}
""")));
```

```
let in3 = IN3( includeCode: true)
```

8.4 debug

if true, debug messages will be written to stderr. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --debug ....
```

```
const in3 = new IN3({
  "debug": true
})
```

```
in3_configure(in3, "{\
  \"debug\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("{"
  {
    "debug": true
  }
  "")))
```

```
let in3 = IN3( debug: true)
```

8.5 maxAttempts

max number of attempts in case a response is rejected. *This config is optional.* (default: 7)

Type: int?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -a 1 ....
> in3 --maxAttempts=1 ....
```

```
const in3 = new IN3({
  "maxAttempts": 1
})
```

```
in3_configure(in3, "{\
  \"maxAttempts\": 1\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("{"
  {
    "maxAttempts": 1
  }
  "")))
```

```
let in3 = IN3( maxAttempts: 1)
```


8.6 keepIn3

if true, requests sent to the input stream of the commandline util will be send their responses in the same form as the server did. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -kin3 ....
> in3 --keepIn3 ....
```

```
const in3 = new IN3({
  "keepIn3": true
})
```

```
in3_configure(in3, "{\
  \"keepIn3\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse(""
{
  "keepIn3": true
}
"))) );
```

```
let in3 = IN3( keepIn3: true)
```

8.7 stats

if true, requests sent will be used for stats. *This config is optional.* (default: true)

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --stats=false ....
```

```
const in3 = new IN3({
  "stats": false
})
```

```
in3_configure(in3, "{\
  \"stats\": false\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
      "stats": false
    }
    """)));
```

```
let in3 = IN3( stats: false)
```

8.8 useBinary

if true the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the property names anymore. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --useBinary ....
```

```
const in3 = new IN3({
  "useBinary": true
})
```

```
in3_configure(in3, "{\
  \"useBinary\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
      "useBinary": true
    }
    """)));
```

```
let in3 = IN3( useBinary: true)
```

8.9 experimental

if true the client allows to use experimental features, otherwise a exception is thrown if those would be used. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -x ....
> in3 --experimental ....
```

```
const in3 = new IN3({
  "experimental": true
})
```

```
in3_configure(in3, "{\
  \"experimental\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("{"
    {
      "experimental": true
    }
  "")))
```

```
let in3 = IN3( experimental: true)
```

8.10 timeout

specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection. *This config is optional.* (default: 20000)

Type: uint64?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --timeout=100000 ....
```

```
const in3 = new IN3({  
  "timeout": 100000  
})
```

```
in3_configure(in3, "{\  
  \"timeout\": 100000\  
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse(""  
  {  
    "timeout": 100000  
  }  
  "")));
```

```
let in3 = IN3( timeout: 100000)
```

8.11 proof

if true the nodes should send a proof of the response. If set to none, verification is turned off completely. *This config is optional.* (default: "standard")

Type: string?

Possible Values are:

- none : no proof will be generated or verified. This also works with standard rpc-endpoints.
- standard : Stanbdard Proof means all important properties are verified
- full : In addition to standard, also some rarly needed properties are verified, like uncles. But this causes a bigger payload.

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -p none ....  
> in3 --proof=none ....
```

```
const in3 = new IN3({  
  "proof": "none"  
})
```

```
in3_configure(in3, "{\  
  \"proof\": \"none\"\  
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "proof": "none"
    }
    """))) ;
```

```
let in3 = IN3( proof: "none")
```

8.12 replaceLatestBlock

if specified, the blocknumber *latest* will be replaced by blockNumber- specified value. *This config is optional.*

Type: int?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -l 6 ....
> in3 --replaceLatestBlock=6 ....
```

```
const in3 = new IN3({
  "replaceLatestBlock": 6
})
```

```
in3_configure(in3, "{\
  \"replaceLatestBlock\": 6\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "replaceLatestBlock": 6
    }
    """))) ;
```

```
let in3 = IN3( replaceLatestBlock: 6)
```

8.13 autoUpdateList

if true the nodelist will be automatically updated if the lastBlock is newer. *This config is optional.* (default: true)

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --autoUpdateList=false ....
```

```
const in3 = new IN3({
  "autoUpdateList": false
})
```

```
in3_configure(in3, "{\
  \"autoUpdateList\": false\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
      "autoUpdateList": false
    }
    """))) ;
```

```
let in3 = IN3( autoUpdateList: false)
```

8.14 signatureCount

number of signatures requested in order to verify the blockhash. *This config is optional.* (default: 1)

Type: int?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -s 2 ....
> in3 --signatureCount=2 ....
```

```
const in3 = new IN3({
  "signatureCount": 2
})
```

```
in3_configure(in3, "{\
  \"signatureCount\": 2\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "signatureCount": 2
    }
    """))) ;
```

```
let in3 = IN3( signatureCount: 2)
```

8.15 bootWeights

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache. *This config is optional.* (default: true)

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -bw ....
> in3 --bootWeights ....
```

```
const in3 = new IN3({
  "bootWeights": true
})
```

```
in3_configure(in3, "{\
    \"bootWeights\": true\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "bootWeights": true
    }
    """))) ;
```

```
let in3 = IN3( bootWeights: true)
```

8.16 useHttp

if true the client will try to use http instead of https. *This config is optional.*

Type: bool?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --useHttp ....
```

```
const in3 = new IN3({  
  "useHttp": true  
})
```

```
in3_configure(in3, "{\  
  \"useHttp\": true\  
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("  
  {  
    "useHttp": true  
  }  
"))) );
```

```
let in3 = IN3( useHttp: true)
```

8.17 minDeposit

min stake of the server. Only nodes owning at least this amount will be chosen. *This config is optional.*

Type: uint256?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --minDeposit=10000000 ....
```

```
const in3 = new IN3({  
  "minDeposit": 10000000  
})
```

```
in3_configure(in3, "{\  
  \"minDeposit\": 10000000\  
}");
```



```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "minDeposit": 10000000
    }
    """)));
```

```
let in3 = IN3( minDeposit: 10000000)
```

8.18 nodeProps

used to identify the capabilities of the node. *This config is optional.*

Type: hex?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --nodeProps=0xffff ....
```

```
const in3 = new IN3({
  "nodeProps": "0xffff"
})
```

```
in3_configure(in3, "{\
    \"nodeProps\": \"0xffff\"
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "nodeProps": "0xffff"
    }
    """)));
```

```
let in3 = IN3( nodeProps: "0xffff")
```

8.19 requestCount

the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received. *This config is optional.* (default: 2)

Type: int?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -rc 3 ....
> in3 --requestCount=3 ....
```

```
const in3 = new IN3({
  "requestCount": 3
})
```

```
in3_configure(in3, "{\
  \"requestCount\": 3\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("{"
  {
    "requestCount": 3
  }
  "")))
```

```
let in3 = IN3( requestCount: 3)
```

8.20 rpc

url of one or more direct rpc-endpoints to use. (list can be comma seperated). If this is used, proof will automaticly be turned off. *This config is optional.*

Type: string?

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --rpc=http://loalhost:8545 ....
```

```
const in3 = new IN3({
  "rpc": "http://loalhost:8545"
})
```

```
in3_configure(in3, "{\
  \"rpc\": \"http://loalhost:8545\"\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "rpc": "http://localhost:8545"
    }
    """))) ;
```

```
let in3 = IN3( rpc: "http://localhost:8545")
```

8.21 nodes

defining the nodelist. collection of JSON objects with chain Id (hex string) as key. *This config is optional.*

Type: object? The nodes object supports the following properties :

- **contract** : address? (*optional*) - address of the registry contract. (This is the data-contract!)
- **whiteListContract** : address? (*optional*) - address of the whiteList contract. This cannot be combined with whiteList!
- **whiteList** : address[]? (*optional*) - manual whitelist.
- **registryId** : bytes32? (*optional*) - identifier of the registry.
- **needsUpdate** : bool? (*optional*) - if set, the nodeList will be updated before next request.
- **avgBlockTime** : int? (*optional*) - average block time (seconds) for this chain.
- **verifiedHashes** : object[]? (*optional*) - if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request. The verifiedHashes object supports the following properties :
 - **block** : uint64 - block number
 - **hash** : bytes32 - verified hash corresponding to block number.
- **nodeList** : object[]? (*optional*) - manual nodeList. As Value a array of Node-Definitions is expected. The nodeList object supports the following properties :
 - **url** : string - URL of the node.
 - **address** : string - address of the node
 - **props** : hex - used to identify the capabilities of the node (defaults to 0xFFFF).

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --nodes.contract=0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f ....
```

```
const in3 = new IN3({
  "nodes": {
    "contract": "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
    "nodeList": [
      {
        "address": "0x45d45e6ff99e6c34a235d263965910298985fcfe",
        "url": "https://in3-v2.slock.it/mainnet/nd-1",
        "props": "0xFFFF"
      }
    ]
  }
})
```

```
in3_configure(in3, "{\
  \"nodes\": {\
    \"contract\": \"0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f\", \
    \"nodeList\": [\
      {\
        \"address\": \"0x45d45e6ff99e6c34a235d263965910298985fcfe\", \
        \"url\": \"https://in3-v2.slock.it/mainnet/nd-1\", \
        \"props\": \"0xFFFF\" \
      } \
    ] \
  } \
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("{"
  {
    "nodes": {
      "contract": "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
      "nodeList": [
        {
          "address": "0x45d45e6ff99e6c34a235d263965910298985fcfe",
          "url": "https://in3-v2.slock.it/mainnet/nd-1",
          "props": "0xFFFF"
        }
      ]
    }
  }
}"));
```

```
let in3 = IN3( nodes: {
  contract: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
  nodeList: [
    address: "0x45d45e6ff99e6c34a235d263965910298985fcfe",
    url: "https://in3-v2.slock.it/mainnet/nd-1",
    props: "0xFFFF")
```

8.22 zksync

configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).

Type: object The zksync object supports the following properties :

- **provider_url** : string? (*optional*) - url of the zksync-server (if not defined it will be choosen depending on

the chain) (default: "https://api.zksync.io/jsrpc") This option can also be used in its short-form in the comandline client `-zks`.

- **rest_api** : string? (*optional*) - url of the zksync rest api (if not defined it will be choosen depending on the chain) This option can also be used in its short-form in the comandline client `-zkr`.

```
> in3 -zkr https://rinkeby-api.zksync.io/api/v0.1/ ....
> in3 --zksync.rest_api=https://rinkeby-api.zksync.io/api/v0.1/ ....
```

- **account** : address? (*optional*) - the account to be used. if not specified, the first signer will be used. This option can also be used in its short-form in the comandline client `-zka`.
- **sync_key** : bytes32? (*optional*) - the seed used to generate the sync_key. This way you can explicitly set the pk instead of deriving it from a signer. This option can also be used in its short-form in the comandline client `-zsk`.
- **main_contract** : address? (*optional*) - address of the main contract- If not specified it will be taken from the server.
- **signer_type** : string? (*optional*) - type of the account. Must be either `pk`(default), `contract` (using contract signatures) or `create2` using the `create2`-section. (default: "pk") Possible Values are:
 - `pk` : Private matching the account is used (for EOA)
 - `contract` : Contract Signature based EIP 1271
 - `create2` : create2 optionas are used

This option can also be used in its short-form in the comandline client `-zkat`.

- **musig_pub_keys** : bytes? (*optional*) - concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will based on the aggregated pubkey. Also the signing will use multiple keys. This option can also be used in its short-form in the comandline client `-zms`.
- **musig_urls** : string[]? (*optional*) - a array of strings with urls based on the `musig_pub_keys`. It is used so generate the combined signature by exchaing signature data (commitment and signatureshares) if the local client does not hold this key. This option can also be used in its short-form in the comandline client `-zmu`.
- **create2** : object? (*optional*) - create2-arguments for `sign_type create2`. This will allow to sign for contracts which are not deployed yet. This option can also be used in its short-form in the comandline client `-zc2`. The create2 object supports the following properties :
 - **creator** : address - The address of contract or EOA deploying the contract (for example the Gnosis-SafeFactory)
 - **saltarg** : bytes32 - a salt-argument, which will be added to the pubkeyhash and create the create2-salt.
 - **codehash** : bytes32 - the hash of the actual deploy-tx including the constructor-arguments.
- **verify_proof_method** : string? (*optional*) - rpc-method, which will be used to verify the incomming proof before cosigning. This option can also be used in its short-form in the comandline client `-zvpm`.
- **create_proof_method** : string? (*optional*) - rpc-method, which will be used to create the proof needed for cosigning. This option can also be used in its short-form in the comandline client `-zcpm`.

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --zksync.account=0x995628aa92d6a016da55e7de8b1727e1eb97d337 --zksync.sync_
↳key=0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816 --zksync.
↳signer_type=contract ....
```

```
const in3 = new IN3({
  "zksync": {
    "account": "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
    "sync_key": "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
    "signer_type": "contract"
  }
})
```

```
in3_configure(in3, "{\
  \"zksync\": {\
    \"account\": \"0x995628aa92d6a016da55e7de8b1727e1eb97d337\", \
    \"sync_key\": \"\
↳0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816\", \
    \"signer_type\": \"contract\" \
  } \
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
  "zksync": {
    "account": "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
    "sync_key":
↳"0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
    "signer_type": "contract"
  }
}
""")));
```

```
let in3 = IN3( zksync: {
  account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
  sync_key:
↳"0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
  signer_type: "contract")
```

Bash

JavaScript

C

Java

Swift

```
> in3 --zksync.account=0x995628aa92d6a016da55e7de8b1727e1eb97d337 --zksync.sync_
↳key=0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816 --zksync.
↳signer_type=create2 ....
```

```
const in3 = new IN3({
  "zksync": {
    "account": "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
```

(continues on next page)

(continued from previous page)

```

    "sync_key": "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
    "signer_type": "create2",
    "create2": {
        "creator": "0x6487c3ae644703c1f07527c18fe5569592654bcb",
        "saltarg": "0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12",
        "codehash": "0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5"
    }
}
})

```

```

in3_configure(in3, "{\
    \"zksync\": {\
        \"account\": \"0x995628aa92d6a016da55e7de8b1727e1eb97d337\", \
        \"sync_key\": \
↪ \"0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816\", \
        \"signer_type\": \"create2\", \
        \"create2\": {\
            \"creator\": \"0x6487c3ae644703c1f07527c18fe5569592654bcb\", \
            \"saltarg\": \
↪ \"0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12\", \
            \"codehash\": \
↪ \"0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5\" \
        } \
    } \
}");

```

```

IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "zksync": {
            "account": "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
            "sync_key":
↪ "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
            "signer_type": "create2",
            "create2": {
                "creator": "0x6487c3ae644703c1f07527c18fe5569592654bcb",
                "saltarg":
↪ "0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12",
                "codehash":
↪ "0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5"
            }
        }
    }
    """)));

```

```

let in3 = IN3( zksync: {
    account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
    sync_key:
↪ "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816",
    signer_type: "create2",
    create2: {
        creator: "0x6487c3ae644703c1f07527c18fe5569592654bcb",
        saltarg:
↪ "0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12",
        codehash:
↪ "0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5")

```

Bash

JavaScript

C

Java

Swift

```
> in3 --zksync.account=0x995628aa92d6a016da55e7de8b1727e1eb97d337 --zksync.signer_  
↳ type=pk --zksync.musig_pub_  
↳ keys=0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160  
↳ --zksync.sync_  
↳ key=0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734 ....
```

[illegible]

```
in3_configure(in3, "{\n
    \"zksync\": {\n
        \"account\": \"0x995628aa92d6a016da55e7de8b1727e1eb97d337\", \n
        \"signer_type\": \"pk\", \n
        \"musig_pub_keys\": \n
↪ \"0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160\", \n
↪ \"\", \n
        \"sync_key\": \n
↪ \"0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734\", \n
        \"musig_urls\": [\n
            null, \n
            \"https://approver.service.com\" \n
        ] \n
    } \n
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "zksync": {
            "account": "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
            "signer_type": "pk",
            "musig_pub_keys":
↪ "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160x9ad89ac0643ffdc32b2dab859ad0f
↪ ",
            "sync_key":
↪ "0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734",
            "musig_urls": [
```

(continues on next page)

(continued from previous page)

```

        null,
        "https://approver.service.com"
    ]
}
}
""))));

```

```

let in3 = IN3( zksync: {
    account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337",
    signer_type: "pk",
    musig_pub_keys:
    ↪ "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160x9ad89ac0643ffdc32b2dab859ad0f",
    ↪ ",
    sync_key:
    ↪ "0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734",
    musig_urls: [
        https: //approver.service.com")

```

8.23 key

the client key to sign requests. (only availble if build with `-DPK_SIGNER=true` , which is on per default) *This config is optional.*

Type: bytes32?

Example:

Bash

JavaScript

C

Java

Swift

```

> in3 -k 0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe ....
> in3 --key=0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe ....

```

```

const in3 = new IN3({
    "key": "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"
})

```

```

in3_configure(in3, "{\
    \"key\": \
    ↪ \"0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe\"\\
    }");

```

```

IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
    {
        "key":
    ↪ "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"
    }
    "")));

```

```
let in3 = IN3( key:
↳ "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe")
```

8.24 pk

registers raw private keys as signers for transactions. (only available if build with `-DPK_SIGNER=true`, which is on per default) *This config is optional.*

Type: `bytes32[]?`

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 -pk 0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe ....
> in3 --pk=0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe ....
```

```
const in3 = new IN3({
  "pk": "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe"
})
```

```
in3_configure(in3, "{\
  \"pk\": \"0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe\"
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
  "pk": "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe"
}
""")));
```

```
let in3 = IN3( pk:
↳ "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcbd610a050f1f983afe")
```

8.25 btc

configure the Bitcoin verification

Type: `object` The `btc` object supports the following properties :

- **maxDAP** : `int?` (*optional*) - max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. (default: 20)

```
> in3 --btc.maxDAP=10 ....
```

- **maxDiff**: `int?` (*optional*) - max increase (in percent) of the difference between targets when accepting new targets. (default: 10)

```
> in3 --btc.maxDiff=5 ....
```

Example:

Bash

JavaScript

C

Java

Swift

```
> in3 --btc.maxDAP=30 --btc.maxDiff=5 ....
```

```
const in3 = new IN3({
  "btc": {
    "maxDAP": 30,
    "maxDiff": 5
  }
})
```

```
in3_configure(in3, "{\
    \"btc\": {\
        \"maxDAP\": 30,\
        \"maxDiff\": 5\
    }\
}");
```

```
IN3 in3 = new IN3(new ClientConfiguration(JSON.parse("""
{
    "btc": {
        "maxDAP": 30,
        "maxDiff": 5
    }
}
""")));
```

```
let in3 = IN3( btc: {
    maxDAP: 30,
    maxDiff: 5)
```

8.26 cmdline options

Those special options are used in the comandline client to pass additional options.

8.26.1 clearCache

clears the cache before performing any operation.

Type: bool

Example:

Bash

```
> in3 -ccache ....  
> in3 --clearCache ....
```

8.26.2 eth

converts the result (as wei) to ether.

Type: bool

Example:

Bash

```
> in3 -e ....  
> in3 --eth ....
```

8.26.3 port

if specified it will run as http-server listening to the given port.

Type: uint

Example:

Bash

```
> in3 -port 8545 ....  
> in3 --port=8545 ....
```

8.26.4 allowed-methods

only works if port is specified and declares a comma-seperated list of rpc-methods which are allowed. All other will be rejected.

Type: string

Example:

Bash

```
> in3 -am eth_sign,eth_blockNumber ....  
> in3 --allowed-methods=eth_sign,eth_blockNumber ....
```

8.26.5 block

the blocknumber to use when making calls. could be either latest (default),earliest or a hexnumbner

Type: uint

Example:

Bash

```
> in3 -b latest ....
> in3 --block=latest ....
```

8.26.6 to

the target address of the call

Type: address

Example:

Bash

```
> in3 -to 0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
> in3 --to=0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
```

8.26.7 from

the sender of a call or tx (only needed if no signer is registered)

Type: address

Example:

Bash

```
> in3 -from 0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
> in3 --from=0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
```

8.26.8 data

the data for a transaction. This can be a filepath, a 0x-hexvalue or - for stdin.

Type: bytes

Example:

Bash

```
> in3 -d 0x7d1c101 ....
> in3 --data=0x7d1c101 ....
```

8.26.9 gas_price

the gas price to use when sending transactions. (default: use eth_gasPrice)

Type: uint

Example:

Bash

```
> in3 -gp 1000000000000 ....
> in3 --gas_price=1000000000000 ....
```

8.26.10 gas

the gas limit to use when sending transactions. (default: 100000)

Type: uint

Example:

Bash

```
> in3 -gas 100000 ....
> in3 --gas=100000 ....
```

8.26.11 token

the address of the erc20-token contract.

Type: string

8.26.12 nonce

the nonce. (default: will be fetched using eth_getTransactionCount)

Type: uint

Example:

Bash

```
> in3 -nonce 2 ....
> in3 --nonce=2 ....
```

8.26.13 test

creates a new json-test written to stdout with the name as specified.

Type: string

Example:

Bash

```
> in3 -test test_blockNumber ....
> in3 --test=test_blockNumber ....
```

8.26.14 path

the HD wallet derivation path . We can pass in simplified way as hex string i.e [44,60,00,00,00] => 0x2c3c000000

Type: string

Example:

Bash

```
> in3 -path 0x2c3c000000 ....
> in3 --path=0x2c3c000000 ....
```

8.26.15 sigtype

the type of the signature data. (default: "raw")

Type: string

Possible Values are:

- raw : hash the raw data
- hash : use the already hashed data
- eth_sign : use the prefix and hash it

Example:

Bash

```
> in3 -st hash ....
> in3 --sigtype=hash ....
```

8.26.16 password

password to unlock the key

Type: string

Example:

Bash

```
> in3 -pwd MYPASSWORD ....
> in3 --password=MYPASSWORD ....
```

8.26.17 value

the value to send when sending a transaction. can be hexvalue or a float/integer with the suffix eth or wei like 1.8eth (default: 0)

Type: uint

Example:

Bash

```
> in3 -value 0.2eth ....
> in3 --value=0.2eth ....
```

8.26.18 wait

if given, instead returning the transaction, it will wait until the transaction is mined and return the transactionreceipt.

Type: bool

Example:

Bash

```
> in3 -w ....
> in3 --wait ....
```

8.26.19 json

if given the result will be returned as json, which is especially important for eth_call results with complex structures.

Type: bool

Example:

Bash

```
> in3 -json ....
> in3 --json ....
```

8.26.20 hex

if given the result will be returned as hex.

Type: bool

Example:

Bash

```
> in3 -hex ....
> in3 --hex ....
```

8.26.21 debug

if given incubed will output debug information when executing.

Type: bool

Example:

Bash

```
> in3 -debug ....
> in3 --debug ....
```

8.26.22 quiet

quiet. no additional output.

Type: bool

Example:

Bash

```
> in3 -q ....
> in3 --quiet ....
```


8.26.23 human

human readable, which removes the json -structure and only displays the values.

Type: bool

Example:

Bash

```
> in3 -h ....
> in3 --human ....
```

8.26.24 test-request

runs test request when showing in3_weights

Type: bool

Example:

Bash

```
> in3 -tr ....
> in3 --test-request ....
```

8.26.25 test-health-request

runs test request including health-check when showing in3_weights

Type: bool

Example:

Bash

```
> in3 -thr ....
> in3 --test-health-request ....
```

8.26.26 multisig

adds a multisig as signer this needs to be done in the right order! (first the pk then the multisig(s))

Type: address

Example:

Bash

```
> in3 -ms 0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
> in3 --multisig=0x7d1c10184fa178ebb5b10a9aa6230a255c5c59f6 ....
```

8.26.27 ms.signatures

add additional signatures, which will be used when sending through a multisig!

Type: bytes

Example:

Bash

```
> in3 -sigs 8.270446144388933e+124 ....
> in3 --ms.signatures=8.270446144388933e+124 ....
```

8.26.28 response.in

read response from stdin

Type: bool

Example:

Bash

```
> in3 -ri ....
> in3 --response.in ....
```

8.26.29 response.out

write raw response to stdout

Type: bool

Example:

Bash

```
> in3 -ro ....
> in3 --response.out ....
```

8.26.30 file.in

reads a prerecorded request from the filepath and executes it with the recorded data. (great for debugging)

Type: string

Example:

Bash

```
> in3 -fi record.txt ....
> in3 --file.in=record.txt ....
```

8.26.31 file.out

records a request and writes the reproducible data in a file (including all cache-data, timestamps ...)

Type: string

Example:

Bash

```
> in3 -fo record.txt ....
> in3 --file.out=record.txt ....
```

8.26.32 nodelist

a coma seperated list of urls (or address:url) to be used as fixed nodelist

Type: string

Example:

Bash

```
> in3 -nl https://in3-v2.slock.it/mainnet/nd-1,https://mainnet.incubed.net ....
> in3 --nodelist=https://in3-v2.slock.it/mainnet/nd-1,https://mainnet.incubed.net ...
↪ .
```

8.26.33 bootnodes

a coma seperated list of urls (or address:url) to be used as boot nodes

Type: string

Example:

Bash

```
> in3 -bn https://in3-v2.slock.it/mainnet/nd-1,https://mainnet.incubed.net ....
> in3 --bootnodes=https://in3-v2.slock.it/mainnet/nd-1,https://mainnet.incubed.net ..
↪ ..
```

8.26.34 onllysign

only sign, do not send the raw Transaction

Type: bool

Example:

Bash

```
> in3 -os ....
> in3 --onlysign ....
```

8.26.35 noproof

alias for `--proof=none`

Type: `bool`

Example:

Bash

```
> in3 -np ....
> in3 --noproof ....
```

8.26.36 nostats

alias for `--stats=false`, which will mark all requests as not counting in the stats

Type: `bool`

Example:

Bash

```
> in3 -ns ....
> in3 --nostats ....
```

8.26.37 version

displays the version

Type: `bool`

Example:

Bash

```
> in3 -v ....
> in3 --version ....
```

8.26.38 help

displays this help message

Type: `bool`

Example:

Bash

```
> in3 -h ....
> in3 --help ....
```

This section describes the behavior for each RPC-method supported with incubed.

The core of incubed is to execute rpc-requests which will be send to the incubed nodes and verified. This means the available RPC-Requests are defined by the clients itself.

9.1 account

Account Handling includes handling signers and preparing and signing transacrtion and data.

Signers are Plugins able to create signatures. Those functions will use the registered plugins.

9.1.1 eth_accounts

returns a array of account-addresss the incubed client is able to sign with.

In order to add keys, you can use *in3_addRawKey* or configure them in the config. The result also contains the addresses of any signer signer-supporting the `PLGN_ACT_SIGN_ACCOUNT` action.

Parameters: -

Returns: `address[]`

the array of addresses of all registered signers.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_accounts | jq
[
  "0x2e988a386a799f506693793c6a5af6b54dfaabfb",
  "0x93793c6a5af6b54dfaabfb2e988a386a799f5066"
]
```

```
//----- Request -----

{
  "method": "eth_accounts",
  "params": []
}

//----- Response -----

{
  "result": [
    "0x2e988a386a799f506693793c6a5af6b54dfaabfb",
    "0x93793c6a5af6b54dfaabfb2e988a386a799f5066"
  ]
}
```

```
# ----- Request -----

method: eth_accounts
params: []

//----- Response -----

result:
- "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
- "0x93793c6a5af6b54dfaabfb2e988a386a799f5066"
```

9.1.2 eth_sign

The sign method calculates an Ethereum specific signature with:

```
sign(keccak256("\x19Ethereum Signed Message:\n" + len(message) + message))).
```

By adding a prefix to the message makes the calculated signature recognisable as an Ethereum specific signature. This prevents misuse where a malicious DApp can sign arbitrary data (e.g. transaction) and use the signature to impersonate the victim.

For the address to sign a signer must be registered.

Parameters:

1. **account** : address - the account to sign with
2. **message** : bytes - the message to sign

Returns:

the signature (65 bytes) for the given message.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_sign 0x9b2055d370f73ec7d8a03e965129118dc8f5bf83 0xdeadbeaf
0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17bfdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
```

```
//----- Request -----

{
  "method": "eth_sign",
  "params": [
    "0x9b2055d370f73ec7d8a03e965129118dc8f5bf83",
    "0xdeadbeaf"
  ]
}

//----- Response -----

{
  "result":
  ↪ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17bfdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
  ↪ "
}
```

```
# ----- Request -----

method: eth_sign
params:
  - "0x9b2055d370f73ec7d8a03e965129118dc8f5bf83"
  - "0xdeadbeaf"

//----- Response -----

result: "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d88\
7fd3b17bfdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
```

9.1.3 eth_signTransaction

Signs a transaction that can be submitted to the network at a later time using with `eth_sendRawTransaction`.

Parameters:

1. **tx** : `eth_transaction` - transaction to sign The tx object supports the following properties :
 - **to** : address? (*optional*) - receipt of the transaction.
 - **from** : address? (*optional*) - sender of the address (if not specified, the first signer will be the sender)
 - **wallet** : address? (*optional*) - if specified, the transaction will be send through the specified wallet.
 - **value** : `uint256`? (*optional*) - value in wei to send
 - **gas** : `uint64`? (*optional*) - the gas to be send along (default: 21000)
 - **gasPrice** : `uint64`? (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

- **type** : uint32? (*optional*) - the transaction type (See EIP- 1559) , 0 (default), 1 or 2
- **maxFeePerGas** : uint64? (*optional*) - the max fees per gas (See EIP- 1559)
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max Priorityfees per gas (See EIP- 1559)
- **accessList** : eth_accesslist[]? (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
- **nonce** : uint64? (*optional*) - the current nonce of the sender. If not specified it will be fetched using eth_getTransactionCount
- **data** : bytes? (*optional*) - the data-section of the transaction
- **signatures** : bytes? (*optional*) - additional signatures which should be used when sending through a multisig

Returns:

the raw signed transaction

Example:

Bash

jsonrpc

YAML

```
> in3 eth_signTransaction '{"data":
↪ "0xd46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb970870f072445675
↪ ", "from": "0xb60e8dd61c5d32be8058bb8eb970870f07233155", "gas": "0x76c0", "gasPrice":
↪ "0x9184e72a000", "to": "0xd46e8dd67c5d32be8058bb8eb970870f07244567", "value":
↪ "0x9184e72a"}'
0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17bfdce3481f10bea41f45ba9
```

```
//---- Request ----
```

```
{
  "method": "eth_signTransaction",
  "params": [
    {
      "data":
↪ "0xd46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb970870f072445675
↪ ",
      "from": "0xb60e8dd61c5d32be8058bb8eb970870f07233155",
      "gas": "0x76c0",
      "gasPrice": "0x9184e72a000",
      "to": "0xd46e8dd67c5d32be8058bb8eb970870f07244567",
      "value": "0x9184e72a"
    }
  ]
}
```

```
//---- Response ----
```

```
{
```

(continues on next page)

(continued from previous page)

```

    "result":
    ↪ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17bfdce3481f10bea41f45b"
    ↪ "
  }

```

```

# ---- Request ----

method: eth_signTransaction
params:
- data: "0xd46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb9708\
  70f072445675"
  from: "0xb60e8dd61c5d32be8058bb8eb970870f07233155"
  gas: "0x76c0"
  gasPrice: "0x9184e72a000"
  to: "0xd46e8dd67c5d32be8058bb8eb970870f07244567"
  value: "0x9184e72a"

//---- Response ----

result: "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d88\
7fd3b17bfdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"

```

9.1.4 in3_addRawKey

adds a raw private key as signer, which allows signing transactions.

Parameters:

1. **pk** : bytes32 - the 32byte long private key as hex string.

Returns: address

the address of given key.

Example:

Bash

jsonrpc

YAML

```

> in3 in3_addRawKey 0x1234567890123456789012345678901234567890123456789012345678901234
0x2e988a386a799f506693793c6a5af6b54dfaabfb

```

```

//---- Request ----

{
  "method": "in3_addRawKey",
  "params": [
    "0x1234567890123456789012345678901234567890123456789012345678901234"
  ]
}

//---- Response ----

```

(continues on next page)

(continued from previous page)

```
{
  "result": "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
}
```

```
# ---- Request ----

method: in3_addRawKey
params:
  - "0x1234567890123456789012345678901234567890123456789012345678901234"

//---- Response ----

result: "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
```

9.1.5 in3_createKey

Generates 32 random bytes. If /dev/urandom is available it will be used and should generate a secure random number. If not the number should not be considered secure or used in production.

Parameters:

1. **seed** : bytes? (*optional*) - the seed. If given the result will be deterministic.

Returns:

the 32byte random data

Example:

Bash

jsonrpc

YAML

```
> in3 in3_createKey
0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6
```

```
//---- Request ----

{
  "method": "in3_createKey",
  "params": []
}

//---- Response ----

{
  "result": "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
}
```

```
# ---- Request ----

method: in3_createKey
params: []
```

(continues on next page)

(continued from previous page)

//---- Response ----

result: "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"

9.1.6 in3_decryptKey

decrypts a JSON Keystore file as defined in the [Web3 Secret Storage Definition](#). The result is the raw private key.

Parameters:

1. **key** : `keyparams` - the keyparams The key object supports the following properties :
 - **version** : `string` - the version
 - **id** : `string` - the id
 - **address** : `string` - the address
 - **crypto** : `cryptoParams` - the cryptoparams The crypto object supports the following properties :
 - **ciphertext** : `string` - the cipher text
 - **cipherparams** : `cipherParams` - the cipherparams The cipherparams object supports the following properties :
 - * **iv** : `string` - the iv
 - **cipher** : `string` - the cipher
 - **kdf** : `string` - the kdf
 - **kdfparams** : `kdfParams` - the kdfparams The kdfparams object supports the following properties :
 - * **dklen** : `uint64` - the dklen
 - * **salt** : `string` - the salt
 - * **c** : `uint64` - the c
 - * **prf** : `string` - the prf
 - **mac** : `string` - the mac
2. **passphrase** : `string` - the password to decrypt it.

Returns:

a raw private key (32 bytes)

Example:

Bash

jsonrpc

YAML

```
> in3 in3_decryptKey '{"version":"3,","id":"f6b5c0b1-ba7a-4b67-9086-a01ea54ec638",
↪ "address":"08aa30739030f362a8dd597fd3fcde283e36f4a1","crypto":{"ciphertext":
↪ "d5c5aafdee81d25bb5ac4048c8c6954dd50c595ee918f120f5a2066951ef992d","cipherparams":{"
↪ "iv":"415440d2b1d6811d5c8a3f4c92c73f49"},"cipher":"aes-128-ctr","kdf":"pbkdf2",
↪ "kdfparams":{"dklen":32,"salt":
↪ "691e9ad0da2b44404f65e0a60cf6aabe3e92d2c23b7410fd187eeeb2c1de4a0d","c":16384,"prf":
↪ "hmac-sha256"},"mac":
↪ "de651c04fc67fd552002b4235fa23ab2178d3a500caa7070b554168e73359610"}}' test
0x1ff25594a5e12c1e31ebd8112bdf107d217c1393da8dc7fc9d57696263457546
```

```
//---- Request ----

{
  "method": "in3_decryptKey",
  "params": [
    {
      "version": "3,",
      "id": "f6b5c0b1-ba7a-4b67-9086-a01ea54ec638",
      "address": "08aa30739030f362a8dd597fd3fcde283e36f4a1",
      "crypto": {
        "ciphertext":
↪ "d5c5aafdee81d25bb5ac4048c8c6954dd50c595ee918f120f5a2066951ef992d",
        "cipherparams": {
          "iv": "415440d2b1d6811d5c8a3f4c92c73f49"
        },
        "cipher": "aes-128-ctr",
        "kdf": "pbkdf2",
        "kdfparams": {
          "dklen": 32,
          "salt": "691e9ad0da2b44404f65e0a60cf6aabe3e92d2c23b7410fd187eeeb2c1de4a0d",
          "c": 16384,
          "prf": "hmac-sha256"
        },
        "mac": "de651c04fc67fd552002b4235fa23ab2178d3a500caa7070b554168e73359610"
      },
    },
    "test"
  ]
}

//---- Response ----

{
  "result": "0x1ff25594a5e12c1e31ebd8112bdf107d217c1393da8dc7fc9d57696263457546"
}
```

```
# ---- Request ----

method: in3_decryptKey
params:
- version: 3,
  id: f6b5c0b1-ba7a-4b67-9086-a01ea54ec638
  address: 08aa30739030f362a8dd597fd3fcde283e36f4a1
  crypto:
    ciphertext: d5c5aafdee81d25bb5ac4048c8c6954dd50c595ee918f120f5a2066951ef992d
    cipherparams:
      iv: 415440d2b1d6811d5c8a3f4c92c73f49
```

(continues on next page)

(continued from previous page)

```

    cipher: aes-128-ctr
    kdf: pbkdf2
    kdfparams:
      dklen: 32
      salt: 691e9ad0da2b44404f65e0a60cf6aabe3e92d2c23b7410fd187eeeb2c1de4a0d
      c: 16384
      prf: hmac-sha256
    mac: de651c04fc67fd552002b4235fa23ab2178d3a500caa7070b554168e73359610
- test

//---- Response ----

result: "0x1ff25594a5e12c1e31ebd8112bdf107d217c1393da8dc7fc9d57696263457546"

```

9.1.7 in3_ecrecover

extracts the public key and address from signature.

Parameters:

1. **msg** : hex - the message the signature is based on.
2. **sig** : bytes - the 65 bytes signature as hex.
3. **sigtype** : string? (*optional*) - the type of the signature data : eth_sign (use the prefix and hash it), raw (hash the raw data), hash (use the already hashed data). Default: raw (default: "raw")

Returns: object

the extracted public key and address

The return value contains the following properties :

- **publicKey** : bytes - the public Key of the signer (64 bytes)
- **address** : address - the address

Example:

Bash

jsonrpc

YAML

```

> in3 in3_ecrecover
↳ 0x487b2cbb7997e45b4e9771d14c336b47c87dc2424b11590e32b3a8b9ab327999
↳ 0x0f804ff891e97e8a1c35a2ebafc5e7f129a630a70787fb86ad5aec0758d98c7b454dee5564310d497ddfe814839c8bab
↳ hash | jq
{
  "publicKey":
  ↳ 0x94b26bafa6406d7b636fbb4de4edd62a2654eeecda9505e9a478a66c4f42e504c4481bad171e5ba6f15a5f11c26acfc
  ↳ ,
  "address": "0xf68a4703314e9a9cf65be688bd6d9b3b34594ab4"
}

```

```
//---- Request ----  
  
{  
  "method": "in3_ecrecover",  
  "params": [  
    "0x487b2cbb7997e45b4e9771d14c336b47c87dc2424b11590e32b3a8b9ab327999",  
    ↪ "0x0f804ff891e97e8a1c35a2ebafc5e7f129a630a70787fb86ad5aec0758d98c7b454dee5564310d497ddfe814839c8ba",  
    ↪ ",  
    "hash"  
  ]  
}  
  
//---- Response ----  
  
{  
  "result": {  
    "publicKey":  
    ↪ "0x94b26bafa6406d7b636fbb4de4edd62a2654eeecda9505e9a478a66c4f42e504c4481bad171e5ba6f15a5f11c26acfc",  
    ↪ ",  
    "address": "0xf68a4703314e9a9cf65be688bd6d9b3b34594ab4"  
  }  
}
```

```
# ---- Request ----  
  
method: in3_ecrecover  
params:  
  - "0x487b2cbb7997e45b4e9771d14c336b47c87dc2424b11590e32b3a8b9ab327999"  
  - "0x0f804ff891e97e8a1c35a2ebafc5e7f129a630a70787fb86ad5aec0758d98c7b454dee55\  
    64310d497ddfe814839c8babd3a727692be40330b5b41e7693a445b71c"  
  - hash  
  
//---- Response ----  
  
result:  
  publicKey: "0x94b26bafa6406d7b636fbb4de4edd62a2654eeecda9505e9a478a66c4f42e504c\  
    4481bad171e5ba6f15a5f11c26acfc620f802c6768b603dbcb5151355bbfffb"  
  address: "0xf68a4703314e9a9cf65be688bd6d9b3b34594ab4"
```

9.1.8 in3_pk2address

extracts the address from a private key.

Parameters:

1. **pk** : bytes32 - the 32 bytes private key as hex.

Returns:

the address

Example:

Bash

jsonrpc

YAML

```
> in3 in3_pk2address_
↪0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a
0xdc5c4280d8a286f0f9c8f7f55a5a0c67125efcfd
```

```
//---- Request ----

{
  "method": "in3_pk2address",
  "params": [
    "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a"
  ]
}

//---- Response ----

{
  "result": "0xdc5c4280d8a286f0f9c8f7f55a5a0c67125efcfd"
}
```

```
# ---- Request ----

method: in3_pk2address
params:
  - "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a"

//---- Response ----

result: "0xdc5c4280d8a286f0f9c8f7f55a5a0c67125efcfd"
```

9.1.9 in3_pk2public

extracts the public key from a private key.

Parameters:

1. **pk** : bytes32 - the 32 bytes private key as hex.

Returns:

the public key as 64 bytes

Example:

Bash

jsonrpc

YAML

```
> in3 in3_pk2public 0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a
0x0903329708d9380aca47b02f3955800179e18bffbb29be3a644593c5f87e4c7fa960983f78186577eccc909cec71cb5763
```

```
//---- Request ----

{
```

(continues on next page)

(continued from previous page)

```

"method": "in3_pk2public",
"params": [
  "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a"
]
}

//---- Response ----

{
  "result":
  → "0x0903329708d9380aca47b02f3955800179e18bffbb29be3a644593c5f87e4c7fa960983f78186577eccc909cec71cb5\
  → "
}

```

```

# ---- Request ----

method: in3_pk2public
params:
  - "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a"

//---- Response ----

result: "0x0903329708d9380aca47b02f3955800179e18bffbb29be3a644593c5f87e4c7fa960\
983f78186577eccc909cec71cb5763acd92ef4c74e5fa3c43f3a172c6de1"

```

9.1.10 in3_prepareTx

prepares a Transaction by filling the unspecified values and returns the unsigned raw Transaction.

Parameters:

1. **tx** : `eth_transaction` - the tx-object, which is the same as specified in `eth_sendTransaction`. The tx object supports the following properties :
 - **to** : address? (*optional*) - recipient of the transaction.
 - **from** : address? (*optional*) - sender of the address (if not specified, the first signer will be the sender)
 - **wallet** : address? (*optional*) - if specified, the transaction will be send through the specified wallet.
 - **value** : `uint256`? (*optional*) - value in wei to send
 - **gas** : `uint64`? (*optional*) - the gas to be send along (default: 21000)
 - **gasPrice** : `uint64`? (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
 - **type** : `uint32`? (*optional*) - the transaction type (See EIP- 1559) , 0 (default), 1 or 2
 - **maxFeePerGas** : `uint64`? (*optional*) - the max fees per gas (See EIP- 1559)
 - **maxPriorityFeePerGas** : `uint64`? (*optional*) - the max Priorityfees per gas (See EIP- 1559)
 - **accessList** : `eth_accesslist[]`? (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : `bytes32[]` - list of storageKeys

- **nonce** : uint64? (*optional*) - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **data** : bytes? (*optional*) - the data-section of the transaction
- **signatures** : bytes? (*optional*) - additional signatures which should be used when sending through a multisig

Returns:

the unsigned raw transaction as hex.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_prepareTx '{"to":"0x63f666a23cbd135a91187499b5cc51d589c302a0","value":
↳ "0x100000000","from":"0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f"}'
0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085010000000080018080
```

```
//---- Request ----

{
  "method": "in3_prepareTx",
  "params": [
    {
      "to": "0x63f666a23cbd135a91187499b5cc51d589c302a0",
      "value": "0x100000000",
      "from": "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f"
    }
  ]
}

//---- Response ----

{
  "result":
↳ "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085010000000080018080"
↳ ""
}
```

```
# ---- Request ----

method: in3_prepareTx
params:
- to: "0x63f666a23cbd135a91187499b5cc51d589c302a0"
  value: "0x100000000"
  from: "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f"

//---- Response ----

result: "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501\
0000000080018080"
```

9.1.11 in3_signData

signs the given data.

Parameters:

1. **msg** : hex - the message to sign.
2. **account** : address | bytes32 - the account to sign if the account is a bytes32 it will be used as private key
3. **msgType** : string? (*optional*) - the type of the signature data : eth_sign (use the prefix and hash it), raw (hash the raw data), hash (use the already hashed data) (default: "raw")

Returns: object

the signature

The return value contains the following properties :

- **message** : bytes - original message used
- **messageHash** : bytes32 - the hash the signature is based on
- **signature** : bytes - the signature (65 bytes)
- **r** : bytes32 - the x-value of the EC-Point
- **s** : bytes32 - the y-value of the EC-Point
- **v** : uint32 - the recovery value (0|1) + 27

Example:

Bash

jsonrpc

YAML

```
> in3 in3_signData 0x0102030405060708090a0b0c0d0e0f_  
↪ 0xa8b8759ec8b59d7c13ef3630e8530f47ddb47eba12f00f9024d3d48247b62852 raw | jq  
{  
  "message": "0x0102030405060708090a0b0c0d0e0f",  
  "messageHash": "0x1d4f6fccf1e27711667605e29b6f15adfa262e5aedfc5db904f6ea2baa75e67",  
  "signature":  
↪ "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e95792264ad1fb83be70c145a6c69045da7986b95ee957fb9c5b6d315daa5c0c3e152",  
↪ "  
  "r": "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e9579",  
  "s": "0x2264ad1fb83be70c145a6c69045da7986b95ee957fb9c5b6d315daa5c0c3e152",  
  "v": 27  
}
```

```
//----- Request -----
```

```
{  
  "method": "in3_signData",  
  "params": [  
    "0x0102030405060708090a0b0c0d0e0f",  
    "0xa8b8759ec8b59d7c13ef3630e8530f47ddb47eba12f00f9024d3d48247b62852",  
    "raw"  
  ]  
}
```

(continues on next page)

(continued from previous page)

```
//---- Response ----

{
  "result": {
    "message": "0x0102030405060708090a0b0c0d0e0f",
    "messageHash": "0x1d4f6fccf1e27711667605e29b6f15adfda262e5aedfc5db904feea2baa75e67",
    "signature":
      "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e95792264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e152",
    "r": "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e9579",
    "s": "0x2264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e152",
    "v": 27
  }
}
```

```
# ---- Request ----

method: in3_signData
params:
  - "0x0102030405060708090a0b0c0d0e0f"
  - "0xa8b8759ec8b59d7c13ef3630e8530f47ddb47eba12f00f9024d3d48247b62852"
  - raw

//---- Response ----

result:
  message: "0x0102030405060708090a0b0c0d0e0f"
  messageHash: "0x1d4f6fccf1e27711667605e29b6f15adfda262e5aedfc5db904feea2baa75e67"
  signature: "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e95792\
    264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e1521b"
  r: "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e9579"
  s: "0x2264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e152"
  v: 27
```

9.1.12 in3_signTx

signs the given raw Tx (as prepared by `in3_prepareTx`). The resulting data can be used in `eth_sendRawTransaction` to publish and broadcast the transaction.

Parameters:

1. **tx** : hex - the raw unsigned transactiondata
2. **from** : address - the account to sign

Returns:

the raw transaction with signature.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_signTx_
→ 0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085010000000080018080_
→ 0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f
0xf86980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000008026a03c5b094078383f3
```

```
//---- Request ----

{
  "method": "in3_signTx",
  "params": [

→ "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085010000000080018080
→ ",
    "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f"
  ]
}

//---- Response ----

{
  "result":
→ "0xf86980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000008026a03c5b0940783
→ "
}
```

```
# ---- Request ----

method: in3_signTx
params:
- "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085010000\
  000080018080"
- "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f"

//---- Response ----

result: "0xf86980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a085\
  01000000008026a03c5b094078383f3da3f65773ab1314e89ee76bc41f827f2ef211b2d3449e4\
  435a077755f8d9b32966e1ad8f6c0e8c9376a4387ed237bdf2db6e6b94016407e276"
```

9.2 btc

Important: This feature is still experimental and not considered stable yet. In order to use it, you need to set the experimental-flag (-x on the comandline or "experimental":true!

For bitcoin incubed follows the specification as defined in <https://bitcoincore.org/en/doc/0.18.0/>. Internally the in3-server will add proofs as part of the responses. The proof data differs between the methods. You will read which proof data will be provided and how the data can be used to prove the result for each method.

Proofs will add a special in3-section to the response containing a proof- object. This object will contain parts or all of the following properties:

- **block**
- **final**

- `txIndex`
- `merkleProof`
- `cbtx`
- `cbtxMerkleProof`

9.2.1 `btc_proofTarget`

Whenever the client is not able to trust the changes of the target (which is the case if a block can't be found in the verified target cache *and* the value of the target changed more than the client's limit `max_diff`) he will call this method. It will return additional proof data to verify the changes of the target on the side of the client. This is not a standard Bitcoin rpc-method like the other ones, but more like an internal method.

Parameters:

1. **`target_dap`** : `uint64` - the number of the difficulty adjustment period (dap) we are looking for
2. **`verified_dap`** : `uint64` - the number of the closest already verified dap
3. **`max_diff`** : `int?` (*optional*) - the maximum target difference between 2 verified daps (default: 5)
4. **`max_dap`** : `int?` (*optional*) - the maximum amount of daps between 2 verified daps (default: 5)
5. **`limit`** : `int?` (*optional*) - the maximum amount of daps to return (0 = no limit) - this is important for embedded devices since returning all daps might be too much for limited memory


The following `in3`-configuration will have an impact on the result:

- **`finality`** : `int` - defines the amount of finality headers
- **`verification`** : `string` - defines the kind of proof the client is asking for (must be `never` or `proof`)
- **`preBIP34`** : `bool` - defines if the client wants to verify blocks before BIP34 (height < 227836)

Hints:

- difference between `target_dap` and `verified_dap` should be greater than 1
- `target_dap` and `verified_dap` have to be greater than 0
- `limit` will be set to 40 internally when the parameter is equal to 0 or greater than 40
- `max_dap` can't be equal to 0
- `max_diff` equal to 0 means no tolerance regarding the change of the target - the path will contain every dap between `target_dap` and `verified_dap` (under consideration of `limit`)
- total possible amount of finality headers (`in3.finaliy * limit`) can't be greater than 1000
- changes of a target will always be accepted if it decreased from one dap to another (i.e. difficulty to mine a block increased)
- in case a dap that we want to verify next (i.e. add it to the path) is only 1 dap apart from a verified dap (i.e. `verified_dap` or latest dap of the path) *but* not within the given limit (`max_diff`) it will still be added to the path (since we can't do even smaller steps)

This graph shows the usage of this method and visualizes the result from above. The client is not able to trust the changes of the target due to his limits (`max_diff` and `max_dap`). This method provides a path of daps in which the limits are fulfilled from dap to another. The client is going to trust the target of the target dap since he is able to perform a step by step verification of the target by using the path of daps.



Returns: object[]

A path of daps from the `verified_dap` to the `target_dap` which fulfils the conditions of `max_diff`, `max_dap` and `limit`. Each dap of the path is a dap-object with corresponding proof data.

The return value contains the following properties :

- **dap** : uint64 - the difficulty adjustment period
- **block** : bytes - the first blockheader
- **final** : bytes - the finality header
- **cbtx** : bytes - the coinbase transaction as hex
- **cbtxMerkleProof** : bytes - the coinbasetx merkle proof

Proof:

Each dap-object contains the following properties:

- for blocks before BIP34 (height < 227836) and `in3.preBIP34 = false`
 - **dap** - the number of the difficulty adjustment period
 - **block** - a hex string with 80 bytes representing the (always the first block of a dap)
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- for blocks before BIP34 (height < 227836) and `in3.preBIP34 = true`
 - **dap** - the number of the difficulty adjustment period
 - **block** - a hex string with 80 bytes representing the blockheader
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated up to the next checkpoint (maximum of 200 finality headers, since the distance between checkpoints = 200)
 - **height** - the height of the block (block number)
- for blocks after BIP34 (height >= 227836), *the value of `in3.preBIP34` does not matter*
 - **dap** - the number of the difficulty adjustment period
 - **block** - a hex string with 80 bytes representing the (always the first block of a dap)

- **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
- **cbtxMerkleProof** - the merkle proof of the coinbase transaction, proving the correctness of the `cbtx`

The goal is to verify the target of the `target_dap`. We will use the daps of the result to verify the target step by step starting with the `verified_dap`. For old blocks (height < 227,836) with `in3.preBIP34` disabled the target cannot be verified (proving the finality does not provide any security as explained in [preBIP34 proof](#)). For old blocks with `in.preBIP34` enabled the block header can be verified by performing a [preBIP34 proof](#). Verifying newer blocks requires multiple proofs. The block header from the `block`-field and the finality headers from the `final`-field will be used to perform a [finality proof](#). Having a verified block header allows us to consider the target of the block header as verified. Therefore, we have a verified target for the whole `dap`. Having a verified block header (and therefore a verified merkle root) enables the possibility of a [block number proof](#) using the coinbase transaction (`cbtx`-field) and the [merkle proof](#) for the coinbase transaction (`cbtxMerkleProof`-field). This proof is needed to verify the `dap` number (`dap`). Having a verified `dap` number allows us to verify the mapping between the target and the `dap` number.

Example:

Bash

jsonrpc

YAML

```
> in3 -x -c btc -f 8 btc_proofTarget 230 200 5 5 15 | jq
[
  {
    "dap": 205,
    "block": "0x04000000e62ef28cb9793f4f9cd2a67a58c1e7b593129b9b...0ab284",
    "final": "0x04000000cc69b68b702321adf4b0c485fdb1f3d6c1ddd140...090a5b",
    "cbtx": "0x01000000...1485ce370573be63d7cc1b9efbad3489eb57c8...000000",
    "cbtxMerkleProof": "0xc72dffc1cb4cbeab960d0d2bdb80012acf7f9c...affcf4"
  },
  {
    "dap": 210,
    "block": "0x0000003021622c26a4e62cafa8e434c7e083f540bccc8392...b374ce",
    "final": "0x00000020858f8e5124cd516f4d5e6a078f7083c12c48e8cd...308c3d",
    "cbtx": "0x01000000...c075061b4b6e434d696e657242332d50314861...000000",
    "cbtxMerkleProof": "0xf2885d0bac15fca7e1644c1162899ecd43d52b...93761d"
  },
  {
    "dap": 215,
    "block": "0x000000202509b3b8e4f98290c7c9551d180eb2a463f0b978...f97b64",
    "final": "0x0000002014c7c0ed7c33c59259b7b508bebf3974e1c99a5...eb554e",
    "cbtx": "0x01000000...90133cf94b1b1c40fae077a7833c0fe0ccc474...000000",
    "cbtxMerkleProof": "0x628c8d961adb157f800be7cfb03ffa1b53d3ad...ca5a61"
  },
  {
    "dap": 220,
    "block": "0x00000020ff45c783d09706e359dcc76083e15e51839e4ed5...ddfe0e",
    "final": "0x0000002039d2f8a1230dd0bee50034e8c63951ab812c0b89...5670c5",
    "cbtx": "0x01000000...b98e79fb3e4b88aefbc8ce59e82e99293e5b08...000000",
    "cbtxMerkleProof": "0x16adb7aee2cf254db0bab0f4a5083fb0e0a3f...63a4f4"
  },
]
```

(continues on next page)

(continued from previous page)

```

    "dap": 225,
    "block": "0x02000020170fad0b6b1ccbd4401d7b1c8ee868c6977d6ce...1e7f8f",
    "final": "0x0400000092945abbd7b9f0d407fccbf418e4fc20570040c...a9b240",
    "cbtx": "0x01000000...cf6e8f930acb8f38b588d76cd8c3da3258d5a7...000000",
    "cbtxMerkleProof": "0x25575bcaf3e11970ccf835e88d6f97bedd6b85...bdfdf46"
  }
]

```

```

//---- Request ----

{
  "method": "btc_proofTarget",
  "params": [
    230,
    200,
    5,
    5,
    15
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----

{
  "result": [
    {
      "dap": 205,
      "block": "0x04000000e62ef28cb9793f4f9cd2a67a58c1e7b593129b9b...0ab284",
      "final": "0x04000000cc69b68b702321adf4b0c485fdb1f3d6c1ddd140...090a5b",
      "cbtx": "0x01000000...1485ce370573be63d7cc1b9efbad3489eb57c8...000000",
      "cbtxMerkleProof": "0xc72dfc1cb4cbeab960d0d2bdb80012acf7f9c...affcf4"
    },
    {
      "dap": 210,
      "block": "0x0000003021622c26a4e62cafa8e434c7e083f540bccc8392...b374ce",
      "final": "0x00000020858f8e5124cd516f4d5e6a078f7083c12c48e8cd...308c3d",
      "cbtx": "0x01000000...c075061b4b6e434d696e657242332d50314861...000000",
      "cbtxMerkleProof": "0xf2885d0bac15fca7e1644c1162899ecd43d52b...93761d"
    },
    {
      "dap": 215,
      "block": "0x000000202509b3b8e4f98290c7c9551d180eb2a463f0b978...f97b64",
      "final": "0x0000002014c7c0ed7c33c59259b7b508bebf3974e1c99a5...eb554e",
      "cbtx": "0x01000000...90133cf94b1b1c40fae077a7833c0fe0ccc474...000000",
      "cbtxMerkleProof": "0x628c8d961adb157f800be7cfb03ffa1b53d3ad...ca5a61"
    },
    {
      "dap": 220,
      "block": "0x00000020ff45c783d09706e359dcc76083e15e51839e4ed5...ddfe0e",
      "final": "0x0000002039d2f8a1230dd0bee50034e8c63951ab812c0b89...5670c5",
      "cbtx": "0x01000000...b98e79fb3e4b88aefbc8ce59e82e99293e5b08...000000",
      "cbtxMerkleProof": "0x16adb7aeecc2cf254db0bab0f4a5083fb0e0a3f...63a4f4"
    }
  ],
}

```

(continues on next page)

(continued from previous page)

```
{
  "dap": 225,
  "block": "0x02000020170fad0b6b1ccbdc4401d7b1c8ee868c6977d6ce...1e7f8f",
  "final": "0x0400000092945abbd7b9f0d407fccbf418e4fc20570040c...a9b240",
  "cbtx": "0x01000000...cf6e8f930acb8f38b588d76cd8c3da3258d5a7...000000",
  "cbtxMerkleProof": "0x25575bcaf3e11970ccf835e88d6f97bedd6b85...bdfdf46"
}
]
```

```
# ---- Request ----

method: btc_proofTarget
params:
  - 230
  - 200
  - 5
  - 5
  - 15
in3:
  verification: proof

//---- Response ----

result:
  - dap: 205
    block: 0x04000000e62ef28cb9793f4f9cd2a67a58c1e7b593129b9b...0ab284
    final: 0x04000000cc69b68b702321adf4b0c485fdb1f3d6c1ddd140...090a5b
    cbtx: 0x01000000...1485ce370573be63d7cc1b9efbad3489eb57c8...000000
    cbtxMerkleProof: 0xc72dffc1cb4cbeab960d0d2bdb80012acf7f9c...affcf4
  - dap: 210
    block: 0x0000003021622c26a4e62cafa8e434c7e083f540bccc8392...b374ce
    final: 0x00000020858f8e5124cd516f4d5e6a078f7083c12c48e8cd...308c3d
    cbtx: 0x01000000...c075061b4b6e434d696e657242332d50314861...000000
    cbtxMerkleProof: 0xf2885d0bac15fca7e1644c1162899ecd43d52b...93761d
  - dap: 215
    block: 0x000000202509b3b8e4f98290c7c9551d180eb2a463f0b978...f97b64
    final: 0x0000002014c7c0ed7c33c59259b7b508bebf3974e1c99a5...eb554e
    cbtx: 0x01000000...90133cf94b1b1c40fae077a7833c0fe0ccc474...000000
    cbtxMerkleProof: 0x628c8d961adb157f800be7cfb03ffa1b53d3ad...ca5a61
  - dap: 220
    block: 0x00000020ff45c783d09706e359dcc76083e15e51839e4ed5...ddfe0e
    final: 0x0000002039d2f8a1230dd0bee50034e8c63951ab812c0b89...5670c5
    cbtx: 0x01000000...b98e79fb3e4b88aefbc8ce59e82e99293e5b08...000000
    cbtxMerkleProof: 0x16adb7aeecc2cf254db0bab0f4a5083fb0e0a3f...63a4f4
  - dap: 225
    block: 0x02000020170fad0b6b1ccbdc4401d7b1c8ee868c6977d6ce...1e7f8f
    final: 0x0400000092945abbd7b9f0d407fccbf418e4fc20570040c...a9b240
    cbtx: 0x01000000...cf6e8f930acb8f38b588d76cd8c3da3258d5a7...000000
    cbtxMerkleProof: 0x25575bcaf3e11970ccf835e88d6f97bedd6b85...bdfdf46
```

9.2.2 getbestblockhash

Returns the hash of the best (tip) block in the longest blockchain.

Parameters: -

The following in3-configuration will have an impact on the result:

- **finality** : `int` - defines the amount of finality headers
- **verification** : `string` - defines the kind of proof the client is asking for (must be `never` or `proof`)
- **preBIP34** : `bool` - defines if the client wants to verify blocks before BIP34 (height < 227836)

Returns: bytes32

the hash of the best block

Proof:

Since we can't prove the finality of the latest block we consider the current block count - amount of finality (set in `in3.finality`-field) as the latest block. The hash of this block will be returned. Setting `in3.finality=0` will return will return the hash of the actual latest block.

The `proof`-object contains the following properties:

- **block** - a hex string with 80 bytes representing the blockheader
- **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
- ***cbtxMerkleProof** - the merkle proof of the coinbase transaction, proving the correctness of the `cbtx`

The server is not able to prove the finality for the latest block (obviously there are no finality headers available yet). Instead the server will fetch the number of the latest block and subtracts the amount of finality headers (set in `in3.finality`-field) and returns the hash of this block to the client (the result is considered as the latest block hash). By doing so the server is able to provide finality headers. The block header from the `block`-field and the finality headers from the `final`-field will be used to perform a **finality proof**. Having a verified block header (and therefore a verified merkle root) enables the possibility of a **block number proof** using the coinbase transaction (`cbtx`-field) and the **merkle proof** for the coinbase transaction (`cbtxMerkleProof`-field).

The client can set `in3.finality` equal to 0 to get the actual latest block hash. **Caution:** This block is not final and could no longer be part of the blockchain later on due to the possibility of a fork. Additionally, there may already be a newer block that the server does not yet know about due to latency in the network.

Example:

The actual latest block is block #640395 and `in3.finality` is set to 8. The server is going to calculate $640395 - 8$ and returns the hash of block #640387 to the client. The headers of block 640388..640395 will be returned as finality headers.

Bash

jsonrpc

YAML

[illegible]

```
//---- Request ----  
{  
  "method": "getbestblockhash",  
  "params": [],  
  "in3": {
```

(continues on next page)

```
# ---- Request -----  
  
method: getbestblockhash  
params: []  
in3:  
    verification: proof  
    finality: 8  
  
//---- Response -----  
  
result: 00000000000000000000000039cbb4e842de0de9651852122b117d7ae6d7ac4fc1cdf6  
in3:  
    proof:  
        block: 0x0000e020bd3eecbd741522e1aa78cd7b375744590502939aef9b...9c8b18  
        final: 0x00008020f61dfcc47a6daed717b12221855196dee02d844ebb9c...774f4c  
        cbtx: 0x0200000000010100000000000000000000000000000000000000000000000000...000000  
        cbtxMerkleProof: 0xa3d607b274770911e53f06dbdb76440580ff968239...0ba297
```

Returns data of block for given block hash. The returned level of details depends on the argument verbosity.

1. **hash** : bytes32 - The block hash
2. **verbosity** : int - 0 or false for hex-encoded data, 1 or true for a json object, and 2 for json object **with** transaction data

- **finality** : `int` - defines the amount of finality headers
- **verification** : `string` - defines the kind of proof the client is asking for (must be `never` or `proof`)
- **preBIP34** : `bool` - defines if the client wants to verify blocks before BIP34 (height < 227836)

9.2. btc 99

the block.

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

The return value contains the following properties :

- **hash** : `bytes32` - the block hash (same as provided)
- **confirmations** : `int` - The number of confirmations, or -1 if the block is not on the main chain
- **height** : `uint64` - The block height or index
- **version** : `int` - The block version
- **versionHex** : `hex` - The block version formatted in hexadecimal
- **merkleroot** : `bytes32` - The merkle root (32 bytes)
- **time** : `uint64` - The block time in seconds since epoch (Jan 1 1970 GMT)
- **mediantime** : `uint64` - The median block time in seconds since epoch (Jan 1 1970 GMT)
- **nonce** : `uint64` - The nonce
- **bits** : `bytes4` - The bits (4 bytes as hex) representing the target
- **difficulty** : `double` - The difficulty
- **chainwork** : `hex` - Expected number of hashes required to produce the current chain (in hex)
- **nTx** : `int` - The number of transactions in the block.
- **tx** : `btcblocktransaction[]` - the array of transactions either as ids (`verbose=1`) or full transaction (`verbose=2`) The tx object supports the following properties :
 - **txid** : `bytes32` - txid
 - **hex** : `bytes` - The serialized, hex-encoded data for txid
 - **hash** : `bytes32` - The transaction hash (differs from txid for witness transactions)
 - **size** : `uint64` - The serialized transaction size
 - **vsize** : `uint64` - The virtual transaction size (differs from size for witness transactions)
 - **weight** : `uint64` - The transaction's weight (between `vsize*4-3` and `vsize*4`)
 - **version** : `int` - The version
 - **locktime** : `uint64` - The lock time
 - **vin** : `object[]` - array of json objects of incoming txs to be used The vin object supports the following properties :
 - * **txid** : `bytes32?` (*optional*) - the transaction id
 - * **vout** : `uint64?` (*optional*) - the index of the transaction out to be used
 - * **scriptSig** : `object?` (*optional*) - the script The scriptSig object supports the following properties :
 - **asm** : `string` - the asm-codes
 - **hex** : `string` - hex representation
 - * **sequence** : `uint64` - The script sequence number
 - * **txinwitness** : `string[]?` (*optional*) - hex-encoded witness data (if any)
 - * **coinbase** : `bytes32?` (*optional*) - the coinbase

- **vout** : object[] - array of json objects describing the tx outputs The vout object supports the following properties :
 - * **value** : float - The Value in BTC
 - * **n** : int - the index
 - * **scriptPubKey** : object - the script pubkey The scriptPubKey object supports the following properties :
 - **asm** : string - asm
 - **hex** : string - hex representation of the script
 - **reqSigs** : int? (*optional*) - the required signatures
 - **type** : string - The type, eg 'pubkeyhash'
 - **addresses** : string[]? (*optional*) - Array of address(each representing a bitcoin address)
- **previousblockhash** : bytes32 - The hash of the previous block
- **nextblockhash** : bytes32 - The hash of the next block
- **strippedsize** : int - The block size excluding witness data
- **weight** : int - The block weight as defined in BIP 141
- **size** : int - The block size

Proof:

The proof will be calculated as described in *getblockheader*. See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 -x -c btc -f 8 getblock
00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220 1 | jq
{
  "hash": "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220",
  "confirmations": 8268,
  "height": 624958,
  "version": 536928256,
  "versionHex": 2000,
  "merkleroot": "d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb",
  "time": 1586333924,
  "mediantime": 1586332639,
  "nonce": 1985217615,
  "bits": "17143b41",
  "difficulty": 13912524048945.91,
  "chainwork": "0000000000000000000000000000000000000000e4c88b66c5ee78deff0d494",
  "tx": [
    "d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290",
    "...",
    "6456819bfaf019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919"
  ],
  "nTx": 33,
  "previousblockhash":
0000000000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49",
```

(continues on next page)

(continued from previous page)

```
"nextblockhash": "00000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343"
```

```
//----- Request -----
{
  "method": "getblock",
  "params": [
    "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220",
    1
  ],
  "in3": {
    "verification": "proof",
    "finality": 8,
    "preBIP34": true
  }
}

//----- Response -----
{
  "result": {
    "hash": "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220",
    "confirmations": 8268,
    "height": 624958,
    "version": 536928256,
    "versionHex": 2000,
    "merkleroot": "d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb",
    "time": 1586333924,
    "mediantime": 1586332639,
    "nonce": 1985217615,
    "bits": "17143b41",
    "difficulty": 13912524048945.91,
    "chainwork": "0000000000000000000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494",
    "tx": [
      "d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290",
      "...",
      "6456819bfa019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919"
    ],
    "nTx": 33,
    "previousblockhash":
    ↪ "000000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49",
    "nextblockhash": "0000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    ↪ "
  },
  "in3": {
    "proof": {
      "final": "0x00e0ff2720723034053c305058beb92ed010...276470",
      "cbtx": "0x0100000000101000000000000000000000...39da2fc",
      "cbtxMerkleProof": "0x6a8077bb4ce76b71d7742ddd368770279a64667b...52e688"
    }
  }
}
```

(continues on next page)

`in3.finality=0` will return the actual current block count.

The `proof`-object contains the following properties:

- **block** - a hex string with 80 bytes representing the blockheader
- **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
- `vcbtxMerkleProof**` - the merkle proof of the coinbase transaction, proving the correctness of the `cbtx`

The server is not able to prove the finality for the latest block (obviously there are no finality headers available yet). Instead the server will fetch the number of the latest block and subtracts the amount of finality headers (set in `in3.finality`-field) and returns the result to the client (the result is considered as the latest block number). By doing so the server is able to provide finality headers. The block header from the `block`-field and the finality headers from the `final`-field will be used to perform a **finality proof**. Having a verified block header (and therefore a verified merkle root) enables the possibility of a **block number proof** using the coinbase transaction (`cbtx`-field) and the **merkle proof** for the coinbase transaction (`cbtxMerkleProof`-field).

The client can set `in3.finality` equal to 0 to get the actual latest block number. **Caution:** This block is not final and could no longer be part of the blockchain later on due to the possibility of a fork. Additionally, there may already be a newer block that the server does not yet know about due to latency in the network.

Example:

The actual latest block is block #640395 and `in3.finality` is set to 8. The server is going to calculate `640395 - 8` and returns 640387 as the latest block number to the client. The headers of block 640388..640395 will be returned as finality headers.

Bash

jsonrpc

YAML

```
> in3 -x -c btc -f 8 getblockcount
640387
```

```
//---- Request ----
{
  "method": "getblockcount",
  "params": [],
  "in3": {
    "verification": "proof",
    "finality": 8
  }
}

//---- Response ----
{
  "result": 640387,
  "in3": {
    "proof": {
      "block": "0x0000e020bd3eecbd741522e1aa78cd7b375744590502939aef9b...9c8b18",
      "final": "0x00008020f61dfcc47a6daed717b12221855196dee02d844ebb9c...774f4c",
      "cbtx": "0x020000000001010000000000000000000000000000000000000000000000000000...000000",
      "cbtxMerkleProof": "0xa3d607b274770911e53f06dbdb76440580ff968239...0ba297"
```

(continues on next page)

(continued from previous page)

```

    }
  }
}

```

```

# ---- Request ----

method: getblockcount
params: []
in3:
  verification: proof
  finality: 8

//---- Response ----

result: 640387
in3:
  proof:
    block: 0x0000e020bd3eecd741522e1aa78cd7b375744590502939aef9b...9c8b18
    final: 0x00008020f61dfcc47a6daed717b12221855196dee02d844ebb9c...774f4c
    cbtx: 0x020000000001010000000000000000000000000000000000000000000000000000...000000
    cbtxMerkleProof: 0xa3d607b274770911e53f06dbdb76440580ff968239...0ba297

```

9.2.5 getblockheader

Returns data of block header for given block hash. The returned level of details depends on the argument verbosity.

Parameters:

1. **hash** : bytes32 - The block hash
2. **verbosity** : bool - 0 or false for the hex-encoded data, 1 or true for a json object

The following in3-configuration will have an impact on the result:

- **verification** : string - defines the kind of proof the client is asking for (must be `never` or `proof`)
- **preBIP34** : bool - defines if the client wants to verify blocks before BIP34 (height < 227836)

Returns: btcblockheader

the blockheader.

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

The return value contains the following properties :

- **hash** : bytes32 - the block hash (same as provided)
- **confirmations** : int - The number of confirmations, or -1 if the block is not on the main chain
- **height** : uint64 - The block height or index
- **version** : int - The block version
- **versionHex** : hex - The block version formatted in hexadecimal
- **merkleroot** : bytes32 - The merkle root (32 bytes)
- **time** : uint64 - The block time in seconds since epoch (Jan 1 1970 GMT)

- **mediantime** : `uint64` - The median block time in seconds since epoch (Jan 1 1970 GMT)
- **nonce** : `uint64` - The nonce
- **bits** : `bytes4` - The bits (4 bytes as hex) representing the target
- **difficulty** : `double` - The difficulty
- **chainwork** : `hex` - Expected number of hashes required to produce the current chain (in hex)
- **nTx** : `int` - The number of transactions in the block.
- **previousblockhash** : `bytes32` - The hash of the previous block
- **nextblockhash** : `bytes32` - The hash of the next block

Proof:

The `proof`-object contains the following properties:

- for blocks before BIP34 (`height < 227,836`) and `in3.preBIP34 = false`
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- for blocks before BIP34 (`height < 227,836`) and `in3.preBIP34 = true`
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated up to the next checkpoint (maximum of 200 finality headers, since the distance between checkpoints = 200)
 - **height** - the height of the block (block number)
- for blocks after BIP34 (`height >= 227,836`), *the value of `in3.preBIP34` does not matter*
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
 - **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
 - **cbtxMerkleProof** - the merkle proof of the coinbase transaction, proofing the correctness of the `cbtx`.

Old blocks (`height < 227,836`) with `in3.preBIP34` disabled cannot be verified (proving the finality does not provide any security as explained in [preBIP34 proof](#)). Old blocks with `in.preBIP34` enabled can be verified by performing a [preBIP34 proof](#). Verifying newer blocks requires multiple proofs. The finality headers from the `final`-field will be used to perform a [finality proof](#). To verify the block number we are going to perform a [block number proof](#) using the coinbase transaction (`cbtx`-field) and the [merkle proof](#) for the coinbase transaction (`cbtxMerkleProof`-field).

This proof section contains the following properties:

- **final** : `bytes` - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- **cbtx** : `bytes` - the serialized coinbase transaction of the block (this is needed to get the verified block number). It will only be included if the blocknumber supports BIP34 and is higher 227,836)
- **cbtxMerkleProof** : `bytes` - the merkle proof of the coinbase transaction, proofing the correctness of the `cbtx`.
- **height** : `uint64` - the height of the block (block number)

Example:

Bash

jsonrpc

YAML

(continued from previous page)

```

    },
    "in3": {
      "proof": {
        "final": "0x00e0ff2720723034053c305058beb92ed010...276470",
        "cbtx": "0x010000000001010000000000000000000000...39da2fc",
        "cbtxMerkleProof": "0x6a8077bb4ce76b71d7742ddd368770279a64667b...52e688"
      }
    }
  }
}

```

[illegible]

9.2.6 getdifficulty

Returns the proof-of-work difficulty as a multiple of the minimum difficulty.

Parameters: -

The following in3-configuration will have an impact on the result:

- **finality** : `int` - defines the amount of finality headers
- **verification** : `string` - defines the kind of proof the client is asking for (must be `never` or `proof`)

- **preBIP34** : `bool` - defines if the client wants to verify blocks before BIP34 (`height < 227836`)

Returns: `double`

- `blocknumber` is a certain number: the difficulty of this block
- `blocknumber` is `latest`, `earliest`, `pending` or `empty`: the difficulty of the latest block (actual latest block minus `in3.finality`)

Proof:

The `proof`-object contains the following properties:

- for blocks before BIP34 (`height < 227,836`) and `in3.preBIP34 = false`
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- for blocks before BIP34 (`height < 227,836`) and `in3.preBIP34 = true`
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated up to the next checkpoint (maximum of 200 finality headers, since the distance between checkpoints = 200)
 - **height** - the height of the block (block number)
- for blocks after BIP34 (`height >= 227,836`), the value of `in3.preBIP34` does not matter
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
 - **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
 - **cbtxMerkleProof** - the merkle proof of the coinbase transaction, proofing the correctness of the `cbtx`.

In case the client requests the difficulty of a certain block (`blocknumber` is a certain number) the `block`-field will contain the block header of this block and the `final`-field the corresponding finality headers. For old blocks (`height < 227,836`) with `in3.preBIP34` disabled the result cannot be verified (proving the finality does not provide any security as explained in [preBIP34 proof](#)). The result of old blocks with `in.preBIP34` enabled can be verified by performing a [preBIP34 proof](#). In case the client requests the difficulty of the latest block the server is not able to prove the finality for this block (obviously there are no finality headers available yet). The server considers the latest block minus `in3.finality` as the latest block and returns its difficulty. The result can be verified by performing multiple proof. The block header from the `block`-field and the finality headers from the `final`-field will be used to perform a [finality proof](#). Having a verified block header (and therefore a verified merkle root) enables the possibility of a [block number proof](#) using the coinbase transaction (`cbtx`-field) and the [merkle proof](#) for the coinbase transaction (`cbtxMerkleProof`-field).

The result itself (the difficulty) can be verified in two ways:

- by converting the difficulty into a target and check whether the block hash is lower than the target (since we proved the finality we consider the block hash as verified)
- by converting the difficulty and the bits (part of the block header) into a target and check if both targets are similar (they will not be equal since the target of the bits is not getting saved with full precision - leading bytes are equal)

This proof section contains the following properties:

- **final** : `bytes` - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
- **cbtx** : `bytes` - the serialized coinbase transaction of the block (this is needed to get the verified block number). It will only be included if the `blocknumber` supports BIP34 and is higher 227,836)

- **cbtxMerkleProof**: bytes - the merkle proof of the coinbase transaction, proofing the correctness of the cbtx.
- **height**: uint64 - the height of the block (block number)

Example:

Bash

jsonrpc

YAML

```
> in3 -x -c btc -f 8 getdifficulty
15138043247082.88
```

```
//----- Request -----

{
  "method": "getdifficulty",
  "params": [],
  "in3": {
    "verification": "proof",
    "finality": 8
  }
}

//----- Response -----

{
  "result": 15138043247082.88,
  "in3": {
    "proof": {
      "block": "0x0000e020bd3eecd741522e1aa78cd7b375744590502939aef9b...9c8b18",
      "final": "0x00008020f61dfcc47a6daed717b12221855196dee02d844ebb9c...774f4c",
      "cbtx": "0x020000000001010000000000000000000000000000000000000000000000000000...000000",
      "cbtxMerkleProof": "0xa3d607b274770911e53f06dbdb76440580ff968239...0ba297"
    }
  }
}
```

```
# ----- Request -----

method: getdifficulty
params: []
in3:
  verification: proof
  finality: 8

//----- Response -----

result: 15138043247082.88
in3:
  proof:
    block: 0x0000e020bd3eecd741522e1aa78cd7b375744590502939aef9b...9c8b18
    final: 0x00008020f61dfcc47a6daed717b12221855196dee02d844ebb9c...774f4c
    cbtx: 0x020000000001010000000000000000000000000000000000000000000000000000...000000
    cbtxMerkleProof: 0xa3d607b274770911e53f06dbdb76440580ff968239...0ba297
```

9.2.7 getrawtransaction

Returns the raw transaction data. The returned level of details depends on the argument verbosity.

Parameters:

1. **txid** : bytes32 - The transaction id
2. **verbosity** : int? (*optional*) - 0 or false for the hex-encoded data for txid, 1 or true for a json object with information about txid (default: 1)
3. **blockhash** : bytes32? (*optional*) - The block in which to look for the transaction

The following in3-configuration will have an impact on the result:

- **finality** : int - defines the amount of finality headers
- **verification** : string - defines the kind of proof the client is asking for (must be `never` or `proof`)
- **preBIP34** : bool - defines if the client wants to verify blocks before BIP34 (height < 227836)

Returns: btctransaction

- verbose 0 or false: a string that is serialized, hex-encoded data for txid
- verbose 1 or false: an object representing the transaction.

The return value contains the following properties :

- **txid** : bytes32 - txid
- **in_active_chain** : bool? (*optional*) - Whether specified block is in the active chain or not (only present with explicit “blockhash” argument)
- **hex** : bytes - The serialized, hex-encoded data for txid
- **hash** : bytes32 - The transaction hash (differs from txid for witness transactions)
- **size** : uint64 - The serialized transaction size
- **vsize** : uint64 - The virtual transaction size (differs from size for witness transactions)
- **weight** : uint64 - The transaction’s weight (between vsize*4-3 and vsize*4)
- **version** : int - The version
- **locktime** : uint64 - The lock time
- **vin** : object[] - array of json objects of incoming txs to be used The vin object supports the following properties :
 - **txid** : bytes32? (*optional*) - the transaction id
 - **vout** : uint64? (*optional*) - the index of the transaction out to be used
 - **scriptSig** : object? (*optional*) - the script The scriptSig object supports the following properties :
 - * **asm** : string - the asm-codes
 - * **hex** : string - hex representation
 - **sequence** : uint64 - The script sequence number
 - **txinwitness** : string[]? (*optional*) - hex-encoded witness data (if any)
 - **coinbase** : bytes32? (*optional*) - the coinbase
- **vout** : object[] - array of json objects describing the tx outputs The vout object supports the following properties :

- **value** : float - The Value in BTC
- **n** : int - the index
- **scriptPubKey** : object - the script pubkey The scriptPubKey object supports the following properties :
 - * **asm** : string - asm
 - * **hex** : string - hex representation of the script
 - * **reqSigs** : int - the required signatures
 - * **type** : string - The type, eg 'pubkeyhash'
 - * **addresses** : string[] - Array of address(each representing a bitcoin adress)
- **blockhash** : bytes32 - the block hash
- **confirmations** : int - The confirmations
- **blocktime** : uint64 - The block time in seconds since epoch (Jan 1 1970 GMT)
- **time** : uint64 - Same as "blocktime"

Proof:

- for blocks before BIP34 (height < 227836) and `in3.preBIP34 = false`
 - **block** - a hex string with 80 bytes representing the blockheader
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
 - **txIndex** - index of the transaction (`txIndex=0` for coinbase transaction, necessary to create/verify the merkle proof)
 - **merkleProof** - the merkle proof of the requested transaction, proving the correctness of the transaction
- for blocks before BIP34 (height < 227836) and `in3.preBIP34 = true`
 - **block** - a hex string with 80 bytes representing the blockheader
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated up to the next checkpoint (maximum of 200 finality headers, since the distance between checkpoints = 200)
 - **txIndex** - index of the transaction (`txIndex=0` for coinbase transaction, necessary to create/verify the merkle proof)
 - **merkleProof** - the merkle proof of the requested transaction, proving the correctness of the transaction
 - **height** - the height of the block (block number)
- for blocks after BIP34 (height >= 227836), *the value of `in3.preBIP34` does not matter*
 - **block** - a hex string with 80 bytes representing the blockheader
 - **final** - the finality headers, which are hexcoded bytes of the following headers (80 bytes each) concatenated, the number depends on the requested finality (`finality`-property in the `in3`-section of the request)
 - **txIndex** - index of the transaction (`txIndex=0` for coinbase transaction, necessary to create/verify the merkle proof)
 - **merkleProof** - the merkle proof of the requested transaction, proving the correctness of the transaction
 - **cbtx** - the serialized coinbase transaction of the block (this is needed to get the verified block number)
 - **cbtxMerkleProof** - the merkle proof of the coinbase transaction, proving the correctness of the `cbtx`

Transactions of old blocks (height < 227836) with `in3.preBIP34` disabled cannot be verified (proving the finality does not provide any security as explained in [preBIP34 proof](#) and relying on the merkle proof is only possible when the block is final). Transactions of old blocks with `in3.preBIP34` enabled can be verified by performing a [preBIP34 proof](#) and a [merkle proof](#). Verifying newer blocks requires multiple proofs. The block header from the `block`-field and the finality headers from the `final`-field will be used to perform a [finality proof](#). By doing a [merkle proof](#) using the `txIndex`-field and the `merkleProof`-field the correctness of the requested transaction can be proven. Furthermore we are going to perform a [block number proof](#) using the coinbase transaction (`cbtx`-field) and the [merkle proof](#) for the coinbase transaction (`cbtxMerkleProof`-field).

Example:

Bash

jsonrpc

YAML

```
> in3 -x -c btc -f 8 getrawtransaction_
↪ f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf | jq
{
  "in_active_chain": true,
  "txid": "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf",
  "hash": "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf",
  "version": 1,
  "size": 518,
  "vsize": 518,
  "weight": 2072,
  "locktime": 0,
  "vin": [
    {
      "txid": "0a74f6e5f99bc69af80da9f0d9878ea6afbfb5fbb2d43f1ff899bcdd641a098c",
      "vout": 0,
      "scriptSig": {
        "asm": "30440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228cc...254874",
        "hex": "4730440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228...254874"
      },
      "sequence": 4294967295
    },
    {
      "txid": "869c5e82d4dfc3139c8a153d2ee126e30a467cf791718e6ea64120e5b19e5044",
      "vout": 0,
      "scriptSig": {
        "asm": "3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...f3255d",
        "hex": "483045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745...f3255d"
      },
      "sequence": 4294967295
    },
    {
      "txid": "8a03d29a1b8ae408c94a2ae15bef8329bc3d6b04c063d36b2e8c997273fa8eff",
      "vout": 1,
      "scriptSig": {
        "asm": "304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d1284...0045da",
        "hex": "47304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d12...0045da"
      },
      "sequence": 4294967295
    }
  ],
  "vout": [
    {
```

(continues on next page)

(continued from previous page)

```

    "value": 0.00017571,
    "n": 0,
    "scriptPubKey": {
      "asm": "OP_DUP OP_HASH160 53196749b85367db9443ef9a5aec25cf0bdceedf OP_
→EQUALVERIFY OP_CHECKSIG",
      "hex": "76a91453196749b85367db9443ef9a5aec25cf0bdceedf88ac",
      "reqSigs": 1,
      "type": "pubkeyhash",
      "addresses": [
        "18aPWzBTq1nzs9o86oC9m3BQbxZWmV82UU"
      ]
    }
  },
  {
    "value": 0.00915732,
    "n": 1,
    "scriptPubKey": {
      "asm": "OP_HASH160 8bb2b4b848d0b6336cc64ea57ae989630f447cba OP_EQUAL",
      "hex": "a9148bb2b4b848d0b6336cc64ea57ae989630f447cba87",
      "reqSigs": 1,
      "type": "scripthash",
      "addresses": [
        "3ERfvuzAYPPpACivh1JnwYbBdrAjupTzbw"
      ]
    }
  }
],
"hex": "01000000038c091a64ddbc99f81f3fd4b2fbb5bfafa68e8...000000",
"blockhash": "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220",
"confirmations": 15307,
"time": 1586333924,
"blocktime": 1586333924
}

```

```

//---- Request ----
{
  "method": "getrawtransaction",
  "params": [
    "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf"
  ],
  "in3": {
    "verification": "proof",
    "finality": 8
  }
}

//---- Response ----
{
  "result": {
    "in_active_chain": true,
    "txid": "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf",
    "hash": "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf",
    "version": 1,
    "size": 518,

```

(continues on next page)

(continued from previous page)

```

"vsize": 518,
"weight": 2072,
"locktime": 0,
"vin": [
  {
    "txid": "0a74f6e5f99bc69af80da9f0d9878ea6afbfb5fbb2d43f1ff899bcd641a098c",
    "vout": 0,
    "scriptSig": {
      "asm": "30440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228cc...254874",
      "hex": "4730440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228...254874"
    },
    "sequence": 4294967295
  },
  {
    "txid": "869c5e82d4dfc3139c8a153d2ee126e30a467cf791718e6ea64120e5b19e5044",
    "vout": 0,
    "scriptSig": {
      "asm": "3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...f3255d",
      "hex": "483045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745...f3255d"
    },
    "sequence": 4294967295
  },
  {
    "txid": "8a03d29a1b8ae408c94a2ae15bef8329bc3d6b04c063d36b2e8c997273fa8eff",
    "vout": 1,
    "scriptSig": {
      "asm": "304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d1284...0045da",
      "hex": "47304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d12...0045da"
    },
    "sequence": 4294967295
  }
],
"vout": [
  {
    "value": 0.00017571,
    "n": 0,
    "scriptPubKey": {
      "asm": "OP_DUP OP_HASH160 53196749b85367db9443ef9a5aec25cf0bdceedf OP_
↪EQUALVERIFY OP_CHECKSIG",
      "hex": "76a91453196749b85367db9443ef9a5aec25cf0bdceedf88ac",
      "reqSigs": 1,
      "type": "pubkeyhash",
      "addresses": [
        "18aPWzBTq1nzs9o86oC9m3BQbxZWmV82UU"
      ]
    }
  },
  {
    "value": 0.00915732,
    "n": 1,
    "scriptPubKey": {
      "asm": "OP_HASH160 8bb2b4b848d0b6336cc64ea57ae989630f447cba OP_EQUAL",
      "hex": "a9148bb2b4b848d0b6336cc64ea57ae989630f447cba87",
      "reqSigs": 1,
      "type": "scripthash",
      "addresses": [
        "3ERfvuzAYPPpACivh1JnwYbBdrAjupTzbw"
      ]
    }
  }
]

```

(continues on next page)

(continued from previous page)

```

    ]
  }
}
],
"hex": "01000000038c091a64ddbc99f81f3fd4b2fbb5bfafa68e8...000000",
"blockhash": "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220",
"confirmations": 15307,
"time": 1586333924,
"blocktime": 1586333924
},
"in3": {
  "proof": {
    "block": "0x00e00020497f4c193dbb347c2ecfcf6169e64c747877...045476",
    "final": "0x00e0ff2720723034053c305058beb92ed0101b2294cd...276470",
    "txIndex": 7,
    "merkleProof": "0x348d4bb04943400a80f162c4ef64b746bc4af0...52e688",
    "cbtx": "0x010000000001010000000000000000000000000000...9da2fc",
    "cbtxMerkleProof": "0x6a8077bb4ce76b71d7742ddd368770279a...52e688"
  }
}
}

```

```

# ---- Request ----

method: getrawtransaction
params:
  - f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
in3:
  verification: proof
  finality: 8

//---- Response ----

result:
  in_active_chain: true
  txid: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
  hash: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
  version: 1
  size: 518
  vsize: 518
  weight: 2072
  locktime: 0
  vin:
    - txid: 0a74f6e5f99bc69af80da9f0d9878ea6afbfb5fbb2d43f1ff899bcdd641a098c
      vout: 0
      scriptSig:
        asm: 30440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228cc...254874
        hex: 4730440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228...254874
        sequence: 4294967295
    - txid: 869c5e82d4dfc3139c8a153d2ee126e30a467cf791718e6ea64120e5b19e5044
      vout: 0
      scriptSig:
        asm: 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...f3255d
        hex: 483045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745...f3255d
        sequence: 4294967295

```

(continues on next page)

(continued from previous page)

```

- txid: 8a03d29a1b8ae408c94a2ae15bef8329bc3d6b04c063d36b2e8c997273fa8eff
  vout: 1
  scriptSig:
    asm: 304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d1284...0045da
    hex: 47304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d12...0045da
    sequence: 4294967295
  vout:
  - value: 0.00017571
    n: 0
    scriptPubKey:
      asm: OP_DUP OP_HASH160 53196749b85367db9443ef9a5aec25cf0bdceedf OP_EQUALVERIFY
        OP_CHECKSIG
      hex: 76a91453196749b85367db9443ef9a5aec25cf0bdceedf88ac
      reqSigs: 1
      type: pubkeyhash
      addresses:
        - 18aPWzBTq1nzs9o86oC9m3BQbxZWmV82UU
  - value: 0.00915732
    n: 1
    scriptPubKey:
      asm: OP_HASH160 8bb2b4b848d0b6336cc64ea57ae989630f447cba OP_EQUAL
      hex: a9148bb2b4b848d0b6336cc64ea57ae989630f447cba87
      reqSigs: 1
      type: scripthash
      addresses:
        - 3ERfvuzAYPPpACivh1JnwYbBdrAjupTzbw
  hex: 01000000038c091a64ddbc99f81f3fd4b2fbb5bfafa68e8...000000
  blockhash: 0000000000000000000000000000000000000000000000000000000000000000
  confirmations: 15307
  time: 1586333924
  blocktime: 1586333924
in3:
  proof:
    block: 0x00e00020497f4c193dbb347c2ecfcf6169e64c747877...045476
    final: 0x00e0fff2720723034053c305058beb92ed0101b2294cd...276470
    txIndex: 7
    merkleProof: 0x348d4bb04943400a80f162c4ef64b746bc4af0...52e688
    cbtx: 0x0100000000001010000000000000000000000000000000000000000000000000...9da2fc
    cbtxMerkleProof: 0x6a8077bb4ce76b71d7742ddd368770279a...52e688

```

9.2.8 sendrawtransaction

sends a transaction to a btc node

Parameters:

1. **transaction** : string - the signed raw transaction

Returns: bytes32

the transactionhash

9.2.9 sendtransaction

sends a transaction to a btc node

Parameters:

1. **from** : `address` - the public key derived from the private key used to sign
2. **outputs** : `output[]` - the desired outputs of the transaction The outputs object supports the following properties :
 - **tx_index** : `uint` - the block hash (same as provided)
 - **value** : `uint64` - the block hash (same as provided)
 - **tx_hash** : `string` - the block hash (same as provided)
 - **script** : `string` - the block hash (same as provided)
3. **utxo** : `utxo[]` - the utxo used to prove liquidity for the transaction The utxo object supports the following properties :
 - **tx_index** : `uint` - the transaction index that this utxo refers to
 - **value** : `uint64` - the value
 - **tx_hash** : `string` - the transaction hash (same as provided)
 - **script** : `string` - the script

Returns: `bytes32`

the transactionhash

9.3 config

There are also some Incubed specific rpc-methods, which will help the clients to bootstrap and update the nodeLists.

The incubed client itself offers special RPC-Methods, which are mostly handled directly inside the client:

9.3.1 in3_config

changes the configuration of a client. The configuration is passed as the first param and may contain only the values to change.

Parameters:

1. **config** : `object` - a Object with config-params. The config object supports the following properties :
 - **chainId** : `string | uint? (optional)` - the chainId or the name of a known chain. It defines the nodelist to connect to. (default: "mainnet") Possible Values are:
 - `mainnet` : Mainnet Chain
 - `goerli` : Goerli Testnet
 - `ewc` : Energy WebFoundation
 - `btc` : Bitcoin
 - `ipfs` : ipfs
 - `local` : local-chain

This option can also be used in its short-form in the comandline client `-c` .

```
*Example* : chainId: "goerli"
```

- **finality** : `int?` (*optional*) - the number in percent needed in order reach finality (% of signature of the validators). This option can also be used in its short-form in the comandline client `-f` .

Example : `finality: 50`

- **includeCode** : `bool?` (*optional*) - if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards.

Example : `includeCode: true`

- **debug** : `bool?` (*optional*) - if true, debug messages will be written to stderr.

Example : `debug: true`

- **maxAttempts** : `int?` (*optional*) - max number of attempts in case a response is rejected. (default: 7) This option can also be used in its short-form in the comandline client `-a` .

Example : `maxAttempts: 1`

- **keepIn3** : `bool?` (*optional*) - if true, requests sent to the input stream of the comandline util will be send their responses in the same form as the server did. This option can also be used in its short-form in the comandline client `-kin3` .

Example : `keepIn3: true`

- **stats** : `bool?` (*optional*) - if true, requests sent will be used for stats. (default: `true`)

- **useBinary** : `bool?` (*optional*) - if true the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the propertynames anymore.

Example : `useBinary: true`

- **experimental** : `bool?` (*optional*) - if true the client allows to use use experimental features, otherwise a exception is thrown if those would be used. This option can also be used in its short-form in the comandline client `-x` .

Example : `experimental: true`

- **timeout** : `uint64?` (*optional*) - specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection. (default: 20000)

Example : `timeout: 100000`

- **proof** : `string?` (*optional*) - if true the nodes should send a proof of the response. If set to none, verification is turned off completly. (default: "standard") Possible Values are:

- `none` : no proof will be generated or verified. This also works with standard rpc-endpoints.
- `standard` : Stanbdard Proof means all important properties are verified
- `full` : In addition to standard, also some rarly needed properties are verified, like uncles. But this causes a bigger payload.

This option can also be used in its short-form in the comandline client `-p` .

Example : `proof: "none"`

- **replaceLatestBlock** : `int?` (*optional*) - if specified, the blocknumber *latest* will be replaced by blockNumber- specified value. This option can also be used in its short-form in the comandline client `-l` .

Example : `replaceLatestBlock: 6`

- **autoUpdateList** : `bool?` (*optional*) - if true the nodelist will be automaticly updated if the lastBlock is newer. (default: `true`)

- **signatureCount** : `int?` (*optional*) - number of signatures requested in order to verify the blockhash. (default: 1) This option can also be used in its short-form in the comandline client `-s` .

Example : `signatureCount: 2`

- **bootWeights** : `bool?` (*optional*) - if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is availabkle from cache. (default: `true`) This option can also be used in its short-form in the comandline client `-bw` .

Example : `bootWeights: true`

- **useHttp** : `bool?` (*optional*) - if true the client will try to use http instead of https.

Example : `useHttp: true`

- **minDeposit** : `uint256?` (*optional*) - min stake of the server. Only nodes owning at least this amount will be chosen.

Example : `minDeposit: 10000000`

- **nodeProps** : `hex?` (*optional*) - used to identify the capabilities of the node.

Example : `nodeProps: "0xffff"`

- **requestCount** : `int?` (*optional*) - the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received. (default: 2) This option can also be used in its short-form in the comandline client `-rc` .

Example : `requestCount: 3`

- **rpc** : `string?` (*optional*) - url of one or more direct rpc-endpoints to use. (list can be comma seperated). If this is used, proof will automaticly be turned off.

Example : `rpc: "http://loalhost:8545"`

- **nodes** : `object?` (*optional*) - defining the nodelist. collection of JSON objects with chain Id (hex string) as key. The nodes object supports the following properties :

- **contract** : `address?` (*optional*) - address of the registry contract. (This is the data-contract!)
- **whiteListContract** : `address?` (*optional*) - address of the whiteList contract. This cannot be combined with whiteList!
- **whiteList** : `address[]?` (*optional*) - manual whitelist.
- **registryId** : `bytes32?` (*optional*) - identifier of the registry.
- **needsUpdate** : `bool?` (*optional*) - if set, the nodeList will be updated before next request.
- **avgBlockTime** : `int?` (*optional*) - average block time (seconds) for this chain.
- **verifiedHashes** : `object[]?` (*optional*) - if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automaticly updated by the cache, but can be overridden per request. The verifiedHashes object supports the following properties :
 - * **block** : `uint64` - block number
 - * **hash** : `bytes32` - verified hash corresponding to block number.
- **nodeList** : `object[]?` (*optional*) - manual nodeList. As Value a array of Node-Definitions is expected. The nodeList object supports the following properties :
 - * **url** : `string` - URL of the node.
 - * **address** : `string` - address of the node

* **props** : hex - used to identify the capabilities of the node (defaults to 0xFFFF).

Example : nodes: {"contract": "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f", "nodeList": [{"address": "0x45d45e6ff99e", "v2.slock.it/mainnet/nd-1", "props": "0xFFFF"}]}

- **zksync** : object - configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default). The zksync object supports the following properties :

- **provider_url** : string? (*optional*) - url of the zksync-server (if not defined it will be choosen depending on the chain) (default: "https://api.zksync.io/jsrpc") This option can also be used in its short-form in the comandline client `-zks` .
- **rest_api** : string? (*optional*) - url of the zksync rest api (if not defined it will be choosen depending on the chain) This option can also be used in its short-form in the comandline client `-zkr` .

Example : rest_api: "https://rinkeby-api.zksync.io/api/v0.1/"

- **account** : address? (*optional*) - the account to be used. if not specified, the first signer will be used. This option can also be used in its short-form in the comandline client `-zka` .
- **sync_key** : bytes32? (*optional*) - the seed used to generate the sync_key. This way you can explicitly set the pk instead of deriving it from a signer. This option can also be used in its short-form in the comandline client `-zsk` .
- **main_contract** : address? (*optional*) - address of the main contract- If not specified it will be taken from the server.
- **signer_type** : string? (*optional*) - type of the account. Must be either `pk`(default), `contract` (using contract signatures) or `create2` using the `create2`-section. (default: "pk") Possible Values are:
 - * `pk` : Private matching the account is used (for EOA)
 - * `contract` : Contract Signature based EIP 1271
 - * `create2` : create2 optionas are used

This option can also be used in its short-form in the comandline client `-zkat` .

- **musig_pub_keys** : bytes? (*optional*) - concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will based on the aggregated pubkey. Also the signing will use multiple keys. This option can also be used in its short-form in the comandline client `-zms` .
- **musig_urls** : string[]? (*optional*) - a array of strings with urls based on the `musig_pub_keys`. It is used so generate the combined signature by exchaing signature data (commitment and signature-shares) if the local client does not hold this key. This option can also be used in its short-form in the comandline client `-zmu` .
- **create2** : object? (*optional*) - create2-arguments for sign_type `create2`. This will allow to sign for contracts which are not deployed yet. This option can also be used in its short-form in the comandline client `-zc2` . The create2 object supports the following properties :
 - * **creator** : address - The address of contract or EOA deploying the contract (for example the GnosisSafeFactory)
 - * **saltarg** : bytes32 - a salt-argument, which will be added to the pubkeyhash and create the create2-salt.
 - * **codehash** : bytes32 - the hash of the actual deploy-tx including the constructor-arguments.
- **verify_proof_method** : string? (*optional*) - rpc-method, which will be used to verify the incoming proof before cosigning. This option can also be used in its short-form in the comandline client `-zvpm` .

- **create_proof_method** : `string?` (*optional*) - rpc-method, which will be used to create the proof needed for cosigning. This option can also be used in its short-form in the comandline client `-zcpm`.

Example : `zksync: [{"account":"0x995628aa92d6a016da55e7de8b1727e1eb97d337"},"sync_key":"0x9ad89ac0643ffdc32b2`

- **key** : `bytes32?` (*optional*) - the client key to sign requests. (only availble if build with `-DPK_SIGNER=true`, which is on per default) This option can also be used in its short-form in the comandline client `-k`.

Example : `key: "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"`

- **pk** : `bytes32[]?` (*optional*) - registers raw private keys as signers for transactions. (only availble if build with `-DPK_SIGNER=true`, which is on per default) This option can also be used in its short-form in the comandline client `-pk`.

Example : `pk: ["0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"]`

- **btc** : `object` - configure the Bitcoin verification The `btc` object supports the following properties :
 - **maxDAP** : `int?` (*optional*) - max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. (default: 20)

Example : `maxDAP: 10`

- **maxDiff** : `int?` (*optional*) - max increase (in percent) of the difference between targets when accepting new targets. (default: 10)

Example : `maxDiff: 5`

Example : `btc: {"maxDAP":30,"maxDiff":5}`

Returns:

an boolean confirming that the config has changed.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_config '{"chainId":"0x5","maxAttempts":4,"nodeLimit":10,"nodes":{"nodeList
↪":[{"address":"0x1234567890123456789012345678901234567890","url":"https://
↪mybootnode-A.com","props":"0xFFFF"}],{"address":
↪"0x1234567890123456789012345678901234567890","url":"https://mybootnode-B.com","props
↪":"0xFFFF"}]}'
true
```

//---- Request ----

```
{
  "method": "in3_config",
  "params": [
    {
      "chainId": "0x5",
      "maxAttempts": 4,
      "nodeLimit": 10,
      "nodes": {
        "nodeList": [
          {
            "address": "0x1234567890123456789012345678901234567890",
```

(continues on next page)

(continued from previous page)

```

        "url": "https://mybootnode-A.com",
        "props": "0xFFFF"
    },
    {
        "address": "0x1234567890123456789012345678901234567890",
        "url": "https://mybootnode-B.com",
        "props": "0xFFFF"
    }
]
}
}
]
}
}

//---- Response ----

{
    "result": true
}

```

```

# ---- Request ----

method: in3_config
params:
- chainId: "0x5"
  maxAttempts: 4
  nodeLimit: 10
  nodes:
    nodeList:
      - address: "0x1234567890123456789012345678901234567890"
        url: https://mybootnode-A.com
        props: "0xFFFF"
      - address: "0x1234567890123456789012345678901234567890"
        url: https://mybootnode-B.com
        props: "0xFFFF"

//---- Response ----

result: true

```

9.4 eth

Standard JSON-RPC calls as described in <https://eth.wiki/json-rpc/API>.

Whenever a request is made for a response with `verification: proof`, the node must provide the proof needed to validate the response result. The proof itself depends on the chain.

For ethereum, all proofs are based on the correct block hash. That's why verification differentiates between [Verifying the blockhash](#) (which depends on the user consensus) the actual result data.

There is another reason why the BlockHash is so important. This is the only value you are able to access from within a SmartContract, because the evm supports a OpCode (BLOCKHASH), which allows you to read the last 256 blockhashes, which gives us the chance to verify even the blockhash onchain.

Depending on the method, different proofs are needed, which are described in this document.

Proofs will add a special `in3`-section to the response containing a `proof`- object. Each `in3`-section of the response containing proofs has a property with a proof-object with the following properties:

- **type** string (required) - The type of the proof. Must be one of the these values : 'transactionProof', 'receiptProof', 'blockProof', 'accountProof', 'callProof', 'logProof'
- **block** string - The serialized blockheader as hex, required in most proofs.
- **finalityBlocks** array - The serialized following blockheaders as hex, required in case of finality asked (only relevant for PoA-chains). The server must deliver enough blockheaders to cover more then 50% of the validators. In order to verify them, they must be linkable (with the parentHash).
- **transactions** array - The list of raw transactions of the block if needed to create a merkle trie for the transactions.
- **uncles** array - The list of uncle-headers of the block. This will only be set if full verification is required in order to create a merkle tree for the uncles and so prove the uncle_hash.
- **merkleProof** string[] - The serialized merkle-nodes beginning with the root-node (depending on the content to prove).
- **merkleProofPrev** string[] - The serialized merkle-nodes beginning with the root-node of the previous entry (only for full proof of receipts).
- **txProof** string[] - The serialized merkle-nodes beginning with the root-node in order to proof the transactionIndex (only needed for transaction receipts).
- **logProof** LogProof - The Log Proof in case of a `eth_getLogs`-request.
- **accounts** object - A map of addresses and their AccountProof.
- **txIndex** integer - The transactionIndex within the block (for transactions and receipts).
- **signatures** Signature[] - Requested signatures.

9.4.1 eth_blockNumber

returns the number of the most recent block.

See `eth_blockNumber` for spec.

No proof returned, since there is none, but the client should verify the result by comparing it to the current blocks returned from others. With the `blockTime` from the chainspec, including a tolerance, the current blocknumber may be checked if in the proposed range.

Parameters: -

Returns: uint64

the highest known blocknumber

Example:

Bash

jsonrpc

YAML

```
> in3 eth_blockNumber
0xb8a2a5
```

```
//---- Request ----
{
  "method": "eth_blockNumber",
  "params": []
}

//---- Response ----
{
  "result": "0xb8a2a5"
}
```

```
# ---- Request ----

method: eth_blockNumber
params: []

//---- Response ----

result: "0xb8a2a5"
```

9.4.2 eth_call

calls a function of a contract (or simply executes the evm opcodes) and returns the result. for spec see [eth_call](#)

Parameters:

1. **tx** : `eth_transaction` - the tx-object, which is the same as specified in [eth_sendTransaction](#). The tx object supports the following properties :
 - **to** : `address?` (*optional*) - receipt of the transaction.
 - **from** : `address?` (*optional*) - sender of the address (if not specified, the first signer will be the sender)
 - **wallet** : `address?` (*optional*) - if specified, the transaction will be send through the specified wallet.
 - **value** : `uint256?` (*optional*) - value in wei to send
 - **gas** : `uint64?` (*optional*) - the gas to be send along (default: 21000)
 - **gasPrice** : `uint64?` (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
 - **type** : `uint32?` (*optional*) - the transaction type (See EIP- 1559) , 0 (default), 1 or 2
 - **maxFeePerGas** : `uint64?` (*optional*) - the max fees per gas (See EIP- 1559)
 - **maxPriorityFeePerGas** : `uint64?` (*optional*) - the max Priorityfees per gas (See EIP- 1559)
 - **accessList** : `eth_accesslist[]?` (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : `address` - the address of the contract
 - **storageKeys** : `bytes32[]` - list of storageKeys
 - **nonce** : `uint64?` (*optional*) - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

- **data** : bytes? (*optional*) - the data-section of the transaction
- **signatures** : bytes? (*optional*) - additional signatures which should be used when sending through a multisig

2. **block** : uint64 - the blockNumber or latest

Returns:

the abi-encoded result of the function.

Proof:

Verifying the result of an `eth_call` is a little bit more complex because the response is a result of executing opcodes in the vm. The only way to do so is to reproduce it and execute the same code. That's why a call proof needs to provide all data used within the call. This means:

- All referred accounts including the code (if it is a contract), storageHash, nonce and balance.
- All storage keys that are used (this can be found by tracing the transaction and collecting data based on the SLOAD-opcode).
- All blockdata, which are referred at (besides the current one, also the BLOCKHASH-opcodes are referring to former blocks).

For verifying, you need to follow these steps:

1. Serialize all used blockheaders and compare the blockhash with the signed hashes. (See *BlockProof*)
2. Verify all used accounts and their storage as showed in *Account Proof*.
3. Create a new VM with a MerkleTree as state and fill in all used value in the state:

```
// create new state for a vm
const state = new Trie()
const vm = new VM({ state })

// fill in values
for (const adr of Object.keys(accounts)) {
  const ac = accounts[adr]

  // create an account-object
  const account = new Account([ac.nonce, ac.balance, ac.stateRoot, ac.codeHash])

  // if we have a code, we will set the code
  if (ac.code) account.setCode( state, bytes( ac.code ))

  // set all storage-values
  for (const s of ac.storageProof)
    account.setStorage( state, bytes32( s.key ), rlp.encode( bytes32( s.value )))

  // set the account data
  state.put( address( adr ), account.serialize())
}

// add listener on each step to make sure it uses only values found in the proof
vm.on('step', ev => {
  if (ev.opcode.name === 'SLOAD') {
    const contract = toHex( ev.address ) // address of the current code
    const storageKey = bytes32( ev.stack[ev.stack.length - 1] ) // last element_
    ↪ on the stack is the key
    if (!getStorageValue(contract, storageKey))
```

(continues on next page)

(continued from previous page)

```

        throw new Error(`incomplete data: missing key ${storageKey}`)
    }
    /// ... check other opcodes as well
})

// create a transaction
const tx = new Transaction(txData)

// run it
const result = await vm.runTx({ tx, block: new Block([block, [], []]) })

// use the return value
return result.vm.return

```

In the future, we will be using the same approach to verify calls with ewasm.

If the request requires proof (`verification: proof`) the node will provide an Call Proof as part of the `in3`-section of the response. Details on how create the proof can be found in the *CallProof-Chapter*.

This proof section contains the following properties:

- **type** : string - proof type, which is `callProof`
- **block** : bytes - serialized blockheader
- **accounts** : object - Object with the addresses of all accounts required to run the call as keys. This includes also all storage values (SLOAD) including proof used. The DataStructure of the Proof for each account is exactly the same as the result of `-eth_getProof`. The accounts object supports the following properties :
 - **address** : address - address of the account
 - **balance** : uint256 - the balance
 - **nonce** : uint64 - nonce of the account
 - **codeHash** : bytes32 - codehash of the account
 - **storageHash** : bytes32 - MerkleRoot of the Storage Trie
 - **accountProof** : bytes[] - MerkleProof of this account-node
 - **storageProof** : object[] - Array of Proofs for all required storage values The storageProof object supports the following properties :
 - * **key** : bytes32 - the storage key (or hash)
 - * **value** : bytes32 - the storage value
 - * **proof** : bytes[] - the merkleProof of the value down to the storageHash as MerkleRoot
- **signatures** : signature[] - the array of signatures for all used blocks in the result.
- **finalityBlocks** : bytes[] - a array of blockHeaders which were mined after the requested block. The number of blocks depends on the request-property `finality`. If this is not specified, this property will not be defined.

Example:

Bash

jsonrpc

YAML

[illegible][illegible]

(continues on next page)

(continued from previous page)

```

        "0xe2a0200decd9....05"
    ],
    "value": "0x5"
  },
  {
    "key":
    ↪ "0x290decd9548b62a8d60345a988386fc84ba6bc95484008f6362f93160ef3e569",
    "proof": [
      "0xf901f1a0db74...",
      "0xf891a0795a99...",
      "0xe2a020ab8540...43"
    ],
    "value": "0x43"
  },
  {
    "key":
    ↪ "0xaaab8540682e3a537d17674663ea013e92c83fdd69958f314b4521edb3b76f1a",
    "proof": [
      "0xf901f1a0db747...",
      "0xf891808080808...",
      "0xf843a0207bd5ee..."
    ],
    "value":
    ↪ "0x68747470733a2f2f696e332e736c6f636b2e69742f6d61696e6e65742f6e642d"
  }
]
}
}
}
}
}
}
}

```

```

# ---- Request ----

method: eth_call
params:
  - to: "0x2736D225f85740f42D17987100dc8d58e9e16252"
    data: "0x5cf0f35700000000000000000000000000000000000000000000000000000000\
01"
  - latest
in3:
  verification: proof

//---- Response ----

result: 0x00000000000000000000000000000000...
in3:
  proof:
    type: callProof
    block: 0xf90215a0c...
    signatures:
      - ...
    accounts:
      "0x2736D225f85740f42D17987100dc8d58e9e16252":
        accountProof:

```

(continues on next page)

(continued from previous page)

```

- 0xf90211a095...
- 0xf90211a010...
- 0xf90211a062...
- 0xf90211a091...
- 0xf90211a03a...
- 0xf901f1a0d1...
- 0xf8b18080808...
address: "0x2736d225f85740f42d17987100dc8d58e9e16252"
balance: "0x4fffb"
codeHash: "0x2b8bdc59ce78fd8c248da7b5f82709e04f2149c39e899c4cdf4587063da8dc69"
nonce: "0x1"
storageHash:
↪ "0xbf904e79d4ebf851b2380d81aab081334d79e231295ae1b87f2dd600558f126e"
storageProof:
- key: "0x0"
  proof:
    - 0xf901f1a0db74...
    - 0xf87180808080...
    - 0xe2a0200decd9....05
  value: "0x5"
- key: "0x290decd9548b62a8d60345a988386fc84ba6bc95484008f6362f93160ef3e569"
  proof:
    - 0xf901f1a0db74...
    - 0xf891a0795a99...
    - 0xe2a020ab8540...43
  value: "0x43"
- key: "0xaaab8540682e3a537d17674663ea013e92c83fdd69958f314b4521edb3b76f1a"
  proof:
    - 0xf901f1a0db747...
    - 0xf891808080808...
    - 0xf843a0207bd5ee...
  value: "0x68747470733a2f2f696e332e736c6f636b2e69742f6d61696e6e65742f6e642d"
↪ "
```

9.4.3 eth_estimateGas

calculates the gas needed to execute a transaction. for spec see [eth_estimateGas](#)

Parameters:

1. **tx**: [eth_transaction](#) - the tx-object, which is the same as specified in [eth_sendTransaction](#). The tx object supports the following properties :
 - **to**: address? (*optional*) - receipt of the transaction.
 - **from**: address? (*optional*) - sender of the address (if not specified, the first signer will be the sender)
 - **wallet**: address? (*optional*) - if specified, the transaction will be send through the specified wallet.
 - **value**: uint256? (*optional*) - value in wei to send
 - **gas**: uint64? (*optional*) - the gas to be send along (default: 21000)
 - **gasPrice**: uint64? (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using [eth_gasPrice](#)
 - **type**: uint32? (*optional*) - the transaction type (See EIP- 1559), 0 (default), 1 or 2
 - **maxFeePerGas**: uint64? (*optional*) - the max fees per gas (See EIP- 1559)

- **maxPriorityFeePerGas** : `uint64?` (*optional*) - the max Priorityfees per gas (See EIP- 1559)
- **accessList** : `eth_accesslist[]?` (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : `address` - the address of the contract
 - **storageKeys** : `bytes32[]` - list of storageKeys
- **nonce** : `uint64?` (*optional*) - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **data** : `bytes?` (*optional*) - the data-section of the transaction
- **signatures** : `bytes?` (*optional*) - additional signatures which should be used when sending through a multisig

2. **block** : `uint64` - the blockNumber or `latest`

Returns: `uint64`

the amount of gass needed.

Proof:

The proof will be calculated as described in [eth_call](#). See Details there.

9.4.4 eth_feeHistory

base fee per gas and transaction effective priority fee per gas history for the requested block range if available. The range between `headBlock-4` and `headBlock` is guaranteed to be available while retrieving data from the pending block and older history are optional to support. For pre-EIP-1559 blocks the gas prices are returned as rewards and zeroes are returned for the base fee per gas

Parameters:

1. **blockCount** : `uint64` - Number of blocks in the requested range. Between 1 and 1024 blocks can be requested in a single query. Less than requested may be returned if not all blocks are available.
2. **newestBlock** : `uint64?` (*optional*) - the Highest blockNumber or one of `latest`, `earliest` or `pending`
3. **rewardPercentiles** : `double[]?` (*optional*) - A monotonically increasing list of percentile values to sample from each block's effective priority fees per gas in ascending order, weighted by gas used.

Returns: `object`

Fee history for the returned block range. This can be a subsection of the requested range if not all blocks are available.

The return value contains the following properties :

- **oldestBlock** : `uint64` - Lowest number block of the returned range.
- **baseFeePerGas** : `uint64[]` - An array of block base fees per gas. This includes the next block after the newest of the returned range, because this value can be derived from the newest block. Zeroes are returned for pre-EIP-1559 blocks.
- **gasUsedRatio** : `double[]` - An array of block gas used ratios. These are calculated as the ratio of `gasUsed` and `gasLimit`.
- **reward** : `uint64[]` - An array of rewards

9.4.5 eth_gasPrice

returns the current gasPrice in wei per gas

Parameters:

Returns: uint64

the current gasPrice in wei per gas

Example:

Bash

jsonrpc

YAML

```
> in3 eth_gasPrice
0x0625900800
```

```
//----- Request -----
{
  "method": "eth_gasPrice",
  "params": []
}

//----- Response -----
{
  "result": "0x0625900800"
}
```

```
# ----- Request -----
method: eth_gasPrice
params: []

//----- Response -----
result: "0x0625900800"
```

9.4.6 eth_getBalance

gets the balance of an account for a given block

Parameters:

1. **account** : address - address of the account
2. **block** : uint64 - the blockNumber or latest

Returns: uint256

the balance

Proof:

The proof will be calculated as described in [eth_getStorageAt](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getBalance 0x2e333ec090f1028df0a3c39a918063443be82b2b latest
0x20599832af6ec00
```

```
//----- Request -----

{
  "method": "eth_getBalance",
  "params": [
    "0x2e333ec090f1028df0a3c39a918063443be82b2b",
    "latest"
  ],
  "in3": {
    "verification": "proof"
  }
}

//----- Response -----

{
  "result": "0x20599832af6ec00",
  "in3": {
    "proof": {
      "type": "accountProof",
      "block": "0xf90212a0af...5643f426d",
      "signatures": [],
      "accounts": {
        "0x2e333EC090f1028df0a3c39a918063443Be82B2b": {
          "address": "0x2e333ec090f1028df0a3c39a918063443be82b2b",
          "accountProof": [
            "0xf90211a099a5e...6d9f924480",
            "0xf90211a052b61...b19ff23445180",
            "0xf90211a0cc125...7e7afd9170280",
            "0xf90211a088c91...555f0b76fc6ec80",
            "0xf90211a0641a3...477d355d557a180",
            "0xf90211a0619e5...5977318c9487280",
            "0xf90111a0e25a1...641683d34adae808080",
            "0xf86e9d3f681a18...2273b7bfad8045d85a470"
          ],
          "balance": "0x20599832af6ec00",
          "codeHash":
            ↪ "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470",
          "nonce": "0x5",
          "storageHash":
            ↪ "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421",
          "storageProof": []
        }
      }
    }
  }
}
```

```
# ---- Request ----

method: eth_getBalance
params:
  - "0x2e333ec090f1028df0a3c39a918063443be82b2b"
  - latest
in3:
  verification: proof

//---- Response ----

result: "0x20599832af6ec00"
in3:
  proof:
    type: accountProof
    block: 0xf90211a0af...5643f426d
    signatures: []
    accounts:
      "0x2e333EC090f1028df0a3c39a918063443Be82B2b":
        address: "0x2e333ec090f1028df0a3c39a918063443be82b2b"
        accountProof:
          - 0xf90211a099a5e...6d9f924480
          - 0xf90211a052b61...b19ff23445180
          - 0xf90211a0cc125...7e7afd9170280
          - 0xf90211a088c91...555f0b76fc6ec80
          - 0xf90211a0641a3...477d355d557a180
          - 0xf90211a0619e5...5977318c9487280
          - 0xf90111a0e25a1...641683d34adae808080
          - 0xf86e9d3f681a18...2273b7bfad8045d85a470
        balance: "0x20599832af6ec00"
        codeHash: "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470"
        nonce: "0x5"
        storageHash:
          ↪ "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421"
        storageProof: []
```

9.4.7 eth_getBlockByHash

Returns information about a block by hash.

See [eth_getBlockByHash](#) for spec.

Parameters:

1. **blockHash** : bytes32 - the blockHash of the block
2. **fullTx** : bool - if true the full transactions are contained in the result.

Returns: eth_blockdata?

the blockdata, or in case the block with that number does not exist, null will be returned.

The return value contains the following properties :

- **transactions** : eth_transactiondata[] - Array of transaction objects The transactions object supports the following properties :
 - **to** : address - receipt of the transaction.

- **from** : address - sender or signer of the transaction
 - **value** : uint256 - value in wei to send
 - **gas** : uint64 - the gas to be send along
 - **gasPrice** : uint64 - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
 - **nonce** : uint64 - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
 - **blockHash** : bytes32 - blockHash of the block holding this transaction or `null` if still pending.
 - **blockNumber** : uint64 - blockNumber of the block holding this transaction or `null` if still pending.
 - **hash** : bytes32 - transactionHash
 - **input** : bytes - data of the transaaction
 - **transactionIndex** : uint64 - index of the transaaction in the block
 - **v** : byte - recovery-byte of the signature
 - **r** : bytes32 - x-value of the EC-Point of the signature
 - **s** : bytes32 - y-value of the EC-Point of the signature
 - **accessList** : `eth_accesslist[]?` (*optional*) - the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the `type>0` The accessList object supports the following properties :
 - * **address** : address - the address of the contract
 - * **storageKeys** : bytes32[] - list of storageKeys
 - **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
 - **chainId** : uint64? (*optional*) - the chainId the transaction is to operate on.
 - **maxFeePerGas** : uint64? (*optional*) - the max Fee gas as defined in EIP-1559
 - **maxPriorityFeePerGas** : uint64? (*optional*) - the max priority Fee gas as defined in EIP-1559
- **number** : uint64 - the block number. `null` when its pending block.
 - **hash** : bytes32 - hash of the block. `null` when its pending block.
 - **parentHash** : bytes32 - hash of the parent block.
 - **nonce** : uint256? (*optional*) - hash of the generated proof-of-work. `null` when its pending block.
 - **sha3Uncles** : bytes32 - SHA3 of the uncles Merkle root in the block.
 - **logsBloom** : bytes256 - the bloom filter for the logs of the block. `null` when its pending block.
 - **transactionsRoot** : bytes32 - the root of the transaction trie of the block.
 - **stateRoot** : bytes32 - the root of the final state trie of the block.
 - **receiptsRoot** : bytes32 - the root of the receipts trie of the block.
 - **miner** : address - the address of the beneficiary to whom the mining rewards were given.
 - **difficulty** : uint256 - integer of the difficulty for this block.
 - **totalDifficulty** : uint256 - integer of the total difficulty of the chain until this block.
 - **extraData** : bytes - the “extra data” field of this block.

- **size**: uint64 - integer the size of this block in bytes.
- **gasLimit**: uint64 - the maximum gas allowed in this block.
- **gasUsed**: uint64 - the total used gas by all transactions in this block.
- **timestamp**: uint64 - the unix timestamp for when the block was collated.
- **uncles**: bytes32[] - Array of uncle hashes.
- **baseFeePerGas**: uint64? (*optional*) - block fees based on EIP 1559 starting with the London hard fork

Proof:

The proof will be calculated as described in [eth_getBlockByNumber](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getBlockByHash_
↪ 0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585 false | jq
{
  "author": "0x0000000000000000000000000000000000000000",
  "difficulty": "0x2",
  "extraData": "0x696e667572612d6966f0000000000000...31570f1e500",
  "gasLimit": "0x7a1200",
  "gasUsed": "0x20e145",
  "hash": "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585",
  "logsBloom": "0x000008000000000000...00400100000000080",
  "miner": "0x0000000000000000000000000000000000000000",
  "number": "0x449956",
  "parentHash": "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694",
  "receiptsRoot": "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff",
  ↪ ",
  "sealFields": [
    "0xa000000000000000000000000000000000000000000000000000000000000000",
    "0x88000000000000000000"
  ],
  "sha3Uncles": "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347",
  "size": "0x74b",
  "stateRoot": "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910",
  "timestamp": "0x605aec86",
  "totalDifficulty": "0x6564de",
  "transactions": [
    "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58",
    "0x0fb803696521ba109c40b3eeeb773c93dc6ee891172af0f620c8d44c05198641",
    "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75",
    "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d",
    "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5",
    "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
  ],
  "transactionsRoot":
  ↪ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc",
  "uncles": []
}
```



```
//---- Request ----

{
  "method": "eth_getBlockByHash",
  "params": [
    "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585",
    false
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----

{
  "result": {
    "author": "0x0000000000000000000000000000000000000000",
    "difficulty": "0x2",
    "extraData": "0x696e667572612d696f000000000000...31570f1e500",
    "gasLimit": "0x7a1200",
    "gasUsed": "0x20e145",
    "hash": "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585",
    "logsBloom": "0x000008000000000000...00400100000000080",
    "miner": "0x0000000000000000000000000000000000000000",
    "number": "0x449956",
    "parentHash": "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcddbda703c74458ad6faf7c2694
→",
    "receiptsRoot":
→"0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff",
    "sealFields": [
      "0xa000000000000000000000000000000000000000000000000000000000000000",
      "0x88000000000000000000"
    ],
    "sha3Uncles": "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347
→",
    "size": "0x74b",
    "stateRoot": "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910",
    "timestamp": "0x605aec86",
    "totalDifficulty": "0x6564de",
    "transactions": [
      "0xcb7edfdb3229c9beeb418ablef1a3c9210ecfb22f0157791c3287085d798da58",
      "0x0fb803696521ba109c40b3eeeb773c93dc6ee891172af0f620c8d44c05198641",
      "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75",
      "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d",
      "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5",
      "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
    ],
    "transactionsRoot":
→"0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc",
    "uncles": []
  },
  "in3": {
    "proof": {
      "type": "blockProof",
      "signatures": [],
      "transactions": [
```

(continues on next page)

(continued from previous page)

```

        "0xf8ac830331f78449504f80830186a094f74a...8a83ce8dc",
        "0xf8ac830331f88449504f80830186a094f74a...a81c2f1fee77",
        "0xf8a91e843b9aca008315a92594f0277caffea...c30d64dd139",
        "0xf8c601843b9aca008305573094309906d7b701...62f5e7a2319a",
        "0xf8c680843b9aca008305573094309906d7b701...78289116eac194e",
        "0xf9014b82020a843b9aca0083010f6894786f8d72...b649"
    ]
}
}
}

```

```

# ---- Request ----

method: eth_getBlockByHash
params:
  - "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
  - false
in3:
  verification: proof

//---- Response ----

result:
  author: "0x0000000000000000000000000000000000000000000000000000000000000000"
  difficulty: "0x2"
  extraData: "0x696e667572612d6966f0000000000000...31570f1e500"
  gasLimit: "0x7a1200"
  gasUsed: "0x20e145"
  hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
  logsBloom: "0x000080000000000000...004001000000000080"
  miner: "0x0000000000000000000000000000000000000000000000000000000000000000"
  number: "0x449956"
  parentHash: "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8daba703c74458ad6faf7c2694"
  receiptsRoot: "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
  sealFields:
    - "0xa000000000000000000000000000000000000000000000000000000000000000"
    - "0x8800000000000000000000000000000000000000000000000000000000000000"
  sha3Uncles: "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
  size: "0x74b"
  stateRoot: "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
  timestamp: "0x605aec86"
  totalDifficulty: "0x6564de"
  transactions:
    - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
    - "0x0fb803696521ba109c40b3eeeb773c93dc6ee891172af0f620c8d44c05198641"
    - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
    - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
    - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
    - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
  transactionsRoot:
    ↪ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
  uncles: []
in3:
  proof:
    type: blockProof

```

(continues on next page)

(continued from previous page)

```

signatures: []
transactions:
  - 0xf8ac830331f78449504f80830186a094f74a...8a83ce8dc
  - 0xf8ac830331f88449504f80830186a094f74a...a81c2f1fee77
  - 0xf8a91e843b9aca008315a92594f0277caffee...c30d64dd139
  - 0xf8c601843b9aca008305573094309906d7b701...62f5e7a2319a
  - 0xf8c680843b9aca008305573094309906d7b701...78289116eac194e
  - 0xf9014b82020a843b9aca0083010f6894786f8d72...b649

```

9.4.8 eth_getBlockByNumber

returns information about a block by block number.

See [eth_getBlockByNumber](#) for spec.

Parameters:

1. **blockNumber** : uint64? (*optional*) - the blockNumber or one of latest, earliest or pending
2. **fullTx** : bool - if true the full transactions are contained in the result.

Returns: eth_blockdata?

the blockdata, or in case the block with that number does not exist, null will be returned.

The return value contains the following properties :

- **transactions** : eth_transactiondata[] - Array of transaction objects The transactions object supports the following properties :
 - **to** : address - receipient of the transaction.
 - **from** : address - sender or signer of the transaction
 - **value** : uint256 - value in wei to send
 - **gas** : uint64 - the gas to be send along
 - **gasPrice** : uint64 - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
 - **nonce** : uint64 - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
 - **blockHash** : bytes32 - blockHash of the block holding this transaction or null if still pending.
 - **blockNumber** : uint64 - blockNumber of the block holding this transaction or null if still pending.
 - **hash** : bytes32 - transactionHash
 - **input** : bytes - data of the transaaction
 - **transactionIndex** : uint64 - index of the transaaction in the block
 - **v** : byte - recovery-byte of the signature
 - **r** : bytes32 - x-value of the EC-Point of the signature
 - **s** : bytes32 - y-value of the EC-Point of the signature
 - **accessList** : eth_accesslist[]? (*optional*) - the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0 The accessList object supports the following properties :

- * **address** : address - the address of the contract
- * **storageKeys** : bytes32[] - list of storageKeys
- **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **chainId** : uint64? (*optional*) - the chainId the transaction is to operate on.
- **maxFeePerGas** : uint64? (*optional*) - the max Fee gas as defined in EIP-1559
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max priority Fee gas as defined in EIP-1559
- **number** : uint64 - the block number. null when its pending block.
- **hash** : bytes32 - hash of the block. null when its pending block.
- **parentHash** : bytes32 - hash of the parent block.
- **nonce** : uint256? (*optional*) - hash of the generated proof-of-work. null when its pending block.
- **sha3Uncles** : bytes32 - SHA3 of the uncles Merkle root in the block.
- **logsBloom** : bytes256 - the bloom filter for the logs of the block. null when its pending block.
- **transactionsRoot** : bytes32 - the root of the transaction trie of the block.
- **stateRoot** : bytes32 - the root of the final state trie of the block.
- **receiptsRoot** : bytes32 - the root of the receipts trie of the block.
- **miner** : address - the address of the beneficiary to whom the mining rewards were given.
- **difficulty** : uint256 - integer of the difficulty for this block.
- **totalDifficulty** : uint256 - integer of the total difficulty of the chain until this block.
- **extraData** : bytes - the “extra data” field of this block.
- **size** : uint64 - integer the size of this block in bytes.
- **gasLimit** : uint64 - the maximum gas allowed in this block.
- **gasUsed** : uint64 - the total used gas by all transactions in this block.
- **timestamp** : uint64 - the unix timestamp for when the block was collated.
- **uncles** : bytes32[] - Array of uncle hashes.
- **baseFeePerGas** : uint64? (*optional*) - block fees based on EIP 1559 starting with the London hard fork

Proof:

The `eth_getBlockBy...` methods return the Block-Data. In this case, all we need is somebody verifying the blockhash, which is done by requiring somebody who stored a deposit and would otherwise lose it, to sign this blockhash.

The verification is then done by simply creating the blockhash and comparing this to the signed one.

The blockhash is calculated by blockdata with `rlp` and hashing it:

```
blockHeader = rlp.encode([
    bytes32( parentHash ),
    bytes32( sha3Uncles ),
    address( miner || coinbase ),
    bytes32( stateRoot ),
    bytes32( transactionsRoot ),
    bytes32( receiptsRoot || receiptRoot ),
    bytes256( logsBloom ),
```

(continues on next page)

(continued from previous page)

```

uint( difficulty ),
uint( number ),
uint( gasLimit ),
uint( gasUsed ),
uint( timestamp ),
bytes( extraData ),

... sealFields
? sealFields.map( rlp.decode )
: [
    bytes32( b.mixHash ),
    bytes8( b.nonce )
  ]
])

```

For POA-chains, the blockheader will use the `sealFields` (instead of `mixHash` and `nonce`) which are already RLP-encoded and should be added as raw data when using `rlp.encode`.

```

if (keccak256(blockHeader) !== signedBlockHash)
  throw new Error('Invalid Block')

```

In case of the `eth_getBlockTransactionCountBy...`, the proof contains the full `blockHeader` already serialized plus all `transactionHashes`. This is needed in order to verify them in a merkle tree and compare them with the `transactionRoot`.

Requests requiring proof for blocks will return a proof of type `blockProof`. Depending on the request, the proof will contain the following properties:

- `type`: constant: `blockProof`
- `signatures`: a array of signatures from the signers (if requested) of the requested block.
- `transactions`: a array of raw transactions of the block. This is only needed the last parameter of the request (`includeTransactions`) is `false`, In this case the result only contains the `transactionHashes`, but in order to verify we need to be able to build the complete merkle-trie, where the raw transactions are needed. If the complete transactions are included the raw transactions can be build from those values.
- `finalityBlocks`: a array of `blockHeaders` which were mined after the requested block. The number of blocks depends on the request-property `finality`. If this is not specified, this property will not be defined.
- `uncles`: only if `fullProof` is requested we add all `blockheaders` of the uncles to the proof in order to verify the `uncleRoot`.

Example:

Bash

jsonrpc

YAML

```

> in3 eth_getBlockByNumber latest false | jq
{
  "author": "0x0000000000000000000000000000000000000000",
  "difficulty": "0x2",
  "extraData": "0x696e667572612d696f000000000000...31570f1e500",
  "gasLimit": "0x7a1200",
  "gasUsed": "0x20e145",
  "hash": "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585",

```

(continues on next page)

(continued from previous page)

```

"logsBloom": "0x000008000000000000...004001000000000080",
"miner": "0x0000000000000000000000000000000000000000000000000000",
"number": "0x449956",
"parentHash": "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694",
"receiptsRoot": "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff
→",
"sealFields": [
  "0xa000000000000000000000000000000000000000000000000000000000000000",
  "0x880000000000000000000000"
],
"sha3Uncles": "0x1dcc4de8dec75d7aab85b567b6cccd41ad312451b948a7413f0a142fd40d49347",
"size": "0x74b",
"stateRoot": "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910",
"timestamp": "0x605aec86",
"totalDifficulty": "0x6564de",
"transactions": [
  "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58",
  "0x0fb803696521ba109c40b3eeeb773c93dc6ee891172af0f620c8d44c05198641",
  "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75",
  "0x4010c4c112514756dcdf14f91117503826dcbe15b03a1636c07aa713da24b8d",
  "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5",
  "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
],
"transactionsRoot":
→"0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc",
"uncles": []
}

```

```

//---- Request ----
{
  "method": "eth_getBlockByNumber",
  "params": [
    "latest",
    false
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----
{
  "result": {
    "author": "0x00000000000000000000000000000000000000000000000000000",
    "difficulty": "0x2",
    "extraData": "0x696e667572612d696f000000000000...31570f1e500",
    "gasLimit": "0x7a1200",
    "gasUsed": "0x20e145",
    "hash": "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585",
    "logsBloom": "0x000008000000000000...004001000000000080",
    "miner": "0x000000000000000000000000000000000000000000000000000",
    "number": "0x449956",
    "parentHash": "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694
→",

```

(continues on next page)

(continued from previous page)

```

    "receiptsRoot":
    ↪ "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff",
    "sealFields": [
        "0xa000000000000000000000000000000000000000000000000000000000000000",
        "0x8800000000000000000000000000000000000000000000000000000000000000",
    ],
    "sha3Uncles": "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347
    ↪ ",
    "size": "0x74b",
    "stateRoot": "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910",
    "timestamp": "0x605aec86",
    "totalDifficulty": "0x6564de",
    "transactions": [
        "0xcb7edfdb3229c9beeb418ablef1a3c9210ecfb22f0157791c3287085d798da58",
        "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641",
        "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75",
        "0x4010c4c112514756dcdf14f91117503826dcbe15b03a1636c07aa713da24b8d",
        "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5",
        "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
    ],
    "transactionsRoot":
    ↪ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc",
    "uncles": []
  },
  "in3": {
    "proof": {
      "type": "blockProof",
      "signatures": [],
      "transactions": [
        "0xf8ac830331f78449504f80830186a094f74a...8a83ce8dc",
        "0xf8ac830331f88449504f80830186a094f74a...a81c2f1fee77",
        "0xf8a91e843b9aca008315a92594f0277caffee...c30d64dd139",
        "0xf8c601843b9aca008305573094309906d7b701...62f5e7a2319a",
        "0xf8c680843b9aca008305573094309906d7b701...78289116eac194e",
        "0xf9014b82020a843b9aca0083010f6894786f8d72...b649"
      ]
    }
  }
}

```

```

# ---- Request ----

method: eth_getBlockByNumber
params:
  - latest
  - false
in3:
  verification: proof

//---- Response ----

result:
  author: "0x0000000000000000000000000000000000000000000000000000000000000000"
  difficulty: "0x2"
  extraData: 0x696e667572612d6966f0000000000000...31570f1e500

```

(continues on next page)

(continued from previous page)

```

gasLimit: "0x7a1200"
gasUsed: "0x20e145"
hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
logsBloom: 0x000008000000000000...004001000000000080
miner: "0x0000000000000000000000000000000000000000"
number: "0x449956"
parentHash: "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd9daba703c74458ad6faf7c2694"
receiptsRoot: "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
sealFields:
  - "0xa000000000000000000000000000000000000000000000000000000000000000"
  - "0x880000000000000000000000"
sha3Uncles: "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
size: "0x74b"
stateRoot: "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
timestamp: "0x605aec86"
totalDifficulty: "0x6564de"
transactions:
  - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
  - "0x0fb803696521ba109c40b3eeeb773c93dc6ee891172af0f620c8d44c05198641"
  - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
  - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
  - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
  - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
transactionsRoot:
  ↪ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
uncles: []
in3:
  proof:
    type: blockProof
    signatures: []
    transactions:
      - 0xf8ac830331f78449504f80830186a094f74a...8a83ce8dc
      - 0xf8ac830331f88449504f80830186a094f74a...a81c2f1fee77
      - 0xf8a91e843b9aca008315a92594f0277caffea...c30d64dd139
      - 0xf8c601843b9aca008305573094309906d7b701...62f5e7a2319a
      - 0xf8c680843b9aca008305573094309906d7b701...78289116eac194e
      - 0xf9014b82020a843b9aca0083010f6894786f8d72...b649

```

9.4.9 eth_getBlockTransactionCountByHash

returns the number of transactions. For Spec, see [eth_getBlockTransactionCountByHash](#).

Parameters:

1. **blockHash** : bytes32 - the blockHash of the block

Returns: int?

the number of transactions in the block

Proof:

The proof will be calculated as described in [eth_getUncleCountByBlockNumber](#). See Details there.

9.4.10 eth_getBlockTransactionCountByNumber

returns the number of transactions. For Spec, see [eth_getBlockTransactionCountByNumber](#).

Parameters:

1. **blockNumber** : `uint64` - the blockNumber of the block

Returns: `int?`

the number of transactions in the block

Proof:

The proof will be calculated as described in [eth_getUncleCountByBlockNumber](#). See Details there.

9.4.11 eth_getCode

gets the code of a given contract

Parameters:

1. **account** : `address` - address of the account
2. **block** : `uint64?` (*optional*) - the blockNumber or latest

Returns:

the code as hex

Proof:

The proof will be calculated as described in [eth_getStorageAt](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getCode 0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f latest
0x6080604052348...6c634300050a0040
```

```
//---- Request ----
{
  "method": "eth_getCode",
  "params": [
    "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
    "latest"
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----
{
  "result": "0x6080604052348...6c634300050a0040",
  "in3": {
    "proof": {
      "type": "accountProof",
      "block": "0xf9020da02776...8ba1d5458be3b98",
```

(continues on next page)

(continued from previous page)

```

    "signatures": [],
    "accounts": {
      "0xaC1b824795E1EB1F6e609FE0dA9b9af8bEaAb60F": {
        "address": "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
        "accountProof": [
          "0xf90211a03...c41e862bd80",
          "0xf90211a02...c5766ac3ec9180",
          "0xf90211a0f...cdad27ecdabc1c4c66e680",
          "0xf90211a08...84621739c3777eald5080",
          "0xf90211a00...02388c08615b82ef0320614380",
          "0xf90211a03...1b16a8c050f61d80",
          "0xf8f18080a...cafe05823be8080",
          "0xf8669d3ad8...903305697a1"
        ],
        "balance": "0x0",
        "codeHash":
        ↪ "0x29140efcd5358d1dd75badfaa179e3df0dd53f17a883a30152d82903305697a1",
        "nonce": "0x1",
        "storageHash":
        ↪ "0x4d6c5972bcc0c8229c8b041df4aa70879e37e9f7eb47530e4232b317438524ed",
        "storageProof": []
      }
    }
  }
}

```

```

# ---- Request ----

method: eth_getCode
params:
  - "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f"
  - latest
in3:
  verification: proof

//---- Response ----

result: 0x6080604052348...6c634300050a0040
in3:
  proof:
    type: accountProof
    block: 0xf9020da02776...8ba1d5458be3b98
    signatures: []
    accounts:
      "0xaC1b824795E1EB1F6e609FE0dA9b9af8bEaAb60F":
        address: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f"
        accountProof:
          - 0xf90211a03...c41e862bd80
          - 0xf90211a02...c5766ac3ec9180
          - 0xf90211a0f...cdad27ecdabc1c4c66e680
          - 0xf90211a08...84621739c3777eald5080
          - 0xf90211a00...02388c08615b82ef0320614380
          - 0xf90211a03...1b16a8c050f61d80
          - 0xf8f18080a...cafe05823be8080

```

(continues on next page)

(continued from previous page)

```

    - 0xf8669d3ad8...903305697a1
    balance: "0x0"
    codeHash: "0x29140efcd5358d1dd75badfaa179e3df0dd53f17a883a30152d82903305697a1"
    nonce: "0x1"
    storageHash:
    ↪ "0x4d6c5972bcc0c8229c8b041df4aa70879e37e9f7eb47530e4232b317438524ed"
    storageProof: []

```

9.4.12 eth_getLogs

searches for events matching the given criteria. See [eth_getLogs](#) for the spec.

Parameters:

1. **filter** : object - The filter criteria for the events. The filter object supports the following properties :
 - **fromBlock** : uint64? (*optional*) - Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions. (default: "latest")
 - **toBlock** : uint64? (*optional*) - Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions. (default: "latest")
 - **address** : address? (*optional*) - Contract address or a list of addresses from which logs should originate.
 - **topics** : bytes32[]? (*optional*) - Array of 32 Bytes DATA topics. Topics are order-dependent. Each topic can also be an array of DATA with “or” options.
 - **blockhash** : bytes32? (*optional*) - With the addition of EIP-234, blockHash will be a new filter option which restricts the logs returned to the single block with the 32-byte hash blockHash. Using blockHash is equivalent to fromBlock = toBlock = the block number with hash blockHash. If blockHash is present in in the filter criteria, then neither fromBlock nor toBlock are allowed.

Returns: ethlog[]

array with all found event matching the specified filter

The return value contains the following properties :

- **address** : address - the address triggering the event.
- **blockNumber** : uint64 - the blockNumber
- **blockHash** : bytes32 - blockhash if ther containing block
- **data** : bytes - abi-encoded data of the event (all non indexed fields)
- **logIndex** : int - the index of the even within the block.
- **removed** : bool - the reorg-status of the event.
- **topics** : bytes32[] - array of 32byte-topics of the indexed fields.
- **transactionHash** : bytes32 - requested transactionHash
- **transactionIndex** : int - transactionIndex within the containing block.
- **transactionLogIndex** : int? (*optional*) - index of the event within the transaction.
- **type** : string? (*optional*) - mining-status

Proof:

Since logs or events are based on the TransactionReceipts, the only way to prove them is by proving the Transaction-Receipt each event belongs to.

That's why this proof needs to provide:

- all blockheaders where these events occurred
- all TransactionReceipts plus their MerkleProof of the logs
- all MerkleProofs for the transactions in order to prove the transactionIndex

The proof data structure will look like this:

```
Proof {
  type: 'logProof',
  logProof: {
    [blockNr: string]: { // the blockNumber in hex as key
      block : string // serialized blockheader
      receipts: {
        [txHash: string]: { // the transactionHash as key
          txIndex: number // transactionIndex within the block
          txProof: string[] // the merkle Proof-Array for the transaction
          proof: string[] // the merkle Proof-Array for the receipts
        }
      }
    }
  }
}
```

In order to create the proof, we group all events into their blocks and transactions, so we only need to provide the blockheader once per block. The merkle-proofs for receipts are created as described in the [Receipt Proof](#).

If the request requires proof (verification: proof) the node will provide an Transaction Proof as part of the in3-section of the response.

This proof section contains the following properties:

- **type** : string - proofType, which is logProof
- **logProof** : object - The proof for all the receipts. This structure contains an object with the blockNumbers as keys. Each block contains the blockheader and the receipt proofs. The logProof object supports the following properties :
 - **block** : bytes - serialized blockheader
 - **receipts** : object - array of proofs for the transayctionreceipts within the block The receipts object supports the following properties :
 - * **txIndex** : int - transactionIndex within the block
 - * **txProof** : bytes[] - the merkle Proof-Array for the transaction
 - * **proof** : bytes[] - the merkle Proof-Array for the receipt
- **signatures** : signature[] - the array of signatures for all used blocks in the result.
- **finalityBlocks** : bytes[] - a array of blockHeaders which were mined after the requested block. The number of blocks depends on the request-property *finality*. If this is not specified, this property will not be defined.

9.4.13 eth_getStorageAt

gets the storage value of a given key

Parameters:

1. **account** : address - address of the account
2. **key** : bytes32 - key to look for
3. **block** : uint64? (*optional*) - the blockNumber or latest

Returns:

the value of the storage slot.

Proof:

Each of these account values are stored in the account-object:

```
account = rlp.encode([
    uint( nonce),
    uint( balance),
    bytes32( storageHash || ethUtil.KECCAK256_RLP),
    bytes32( codeHash || ethUtil.KECCAK256_NULL)
])
```

The proof of an account is created by taking the state merkle tree and creating a MerkleProof. Since all of the above RPC-methods only provide a single value, the proof must contain all four values in order to encode them and verify the value of the MerkleProof.

For verification, the stateRoot of the blockHeader is used and keccak(accountProof.address) as the path or key within the merkle tree.

```
verifyMerkleProof(
    block.stateRoot, // expected merkle root
    keccak(accountProof.address), // path, which is the hashed address
    accountProof.accountProof, // array of Buffer with the merkle-proof-data
    !isNotExistend(accountProof) ? null : serializeAccount(accountProof), // the expected_
    ↪ serialized account
)
```


In case the account does not exist yet (which is the case if none == startNonce and codeHash == '0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470'), the proof may end with one of these nodes:

- The last node is a branch, where the child of the next step does not exist.
- The last node is a leaf with a different relative key.

Both would prove that this key does not exist.

For eth_getStorageAt, an additional storage proof is required. This is created by using the storageHash of the account and creating a MerkleProof using the hash of the storage key (keccak(key)) as path.

```
verifyMerkleProof(
    bytes32( accountProof.storageHash ), // the storageRoot of the account
    keccak(bytes32(s.key)), // the path, which is the hash of the key
    s.proof.map(bytes), // array of Buffer with the merkle-proof-data
    s.value === '0x0' ? null : util.rlp.encode(s.value) // the expected value or none_
    ↪ to proof non-existence
)
```



If the request requires proof (`verification: proof`) the node will provide an Account Proof as part of the `in3-` section of the response.

This proof section contains the following properties:

- **type** : `string` - proof type, which is `accountProof`
- **block** : `bytes` - serialized blockheader
- **accounts** : `object` - object with all required accounts (using the address as keys) The accounts object supports the following properties :
 - **address** : `address` - address of the account
 - **balance** : `uint256` - the balance

- **nonce** : uint256 - nonce of the account
- **codeHash** : bytes32 - codehash of the account
- **storageHash** : bytes32 - MerkleRoot of the Storage Trie
- **accountProof** : bytes[] - MerkleProof of this account-node
- **storageProof** : object - Array of Proofs for all required storage values The storageProof object supports the following properties :
 - * **key** : bytes32 - the storage key (or hash)
 - * **value** : bytes32 - the storage value
 - * **proof** : bytes[] - the merkleProof of the value down to the storageHash as MerkleRoot
- **signatures** : signature[] - the array of signatures for all used blocks in the result.
- **finalityBlocks** : bytes[] - a array of blockHeaders which were mined after the requested block. The number of blocks depends on the request-property **finality**. If this is not specified, this property will not be defined.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getStorageAt 0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f 0x0 latest
0x19
```

```
//---- Request ----
```

```
{
  "method": "eth_getStorageAt",
  "params": [
    "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
    "0x0",
    "latest"
  ],
  "in3": {
    "verification": "proof"
  }
}
```

```
//---- Response ----
```

```
{
  "result": "0x19",
  "in3": {
    "proof": {
      "type": "accountProof",
      "block": "0xf90218a0e625bee...87a38707dbbc",
      "signatures": [],
      "accounts": {
        "0xaC1b824795E1EB1F6e609FE0dA9b9af8bEaAb60F": {
          "address": "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f",
          "accountProof": [
            "0xf90211a0cef18...56e5cfcf3ef70de80",
            "0xf90211a0b67e01...2a13db20dcf291d533480",

```

(continues on next page)

(continued from previous page)

```
"0xf90211a05df65...be23ffb94580",
"0xf90211a0825413...75d61184621739c3777eald5080",
"0xf90211a000a403...82ef0320614380",
"0xf90211a03b0114...a6e41b16a8c050f61d80",
"0xf8f18080a01a27...96fcdfe84cafe05823be8080",
"0xf8669d3ad8a871b...d82903305697a1"
],
"balance": "0x0",
"codeHash":
→ "0x29140efcd5358d1dd75badfaa179e3df0dd53f17a883a30152d82903305697a1",
"nonce": "0x1",
"storageHash":
→ "0x4d6c5972bcc0c8229c8b041df4aa70879e37e9f7eb47530e4232b317438524ed",
"storageProof": [
{
    "key": "0x0",
    "value": "0x19",
    "proof": [
        "0xf90211a084b9482...1ad85a4f2f1680",
        "0xf901b1a0625f8d3...6e0788855d2780",
        "0xf851a08a14eff77...08080808080808080",
        → "0xe19f3dec9548b62a8d60345a988386fc84ba6bc95484008f6362f93160ef3e56319"
    ]
}
]
}
```

```
# ---- Request ----

method: eth_getStorageAt
params:
  - "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f"
  - "0x0"
  - latest
in3:
  verification: proof

//---- Response ----

result: "0x19"
in3:
  proof:
    type: accountProof
    block: 0xf90218a0e625bee...87a38707dbbc
    signatures: []
    accounts:
      "0xaC1b824795E1EB1F6e609FE0dA9b9af8bEaAb60F":
        address: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f"
        accountProof:
          - 0xf90211a0cef18...56e5cfcf3ef70de80
```

(continues on next page)

(continued from previous page)

```

- 0xf90211a0b67e01...2a13db20dcf291d533480
- 0xf90211a05df65...be23ffb94580
- 0xf90211a0825413...75d61184621739c3777eald5080
- 0xf90211a000a403...82ef0320614380
- 0xf90211a03b0114...a6e41b16a8c050f61d80
- 0xf8f18080a01a27...96fcdfe84cafe05823be8080
- 0xf8669d3ad8a871b...d82903305697a1
balance: "0x0"
codeHash: "0x29140efcd5358d1dd75badfaa179e3df0dd53f17a883a30152d82903305697a1"
nonce: "0x1"
storageHash:
↪ "0x4d6c5972bcc0c8229c8b041df4aa70879e37e9f7eb47530e4232b317438524ed"
storageProof:
- key: "0x0"
  value: "0x19"
  proof:
    - 0xf90211a084b9482...1ad85a4f2f1680
    - 0xf901b1a0625f8d3...6e0788855d2780
    - 0xf851a08a14eff77...08080808080808080
    - "0xe19f3decd9548b62a8d60345a988386fc84ba6bc95484008f6362f93160e\
      f3e56319"

```

9.4.14 eth_getTransactionByBlockHashAndIndex

returns the transaction data.

See JSON-RPC-Spec for [eth_getTransactionByBlockHashAndIndex](#) for more details.

Parameters:

1. **blockHash** : bytes32 - the blockhash containing the transaction.
2. **index** : int - the transactionIndex

Returns: eth_transactiondata?

the transactiondata or null if it does not exist

The return value contains the following properties :

- **to** : address - receipt of the transaction.
- **from** : address - sender or signer of the transaction
- **value** : uint256 - value in wei to send
- **gas** : uint64 - the gas to be send along
- **gasPrice** : uint64 - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- **nonce** : uint64 - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **blockHash** : bytes32 - blockHash of the block holding this transaction or null if still pending.
- **blockNumber** : uint64 - blockNumber of the block holding this transaction or null if still pending.
- **hash** : bytes32 - transactionHash
- **input** : bytes - data of the transaction
- **transactionIndex** : uint64 - index of the transaction in the block

- **v**: byte - recovery-byte of the signature
- **r**: bytes32 - x-value of the EC-Point of the signature
- **s**: bytes32 - y-value of the EC-Point of the signature
- **accessList**: eth_accesslist[]? (*optional*) - the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0 The accessList object supports the following properties:
 - **address**: address - the address of the contract
 - **storageKeys**: bytes32[] - list of storageKeys
- **type**: int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **chainId**: uint64? (*optional*) - the chainId the transaction is to operate on.
- **maxFeePerGas**: uint64? (*optional*) - the max Fee gas as defined in EIP-1559
- **maxPriorityFeePerGas**: uint64? (*optional*) - the max priority Fee gas as defined in EIP-1559

Proof:

The proof will be calculated as described in [eth_getTransactionByHash](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getTransactionByBlockHashAndIndex_
↪ 0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee 0xd5 | jq
{
  "blockHash": "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee",
  "blockNumber": "0xb8a4a9",
  "from": "0xcaa6cfc2ca92cabdbbce5a46901ee8b831e00a98",
  "gas": "0xac6b",
  "gasPrice": "0x1bf08eb000",
  "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
  "input": "0x095ea7b3000000000000000000000000...a7640000",
  "nonce": "0xa",
  "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
  "transactionIndex": "0xd5",
  "value": "0x0",
  "type": "0x0",
  "v": "0x25",
  "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
  "s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
}
```

```
//---- Request ----
```

```
{
  "method": "eth_getTransactionByBlockHashAndIndex",
  "params": [
    "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee",
    "0xd5"
  ],
  "in3": {
```

(continues on next page)

(continued from previous page)

```

    "verification": "proof"
  }
}

//----- Response -----

{
  "result": {
    "blockHash": "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee",
    "blockNumber": "0xb8a4a9",
    "from": "0xcaa6cfc2ca92cabdbce5a46901ee8b831e00a98",
    "gas": "0xac6b",
    "gasPrice": "0x1bf08eb000",
    "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
    "input": "0x095ea7b3000000000000000000000000...a7640000",
    "nonce": "0xa",
    "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
    "transactionIndex": "0xd5",
    "value": "0x0",
    "type": "0x0",
    "v": "0x25",
    "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
    "s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
  },
  "in3": {
    "proof": {
      "type": "eth_transactionProof",
      "block": "0xf90212a033a7afd1b9...fa16cf2",
      "merkleProof": [
        "0xf90131a0...91604f2f580808080808080808080",
        "0xf851a06f...08080808080808080808080808080",
        "0xf8d18080...8a2ac871c5808080808080808080",
        "0xf90111a05...08080808080808080808080808080",
        "0xf8ae20b8...000a8ff46d2a2dd78"
      ],
      "txIndex": 213,
      "signatures": []
    }
  }
}

```

```

# ----- Request -----

method: eth_getTransactionByBlockHashAndIndex
params:
  - "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
  - "0xd5"
in3:
  verification: proof

//----- Response -----

result:
  blockHash: "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
  blockNumber: "0xb8a4a9"

```

(continues on next page)

(continued from previous page)

```

from: "0xcaa6cfc2ca92cabdbbce5a46901ee8b831e00a98"
gas: "0xac6b"
gasPrice: "0x1bf08eb000"
hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea"
input: 0x095ea7b3000000000000000000000000...a7640000
nonce: "0xa"
to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
transactionIndex: "0xd5"
value: "0x0"
type: "0x0"
v: "0x25"
r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
in3:
  proof:
    type: eth_transactionProof
    block: 0xf90212a033a7afd1b9...fa16cf2
    merkleProof:
      - 0xf90131a0...91604f2f580808080808080808080
      - 0xf851a06f...08080808080808080808080808080
      - 0xf8d18080...8a2ac871c5808080
      - 0xf90111a05...08080808080808080808080808080
      - 0xf8ae20b8...000a8ff46d2a2dd78
    txIndex: 213
    signatures: []

```

9.4.15 eth_getTransactionByBlockNumberAndIndex

returns the transaction data.

See JSON-RPC-Spec for [eth_getTransactionByBlockNumberAndIndex](#) for more details.

Parameters:

1. **blockNumber** : uint64 - the block number containing the transaction.
2. **index** : int - the transactionIndex

Returns: eth_transactiondata?

the transactiondata or null if it does not exist

The return value contains the following properties :

- **to** : address - receipient of the transaction.
- **from** : address - sender or signer of the transaction
- **value** : uint256 - value in wei to send
- **gas** : uint64 - the gas to be send along
- **gasPrice** : uint64 - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- **nonce** : uint64 - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **blockHash** : bytes32 - blockHash of the block holding this transaction or null if still pending.
- **blockNumber** : uint64 - blockNumber of the block holding this transaction or null if still pending.

- **hash** : bytes32 - transactionHash
- **input** : bytes - data of the transaction
- **transactionIndex** : uint64 - index of the transaction in the block
- **v** : byte - recovery-byte of the signature
- **r** : bytes32 - x-value of the EC-Point of the signature
- **s** : bytes32 - y-value of the EC-Point of the signature
- **accessList** : eth_accesslist[]? (*optional*) - the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0 The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
- **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **chainId** : uint64? (*optional*) - the chainId the transaction is to operate on.
- **maxFeePerGas** : uint64? (*optional*) - the max Fee gas as defined in EIP-1559
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max priority Fee gas as defined in EIP-1559

Proof:

The proof will be calculated as described in [eth_getTransactionByHash](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getTransactionByBlockNumberAndIndex 0xb8a4a9 0xd5 | jq
{
  "blockHash": "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee",
  "blockNumber": "0xb8a4a9",
  "from": "0xcaa6cfc2ca92cabdbce5a46901ee8b831e00a98",
  "gas": "0xac6b",
  "gasPrice": "0x1bf08eb000",
  "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
  "input": "0x095ea7b3000000000000000000000000...a7640000",
  "nonce": "0xa",
  "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
  "transactionIndex": "0xd5",
  "value": "0x0",
  "type": "0x0",
  "v": "0x25",
  "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
  "s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
}
```

//---- Request ----

```
{
  "method": "eth_getTransactionByBlockNumberAndIndex",
  "params": [
```

(continues on next page)

(continued from previous page)

```

    "0xb8a4a9",
    "0xd5"
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----

{
  "result": {
    "blockHash": "0x4fc08daf8d670a23eba7alacalf09591c19147305c64d25e1ddd3dd43ff658ee",
    "blockNumber": "0xb8a4a9",
    "from": "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98",
    "gas": "0xac6b",
    "gasPrice": "0x1bf08eb000",
    "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
    "input": "0x095ea7b3000000000000000000000000...a7640000",
    "nonce": "0xa",
    "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
    "transactionIndex": "0xd5",
    "value": "0x0",
    "type": "0x0",
    "v": "0x25",
    "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
    "s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
  },
  "in3": {
    "proof": {
      "type": "eth_transactionProof",
      "block": "0xf90212a033a7afd1b9...fa16cf2",
      "merkleProof": [
        "0xf90131a0...91604f2f580808080808080808080",
        "0xf851a06f...08080808080808080808080808080",
        "0xf8d18080...8a2ac871c5808080808080808080",
        "0xf90111a05...08080808080808080808080808080",
        "0xf8ae20b8...000a8ff46d2a2dd78"
      ],
      "txIndex": 213,
      "signatures": []
    }
  }
}

```

```

# ---- Request ----

method: eth_getTransactionByBlockNumberAndIndex
params:
  - "0xb8a4a9"
  - "0xd5"
in3:
  verification: proof

//---- Response ----

```

(continues on next page)

(continued from previous page)

```

result:
  blockHash: "0x4fc08daf8d670a23eba7a1aca1f09591c19147305c64d25e1ddd3dd43ff658ee"
  blockNumber: "0xb8a4a9"
  from: "0xcaa6cfc2ca92cabdbbce5a46901ee8b831e00a98"
  gas: "0xac6b"
  gasPrice: "0x1bf08eb000"
  hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea"
  input: 0x095ea7b3000000000000000000000000...a7640000
  nonce: "0xa"
  to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
  transactionIndex: "0xd5"
  value: "0x0"
  type: "0x0"
  v: "0x25"
  r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
  s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
in3:
  proof:
    type: eth_transactionProof
    block: 0xf90212a033a7afd1b9...fa16cf2
    merkleProof:
      - 0xf90131a0...91604f2f580808080808080808080
      - 0xf851a06f...08080808080808080808080808080
      - 0xf8d18080...8a2ac871c5808080
      - 0xf90111a05...08080808080808080808080808080
      - 0xf8ae20b8...000a8ff46d2a2dd78
    txIndex: 213
    signatures: []

```

9.4.16 eth_getTransactionByHash

returns the transaction data.

See JSON-RPC-Spec for `eth_getTransactionByHash` for more details.

Parameters:

1. **txHash** : bytes32 - the transactionHash of the transaction.

Returns: eth_transactiondata?


the transactiondata or null if it does not exist

The return value contains the following properties :

- **to** : address - receipt of the transaction.
- **from** : address - sender or signer of the transaction
- **value** : uint256 - value in wei to send
- **gas** : uint64 - the gas to be send along
- **gasPrice** : uint64 - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- **nonce** : uint64 - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **blockHash** : bytes32 - blockHash of the block holding this transaction or null if still pending.

- **blockNumber** : uint64 - blockNumber of the block holding this transaction or null if still pending.
- **hash** : bytes32 - transactionHash
- **input** : bytes - data of the transaction
- **transactionIndex** : uint64 - index of the transaction in the block
- **v** : byte - recovery-byte of the signature
- **r** : bytes32 - x-value of the EC-Point of the signature
- **s** : bytes32 - y-value of the EC-Point of the signature
- **accessList** : eth_accesslist[]? (*optional*) - the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0 The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
- **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **chainId** : uint64? (*optional*) - the chainId the transaction is to operate on.
- **maxFeePerGas** : uint64? (*optional*) - the max Fee gas as defined in EIP-1559
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max priority Fee gas as defined in EIP-1559

Proof:



In order to prove the transaction data, each transaction of the containing block must be serialized


```
transaction = rlp.encode([
    uint( tx.nonce ),
    uint( tx.gasPrice ),
    uint( tx.gas || tx.gasLimit ),
    address( tx.to ),
    uint( tx.value ),
    bytes( tx.input || tx.data ),
    uint( tx.v ),
    uint( tx.r ),
    uint( tx.s )
])
```

and stored in a merkle tree with `rlp.encode(transactionIndex)` as key or path, since the blockheader only contains the `transactionRoot`, which is the root-hash of the resulting merkle tree. A merkle-proof with the `transactionIndex` of the target transaction will then be created from this tree.

If the request requires proof (verification: proof) the node will provide an Transaction Proof as part of the in3-section of the response. This proof section contains the following properties:

- `type`: constant: `transactionProof`
- `block`: the serialized blockheader of the requested transaction.
- `signatures`: a array of signatures from the signers (if requested) of the above block.
- `txIndex`: The TransactionIndex as used in the MerkleProof (not needed if the methode was `eth_getTransactionByBlock...`, since already given)
- `merkleProof`: the serialized nodes of the Transaction trie starting with the root node.
- `finalityBlocks`: a array of blockHeaders which were mined after the requested block. The number of blocks depends on the request-property `finality`. If this is not specified, this property will not be defined.

While there is no proof for a non existing transaction, if the request was a `eth_getTransactionByBlock...` the node must deliver a partial merkle-proof to verify that this node does not exist.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getTransactionByHash_
↪ 0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b | jq
{
  "blockHash": "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee",
  "blockNumber": "0xb8a4a9",
  "from": "0xcaa6cfc2ca92cabdbbce5a46901ee8b831e00a98",
  "gas": "0xac6b",
  "gasPrice": "0x1bf08eb000",
  "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
  "input": "0x095ea7b3000000000000000000000000...a7640000",
  "nonce": "0xa",
  "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
  "transactionIndex": "0xd5",
  "value": "0x0",
  "type": "0x0",
  "v": "0x25",
  "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
```

(continues on next page)

(continued from previous page)

```

"s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
}

//---- Request ----

{
  "method": "eth_getTransactionByHash",
  "params": [
    "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b"
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----

{
  "result": {
    "blockHash": "0x4fc08daf8d670a23eba7alacalf09591c19147305c64d25e1ddd3dd43ff658ee",
    "blockNumber": "0xb8a4a9",
    "from": "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98",
    "gas": "0xac6b",
    "gasPrice": "0x1bf08eb000",
    "hash": "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea",
    "input": "0x095ea7b3000000000000000000000000...a7640000",
    "nonce": "0xa",
    "to": "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce",
    "transactionIndex": "0xd5",
    "value": "0x0",
    "type": "0x0",
    "v": "0x25",
    "r": "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4",
    "s": "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
  },
  "in3": {
    "proof": {
      "type": "eth_transactionProof",
      "block": "0xf90212a033a7afd1b9...fa16cf2",
      "merkleProof": [
        "0xf90131a0...91604f2f5808080808080808080",
        "0xf851a06f...080808080808080808080808080",
        "0xf8d18080...8a2ac871c58080808080808080",
        "0xf90111a05...080808080808080808080808080",
        "0xf8ae20b8...000a8ff46d2a2dd78"
      ],
      "txIndex": 213,
      "signatures": []
    }
  }
}

```

```

# ---- Request ----

method: eth_getTransactionByHash
params:

```

(continues on next page)

(continued from previous page)

```

- "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b"
in3:
  verification: proof

//----- Response -----

result:
  blockHash: "0x4fc08daf8d670a23eba7a1aca1f09591c19147305c64d25e1ddd3dd43ff658ee"
  blockNumber: "0xb8a4a9"
  from: "0xcaa6cfc2ca92cabdbbce5a46901ee8b831e00a98"
  gas: "0xac6b"
  gasPrice: "0x1bf08eb000"
  hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea"
  input: 0x095ea7b3000000000000000000000000...a7640000
  nonce: "0xa"
  to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
  transactionIndex: "0xd5"
  value: "0x0"
  type: "0x0"
  v: "0x25"
  r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
  s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
in3:
  proof:
    type: eth_transactionProof
    block: 0xf90212a033a7afd1b9...fa16cf2
    merkleProof:
      - 0xf90131a0...91604f2f58080808080808080808080
      - 0xf851a06f...0808080808080808080808080808080
      - 0xf8d18080...8a2ac871c580808080808080808080
      - 0xf90111a05...0808080808080808080808080808080
      - 0xf8ae20b8...000a8ff46d2a2dd78
    txIndex: 213
    signatures: []

```

9.4.17 eth_getTransactionCount

gets the nonce or number of transaction sent from this account at a given block

Parameters:

1. **account** : address - address of the account
2. **block** : uint64 - the blockNumber or latest

Returns: uint64

the nonce

Proof:

The proof will be calculated as described in [eth_getStorageAt](#). See Details there.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getTransactionCount 0x2e333ec090f1028df0a3c39a918063443be82b2b latest
0x5
```

```
//----- Request -----

{
  "method": "eth_getTransactionCount",
  "params": [
    "0x2e333ec090f1028df0a3c39a918063443be82b2b",
    "latest"
  ],
  "in3": {
    "verification": "proof"
  }
}

//----- Response -----

{
  "result": "0x5",
  "in3": {
    "proof": {
      "type": "accountProof",
      "block": "0xf90212a0af...5643f426d",
      "signatures": [],
      "accounts": {
        "0x2e333EC090f1028df0a3c39a918063443Be82B2b": {
          "address": "0x2e333ec090f1028df0a3c39a918063443be82b2b",
          "accountProof": [
            "0xf90211a099a5e...6d9f924480",
            "0xf90211a052b61...b19ff23445180",
            "0xf90211a0cc125...7e7afd9170280",
            "0xf90211a088c91...555f0b76fc6ec80",
            "0xf90211a0641a3...477d355d557a180",
            "0xf90211a0619e5...5977318c9487280",
            "0xf90111a0e25a1...641683d34adae808080",
            "0xf86e9d3f681a18...2273b7bfad8045d85a470"
          ],
          "balance": "0x20599832af6ec00",
          "codeHash":
            ↪ "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470",
          "nonce": "0x5",
          "storageHash":
            ↪ "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421",
          "storageProof": []
        }
      }
    }
  }
}
```

```
# ----- Request -----

method: eth_getTransactionCount
params:
```

(continues on next page)

(continued from previous page)

```

- "0x2e333ec090f1028df0a3c39a918063443be82b2b"
- latest
in3:
  verification: proof

//---- Response ----

result: "0x5"
in3:
  proof:
    type: accountProof
    block: 0xf90212a0af...5643f426d
    signatures: []
    accounts:
      "0x2e333EC090f1028df0a3c39a918063443Be82B2b":
        address: "0x2e333ec090f1028df0a3c39a918063443be82b2b"
        accountProof:
          - 0xf90211a099a5e...6d9f924480
          - 0xf90211a052b61...b19ff23445180
          - 0xf90211a0cc125...7e7afd9170280
          - 0xf90211a088c91...555f0b76fc6ec80
          - 0xf90211a0641a3...477d355d557a180
          - 0xf90211a0619e5...5977318c9487280
          - 0xf90111a0e25a1...641683d34adae808080
          - 0xf86e9d3f681a18...2273b7bfad8045d85a470
        balance: "0x20599832af6ec00"
        codeHash: "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470"
        nonce: "0x5"
        storageHash:
          ↪ "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421"
        storageProof: []

```

9.4.18 eth_getTransactionReceipt

The Receipt of a Transaction. For Details, see [eth_getTransactionReceipt](#).

Parameters:

1. **txHash**: bytes32 - the transactionHash

Returns: eth_transactionReceipt?


the TransactionReceipt or null if it does not exist.

The return value contains the following properties :

- **blockNumber** : uint64 - the blockNumber
- **blockHash** : bytes32 - blockhash if ther containing block
- **contractAddress** : address? (*optional*) - the deployed contract in case the tx did deploy a new contract
- **cumulativeGasUsed** : uint64 - gas used for all transaction up to this one in the block
- **gasUsed** : uint64 - gas used by this transaction.
- **effectiveGasPrice** : uint256? (*optional*) - the effict e gas price

- **logs** : `ethlog[]` - array of events created during execution of the tx The logs object supports the following properties :
 - **address** : `address` - the address triggering the event.
 - **blockNumber** : `uint64` - the blockNumber
 - **blockHash** : `bytes32` - blockhash if ther containing block
 - **data** : `bytes` - abi-encoded data of the event (all non indexed fields)
 - **logIndex** : `int` - the index of the even within the block.
 - **removed** : `bool` - the reorg-status of the event.
 - **topics** : `bytes32[]` - array of 32byte-topics of the indexed fields.
 - **transactionHash** : `bytes32` - requested transactionHash
 - **transactionIndex** : `int` - transactionIndex within the containing block.
 - **transactionLogIndex** : `int?` (*optional*) - index of the event within the transaction.
 - **type** : `string?` (*optional*) - mining-status
- **logsBloom** : `bytes128` - bloomfilter used to detect events for `eth_getLogs`
- **status** : `int` - error-status of the tx. 0x1 = success 0x0 = failure
- **transactionHash** : `bytes32` - requested transactionHash
- **transactionIndex** : `int` - transactionIndex within the containing block.
- **from** : `address` - address of the sender.
- **type** : `int?` (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **to** : `address?` (*optional*) - address of the receiver. null when its a contract creation transaction.

Proof:



The proof works similar to the transaction proof.

In order to create the proof we need to serialize all transaction receipts

```
transactionReceipt = rlp.encode([
    uint( r.status || r.root ),
    uint( r.cumulativeGasUsed ),
    bytes256( r.logsBloom ),
    r.logs.map(l => [
        address( l.address ),
        l.topics.map( bytes32 ),
        bytes( l.data )
    ])
]).slice(r.status === null && r.root === null ? 1 : 0))
```

and store them in a merkle tree with `rlp.encode(transactionIndex)` as key or path, since the blockheader only contains the `receiptRoot`, which is the root-hash of the resulting merkle tree. A merkle proof with the `transactionIndex` of the target transaction receipt will then be created from this tree.

Since the merkle proof is only proving the value for the given `transactionIndex`, we also need to prove that the `transactionIndex` matches the `transactionHash` requested. This is done by adding another `MerkleProof` for the transaction itself as described in the [Transaction Proof](#).

If the request requires proof (`verification: proof`) the node will provide an `Transaction Proof` as part of the `in3`-section of the response. This proof section contains the following properties:

- `type`: `constant: receiptProof`
- `block`: the serialized blockheader of the requested transaction.
- `signatures`: a array of signatures from the signers (if requested) of the above block.
- `txIndex`: The `TransactionIndex` as used in the `MerkleProof`

- `txProof`: the serialized nodes of the Transaction trie starting with the root node. This is needed in order to proof that the required `transactionHash` matches the receipt.
- `merkleProof`: the serialized nodes of the Transaction Receipt trie starting with the root node.
- `merkleProofPrev`: the serialized nodes of the previous Transaction Receipt (if `txIndex>0`) trie starting with the root node. This is only needed if full-verification is requested. With a verified previous Receipt we can proof the `usedGas`.
- `finalityBlocks`: a array of `blockHeaders` which were mined after the requested block. The number of blocks depends on the request-property `finality`. If this is not specified, this property will not be defined.

Example:

Bash

jsonrpc

YAML

```
> in3 eth_getTransactionReceipt_
↪ 0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e | jq
{
  "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
  "blockNumber": "0x8c1e39",
  "contractAddress": null,
  "cumulativeGasUsed": "0x2466d",
  "gasUsed": "0x2466d",
  "logs": [
    {
      "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
      "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304
↪ ",
      "blockNumber": "0x8c1e39",
      "data": "0x000000000000...",
      "logIndex": "0x0",
      "removed": false,
      "topics": [
        "0x9123e6a7c5d144bd06140643c88de8e01adcb24350190c02218a4435c7041f8",
        "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
        "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
      ],
      "transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
      "transactionIndex": "0x0",
      "transactionLogIndex": "0x0",
      "type": "mined"
    }
  ],
  "logsBloom": "0x000000000000000000000000200000...",
  "root": null,
  "status": "0x1",
  "transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
  "transactionIndex": "0x0"
}
```

```
//---- Request ----
```

```
{
```

(continues on next page)

(continued from previous page)

```

"method": "eth_getTransactionReceipt",
"params": [
  "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
],
"in3": {
  "verification": "proof"
}
}

//----- Response -----

{
  "result": {
    "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
    "blockNumber": "0x8c1e39",
    "contractAddress": null,
    "cumulativeGasUsed": "0x2466d",
    "gasUsed": "0x2466d",
    "logs": [
      {
        "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
        "blockHash":
→ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
        "blockNumber": "0x8c1e39",
        "data": "0x000000000000...",
        "logIndex": "0x0",
        "removed": false,
        "topics": [
          "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8",
          "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
          "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
        ],
        "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
        "transactionIndex": "0x0",
        "transactionLogIndex": "0x0",
        "type": "mined"
      }
    ],
    "logsBloom": "0x0000000000000000000000200000...",
    "root": null,
    "status": "0x1",
    "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
    "transactionIndex": "0x0"
  },
  "in3": {
    "proof": {
      "type": "receiptProof",
      "block": "0xf9023fa019e9d929ab...",
      "txProof": [
        "0xf851a083c8446ab932130..."
      ],
      "merkleProof": [
        "0xf851a0b0f5b7429a54b10..."
      ],
      "txIndex": 0,

```

(continues on next page)

(continued from previous page)

```

    "signatures": [
        "...",
    ],
    "merkleProofPrev": [
        "0xf851a0b0f5b7429a54b10..."
    ]
}
}
}

# ---- Request ----

method: eth_getTransactionReceipt
params:
  - "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
in3:
  verification: proof

//---- Response ----

result:
  blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
  blockNumber: "0x8c1e39"
  contractAddress: null
  cumulativeGasUsed: "0x2466d"
  gasUsed: "0x2466d"
  logs:
    - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
      blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
      blockNumber: "0x8c1e39"
      data: 0x000000000000...
      logIndex: "0x0"
      removed: false
      topics:
        - "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
        - "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
        - "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
      transactionHash:
        ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
        transactionIndex: "0x0"
        transactionLogIndex: "0x0"
        type: mined
      logsBloom: 0x000000000000000000000000200000...
      root: null
      status: "0x1"
      transactionHash: "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
      ↪ "
        transactionIndex: "0x0"
in3:
  proof:
    type: receiptProof
    block: 0xf9023fa019e9d929ab...
    txProof:
      - 0xf851a083c8446ab932130...
    merkleProof:

```

(continues on next page)

(continued from previous page)

```

- 0xf851a0b0f5b7429a54b10...
txIndex: 0
signatures:
- ...
merkleProofPrev:
- 0xf851a0b0f5b7429a54b10...

```

9.4.19 eth_getUncleCountByBlockHash

returns the number of uncles. For Spec, see [eth_getUncleCountByBlockHash](#).

Parameters:

1. **blockHash** : bytes32 - the blockHash of the block

Returns: int?

the number of uncles

Proof:

The proof will be calculated as described in [eth_getUncleCountByBlockNumber](#). See Details there.

9.4.20 eth_getUncleCountByBlockNumber

returns the number of uncles. For Spec, see [eth_getUncleCountByBlockNumber](#).

Parameters:

1. **blockNumber** : uint64 - the blockNumber of the block

Returns: int?

the number of uncles

Proof:

Requests requiring proof for blocks will return a proof of type `blockProof`. Depending on the request, the proof will contain the following properties:

- `type` : constant : `blockProof`
- `signatures` : a array of signatures from the signers (if requested) of the requested block.
- `block` : the serialized blockheader
- `transactions` : a array of raw transactions of the block. This is only needed if the number of transactions are requested.
- `finalityBlocks` : a array of blockHeaders which were mined after the requested block. The number of blocks depends on the request-property `finality`. If this is not specified, this property will not be defined.
- `uncles` : a array of blockheaders of the uncles of the block. This is only needed if the number of uncles are requested.

9.4.21 eth_sendRawTransaction

sends or broadcasts a previously signed raw transaction. See [eth_sendRawTransaction](#)

Parameters:

1. **tx** : bytes - the raw signed transactiondata to send

Returns: bytes32

the transactionhash

9.4.22 eth_sendTransaction

signs and sends a Transaction

Parameters:

1. **tx** : eth_transaction - the transactiondata to send The tx object supports the following properties :
 - **to** : address? (*optional*) - receipient of the transaction.
 - **from** : address? (*optional*) - sender of the address (if not sepcified, the first signer will be the sender)
 - **wallet** : address? (*optional*) - if specified, the transaction will be send through the specified wallet.
 - **value** : uint256? (*optional*) - value in wei to send
 - **gas** : uint64? (*optional*) - the gas to be send along (default: 21000)
 - **gasPrice** : uint64? (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using eth_gasPrice
 - **type** : uint32? (*optional*) - the transaction type (See EIP- 1559) , 0 (default), 1 or 2
 - **maxFeePerGas** : uint64? (*optional*) - the max fees per gas (See EIP- 1559)
 - **maxPriorityFeePerGas** : uint64? (*optional*) - the max Prioritytyfees per gas (See EIP- 1559)
 - **accessList** : eth_accesslist[]? (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
 - **nonce** : uint64? (*optional*) - the current nonce of the sender. If not specified it will be fetched using eth_getTransactionCount
 - **data** : bytes? (*optional*) - the data-section of the transaction
 - **signatures** : bytes? (*optional*) - additional signatures which should be used when sending through a multisig

Returns:

the transactionHash

Proof:

No proof from the nodes are required, because the client can generate the TransactionHash itself. This means to ensure the success of a transaction the receipt needs to be verified.

9.4.23 eth_sendTransactionAndWait

signs and sends a Transaction, but then waits until the transaction receipt can be verified. Depending on the finality of the nodes, this may take a while, since only final blocks will be signed by the nodes.

Parameters:

1. **tx** : eth_transaction - the transactiondata to send The tx object supports the following properties :

- **to** : address? (*optional*) - receipt of the transaction.
- **from** : address? (*optional*) - sender of the address (if not specified, the first signer will be the sender)
- **wallet** : address? (*optional*) - if specified, the transaction will be send through the specified wallet.
- **value** : uint256? (*optional*) - value in wei to send
- **gas** : uint64? (*optional*) - the gas to be send along (default: 21000)
- **gasPrice** : uint64? (*optional*) - the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- **type** : uint32? (*optional*) - the transaction type (See EIP- 1559) , 0 (default), 1 or 2
- **maxFeePerGas** : uint64? (*optional*) - the max fees per gas (See EIP- 1559)
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max Priorityfees per gas (See EIP- 1559)
- **accessList** : eth_accesslist[]? (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
- **nonce** : uint64? (*optional*) - the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- **data** : bytes? (*optional*) - the data-section of the transaction
- **signatures** : bytes? (*optional*) - additional signatures which should be used when sending through a multisig

Returns: eth_transactionReceipt

the transactionReceipt

The return value contains the following properties :

- **blockNumber** : uint64 - the blockNumber
- **blockHash** : bytes32 - blockhash if ther containing block
- **contractAddress** : address? (*optional*) - the deployed contract in case the tx did deploy a new contract
- **cumulativeGasUsed** : uint64 - gas used for all transaction up to this one in the block
- **gasUsed** : uint64 - gas used by this transaction.
- **effectiveGasPrice** : uint256? (*optional*) - the effctie gas price
- **logs** : ethlog[] - array of events created during execution of the tx The logs object supports the following properties :
 - **address** : address - the address triggering the event.
 - **blockNumber** : uint64 - the blockNumber
 - **blockHash** : bytes32 - blockhash if ther containing block
 - **data** : bytes - abi-encoded data of the event (all non indexed fields)
 - **logIndex** : int - the index of the even within the block.
 - **removed** : bool - the reorg-status of the event.
 - **topics** : bytes32[] - array of 32byte-topics of the indexed fields.
 - **transactionHash** : bytes32 - requested transactionHash

- **transactionIndex** : `int` - transactionIndex within the containing block.
- **transactionLogIndex** : `int?` (*optional*) - index of the event within the transaction.
- **type** : `string?` (*optional*) - mining-status
- **logsBloom** : `bytes128` - bloomfilter used to detect events for `eth_getLogs`
- **status** : `int` - error-status of the tx. 0x1 = success 0x0 = failure
- **transactionHash** : `bytes32` - requested transactionHash
- **transactionIndex** : `int` - transactionIndex within the containing block.
- **from** : `address` - address of the sender.
- **type** : `int?` (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **to** : `address?` (*optional*) - address of the receiver. null when its a contract creation transaction.

9.5 ipfs

A Node supporting IPFS must support these 2 RPC-Methods for uploading and downloading IPFS-Content. The node itself will run a ipfs-client to handle them.

Fetching ipfs-content can be easily verified by creating the ipfs-hash based on the received data and comparing it to the requested ipfs-hash. Since there is no chance of manipulating the data, there is also no need to put a deposit or convict a node. That's why the registry-contract allows a zero-deposit for ipfs-nodes.

9.5.1 ipfs_get

Fetches the data for a requested ipfs-hash. If the node is not able to resolve the hash or find the data a error should be reported.

Parameters:

1. **ipfshash** : `string` - the ipfs multi hash
2. **encoding** : `string` - the encoding used for the response. (`hex` , `base64` or `utf8`)

Returns:

the content matching the requested hash encoded in the defined encoding.

Proof:

No proof or verification needed on the server side. All the verification are done in the client by creating the ipfs multihash and comparing to the requested hash.

Example:

Bash

jsonrpc

YAML

```
> in3 ipfs_get QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD utf8
I love Incubed
```

```
//---- Request ----

{
  "method": "ipfs_get",
  "params": [
    "QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD",
    "utf8"
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----

{
  "result": "I love Incubed"
}
```

```
# ---- Request ----

method: ipfs_get
params:
- QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD
- utf8
in3:
  verification: proof

//---- Response ----

result: I love Incubed
```

9.5.2 ipfs_put

Stores ipfs-content to the ipfs network. Important! As a client there is no guarantee that a node made this content available. (just like `eth_sendRawTransaction` will only broadcast it). Even if the node stores the content there is no guarantee it will do it forever.

Parameters:

1. **data**: bytes | string - the content encoded with the specified encoding.
2. **encoding**: string - the encoding used for the request. (hex , base64 or utf8)

Returns:

the ipfs multi hash

Example:

Bash

jsonrpc

YAML

```
> in3 ipfs_put '"I love Incubed"' utf8
QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD
```

```
//---- Request ----  
  
{  
  "method": "ipfs_put",  
  "params": [  
    "I love Incubed",  
    "utf8"  
  ]  
}  
  
//---- Response ----  
  
{  
  "result": "QmSepGsyERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD"  
}
```

```
# ---- Request ----  
  
method: ipfs_put  
params:  
- I love Incubed  
- utf8  
  
//---- Response ----  
  
result: QmSepGsyERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD
```

9.6 nodelist

special Incubed nodelist-handling functions. Most of those are only used internally.

9.6.1 in3_nodeList

fetches and verifies the nodeList from a node

Parameters:

1. **limit** : `int?` (*optional*) - if the number is defined and >0 this method will return a partial nodeList limited to the given number.
2. **seed** : `bytes32?` (*optional*) - this 32byte hex integer is used to calculate the indexes of the partial nodeList. It is expected to be a random value choosen by the client in order to make the result deterministic.
3. **addresses** : `address[]?` (*optional*) - a optional array of addresses of signers the nodeList must include.

Returns: object

the current nodelist

The return value contains the following properties :

- **nodes** : `object[]` - a array of node definitions. The nodes object supports the following properties :
 - **url** : `string` - the url of the node. Currently only http/https is supported, but in the future this may even support onion-routing or any other protocols.

- **address** : address - the address of the signer
- **index** : uint64 - the index within the nodeList of the contract
- **deposit** : uint256 - the stored deposit
- **props** : hex - the bitset of capabilities as described in the [Node Structure](#)
- **timeout** : uint64 - the time in seconds describing how long the deposit would be locked when trying to unregister a node.
- **registerTime** : uint64 - unix timestamp in seconds when the node has registered.
- **weight** : uint64 - the weight of a node (not used yet) describing the amount of request-points it can handle per second.
- **proofHash** : bytes32 - a hash value containing the above values. This hash is explicitly stored in the contract, which enables the client to have only one merkle proof per node instead of verifying each property as its own storage value. The proof hash is build `keccak256(abi.encodePacked(deposit, timeout, registerTime, props, signer, url))`
- **contract** : address - the address of the Incubed-storage-contract. The client may use this information to verify that we are talking about the same contract or throw an exception otherwise.
- **registryId** : bytes32 - the registryId (32 bytes) of the contract, which is there to verify the correct contract.
- **lastBlockNumber** : uint64 - the blockNumber of the last change of the list (usually the last event).
- **totalServer** : uint64 - the total numbers of nodes.

Proof:

if proof is requested, the proof will have the type `accountProof`. In the proof-section only the storage-keys of the `proofHash` will be included. The required storage keys are calculated :

- `0x00` - the length of the nodeList or total numbers of nodes.
- `0x01` - the registryId
- **per node** : `0x290decd9548b62a8d60345a988386fc84ba6bc95484008f6362f93160ef3e563 + index * 5 + 4`

The blockNumber of the proof must be the latest final block (`latest- minBlockHeight`) and always greater or equal to the `lastBlockNumber`

Partial NodeLists

if the client requests a partial nodeList and the given limit is smaller then the total amount of nodes, the server needs to pick nodes in a deterministic way. This is done by using the given seed.

1. add all required addresses (if any) to the list.
2. iterate over the indexes until the limit is reached:

```
function createIndexes(total: number, limit: number, seed: Buffer): number[] {
  const result: number[] = []           // the result as a list of indexes
  let step = seed.readUIntBE(0, 6)      // first 6 bytes define the step size
  let pos = seed.readUIntBE(6, 6) % total // next 6 bytes define the offset
  while (result.length < limit) {
    if (result.indexOf(pos) >= 0) {      // if the index is already part of the
    ↪ result
      seed = keccak256(seed)             // we create a new seed by hashing the
    ↪ seed.
```

(continues on next page)

(continued from previous page)

```

    step = seed.readUIntBE(0, 6)           // and change the step-size
  }
  else
    result.push(pos)
    pos = (pos + step) % total             // use the modulo operator to
    ↪ calculate the next position.
  }
  return result
}

```

This proof section contains the following properties:

- **type** : accountProof - the proofType
- **block** : bytes - the serialized blockheader of the latest final block
- **signatures** : bytes[] - a array of signatures from the signers (if requested) of the above block.
- **accounts** : {key:object} - a Object with the addresses of the db-contract as key and Proof as value. The Data Structure of the Proof is exactly the same as the result of - `eth_getProof`, but it must contain the above described keys. with accountAdr as keys in the object The accounts object supports the following properties :
 - **address** : address - the address of the account
 - **balance** : uint256 - current Balance
 - **codeHash** : bytes32 - hash of the contract code
 - **nonce** : uint256 - nonce of the account
 - **storageHash** : bytes32 - MerkleRoot of the Storage Trie
 - **accountProof** : bytes[] - MerkleProof of this account-node
 - **storageProof** : object - Array of Proofs for all required storage values The storageProof object supports the following properties :
 - * **key** : bytes32 - the storage key (or hash)
 - * **value** : bytes32 - the storage value
 - * **proof** : bytes[] - the merkleProof of the value down to the storageHash as MerkleRoot

Example:

Bash

jsonrpc

YAML

```

> in3 in3_nodeList 2 ↪
↪ 0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b '[]' | jq
{
  "totalServers": 5,
  "contract": "0x64abe24afbba64cae47e3dc3ced0fcab95e4edd5",
  "registryId": "0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3",
  "lastBlockNumber": 8669495,
  "nodes": [
    {
      "url": "https://in3-v2.slock.it/mainnet/nd-3",
      "address": "0x945F75c0408C0026a3CD204d36f5e47745182fd4",
      "index": 2,

```

(continues on next page)

(continued from previous page)

```

        "deposit": "10000000000000000",
        "props": 29,
        "timeout": 3600,
        "registerTime": 1570109570,
        "weight": 2000,
        "proofHash": "0x27ffb9b7dc2c5f800c13731e7c1e43fb438928dd5d69aaa8159c21fb13180a4c
→"
    },
    {
        "url": "https://in3-v2.slock.it/mainnet/nd-5",
        "address": "0xbcdF4E3e90cc7288b578329efd7bcC90655148d2",
        "index": 4,
        "deposit": "10000000000000000",
        "props": 29,
        "timeout": 3600,
        "registerTime": 1570109690,
        "weight": 2000,
        "proofHash": "0xd0dbb6f1e28a8b90761b973e678cf8ecd6b5b3a9d61fb9797d187be011ee9ec7
→"
    }
]
}

```

//---- Request ----

```

{
  "method": "in3_nodeList",
  "params": [
    2,
    "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b",
    []
  ],
  "in3": {
    "verification": "proof"
  }
}

```

//---- Response ----

```

{
  "result": {
    "totalServers": 5,
    "contract": "0x64abe24afbba64cae47e3dc3ced0fcab95e4edd5",
    "registryId": "0x423dd84f33a44f60e5d58090dcgcc1c047f57be895415822f211b8cd1fd692e3
→",
    "lastBlockNumber": 8669495,
    "nodes": [
      {
        "url": "https://in3-v2.slock.it/mainnet/nd-3",
        "address": "0x945F75c0408C0026a3CD204d36f5e47745182fd4",
        "index": 2,
        "deposit": "10000000000000000",
        "props": 29,
        "timeout": 3600,
        "registerTime": 1570109570,
        "weight": 2000,

```

(continues on next page)

(continued from previous page)

```

    "proofHash":
    ↪ "0x27ffb9b7dc2c5f800c13731e7c1e43fb438928dd5d69aaa8159c21fb13180a4c"
  },
  {
    "url": "https://in3-v2.slock.it/mainnet/nd-5",
    "address": "0xbcdF4E3e90cc7288b578329efd7bcC90655148d2",
    "index": 4,
    "deposit": "10000000000000000",
    "props": 29,
    "timeout": 3600,
    "registerTime": 1570109690,
    "weight": 2000,
    "proofHash":
    ↪ "0xd0dbb6f1e28a8b90761b973e678cf8ecd6b5b3a9d61fb9797d187be011ee9ec7"
  }
]
},
"in3": {
  "proof": {
    "type": "accountProof",
    "block": "0xf9021ca01...",
    "accounts": {
      "0x64abe24afbbba64cae47e3dc3ced0fcab95e4edd5": {
        "address": "0x64abe24afbbba64cae47e3dc3ced0fcab95e4edd5",
        "balance": "0xb1a2bc2ec50000",
        "codeHash":
        ↪ "0x18e64869905158477a607a68e9c0074d78f56a9dd5665a5254f456f89d5be398",
        "nonce": "0x1",
        "storageHash":
        ↪ "0x4386ec93bd665ea07d7ed488e8b495b362a31dc4100cf762b22f4346ee925d1f",
        "accountProof": [
          "0xf90211a0e822...",
          "0xf90211a0f6d0...",
          "0xf90211a04d7b...",
          "0xf90211a0e749...",
          "0xf90211a059cb...",
          "0xf90211a0568f...",
          "0xf8d1a0ac2433...",
          "0xf86d9d33b981..."
        ],
        "storageProof": [
          {
            "key": "0x0",
            "proof": [
              "0xf90211a0ccb6d2d5786...",
              "0xf871808080808080800...",
              "0xe2a0200decd9548b62a...05"
            ],
            "value": "0x5"
          },
          {
            "key": "0x1",
            "proof": [
              "0xf90211a0ccb6d2d5786...",
              "0xf871808080808080800...",
              "0xf843a0200e2d5276120..."
            ],
            ↪ "423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
          }
        ]
      }
    }
  }
}

```

(continues on next page)

(continued from previous page)

```

        ],
        "value":
    ↪ "0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
    }
  ]
}
}
}
}
}
}

```

```

# ---- Request ----

method: in3_nodeList
params:
  - 2
  - "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b"
  - []
in3:
  verification: proof

//---- Response ----

result:
  totalServers: 5
  contract: "0x64abe24afbbba64cae47e3dc3ced0fcab95e4edd5"
  registryId: "0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
  lastBlockNumber: 8669495
  nodes:
    - url: https://in3-v2.slock.it/mainnet/nd-3
      address: "0x945F75c0408C0026a3CD204d36f5e47745182fd4"
      index: 2
      deposit: "10000000000000000"
      props: 29
      timeout: 3600
      registerTime: 1570109570
      weight: 2000
      proofHash: "0x27ffb9b7dc2c5f800c13731e7c1e43fb438928dd5d69aaa8159c21fb13180a4c"
    - url: https://in3-v2.slock.it/mainnet/nd-5
      address: "0xbcdF4E3e90cc7288b578329efd7bcC90655148d2"
      index: 4
      deposit: "10000000000000000"
      props: 29
      timeout: 3600
      registerTime: 1570109690
      weight: 2000
      proofHash: "0xd0dbb6f1e28a8b90761b973e678cf8ecd6b5b3a9d61fb9797d187be011ee9ec7"
  in3:
    proof:
      type: accountProof
      block: 0xf9021ca01....
      accounts:
        "0x64abe24afbbba64cae47e3dc3ced0fcab95e4edd5":
          address: "0x64abe24afbbba64cae47e3dc3ced0fcab95e4edd5"
          balance: "0xb1a2bc2ec50000"

```

(continues on next page)

(continued from previous page)

```

    codeHash: "0x18e64869905158477a607a68e9c0074d78f56a9dd5665a5254f456f89d5be398"
    nonce: "0x1"
    storageHash:
    ↪ "0x4386ec93bd665ea07d7ed488e8b495b362a31dc4100cf762b22f4346ee925d1f"
    accountProof:
      - 0xf90211a0e822...
      - 0xf90211a0f6d0...
      - 0xf90211a04d7b...
      - 0xf90211a0e749...
      - 0xf90211a059cb...
      - 0xf90211a0568f...
      - 0xf8d1a0ac2433...
      - 0xf86d9d33b981...
    storageProof:
      - key: "0x0"
        proof:
          - 0xf90211a0ccb6d2d5786...
          - 0xf87180808080808000...
          - 0xe2a0200decd9548b62a...05
        value: "0x5"
      - key: "0x1"
        proof:
          - 0xf90211a0ccb6d2d5786...
          - 0xf87180808080808000...
          - 0xf843a0200e2d5276120...
    ↪ 423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3
        value: "0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
    ↪ "

```

9.6.2 in3_sign

requests a signed blockhash from the node. In most cases these requests will come from other nodes, because the client simply adds the addresses of the requested signers and the processing nodes will then acquire the signatures with this method from the other nodes.

Since each node has a risk of signing a wrong blockhash and getting convicted and losing its deposit, per default nodes will and should not sign blockHash of the last minBlockHeight (default: 6) blocks!

Parameters:

1. **blocks** : object - array of requested blocks. The blocks object supports the following properties :
 - **blockNumber** : uint64 - the blockNumber to sign
 - **hash** : bytes32? (*optional*) - the expected hash. This is optional and can be used to check if the expected hash is correct, but as a client you should not rely on it, but only on the hash in the signature.

Returns: object

the Array with signatures of all the requires blocks.

The return value contains the following properties :

- **blockHash** : bytes32 - the blockhash which was signed.
- **block** : uint64 - the blocknumber
- **r** : bytes32 - r-value of the signature
- **s** : bytes32 - s-value of the signature

- **v**: byte - v-value of the signature
- **msgHash** : bytes32 - the msgHash signed. This Hash is created with keccak256(abi.encodePacked(_blockhash, _blockNumber, registryId))

Example:

Bash

jsonrpc

YAML

```
> in3 in3_sign '{"blockNumber":8770580}' | jq
[
  {
    "blockHash": "0xd8189793f64567992eaadefc51834f3d787b03e9a6850b8b9b8003d8d84a76c8",
    "block": 8770580,
    "r": "0x954ed45416e97387a55b2231bfff5dd72e822e4a5d60fa43bc9f9e49402019337",
    "s": "0x277163f586585092d146d0d6885095c35c02b360e4125730c52332cf6b99e596",
    "v": 28,
    "msgHash": "0x40c23a32947f40a2560fcb633ab7fa4f3a96e33653096b17ec613fbf41f946ef"
  }
]
```

```
//---- Request ----
{
  "method": "in3_sign",
  "params": [
    {
      "blockNumber": 8770580
    }
  ]
}

//---- Response ----
{
  "result": [
    {
      "blockHash": "0xd8189793f64567992eaadefc51834f3d787b03e9a6850b8b9b8003d8d84a76c8"
      ↪,
      "block": 8770580,
      "r": "0x954ed45416e97387a55b2231bfff5dd72e822e4a5d60fa43bc9f9e49402019337",
      "s": "0x277163f586585092d146d0d6885095c35c02b360e4125730c52332cf6b99e596",
      "v": 28,
      "msgHash": "0x40c23a32947f40a2560fcb633ab7fa4f3a96e33653096b17ec613fbf41f946ef"
    }
  ]
}
```

```
# ---- Request ----

method: in3_sign
params:
  - blockNumber: 8770580
```

(continues on next page)

(continued from previous page)

```
//---- Response ----

result:
- blockHash: "0xd8189793f64567992eaadefc51834f3d787b03e9a6850b8b9b8003d8d84a76c8"
  block: 8770580
  r: "0x954ed45416e97387a55b2231bff5dd72e822e4a5d60fa43bc9f9e49402019337"
  s: "0x277163f586585092d146d0d6885095c35c02b360e4125730c52332cf6b99e596"
  v: 28
  msgHash: "0x40c23a32947f40a2560fcb633ab7fa4f3a96e33653096b17ec613fbf41f946ef"
```

9.6.3 in3_whitelist

Returns whitelisted in3-nodes addresses. The whitelist addressed are acquired from whitelist contract that user can specify in request params.

Parameters:

1. **address** : address - address of whitelist contract

Returns: object

the whitelisted addresses

The return value contains the following properties :

- **nodes** : address - array of whitelisted nodes addresses.
- **lastWhiteList** : uint64 - the blockNumber of the last change of the in3 white list event.
- **contract** : address - whitelist contract address.
- **lastBlockNumber** : uint64 - the blockNumber of the last change of the list (usually the last event).
- **totalServer** : uint64 - the total numbers of whitelist nodes.

Proof:

if proof is requested, the proof will have the type `accountProof`. In the proof-section only the storage-keys of the addresses and the length (0x0) will be included.

The blockNumber of the proof must be the latest final block (latest- minBlockHeight) and always greater or equal to the `lastBlockNumber`

This proof section contains the following properties:

- **type** : `accountProof` - the proofType
- **block** : bytes - the serialized blockheader of the latest final block
- **signatures** : bytes[] - a array of signatures from the signers (if requested) of the above block.
- **accounts** : {key:object} - a Object with the addresses of the db-contract as key and Proof as value. The Data Structure of the Proof is exactly the same as the result of - `eth_getProof`, but it must contain the above described keys. with the account Address as keys in the object The accounts object supports the following properties :
 - **address** : address - the address of the account
 - **balance** : uint256 - current Balance
 - **codeHash** : bytes32 - hash of the contract code
 - **nonce** : uint256 - nonce of the account

- **storageHash** : bytes32 - MerkleRoot of the Storage Trie
- **accountProof** : bytes[] - MerkleProof of this account-node
- **storageProof** : object - Array of Proofs for all required storage values The storageProof object supports the following properties :
 - * **key** : bytes32 - the storage key (or hash)
 - * **value** : bytes32 - the storage value
 - * **proof** : bytes[] - the merkleProof of the value down to the storageHash as MerkleRoot

Example:

Bash

jsonrpc

YAML

```
> in3 in3_whitelist 0x08e97ef0a92EB502a1D7574913E2a6636BeC557b | jq
{
  "totalServers": 2,
  "contract": "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b",
  "lastBlockNumber": 1546354,
  "nodes": [
    "0x1fe2e9bf29aa1938859af64c413361227d04059a",
    "0x45d45e6ff99e6c34a235d263965910298985fcfe"
  ]
}
```

```
//---- Request ----
{
  "method": "in3_whitelist",
  "params": [
    "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
  ],
  "in3": {
    "verification": "proof"
  }
}

//---- Response ----
{
  "result": {
    "totalServers": 2,
    "contract": "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b",
    "lastBlockNumber": 1546354,
    "nodes": [
      "0x1fe2e9bf29aa1938859af64c413361227d04059a",
      "0x45d45e6ff99e6c34a235d263965910298985fcfe"
    ]
  },
  "in3": {
    "proof": {
      "type": "accountProof",
      "block": "0xf9021ca01....",
      "accounts": {
```

(continues on next page)

(continued from previous page)

```
"0x08e97ef0a92EB502a1D7574913E2a6636BeC557b": {
  "address": "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b",
  "balance": "0xb1a2bc2ec50000",
  "codeHash":
→ "0x18e64869905158477a607a68e9c0074d78f56a9dd5665a5254f456f89d5be398",
  "nonce": "0x1",
  "storageHash":
→ "0x4386ec93bd665ea07d7ed488e8b495b362a31dc4100cf762b22f4346ee925dlf",
  "accountProof": [
    "0xf90211a0e822...",
    "0xf90211a0f6d0...",
    "0xf90211a04d7b...",
    "0xf90211a0e749...",
    "0xf90211a059cb...",
    "0xf90211a0568f...",
    "0xf8d1a0ac2433...",
    "0xf86d9d33b981..."
  ],
  "storageProof": [
    {
      "key": "0x0",
      "proof": [
        "0xf90211a0ccb6d2d5786...",
        "0xf87180808080808000...",
        "0xe2a0200dec9548b62a...05"
      ],
      "value": "0x5"
    },
    {
      "key": "0x1",
      "proof": [
        "0xf90211a0ccb6d2d5786...",
        "0xf87180808080808000...",
        → 423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
      ],
      "value":
→ "0x6aa7bbfb1778efa33da1ba032cc3a79b9ef57b428441b4de4f1c38c3f258874"
    }
  ]
}
```

```
# ---- Request ----

method: in3_whitelist
params:
  - "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
in3:
  verification: proof

//---- Response ----
```

(continues on next page)

(continued from previous page)

```

result:
  totalServers: 2
  contract: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
  lastBlockNumber: 1546354
  nodes:
    - "0x1fe2e9bf29aa1938859af64c413361227d04059a"
    - "0x45d45e6ff99e6c34a235d263965910298985fcfe"
in3:
  proof:
    type: accountProof
    block: 0xf9021ca01....
    accounts:
      "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b":
        address: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
        balance: "0xb1a2bc2ec50000"
        codeHash: "0x18e64869905158477a607a68e9c0074d78f56a9dd5665a5254f456f89d5be398"
        nonce: "0x1"
        storageHash:
          ↪ "0x4386ec93bd665ea07d7ed488e8b495b362a31dc4100cf762b22f4346ee925d1f"
        accountProof:
          - 0xf90211a0e822...
          - 0xf90211a0f6d0...
          - 0xf90211a04d7b...
          - 0xf90211a0e749...
          - 0xf90211a059cb...
          - 0xf90211a0568f...
          - 0xf8d1a0ac2433...
          - 0xf86d9d33b981...
        storageProof:
          - key: "0x0"
            proof:
              - 0xf90211a0ccb6d2d5786...
              - 0xf871808080808080800...
              - 0xe2a0200decd9548b62a...05
            value: "0x5"
          - key: "0x1"
            proof:
              - 0xf90211a0ccb6d2d5786...
              - 0xf871808080808080800...
              - 0xf843a0200e2d5276120...
            ↪ 423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3
            value: "0x6aa7bbfbb1778efa33da1ba032cc3a79b9ef57b428441b4de4f1c38c3f258874"
          ↪ ""

```

9.7 utils

a Collection of utility-function.

9.7.1 in3_abiDecode

based on the [ABI-encoding](#) used by solidity, this function decodes the bytes given and returns it as array of values.

Parameters:

1. **signature** : string - the signature of the function. e.g. uint256, (address,string,uint256) or getBalance(address):uint256. If the complete functionhash is given, only the return-part will be used.
2. **data** : bytes - the data to decode (usually the result of a eth_call)
3. **topics** : bytes? (*optional*) - in case of an even the topics (concatinated to max 4x32bytes). This is used if indexed.arguments are used.

Returns: any []

a array with the values after decodeing.

Example:

Bash

jsonrpc

YAML

[illegible][illegible][illegible]

(continues on next page)

(continued from previous page)

[illegible]

9.7.3 in3_cacheClear

clears the incubed cache (usually found in the .in3-folder)

Parameters: -

Returns:

true indicating the success

Example:

Bash

jsonrpc

YAML

```
> in3 in3_cacheClear
true
```

```
//---- Request ----  
{  
  "method": "in3_cacheClear",  
  "params": []  
}  
  
//---- Response ----  
{  
  "result": true  
}
```

```
# ---- Request ----

method: in3_cacheClear
params: []

//---- Response ----

result: true
```

9.7.4 in3_calcDeployAddress

calculates the address of a contract about to deploy. The address depends on the senders nonce.

Parameters:

1. **sender** : address - the sender of the transaction
2. **nonce** : uint64? (*optional*) - the nonce of the sender during deployment

Returns: address

the address of the deployed contract

Example:

Bash

jsonrpc

YAML

```
> in3 in3_calcDeployAddress 0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c 6054986
0xba866e7bd2573be3eaf5077b557751bb6d58076e
```

```
//----- Request -----

{
  "method": "in3_calcDeployAddress",
  "params": [
    "0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c",
    6054986
  ]
}

//----- Response -----

{
  "result": "0xba866e7bd2573be3eaf5077b557751bb6d58076e"
}
```

```
# ----- Request -----

method: in3_calcDeployAddress
params:
  - "0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c"
  - 6054986

//----- Response -----

result: "0xba866e7bd2573be3eaf5077b557751bb6d58076e"
```

9.7.5 in3_checksumAddress

Will convert an upper or lowercase Ethereum address to a checksum address. (See [EIP55](#))*Parameters:*

1. **address** : address - the address to convert.
2. **useChainId** : bool? (*optional*) - if true, the chainId is integrated as well (See [EIP1191](#))

Returns:

the address-string using the upper/lowercase hex characters.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_checksumAddress 0x1fe2e9bf29aa1938859af64c413361227d04059a false
0x1Fe2E9bf29aa1938859Af64C413361227d04059a
```

```
//---- Request ----

{
  "method": "in3_checksumAddress",
  "params": [
    "0x1fe2e9bf29aa1938859af64c413361227d04059a",
    false
  ]
}

//---- Response ----

{
  "result": "0x1Fe2E9bf29aa1938859Af64C413361227d04059a"
}
```

```
# ---- Request ----

method: in3_checksumAddress
params:
  - "0x1fe2e9bf29aa1938859af64c413361227d04059a"
  - false

//---- Response ----

result: "0x1Fe2E9bf29aa1938859Af64C413361227d04059a"
```

9.7.6 in3_decodeTx

decodes a raw transaction and returns the values. The transaction may be a signed or unsigned tx. In case of a signed transaction, the from-address will be calculated along with many other helpful values.

Parameters:

1. **data** : bytes - input data

Returns: eth_tx_decoded

the decoded transaction.

The return value contains the following properties :

- **hash** : bytes32 - the hash of the raw transaction. In case of a signed tx, this is the tx-hash
- **type** : uint32 - the eth-transaction-type (0=legacy, 1 or 2 EIP1559)
- **to** : address - receipient of the transaction or a 0x for a deployment tx.

- **from** : address? (*optional*) - address of the sender (only available if the tx is signed)
- **value** : uint256 - value in wei to send
- **gas** : uint64 - the gas to be send along
- **gasPrice** : uint64? (*optional*) - the price in wei for one gas-unit. only available for tx type 1 and 2.
- **maxFeePerGas** : uint64? (*optional*) - the max fees per gas (See EIP- 1559)
- **maxPriorityFeePerGas** : uint64? (*optional*) - the max Priorityfees per gas (See EIP- 1559)
- **accessList** : eth_accesslist[]? (*optional*) - the access list of storage values The accessList object supports the following properties :
 - **address** : address - the address of the contract
 - **storageKeys** : bytes32[] - list of storageKeys
- **nonce** : uint64 - the used nonce of the sender.
- **data** : bytes - the data-section of the transaction
- **signature** : bytes? (*optional*) - the 65 bytes signature
- **chainId** : uint64? (*optional*) - the chainId as encoded in the transaction. (only missing in legacy tx if EIP-155 is not used)
- **v** : bytes? (*optional*) - the recovery-byte. For legacy-tx (this will be either + 27 or chain_id*2 + 35 - See EIP 155)
- **r** : bytes32? (*optional*) - r-value of the signature (the R.y value)
- **s** : bytes32? (*optional*) - s-value of the signature
- **publicKey** : bytes? (*optional*) - the public Key of the sender as 64 bytes
- **unsigned** : bytes? (*optional*) - the raw unsigned transaction to extract the hash for the signature

Example:

Bash

jsonrpc

YAML

```
> in3 in3_decodeTx 0x02f8b0013f8459682f008518c2cdf18982bcbb940...edbc296ce | jq
```

```
{  
  "type": 2,  
  "hash": "0x0a7f5daa71ad3e0115cae737559d14cdf914510a6a19c16267b8d5142d82de42",  
  "chainId": "0x1",  
  "nonce": "0x3f",  
  "maxPriorityFeePerGas": "0x59682f00",  
  "maxFeePerGas": "0x18c2cdf189",  
  "gas": "0xbcbdb",  
  "to": "0x000000000000c2e074ec69a0dfb2997ba6c7d2e1e",  
  "value": "0x0",  
  "data":  
    ↪ "0x1896f70a978895d45a43dc4d455ecd98702a630d6acce4393cec9bdd412fffebe687ddf82000000000000000000000000"  
    ↪ ,  
  "accessList": [],  
  "v": "0x",  
  "r": "0x22b7c68abd0d362b0682fb5047e82d4b47acd4f5dc1f1b3556af0a8b06587798",  
  "s": "0x37b4f0d22ec65fad0920d9b24ef1b6b0c088afa20ace41f79188bd1edbc296ce",  

```

(continues on next page)

(continued from previous page)

```

"unsigned":
  ↳ "0x02f86d013f8459682f008518c2cdf18982bcbb9400000000000c2e074ec69a0dfb2997ba6c7d2e1e80b8441896f70a9"
  ↳ ",
  "signature":
  ↳ "0x22b7c68abd0d362b0682fb5047e82d4b47acd4f5dc1f1b3556af0a8b0658779837b4f0d22ec65fad0920d9b24ef1b6b"
  ↳ ",
  "publicKey":
  ↳ "0x63cfcd2900a37247214361d0ca3637980af8e4b64acdf2f1e1b11573b502b576df4387cbf6f94c6cdc750e3aaa23026"
  ↳ ",
  "from": "0xd034648eaae1d29f4e9cfa8312feff9783f31fd4"
}

```

[illegible]

```
# ---- Request ----
```

(continues on next page)

(continued from previous page)

```
method: in3_decodeTx
params:
  - 0x02f8b0013f8459682f008518c2cdf18982bcbb940...edbc296ce

//---- Response ----

result:
  type: 2
  hash: "0x0a7f5daa71ad3e0115cae737559d14cdf914510a6a19c16267b8d5142d82de42"
  chainId: "0x1"
  nonce: "0x3f"
  maxPriorityFeePerGas: "0x59682f00"
  maxFeePerGas: "0x18c2cdf189"
  gas: "0xbcbcb"
  to: "0x000000000000c2e074ec69a0dfb2997ba6c7d2e1e"
  value: "0x0"
  data: "0x1896f70a978895d45a43dc4d455ecd98702a630d6acce4393cec9bdd412fffebe687ddf\
82000000000000000000000004976fb03c32e5b8cfe2b6ccb31c09ba78ebaba41"
  accessList: []
  v: 0x
  r: "0x22b7c68abd0d362b0682fb5047e82d4b47acd4f5dc1f1b3556af0a8b06587798"
  s: "0x37b4f0d22ec65fad0920d9b24ef1b6b0c088afa20ace41f79188bd1edbc296ce"
  unsigned: "0x02f86d013f8459682f008518c2cdf18982bcbb9400000000000c2e074ec69a0dfb\
2997ba6c7d2e1e80b8441896f70a978895d45a43dc4d455ecd98702a630d6acce4393cec9bd\
d412fffebe687ddf8200000000000000000000000004976fb03c32e5b8cfe2b6ccb31c09ba78e\
baba41c0"
  signature: "0x22b7c68abd0d362b0682fb5047e82d4b47acd4f5dc1f1b3556af0a8b065877983\
7b4f0d22ec65fad0920d9b24ef1b6b0c088afa20ace41f79188bd1edbc296ce00"
  publicKey: "0x63cfcd2900a37247214361d0ca3637980af8e4b64acd2f1e1b11573b502b576d\
f4387cbf6f94c6cdc750e3aaa23026c5b0cef0f3bb2f5bb42c093ec394fd1bb"
  from: "0xd034648eaea1d29f4e9cfa8312feff9783f31fd4"
```

9.7.7 in3 fromWei

converts a given uint (also as hex) with a wei-value into a specified unit.

Parameters:

1. **value**: uint256 - the value in wei

Example : value: “0x234324abdef”

2. **unit** : string - the unit of the target value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether
3. **digits** : int? (*optional*) - fix number of digits after the comma. If left out, only as many as needed will be included.

Returns: float

the value as string.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_fromWei 0x234324ababdefdef eth 3
0.158
```

```
//----- Request -----

{
  "method": "in3_fromWei",
  "params": [
    "0x234324ababdefdef",
    "eth",
    3
  ]
}

//----- Response -----

{
  "result": 0.158
}
```

```
# ----- Request -----

method: in3_fromWei
params:
  - "0x234324ababdefdef"
  - eth
  - 3

//----- Response -----

result: 0.158
```

9.7.8 in3_parse_tx_url

parse a ethereum-url based on EIP 681 (<https://eips.ethereum.org/EIPS/eip-681>)

Parameters:

1. **url**: string - the url with the tx-params

Returns: tx_input

undefined

Example:

Bash

jsonrpc

YAML

```
> in3 in3_parse_tx_url ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/transfer?
↪address=0x8e23ee67d1332ad560396262c48ffbb01f93d052&uint256=1 | jq
{
  "to": "0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7",
  "fn_sig": "transfer(address,uint256)",
  "fn_args": [
    "0x8e23ee67d1332ad560396262c48ffbb01f93d052",
    1
  ]
}
```

```
//---- Request ----

{
  "method": "in3_parse_tx_url",
  "params": [
    "ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/transfer?
↪address=0x8e23ee67d1332ad560396262c48ffbb01f93d052&uint256=1"
  ]
}

//---- Response ----

{
  "result": {
    "to": "0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7",
    "fn_sig": "transfer(address,uint256)",
    "fn_args": [
      "0x8e23ee67d1332ad560396262c48ffbb01f93d052",
      1
    ]
  }
}
```

```
# ---- Request ----

method: in3_parse_tx_url
params:
- ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/transfer?
↪address=0x8e23ee67d1332ad560396262c48ffbb01f93d052&uint256=1

//---- Response ----

result:
to: "0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7"
fn_sig: transfer(address,uint256)
fn_args:
- "0x8e23ee67d1332ad560396262c48ffbb01f93d052"
- 1
```

9.7.9 in3_rlpDecode

rlp decode the data

Parameters:

1. **data** : bytes - input data

Returns: any[]

a array with the values after decodeing. The result is either a hex-string or an array.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_rlpDecode_
↪ 0xf83b808508e1409836829c40a86161616135663833353262373034623139653362616338373262343866326537663639
↪ | jq
[
  "0x",
  "0x08e1409836",
  "0x9c40",
  "0x61616161356638333532623730346231396533626163383732623438663265376636393566626536
↪ ",
  "0xff",
  "0xbbbb",
  "0x01",
  "0x",
  "0x"
]
```

```
//----- Request -----

{
  "method": "in3_rlpDecode",
  "params": [

↪ "0xf83b808508e1409836829c40a86161616135663833353262373034623139653362616338373262343866326537663639
↪ "
  ]
}

//----- Response -----

{
  "result": [
    "0x",
    "0x08e1409836",
    "0x9c40",

↪ "0x61616161356638333532623730346231396533626163383732623438663265376636393566626536
↪ ",
    "0xff",
    "0xbbbb",
    "0x01",
    "0x",
    "0x"
  ]
}
```

```
# ---- Request ----

method: in3_rlpDecode
params:
  - "0xf83b808508e1409836829c40a86161616135663833353262373034623139653362616338\
    373262343866326537663639356662653681ff82bbbb018080"

//---- Response ----

result:
  - 0x
  - "0x08e1409836"
  - "0x9c40"
  - "0x616161613566383335326237303462313965336261633837326234386632653766363935\
    66626536"
  - "0xff"
  - "0xbbbb"
  - "0x01"
  - 0x
  - 0x
```

9.7.10 in3_toWei

converts the given value into wei.

Parameters:

1. **value**: string | uint - the value, which may be floating number as string

Example : value: "0.9"

2. **unit** : string? (*optional*) - the unit of the value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether (default: "eth")

Returns: uint256

the value in wei as hex.

Example:

Bash

jsonrpc

YAML

```
> in3 in3_toWei 20.0009123 eth
0x01159183c4793db800
```

```
//---- Request ----

{
  "method": "in3_toWei",
  "params": [
    "20.0009123",
    "eth"
  ]
}
```

(continues on next page)

(continued from previous page)

```
]
}

//----- Response -----

{
  "result": "0x01159183c4793db800"
}
```

```
# ----- Request -----

method: in3_toWei
params:
  - "20.0009123"
  - eth

//----- Response -----

result: "0x01159183c4793db800"
```

9.7.11 keccak

keccak is just an alias for *web3_sha3*. See Details there.

9.7.12 net_version

Returns the current network id.

Parameters: -

Returns: uint64

the network id

9.7.13 sha256

Returns sha-256 of the given data.

No proof needed, since the client will execute this locally.

Parameters:

1. **data** : bytes - data to hash

Returns:

the 32byte hash of the data

Example:

Bash

jsonrpc

YAML


```
> in3 sha256 0x1234567890
0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6
```

```
//----- Request -----

{
  "method": "sha256",
  "params": [
    "0x1234567890"
  ]
}

//----- Response -----

{
  "result": "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
}
```

```
# ----- Request -----

method: sha256
params:
  - "0x1234567890"

//----- Response -----

result: "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
```

9.7.14 web3_clientVersion

Returns the underlying client version. See [web3_clientversion](#) for spec.

Parameters: -

Returns:

when connected to the incubed-network, Incubed/<Version> will be returned, but in case of a direct endpoint, its's version will be used.

9.7.15 web3_sha3

Returns Keccak-256 (not the standardized SHA3-256) of the given data.

See [web3_sha3](#) for spec.

No proof needed, since the client will execute this locally.

Parameters:

1. **data** : bytes - data to hash

Returns:

the 32byte hash of the data

Example:

Bash

jsonrpc

YAML

```
> in3 web3_sha3 0x1234567890
0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41
```

```
//----- Request -----
{
  "method": "web3_sha3",
  "params": [
    "0x1234567890"
  ]
}

//----- Response -----
{
  "result": "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
}
```

```
# ----- Request -----

method: web3_sha3
params:
  - "0x1234567890"

//----- Response -----

result: "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
```

9.8 zksync

Important: This feature is still experimental and not considered stable yet. In order to use it, you need to set the experimental-flag (-x on the comandline or "experimental":true!

the zksync-plugin is able to handle operations to use [zksync](#) like deposit transfer or withdraw. Also see the `#in3-config` on how to configure the zksync-server or account.

Also in order to sign messages you need to set a signer!

All zksync-methods can be used with `zksync_` or `zk_` prefix.

9.8.1 zksync_account_address

returns the address of the account used.

Parameters: -

Returns: address

the account used.

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xe41d2489571d322189246dafa5ebde1f4699f498000000000000000000000000000000_
↪zksync_account_address
0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292
```

```
//---- Request ----

{
  "method": "zksync_account_address",
  "params": []
}

//---- Response ----

{
  "result": "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
}
```

```
# ---- Request ----

method: zksync_account_address
params: []

//---- Response ----

result: "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
```

9.8.2 zksync_account_history

returns the history of transaction for a given account.

Parameters:

1. **account** : address - the address of the account
2. **ref** : string? (*optional*) - the reference or start. this could be a tx_id prefixed with < or > for newer or older than the specified tx or pending returning all pending tx.
3. **limit** : int? (*optional*) - the max number of entries to return

Returns: zk_history[]

the data and state of the requested tx.

The return value contains the following properties :

- **tx_id** : string - the transaction id based on the block-number and the index
- **hash** : string - the transaction hash
- **eth_block** : uint64? (*optional*) - the blockNumber of a priority-operation like Deposit otherwise this is null

- **pq_id** : uint64? (*optional*) - the priority-operation id (for tx like Deposit) otherwise this is null
- **success** : bool? (*optional*) - the result of the operation
- **fail_reason** : string? (*optional*) - the error message if failed, otherwise null
- **committed** : bool - true if the tx was received and verified by the zksync-server
- **verified** : bool - true if the tx was received and verified by the zksync-server
- **created_at** : string - UTC-Time when the transaction was created
- **tx** : object - the transaction data The tx object supports the following properties :
 - **type** : string - Type of the transaction. Transfer, ChangePubKey or Withdraw
 - **from** : address? (*optional*) - The sender of the address
 - **to** : address? (*optional*) - The recipient of the address
 - **token** : string? (*optional*) - The token id
 - **amount** : uint256? (*optional*) - the amount sent
 - **account** : address? (*optional*) - the account sent from
 - **accountId** : uint64? (*optional*) - the account id used
 - **newPkHash** : string? (*optional*) - the new public Key Hash (only used if the type is CChangePubKey)
 - **validFrom** : uint64? (*optional*) - timestamp set by the sender when the valid range starts
 - **validUntil** : uint64? (*optional*) - timestamp set by the sender when the valid range ends
 - **signature** : object? (*optional*) - the sync signature The signature object supports the following properties :
 - * **pubKey** : bytes32 - the public key of the signer
 - * **signature** : bytes - the signature
 - **fee** : uint256? (*optional*) - the fee payed
 - **feeToken** : uint64? (*optional*) - the token the fee was payed
 - **nonce** : uint64? (*optional*) - the nonce of the account
 - **priority_op** : object? (*optional*) - the description of a priority operation like Deposit The priority_op object supports the following properties :
 - * **from** : address - The sender of the address
 - * **to** : address - The recipient of the address
 - * **token** : string - The token id
 - * **amount** : uint256 - the amount sent
 - **ethAuthData** : object? (*optional*) - the 2fa euth authorization The ethAuthData object supports the following properties :
 - * **type** : string - the type which should be CREATE2, ECDSA
 - * **saltArg** : bytes32? (*optional*) - the hash component (only if type=CREATE2)
 - * **codeHash** : bytes32? (*optional*) - the hash of the deployment-data (only if type=CREATE2)
 - * **creatorAddress** : address? (*optional*) - the address of the the deploying contract (only if type=CREATE2)

Example:

Bash

jsonrpc

YAML

```
> in3 -x -zkr https://rinkeby-api.zksync.io/api/v0.1 zksync_account_history_
↪ 0x9df215737e137acddd0ad99e32f9a6b980ea526d | jq
[
  {
    "tx_id": "29411,1",
    "hash": "sync-tx:e83b1b982b4d8a08a21f87717e85a268e3b3a5305bdf5efc465e7fd8f0ad5335
↪ ",
    "eth_block": null,
    "pq_id": null,
    "tx": {
      "to": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
      "fee": "11060000000000",
      "from": "0x9df215737e137acddd0ad99e32f9a6b980ea526d",
      "type": "Transfer",
      "nonce": 1,
      "token": "ETH",
      "amount": "10000000000000000",
      "accountId": 161418,
      "signature": {
        "pubKey": "74835ee6dd9009b67fd4e4aef4a6f63ee2a597ced5e59f33b019905d1df70d91",
        "signature":
↪ "407314ebce8ce0217b41a6cf992c7359645215c35afbbdf7e18e76c957a14ed20135b7e8e5ca24fb132640141c0b3168b3
↪ "
      },
      "validFrom": 0,
      "validUntil": 4294967295
    },
    "success": true,
    "fail_reason": null,
    "committed": true,
    "verified": true,
    "created_at": "2021-05-31T11:54:56.248569Z"
  },
  {
    "tx_id": "29376,10",
    "hash": "sync-tx:5f92999f7bbc5d84fe0d34ebe8b7a0c38f977caece844686d3007bc48e5944e0
↪ ",
    "eth_block": null,
    "pq_id": null,
    "tx": {
      "to": "0xc98fc74a085cd7ecd91d9e8d860a18ef6769d873",
      "fee": "10450000000000",
      "from": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
      "type": "Transfer",
      "nonce": 1,
      "token": "ETH",
      "amount": "10000000000000000",
      "accountId": 161391,
      "signature": {
        "pubKey": "06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721",
        "signature":
↪ "ef83b1519a737107798aa5740998a515c406510b61f176fbbac6f703231968a563551f74f37bf96c2220fd18a68aca128
↪ "
    },
    "success": true,
    "fail_reason": null,
    "committed": true,
    "verified": true,
    "created_at": "2021-05-31T11:54:56.248569Z"
  }
]
```

(continues on next page)

(continued from previous page)

```

    },
    "validFrom": 0,
    "validUntil": 4294967295
  },
  "success": true,
  "fail_reason": null,
  "committed": true,
  "verified": true,
  "created_at": "2021-05-31T08:11:17.250144Z"
},
{
  "tx_id": "29376,5",
  "hash": "sync-tx:78550bbcaefdfd4cc4275bd1a0168dd73efb1953bb17a9689381fea6729c924e
↪",
  "eth_block": null,
  "pq_id": null,
  "tx": {
    "fee": "37500000000000",
    "type": "ChangePubKey",
    "nonce": 0,
    "account": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
    "feeToken": 0,
    "accountId": 161391,
    "newPkHash": "sync:1ae5a093f285ddd23b54bea2780ef4e9a4e348ea",
    "signature": {
      "pubKey": "06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721",
      "signature":
↪ "27f42a850de4dcc6527fea0a9baa5991dabf3c2ce30dae5a6112f03cf614da03bdc2ef7ac107337d17f9e4047e5b18b3e
↪"
    },
    "validFrom": 0,
    "validUntil": 4294967295,
    "ethAuthData": {
      "type": "CREATE2",
      "saltArg": "0xd32a7ec6157d2433c9ae7f4fdc35dfac9bba6f92831d1ca20b09d04d039d8dd7
↪",
      "codeHash":
↪ "0x96657bf6bdcbbf0ce06518530907d2d729e4659ad3bc7b5cc1f5c5567d964272c",
      "creatorAddress": "0xaa8c54c65c14f132804f0809bdbef19970673709"
    },
    "ethSignature": null
  },
  "success": true,
  "fail_reason": null,
  "committed": true,
  "verified": true,
  "created_at": "2021-05-31T08:09:11.249472Z"
},
{
  "tx_id": "29376,0",
  "hash": "0xc63566212c1569a0e64b255a07320483ed8476cd36b54aa37d3bd6f93b70f7f8",
  "eth_block": 8680840,
  "pq_id": 57181,
  "tx": {
    "type": "Deposit",
    "account_id": 161391,
    "priority_op": {

```

(continues on next page)

(continued from previous page)

```

        "to": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
        "from": "0x9d646b325787c6d7d612eb37915ca3023eea4dac",
        "token": "ETH",
        "amount": "5000000000000000000"
    }
},
"success": true,
"fail_reason": null,
"committed": true,
"verified": true,
"created_at": "2021-05-31T08:07:31.237817Z"
}
]

```

//---- Request ----

```

{
  "method": "zksync_account_history",
  "params": [
    "0x9df215737e137acddd0ad99e32f9a6b980ea526d"
  ]
}

```

//---- Response ----

```

{
  "result": [
    {
      "tx_id": "29411,1",
      "hash": "sync-
→ tx:e83b1b982b4d8a08a21f87717e85a268e3b3a5305bdf5efc465e7fd8f0ad5335",
      "eth_block": null,
      "pq_id": null,
      "tx": {
        "to": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
        "fee": "11060000000000",
        "from": "0x9df215737e137acddd0ad99e32f9a6b980ea526d",
        "type": "Transfer",
        "nonce": 1,
        "token": "ETH",
        "amount": "10000000000000000",
        "accountId": 161418,
        "signature": {
          "pubKey": "74835ee6dd9009b67fd4e4aef4a6f63ee2a597ced5e59f33b019905d1df70d91
→ ",
          "signature":
→ "407314ebce8ce0217b41a6cf992c7359645215c35afbdf7e18e76c957a14ed20135b7e8e5ca24fb132640141c0b3168b3
→ "
        },
        "validFrom": 0,
        "validUntil": 4294967295
      },
      "success": true,
      "fail_reason": null,
      "committed": true,
      "verified": true,

```

(continues on next page)

(continued from previous page)

```

    "created_at": "2021-05-31T11:54:56.248569Z"
  },
  {
    "tx_id": "29376,10",
    "hash": "sync-
→tx:5f92999f7bbc5d84fe0d34ebe8b7a0c38f977caece844686d3007bc48e5944e0",
    "eth_block": null,
    "pq_id": null,
    "tx": {
      "to": "0xc98fc74a085cd7ecd91d9e8d860a18ef6769d873",
      "fee": "10450000000000",
      "from": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
      "type": "Transfer",
      "nonce": 1,
      "token": "ETH",
      "amount": "10000000000000000",
      "accountId": 161391,
      "signature": {
        "pubKey": "06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
→",
        "signature":
→"ef83b1519a737107798aa5740998a515c406510b61f176fbbac6f703231968a563551f74f37bf96c2220fd18a68aca128a
→"
      },
      "validFrom": 0,
      "validUntil": 4294967295
    },
    "success": true,
    "fail_reason": null,
    "committed": true,
    "verified": true,
    "created_at": "2021-05-31T08:11:17.250144Z"
  },
  {
    "tx_id": "29376,5",
    "hash": "sync-
→tx:78550bbcaefdfd4cc4275bd1a0168dd73efb1953bb17a9689381fea6729c924e",
    "eth_block": null,
    "pq_id": null,
    "tx": {
      "fee": "37500000000000",
      "type": "ChangePubKey",
      "nonce": 0,
      "account": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
      "feeToken": 0,
      "accountId": 161391,
      "newPkHash": "sync:1ae5a093f285ddd23b54bea2780ef4e9a4e348ea",
      "signature": {
        "pubKey": "06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
→",
        "signature":
→"27f42a850de4dcc6527fea0a9baa5991dabf3c2ce30dae5a6112f03cf614da03bdc2ef7ac107337d17f9e4047e5b18b3e
→"
      },
      "validFrom": 0,
      "validUntil": 4294967295,
      "ethAuthData": {

```

(continues on next page)

(continued from previous page)

```

        "type": "CREATE2",
        "saltArg":
→ "0xd32a7ec6157d2433c9ae7f4fdc35dfac9bba6f92831d1ca20b09d04d039d8dd7",
        "codeHash":
→ "0x96657bf6bdcbffce06518530907d2d729e4659ad3bc7b5cc1f5c5567d964272c",
        "creatorAddress": "0xaa8c54c65c14f132804f0809bdbef19970673709"
    },
    "ethSignature": null
},
{
    "success": true,
    "fail_reason": null,
    "committed": true,
    "verified": true,
    "created_at": "2021-05-31T08:09:11.249472Z"
},
{
    "tx_id": "29376,0",
    "hash": "0xc63566212c1569a0e64b255a07320483ed8476cd36b54aa37d3bd6f93b70f7f8",
    "eth_block": 8680840,
    "pq_id": 57181,
    "tx": {
        "type": "Deposit",
        "account_id": 161391,
        "priority_op": {
            "to": "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f",
            "from": "0x9d646b325787c6d7d612eb37915ca3023eea4dac",
            "token": "ETH",
            "amount": "5000000000000000000"
        }
    },
    "success": true,
    "fail_reason": null,
    "committed": true,
    "verified": true,
    "created_at": "2021-05-31T08:07:31.237817Z"
}
]
}

```

```

# ---- Request ----

method: zksync_account_history
params:
- "0x9df215737e137acddd0ad99e32f9a6b980ea526d"

//---- Response ----

result:
- tx_id: 29411,1
  hash: sync-tx:e83b1b982b4d8a08a21f87717e85a268e3b3a5305bdf5efc465e7fd8f0ad5335
  eth_block: null
  pq_id: null
  tx:
    to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
    fee: "1106000000000000"

```

(continues on next page)

(continued from previous page)

```

    from: "0x9df215737e137acddd0ad99e32f9a6b980ea526d"
    type: Transfer
    nonce: 1
    token: ETH
    amount: "10000000000000000"
    accountId: 161418
    signature:
      pubKey: 74835ee6dd9009b67fd4e4aef4a6f63ee2a597ced5e59f33b019905d1df70d91
      signature: ↪407314ebce8ce0217b41a6cf992c7359645215c35afbdf7e18e76c957a14ed20135b7e8e5ca24fb132640141c0b3168b39
    validFrom: 0
    validUntil: 4294967295
    success: true
    fail_reason: null
    committed: true
    verified: true
    created_at: 2021-05-31T11:54:56.248569Z
- tx_id: 29376,10
  hash: sync-tx:5f92999f7bbc5d84fe0d34ebe8b7a0c38f977caece844686d3007bc48e5944e0
  eth_block: null
  pq_id: null
  tx:
    to: "0xc98fc74a085cd7ecd91d9e8d860a18ef6769d873"
    fee: "1045000000000000"
    from: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
    type: Transfer
    nonce: 1
    token: ETH
    amount: "10000000000000000"
    accountId: 161391
    signature:
      pubKey: 06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
      signature: ↪ef83b1519a737107798aa5740998a515c406510b61f176fbbac6f703231968a563551f74f37bf96c2220fd18a68aca128a
    validFrom: 0
    validUntil: 4294967295
    success: true
    fail_reason: null
    committed: true
    verified: true
    created_at: 2021-05-31T08:11:17.250144Z
- tx_id: 29376,5
  hash: sync-tx:78550bbcaefdfd4cc4275bd1a0168dd73efb1953bb17a9689381fea6729c924e
  eth_block: null
  pq_id: null
  tx:
    fee: "3750000000000000"
    type: ChangePubKey
    nonce: 0
    account: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
    feeToken: 0
    accountId: 161391
    newPkHash: sync:1ae5a093f285ddd23b54bea2780ef4e9a4e348ea
    signature:
      pubKey: 06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
      signature: ↪27f42a850de4dcc6527fea0a9baa5991dabf3c2ce30dae5a6112f03cf614da03bdc2ef7ac107337d17f9e4047e5b18b3e4

```

(continues on next page)

(continued from previous page)

```

    validFrom: 0
    validUntil: 4294967295
    ethAuthData:
      type: CREATE2
      saltArg: "0xd32a7ec6157d2433c9ae7f4fdc35dfac9bba6f92831d1ca20b09d04d039d8dd7"
      codeHash: "0x96657bf6bdcbffce06518530907d2d729e4659ad3bc7b5cc1f5c5567d964272c"
      creatorAddress: "0xaa8c54c65c14f132804f0809bdbbef19970673709"
    ethSignature: null
    success: true
    fail_reason: null
    committed: true
    verified: true
    created_at: 2021-05-31T08:09:11.249472Z
- tx_id: 29376,0
  hash: "0xc63566212c1569a0e64b255a07320483ed8476cd36b54aa37d3bd6f93b70f7f8"
  eth_block: 8680840
  pq_id: 57181
  tx:
    type: Deposit
    account_id: 161391
    priority_op:
      to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
      from: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
      token: ETH
      amount: "5000000000000000000"
    success: true
    fail_reason: null
    committed: true
    verified: true
    created_at: 2021-05-31T08:07:31.237817Z

```

9.8.3 zksync_account_info

returns account_info from the server

Parameters:

1. **address** : address? (*optional*) - the account-address. if not specified, the client will try to use its own address based on the signer config.

Returns: object

the current state of the requested account.

The return value contains the following properties :

- **address** : address - the address of the account
- **committed** : object - the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet. The committed object supports the following properties :
 - **balances** : {key:uint256} - the token-balance with the token as keys in the object
 - **nonce** : uint64 - the nonce or transaction count.
 - **pubKeyHash** : address - the pubKeyHash set for the requested account or 0x0000... if not set yet.
 - **mintedNfts** : {key:uint256} - the minted NFTs with the token as keys in the object
 - **nfts** : {key:uint256} - the minted NFTs with the token as keys in the object

- **depositing** : object - the state of all depositing-tx. The depositing object supports the following properties :
 - **balances** : {key:uint256} - the token-values. with the token as keys in the object
- **id** : uint64? (*optional*) - the assigned id of the account, which will be used when encoding it into the rollup.
- **verified** : object - the state after the rollup was verified in L1. The verified object supports the following properties :
 - **balances** : {key:uint256} - the token-balances. with the token as keys in the object
 - **nonce** : uint64 - the nonce or transaction count.
 - **pubKeyHash** : address - the pubKeyHash set for the requested account or 0x0000 . . . if not set yet.
 - **mintedNfts** : {key:uint256} - the minted NFTs with the token as keys in the object
 - **nfts** : {key:uint256} - the minted NFTs with the token as keys in the object

Example:

Bash

jsonrpc

YAML

[illegible]

```
//---- Request ----  
  
{  
  "method": "zksync_account_info",  
  "params": []  
}  
  
//---- Response ----  
  
{  
  "result": {  
    "address": "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292",  
    "committed": {  
      "balances": {},  
      "nonce": 0,  
    },  
  },  
}
```

(continues on next page)

(continued from previous page)

```

    "pubKeyHash": "sync:0000000000000000000000000000000000000000000000000000000000000000"
  },
  "depositing": {
    "balances": {}
  },
  "id": null,
  "verified": {
    "balances": {},
    "nonce": 0,
    "pubKeyHash": "sync:0000000000000000000000000000000000000000000000000000000000000000"
  }
}
}

```

```

# ---- Request ----

method: zksync_account_info
params: []

//---- Response ----

result:
  address: "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
  committed:
    balances: {}
    nonce: 0
    pubKeyHash: sync:0000000000000000000000000000000000000000000000000000000000000000
  depositing:
    balances: {}
  id: null
  verified:
    balances: {}
    nonce: 0
    pubKeyHash: sync:0000000000000000000000000000000000000000000000000000000000000000

```

9.8.4 zksync_aggregate_pubkey

calculate the public key based on multiple public keys signing together using schnorr musig signatures.

Parameters:

1. **pubkeys** : bytes - concatenated packed publickeys of the signers. the length of the bytes must be `num_keys * 32`

Returns: bytes32

the compact public Key

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_aggregate_pubkey_
↪ 0x0f61bfe164cc43b5a112bfbfb0583004e79dbfafc97a7daad14c5d511fea8e2435065ddd04329ec94be682bf004b03a5a
0x9ce5b6f8db3fbbe66a3bdbd3b4731f19ec27f80ee03ead3c0708798dd949882b
```

```
//---- Request ----

{
  "method": "zksync_aggregate_pubkey",
  "params": [
    ↪ "0x0f61bfe164cc43b5a112bfbfb0583004e79dbfafc97a7daad14c5d511fea8e2435065ddd04329ec94be682bf004b03a5a"
    ↪ ""
  ]
}

//---- Response ----

{
  "result": "0x9ce5b6f8db3fbbe66a3bdbd3b4731f19ec27f80ee03ead3c0708798dd949882b"
}
```

```
# ---- Request ----

method: zksync_aggregate_pubkey
params:
- "0x0f61bfe164cc43b5a112bfbfb0583004e79dbfafc97a7daad14c5d511fea8e2435065ddd\
  04329ec94be682bf004b03a5a4eeca9bf50a8b8b6023942adc0b3409"

//---- Response ----

result: "0x9ce5b6f8db3fbbe66a3bdbd3b4731f19ec27f80ee03ead3c0708798dd949882b"
```

9.8.5 zksync_contract_address

returns the contract address

Parameters: -

Returns: object

fetches the contract addresses from the zksync server. This request also caches them and will return the results from cache if available.

The return value contains the following properties :

- **govContract** : address - the address of the government contract
- **mainContract** : address - the address of the main contract

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_contract_address | jq
{
  "govContract": "0x34460C0EB5074C29A9F6FE13b8e7E23A0D08aF01",
  "mainContract": "0xaBEA9132b05A70803a4E85094fD0e1800777fBEF"
}
```

```
//----- Request -----

{
  "method": "zksync_contract_address",
  "params": []
}

//----- Response -----

{
  "result": {
    "govContract": "0x34460C0EB5074C29A9F6FE13b8e7E23A0D08aF01",
    "mainContract": "0xaBEA9132b05A70803a4E85094fD0e1800777fBEF"
  }
}
```

```
# ----- Request -----

method: zksync_contract_address
params: []

//----- Response -----

result:
  govContract: "0x34460C0EB5074C29A9F6FE13b8e7E23A0D08aF01"
  mainContract: "0xaBEA9132b05A70803a4E85094fD0e1800777fBEF"
```

9.8.6 zksync_deposit

sends a deposit-transaction and returns the opId, which can be used to track progress.

Parameters:

1. **amount** : uint256 - the value to deposit in wei (or smallest token unit)
2. **token** : string - the token as symbol or address
3. **approveDepositAmountForERC20** : bool? (*optional*) - if true and in case of an erc20-token, the client will send a approve transaction first, otherwise it is expected to be already approved.
4. **account** : address? (*optional*) - address of the account to send the tx from. if not specified, the first available signer will be used.

Returns: object

the receipt and the receiptOpId. You can use `zksync_ethop_info` to follow the state-changes.

The return value contains the following properties :

- **receipt** : `eth_transactionReceipt` - the transactionreceipt The receipt object supports the following properties :

- **blockNumber** : uint64 - the blockNumber
- **blockHash** : bytes32 - blockhash if ther containing block
- **contractAddress** : address? (*optional*) - the deployed contract in case the tx did deploy a new contract
- **cumulativeGasUsed** : uint64 - gas used for all transaction up to this one in the block
- **gasUsed** : uint64 - gas used by this transaction.
- **effectiveGasPrice** : uint256? (*optional*) - the effictc gas price
- **logs** : ethlog[] - array of events created during execution of the tx The logs object supports the follow-
ing properties :
 - * **address** : address - the address triggering the event.
 - * **blockNumber** : uint64 - the blockNumber
 - * **blockHash** : bytes32 - blockhash if ther containing block
 - * **data** : bytes - abi-encoded data of the event (all non indexed fields)
 - * **logIndex** : int - the index of the even within the block.
 - * **removed** : bool - the reorg-status of the event.
 - * **topics** : bytes32[] - array of 32byte-topics of the indexed fields.
 - * **transactionHash** : bytes32 - requested transactionHash
 - * **transactionIndex** : int - transactionIndex within the containing block.
 - * **transactionLogIndex** : int? (*optional*) - index of the event within the transaction.
 - * **type** : string? (*optional*) - mining-status
- **logsBloom** : bytes128 - bloomfilter used to detect events for eth_getLogs
- **status** : int - error-status of the tx. 0x1 = success 0x0 = failure
- **transactionHash** : bytes32 - requested transactionHash
- **transactionIndex** : int - transactionIndex within the containing block.
- **from** : address - address of the sender.
- **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **to** : address? (*optional*) - address of the receiver. null when its a contract creation transaction.
- **priorityOpId** : uint64 - the operationId to rack to progress

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xb0f60e4783ccc1f6234deed9e21f16d460c4176fd7adbd4f31d17e283b8cfb1c_
↪ zksync_deposit 1000 WBTC | jq
{
  "receipt": {
    "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
    "blockNumber": "0x8c1e39",
    "contractAddress": null,
```

(continues on next page)

(continued from previous page)

```

    "cumulativeGasUsed": "0x2466d",
    "gasUsed": "0x2466d",
    "logs": [
      {
        "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
        "blockHash":
→ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
        "blockNumber": "0x8c1e39",
        "data": "0x00000000000...",
        "logIndex": "0x0",
        "removed": false,
        "topics": [
          "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8",
          "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
          "0x55a6ef49ec5dcf6cd006d21f151f390692eadd839c813a150000000000000000"
        ],
        "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
        "transactionIndex": "0x0",
        "transactionLogIndex": "0x0",
        "type": "mined"
      }
    ],
    "logsBloom": "0x000000000000000000000000200000...",
    "root": null,
    "status": "0x1",
    "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
    "transactionIndex": "0x0"
  },
  "priorityOpId": 74
}

```

//---- Request ----

```

{
  "method": "zksync_deposit",
  "params": [
    1000,
    "WBTC"
  ]
}

```

//---- Response ----

```

{
  "result": {
    "receipt": {
      "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304
→ ",
      "blockNumber": "0x8c1e39",
      "contractAddress": null,
      "cumulativeGasUsed": "0x2466d",
      "gasUsed": "0x2466d",
      "logs": [
        {

```

(continues on next page)

(continued from previous page)

```

        "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
        "blockHash":
↪ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
        "blockNumber": "0x8c1e39",
        "data": "0x00000000000...",
        "logIndex": "0x0",
        "removed": false,
        "topics": [
            "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8",
            "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
            "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
        ],
        "transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
        "transactionIndex": "0x0",
        "transactionLogIndex": "0x0",
        "type": "mined"
    }
],
"logsBloom": "0x0000000000000000000000000000000000000000000000000000000000000000...",
"root": null,
"status": "0x1",
"transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
"transactionIndex": "0x0"
},
"priorityOpId": 74
}
}

```

```

# ---- Request ----

method: zksync_deposit
params:
- 1000
- WBTC

//---- Response ----

result:
  receipt:
    blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    blockNumber: "0x8c1e39"
    contractAddress: null
    cumulativeGasUsed: "0x2466d"
    gasUsed: "0x2466d"
    logs:
      - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
        blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
↪ "
        blockNumber: "0x8c1e39"
        data: 0x000000000000...
        logIndex: "0x0"
        removed: false
        topics:

```

(continues on next page)

(continued from previous page)

```

    - "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
    - "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
    - "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
    transactionHash:
    ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
    transactionIndex: "0x0"
    transactionLogIndex: "0x0"
    type: mined
    logsBloom: 0x000000000000000000000000200000...
    root: null
    status: "0x1"
    transactionHash:
    ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
    transactionIndex: "0x0"
    priorityOpId: 74

```

9.8.7 zksync_emergency_withdraw

withdraws all tokens for the specified token as a onchain-transaction. This is useful in case the zksync-server is offline or tries to be malicious.

Parameters:

1. **token** : string - the token as symbol or address

Returns: eth_transactionReceipt

the transactionReceipt

The return value contains the following properties :

- **blockNumber** : uint64 - the blockNumber
- **blockHash** : bytes32 - blockhash if ther containing block
- **contractAddress** : address? (*optional*) - the deployed contract in case the tx did deploy a new contract
- **cumulativeGasUsed** : uint64 - gas used for all transaction up to this one in the block
- **gasUsed** : uint64 - gas used by this transaction.
- **effectiveGasPrice** : uint256? (*optional*) - the effictc gas price
- **logs** : ethlog[] - array of events created during execution of the tx The logs object supports the following properties :
 - **address** : address - the address triggering the event.
 - **blockNumber** : uint64 - the blockNumber
 - **blockHash** : bytes32 - blockhash if ther containing block
 - **data** : bytes - abi-encoded data of the event (all non indexed fields)
 - **logIndex** : int - the index of the even within the block.
 - **removed** : bool - the reorg-status of the event.
 - **topics** : bytes32[] - array of 32byte-topics of the indexed fields.
 - **transactionHash** : bytes32 - requested transactionHash
 - **transactionIndex** : int - transactionIndex within the containing block.

- **transactionLogIndex** : int? (*optional*) - index of the event within the transaction.
- **type** : string? (*optional*) - mining-status
- **logsBloom** : bytes128 - bloomfilter used to detect events for eth_getLogs
- **status** : int - error-status of the tx. 0x1 = success 0x0 = failure
- **transactionHash** : bytes32 - requested transactionHash
- **transactionIndex** : int - transactionIndex within the containing block.
- **from** : address - address of the sender.
- **type** : int? (*optional*) - the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- **to** : address? (*optional*) - address of the receiver. null when its a contract creation transaction.

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xb0f60e4783ccc1f6234deed9e21f16d460c4176fd7adbd4f31d17e283b8cfb1c_
↪ zksync_emergency_withdraw WBTC | jq
{
  "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
  "blockNumber": "0x8c1e39",
  "contractAddress": null,
  "cumulativeGasUsed": "0x2466d",
  "gasUsed": "0x2466d",
  "logs": [
    {
      "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
      "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304
↪ ",
      "blockNumber": "0x8c1e39",
      "data": "0x000000000000...",
      "logIndex": "0x0",
      "removed": false,
      "topics": [
        "0x9123e6a7c5d144bd06140643c88de8e01adcb24350190c02218a4435c7041f8",
        "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
        "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
      ],
      "transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
      "transactionIndex": "0x0",
      "transactionLogIndex": "0x0",
      "type": "mined"
    }
  ],
  "logsBloom": "0x000000000000000000000000200000...",
  "root": null,
  "status": "0x1",
  "transactionHash":
↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
  "transactionIndex": "0x0"
}
```

```
//---- Request ----

{
  "method": "zksync_emergency_withdraw",
  "params": [
    "WBTC"
  ]
}

//---- Response ----

{
  "result": {
    "blockHash": "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
    "blockNumber": "0x8c1e39",
    "contractAddress": null,
    "cumulativeGasUsed": "0x2466d",
    "gasUsed": "0x2466d",
    "logs": [
      {
        "address": "0x85ec283a3ed4b66df4da23656d4bf8a507383bca",
        "blockHash":
→ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304",
        "blockNumber": "0x8c1e39",
        "data": "0x000000000000...",
        "logIndex": "0x0",
        "removed": false,
        "topics": [
          "0x9123e6a7c5d144bd06140643c88de8e01adcb24350190c02218a4435c7041f8",
          "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6",
          "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
        ],
        "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
        "transactionIndex": "0x0",
        "transactionLogIndex": "0x0",
        "type": "mined"
      }
    ],
    "logsBloom": "0x0000000000000000000000000000000000000000000000000000000000000000...",
    "root": null,
    "status": "0x1",
    "transactionHash":
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e",
    "transactionIndex": "0x0"
  }
}
```

```
# ---- Request ----

method: zksync_emergency_withdraw
params:
  - WBTC

//---- Response ----
```

(continues on next page)

(continued from previous page)

```

result:
  blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
  blockNumber: "0x8c1e39"
  contractAddress: null
  cumulativeGasUsed: "0x2466d"
  gasUsed: "0x2466d"
  logs:
    - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
      blockHash: "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
      blockNumber: "0x8c1e39"
      data: 0x000000000000...
      logIndex: "0x0"
      removed: false
      topics:
        - "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
        - "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
        - "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
      transactionHash:
        ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
        transactionIndex: "0x0"
        transactionLogIndex: "0x0"
        type: mined
      logsBloom: 0x000000000000000000000000200000...
      root: null
      status: "0x1"
      transactionHash: "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
      ↪ "
        transactionIndex: "0x0"

```

9.8.8 zksync_ethop_info

returns the state or receipt of the the PriorityOperation

Parameters:

1. **opId** : uint64 - the opId of a layer-operation (like depositing)

Returns: object

state of the PriorityOperation

The return value contains the following properties :

- **block** : object? (*optional*) - the block The block object supports the following properties :
 - **committed** : bool - state of the operation
 - **verified** : bool - if the operation id has been included in the rollup block
 - **blockNumber** : uint64? (*optional*) - the blocknumber of the block that included the operation
- **executed** : bool - if the operation was executed

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_ethop_info 1 | jq
{
  "block": {
    "committed": true,
    "blockNumber": 4,
    "verified": true
  },
  "executed": true
}
```

```
//---- Request ----

{
  "method": "zksync_ethop_info",
  "params": [
    1
  ]
}

//---- Response ----

{
  "result": {
    "block": {
      "committed": true,
      "blockNumber": 4,
      "verified": true
    },
    "executed": true
  }
}
```

```
# ---- Request ----

method: zksync_ethop_info
params:
  - 1

//---- Response ----

result:
  block:
    committed: true
    blockNumber: 4
    verified: true
  executed: true
```

9.8.9 zksync_get_token_price

returns current token-price

Parameters:

1. **token** : string - Symbol or address of the token

Returns: float

the token price

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_get_token_price WBTC
11320.002167
```

```
//----- Request -----

{
  "method": "zksync_get_token_price",
  "params": [
    "WBTC"
  ]
}

//----- Response -----

{
  "result": 11320.002167
}
```

```
# ----- Request -----

method: zksync_get_token_price
params:
  - WBTC

//----- Response -----

result: 11320.002167
```

9.8.10 zksync_get_tx_fee

calculates the fees for a transaction.

Parameters:

1. **txType** : string - The Type of the transaction “Withdraw” or “Transfer”
2. **address** : address - the address of the receipient
3. **token** : string - the symbol or address of the token to pay

Returns: object

the fees split up into single values

The return value contains the following properties :

- **feeType** : string - Type of the transaaction
- **gasFee** : uint64 - the gas for the core-transaction

- **gasPriceWei**: uint64 - current gasPrice
- **gasTxAmount**: uint64 - gasTxAmount
- **totalFee**: uint64 - total of all fees needed to pay in order to execute the transaction
- **zkpFee**: uint64 - zkpFee

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_get_tx_fee Transfer 0xabea9132b05a70803a4e85094fd0e1800777fbef BAT | jq
{
  "feeType": "TransferToNew",
  "gasFee": "47684047990828528",
  "gasPriceWei": "116000000000",
  "gasTxAmount": "350",
  "totalFee": "66000000000000000",
  "zkpFee": "18378682992117666"
}
```

```
//---- Request ----
{
  "method": "zksync_get_tx_fee",
  "params": [
    "Transfer",
    "0xabea9132b05a70803a4e85094fd0e1800777fbef",
    "BAT"
  ]
}

//---- Response ----
{
  "result": {
    "feeType": "TransferToNew",
    "gasFee": "47684047990828528",
    "gasPriceWei": "116000000000",
    "gasTxAmount": "350",
    "totalFee": "66000000000000000",
    "zkpFee": "18378682992117666"
  }
}
```

```
# ---- Request ----

method: zksync_get_tx_fee
params:
- Transfer
- "0xabea9132b05a70803a4e85094fd0e1800777fbef"
- BAT
```

(continues on next page)

(continued from previous page)

```
//---- response ----  
  
result:  
  feeType: TransferToNew  
  gasFee: "47684047990828528"  
  gasPriceWei: "116000000000"  
  gasTxAmount: "350"  
  totalFee: "6600000000000000000"  
  zkpFee: "18378682992117666"
```

9.8.11 zksync_pubkey

returns the current packed PubKey based on the config set.

If the config contains public keys for musig-signatures, the keys will be aggregated, otherwise the pubkey will be derived from the signing key set.

Parameters: -

Returns: bytes32

the `pubKey`

Example:

Bash

jsonrpc

YAML

[illegible]

```
//---- Request ----
{
  "method": "zksync_pubkey",
  "params": []
}

//---- Response ----
{
  "result": "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc04"
}
```

```
# ----- Request -----  
  
method: zksync_pubkey  
params: []  
  
//----- Response -----  
  
result: "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc04"
```

9.8.12 zksync_pubkeyhash

returns the current PubKeyHash based on the configuration set.

Parameters:

1. **pubKey** : bytes32? (*optional*) - the packed public key to hash (if given the hash is build based on the given hash, otherwise the hash is based on the config)

Returns: address

the pubKeyHash

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xe41d2489571d322189246dafa5ebde1f4699f498000000000000000000000000000000_
↪ zksync_pubkeyhash
sync:4dcd9bb4463121470c7232efb9ff23ec21398e58
```

```
//----- Request -----

{
  "method": "zksync_pubkeyhash",
  "params": []
}

//----- Response -----

{
  "result": "sync:4dcd9bb4463121470c7232efb9ff23ec21398e58"
}
```

```
# ----- Request -----

method: zksync_pubkeyhash
params: []

//----- Response -----

result: sync:4dcd9bb4463121470c7232efb9ff23ec21398e58
```

9.8.13 zksync_set_key

sets the signerkey based on the current pk or as configured in the config. You can specify the key by either

- setting a signer (the sync key will be derived through a signature)
- setting the seed directly (sync_key in the config)
- setting the musig_pub_keys to generate the pubKeyHash based on them
- setting the create2 options and the sync-key will generate the account based on the pubKeyHash

we support 3 different signer types (signer_type in the zksync config) :

1. `pk` - Simple Private Key If a signer is set (for example by setting the `pk`), `incubed` will derive the sync-key through a signature and use it
2. `contract` - Contract Signature In this case a `preAuth-tx` will be send on L1 using the signer. If this contract is a `mutisig`, you should make sure, you have set the account explicitly in the config and also activate the `multisig-plugin`, so the transaction will be send through the `multisig`.
3. `create2` - Create2 based Contract

Parameters:

1. **token**: string - the token to pay the gas (either the symbol or the address)

Returns: address

the pubKeyHash, if it was executed successfully

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xe41d2489571d322189246dafa5ebde1f4699f498000000000000000000000000000000_
↳ zksync_set_key eth
sync:e41d2489571d322189246dafa5ebde1f4699f498
```

```
//---- Request ----
{
  "method": "zksync_set_key",
  "params": [
    "eth"
  ]
}

//---- Response ----
{
  "result": "sync:e41d2489571d322189246dafa5ebde1f4699f498"
}
```

```
# ---- Request ----

method: zksync_set_key
params:
  - eth

//---- Response ----

result: sync:e41d2489571d322189246dafa5ebde1f4699f498
```

9.8.14 zksync_sign

returns the schnorr musig signature based on the current config.

This also supports signing with multiple keys. In this case the configuration needs to sets the urls of the other keys, so the client can then exchange all data needed in order to create the combined signature. when exchanging the data with other keys, all known data will be send using `zk_sign` as method, but instead of the raw message a object with those data will be passed.

Parameters:

1. **message** : bytes - the message to sign

Returns: bytes96

The return value are 96 bytes of signature:

- [0...32] packed public key
- [32..64] r-value
- [64..96] s-value

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xe41d2489571d322189246dafa5ebde1f4699f498000000000000000000000000000000_
↳ zksync_sign 0xaabbccddeeff
0xfca80a469dbb53f8002ebl52569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8e18:
```

```
//---- Request ----
{
  "method": "zksync_sign",
  "params": [
    "0xaabbccddeeff"
  ]
}

//---- Response ----
{
  "result":
  ↪ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8e"
  ↪ ""
}
```

```
# ---- Request ----

method: zksync_sign
params:
  - "0xaabbccddeeff"

//---- Response ----

result: "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f6\
9034c3980e7352741afa6c171b8e18355e41ed7427f6e706f8432e32e920c3e61e6c3aa00cfe0\
c202c29a31b69cd0910a432156a0977c3a5baa404547e01"
```

9.8.15 zksync_sync_key

returns private key used for signing zksync-transactions

Parameters: -

Returns:

the raw private key configured based on the signers seed

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xb0f60e4783ccc1f6234deed9e21f16d460c4176fd7adbd4f31d17e283b8cfb1c_↵
↵zksync_sync_key
0x019125314fda133d5bf62cb454ee8c60927d55b68eae8b8b8bd13db814389cd6
```

```
//---- Request ----
{
  "method": "zksync_sync_key",
  "params": []
}

//---- Response ----
{
  "result": "0x019125314fda133d5bf62cb454ee8c60927d55b68eae8b8b8bd13db814389cd6"
}
```

```
# ---- Request ----

method: zksync_sync_key
params: []

//---- Response ----

result: "0x019125314fda133d5bf62cb454ee8c60927d55b68eae8b8b8bd13db814389cd6"
```

9.8.16 zksync_tokens

returns the list of all available tokens

Parameters: -

Returns: {key:object}

a array of tokens-definitions. This request also caches them and will return the results from cache if available.

The return value contains the following properties :

- **address** : address - the address of the ERC2-Contract or 0x00000..000 in case of the native token (eth)
- **decimals** : int - decimals to be used when forming it for human readable representation.

- **id** : uint64 - id which will be used when encoding the token.
- **symbol** : string - symbol for the token

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_tokens | jq
{
  "BAT": {
    "address": "0x0d8775f648430679a709e98d2b0cb6250d2887ef",
    "decimals": 18,
    "id": 8,
    "symbol": "BAT"
  },
  "BUSD": {
    "address": "0x4fabb145d64652a948d72533023f6e7a623c7c53",
    "decimals": 18,
    "id": 6,
    "symbol": "BUSD"
  },
  "DAI": {
    "address": "0x6b175474e89094c44da98b954eedeac495271d0f",
    "decimals": 18,
    "id": 1,
    "symbol": "DAI"
  },
  "ETH": {
    "address": "0x0000000000000000000000000000000000000000",
    "decimals": 18,
    "id": 0,
    "symbol": "ETH"
  }
}
```

```
//---- Request ----
{
  "method": "zksync_tokens",
  "params": []
}

//---- Response ----
{
  "result": {
    "BAT": {
      "address": "0x0d8775f648430679a709e98d2b0cb6250d2887ef",
      "decimals": 18,
      "id": 8,
      "symbol": "BAT"
    },
    "BUSD": {
      "address": "0x4fabb145d64652a948d72533023f6e7a623c7c53",
```

(continues on next page)

(continued from previous page)

```

    "decimals": 18,
    "id": 6,
    "symbol": "BUSD"
  },
  "DAI": {
    "address": "0x6b175474e89094c44da98b954eedeac495271d0f",
    "decimals": 18,
    "id": 1,
    "symbol": "DAI"
  },
  "ETH": {
    "address": "0x0000000000000000000000000000000000000000",
    "decimals": 18,
    "id": 0,
    "symbol": "ETH"
  }
}

```

```

# ---- Request ----

method: zksync_tokens
params: []

//---- Response ----

result:
  BAT:
    address: "0x0d8775f648430679a709e98d2b0cb6250d2887ef"
    decimals: 18
    id: 8
    symbol: BAT
  BUSD:
    address: "0x4fabb145d64652a948d72533023f6e7a623c7c53"
    decimals: 18
    id: 6
    symbol: BUSD
  DAI:
    address: "0x6b175474e89094c44da98b954eedeac495271d0f"
    decimals: 18
    id: 1
    symbol: DAI
  ETH:
    address: "0x0000000000000000000000000000000000000000"
    decimals: 18
    id: 0
    symbol: ETH

```

9.8.17 zksync_transfer

sends a zksync-transaction and returns data including the transactionHash.

Parameters:

1. **to** : address - the receipt of the tokens

2. **amount** : uint256 - the value to transfer in wei (or smallest token unit)
3. **token** : string - the token as symbol or address
4. **account** : address? (*optional*) - address of the account to send the tx from. if not specified, the first available signer will be used.

Returns: zk_receipt

the transactionReceipt. use zksync_tx_info to check the progress.

The return value contains the following properties :

- **type** : string - the Transaction-Type (Withdraw or Transfer)
- **accountId** : uint64 - the id of the sender account
- **from** : address - the address of the sender
- **to** : address - the address of the receipt
- **token** : uint64 - the id of the token used
- **amount** : uint256 - the amount sent
- **fee** : uint256 - the fees paid
- **nonce** : uint64 - the fees paid
- **txHash** : string - the transactionHash, which can be used to track the tx
- **tokenId** : uint64 - the token id
- **validFrom** : uint64 - valid from
- **validUntil** : uint64 - valid until

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xb0f60e4783ccc1f6234deed9e21f16d460c4176fd7adbd4f31d17e283b8cfb1c_
↪ zksync_transfer 9.814684447173249e+47 100 WBTC | jq
{
  "type": "Transfer",
  "accountId": 1,
  "from": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
  "to": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
  "token": 0,
  "amount": 10,
  "fee": 3780000000000000,
  "nonce": 4,
  "txHash": "sync-tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668"
}
```

```
//---- Request ----
{
  "method": "zksync_transfer",
  "params": [
    9.814684447173249e+47,
```

(continues on next page)

(continued from previous page)

```

    100,
    "WBTC"
  ]
}

//----- Response -----

{
  "result": {
    "type": "Transfer",
    "accountId": 1,
    "from": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
    "to": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
    "token": 0,
    "amount": 10,
    "fee": 3780000000000000,
    "nonce": 4,
    "txHash": "sync-
→tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668"
  }
}

```

```

# ----- Request -----

method: zksync_transfer
params:
  - 9.814684447173249e+47
  - 100
  - WBTC

//----- Response -----

result:
  type: Transfer
  accountId: 1
  from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
  to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
  token: 0
  amount: 10
  fee: 3780000000000000
  nonce: 4
  txHash: sync-tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668

```

9.8.18 zksync_tx_data

returns the full input data of a transaction. In order to use this, the `rest_api` needs to be set in the config.

Parameters:

1. **tx** : bytes32 - the txHash of the send tx

Returns: object

the data and state of the requested tx.

The return value contains the following properties :

- **block_number** : uint64? (*optional*) - the blockNumber containing the tx or null if still pending
- **tx_type** : string - Type of the transaction. Transfer, ChangePubKey or Withdraw
- **from** : address - The sender of the address
- **to** : address - The recipient of the address
- **token** : uint64 - The token id
- **amount** : uint256 - the amount sent
- **fee** : uint256 - the fee payed
- **nonce** : uint64 - the nonce of the account
- **created_at** : string - the timestamp as UTC
- **tx** : zk_tx - the tx input data The tx object supports the following properties :
 - **accountId** : uint64 - the id of the sender account
 - **from** : address - the address of the sender
 - **to** : address - the address of the receipient
 - **token** : uint64 - the id of the token used
 - **amount** : uint256 - the amount sent
 - **fee** : uint256 - the fees paid
 - **nonce** : uint64 - the fees paid
 - **validFrom** : uint64 - timestamp set by the sender when the valid range starts
 - **validUntil** : uint64 - timestamp set by the sender when the valid range ends
 - **signature** : object - the sync signature The signature object supports the following properties :
 - * **pubKey** : bytes32 - the public key of the signer
 - * **signature** : bytes - the signature
 - **type** : string? (*optional*) - the transaction type
- **fail_reason** : string? (*optional*) - the fail reason

Example:

Bash

jsonrpc

YAML

```
> in3 -x -zkr https://rinkeby-api.zksync.io/api/v0.1 zksync_tx_data_
↪ 0xc06ddc1c0914e8f9ca4d5bc98f609f7d758f6de2733fdcb8e3ec | jq
{
  "tx_type": "Transfer",
  "from": "0x627d8e8c1a663cfea17432ec6dbbd3cc2c8a1f9a",
  "to": "0x03e2c10b74a260f46ab5cf881938c5888a6142df",
  "token": 1,
  "amount": "5000000",
  "fee": "2190",
  "block_number": 29588,
  "nonce": 20,
  "created_at": "2021-06-01T10:32:16.248564",
```

(continues on next page)

(continued from previous page)

```

"fail_reason": null,
"tx": {
  "to": "0x03e2c10b74a260f46ab5cf881938c5888a6142df",
  "fee": "2190",
  "from": "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a",
  "type": "Transfer",
  "nonce": 20,
  "token": 1,
  "amount": "5000000",
  "accountId": 161578,
  "signature": {
    "pubKey": "91b533af2c430d7ad48db3ccc4ccb54befaff48307180c9a19a369099331d0a6",
    "signature":
    ↪ "d17637db375a7a587474c8fee519fd7520f6ef98e1370e7a13d5de8176a6d0a22309e24a19dae50dad94ac9634ab33984"
    ↪ "
  },
  "validFrom": 0,
  "validUntil": 4294967295
}
}

```

```

//---- Request ----
{
  "method": "zksync_tx_data",
  "params": [
    "0xc06ddc1c0914e8f9ca4d5bc98f609f7d758f6de2733fdcb8e3ec"
  ]
}

//---- Response ----
{
  "result": {
    "tx_type": "Transfer",
    "from": "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a",
    "to": "0x03e2c10b74a260f46ab5cf881938c5888a6142df",
    "token": 1,
    "amount": "5000000",
    "fee": "2190",
    "block_number": 29588,
    "nonce": 20,
    "created_at": "2021-06-01T10:32:16.248564",
    "fail_reason": null,
    "tx": {
      "to": "0x03e2c10b74a260f46ab5cf881938c5888a6142df",
      "fee": "2190",
      "from": "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a",
      "type": "Transfer",
      "nonce": 20,
      "token": 1,
      "amount": "5000000",
      "accountId": 161578,
      "signature": {
        "pubKey": "91b533af2c430d7ad48db3ccc4ccb54befaff48307180c9a19a369099331d0a6",
        "signature":
        ↪ "d17637db375a7a587474c8fee519fd7520f6ef98e1370e7a13d5de8176a6d0a22309e24a19dae50dad94ac9634ab33984"
        ↪ "
      }
    }
  }
}

```

(continues on next page)

(continued from previous page)

```

    },
    "validFrom": 0,
    "validUntil": 4294967295
  }
}
}

```

```
# ---- Request ----
```

```
method: zksync_tx_data
```

```
params:
```

```
- "0xc06ddc1c0914e8f9ca4d5bc98f609f7d758f6de2733fdbcb8e3ec"
```

```
//---- Response ----
```

```
result:
```

```
tx_type: Transfer
```

```
from: "0x627d8e8c1a663cfea17432ec6dbbd3cc2c8a1f9a"
```

```
to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
```

```
token: 1
```

```
amount: "5000000"
```

```
fee: "2190"
```

```
block_number: 29588
```

```
nonce: 20
```

```
created_at: 2021-06-01T10:32:16.248564
```

```
fail_reason: null
```

```
tx:
```

```
to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
```

```
fee: "2190"
```

```
from: "0x627d8e8c1a663cfea17432ec6dbbd3cc2c8a1f9a"
```

```
type: Transfer
```

```
nonce: 20
```

```
token: 1
```

```
amount: "5000000"
```

```
accountId: 161578
```

```
signature:
```

```
pubKey: 91b533af2c430d7ad48db3ccc4ccb54befaff48307180c9a19a369099331d0a6
```

```
signature: ↵
```

```
↵d17637db375a7a587474c8fee519fd7520f6ef98e1370e7a13d5de8176a6d0a22309e24a19dae50dad94ac9634ab339842
```

```
validFrom: 0
```

```
validUntil: 4294967295
```

9.8.19 zksync_tx_info

returns the state or receipt of the the zksync-tx

Parameters:

1. **tx** : bytes32 - the txHash of the send tx

Returns: object

the current state of the requested tx.

The return value contains the following properties :

- **block** : object? (*optional*) - the block The block object supports the following properties :
 - **blockNumber** : uint64 - the blockNumber containing the tx or null if still pending
 - **committed** : bool - true, if the block has been committed
 - **verified** : bool - true, if the block has been verified
- **executed** : bool - true, if the tx has been executed by the operator. If false it is still in the txpool of the operator.
- **success** : bool? (*optional*) - if executed, this property marks the success of the tx.
- **failReason** : string? (*optional*) - if executed and failed this will include an error message

Example:

Bash

jsonrpc

YAML

```
> in3 -x zksync_tx_info sync-
↪tx:e41d2489571d322189246dafa5ebdelf4699f4980000000000000000000000 | jq
{
  "block": null,
  "executed": false,
  "failReason": null,
  "success": null
}
```

```
//---- Request ----
{
  "method": "zksync_tx_info",
  "params": [
    "sync-tx:e41d2489571d322189246dafa5ebdelf4699f4980000000000000000000000"
  ]
}

//---- Response ----
{
  "result": {
    "block": null,
    "executed": false,
    "failReason": null,
    "success": null
  }
}
```

```
# ---- Request ----

method: zksync_tx_info
params:
  - sync-tx:e41d2489571d322189246dafa5ebdelf4699f4980000000000000000000000

//---- Response ----

result:
```

(continues on next page)

(continued from previous page)

```

block: null
executed: false
failReason: null
success: null

```

9.8.20 zksync_verify

returns 0 or 1 depending on the successful verification of the signature.

if the musig_pubkeys are set it will also verify against the given public keys list.

Parameters:

1. **message**: bytes - the message which was supposed to be signed
2. **signature**: bytes96 - the signature (96 bytes)

Returns: int

1 if the signature(which contains the pubkey as the first 32bytes) matches the message.

Example:

Bash

jsonrpc

YAML

```

> in3 -x zksync_verify 0xaabbccddeeff_
↪0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8e
1

```

```

//---- Request ----

{
  "method": "zksync_verify",
  "params": [
    "0xaabbccddeeff",
    ↪ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8e
    ↪ "
  ]
}

//---- Response ----

{
  "result": 1
}

```

```

# ---- Request ----

method: zksync_verify
params:
- "0xaabbccddeeff"
- "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034\
  c3980e7352741afa6c171b8e18355e41ed7427f6e706f8432e32e920c3e61e6c3aa00cfe0c2\

```

(continues on next page)

(continued from previous page)

```
02c29a31b69cd0910a432156a0977c3a5baa404547e01"

//----- Response -----

result: 1
```

9.8.21 zksync_withdraw

withdraws the amount to the given `ethAddress` for the given token.

Parameters:

1. **ethAddress** : `address` - the receipt of the tokens in L1
2. **amount** : `uint256` - the value to transfer in wei (or smallest token unit)
3. **token** : `string` - the token as symbol or address
4. **account** : `address?` (*optional*) - address of the account to send the tx from. if not specified, the first available signer will be used.

Returns: `zk_receipt`

the `transactionReceipt`. use `zksync_tx_info` to check the progress.

The return value contains the following properties :

- **type** : `string` - the Transaction-Type (Withdraw or Transfer)
- **accountId** : `uint64` - the id of the sender account
- **from** : `address` - the address of the sender
- **to** : `address` - the address of the receipt
- **token** : `uint64` - the id of the token used
- **amount** : `uint256` - the amount sent
- **fee** : `uint256` - the fees paid
- **nonce** : `uint64` - the fees paid
- **txHash** : `string` - the transactionHash, which can be used to track the tx
- **tokenId** : `uint64` - the token id
- **validFrom** : `uint64` - valid from
- **validUntil** : `uint64` - valid until

Example:

Bash

jsonrpc

YAML

```
> in3 -x -pk 0xb0f60e4783ccc1f6234deed9e21f16d460c4176fd7adbd4f31d17e283b8cfb1c_
↪zksync_withdraw 9.814684447173249e+47 100 WBTC | jq
{
```

(continues on next page)

(continued from previous page)

```

"type": "Transfer",
"accountId": 1,
"from": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
"to": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
"token": 0,
"amount": 10,
"fee": 3780000000000000,
"nonce": 4,
"txHash": "sync-tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668"
}

```

```

//---- Request ----

{
  "method": "zksync_withdraw",
  "params": [
    9.814684447173249e+47,
    100,
    "WBTC"
  ]
}

//---- Response ----

{
  "result": {
    "type": "Transfer",
    "accountId": 1,
    "from": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
    "to": "0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
    "token": 0,
    "amount": 10,
    "fee": 3780000000000000,
    "nonce": 4,
    "txHash": "sync-
→tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668"
  }
}

```

```

# ---- Request ----

method: zksync_withdraw
params:
- 9.814684447173249e+47
- 100
- WBTC

//---- Response ----

result:
  type: Transfer
  accountId: 1
  from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
  to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
  token: 0

```

(continues on next page)

(continued from previous page)

```
amount: 10
fee: 37800000000000000
nonce: 4
txHash: sync-tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668
```

10.1 Overview

The C implementation of the Incubed client is prepared and optimized to run on small embedded devices. Because each device is different, we prepare different modules that should be combined. This allows us to only generate the code needed and reduce requirements for flash and memory.

10.1.1 Why C?

We have been asked a lot, why we implemented Incubed in C and not in Rust. When we started Incubed we began with a feasibility test and wrote the client in TypeScript. Once we confirmed it was working, we wanted to provide a minimal verifaction client for embedded devices. And yes, we actually wanted to do it in Rust, since Rust offers a lot of safety-features (like the memory-management at compiletime, thread-safety, ...), but after considering a lot of different aspects we made a pragmatic desicion to use C.

These are the reasons why:

Support for embedded devices.

As of today almost all toolchain used in the embedded world are build for C. Even though Rust may be able to still use some, there are a lot of issues. Quote from rust-embedded.org:

Integrating Rust with an RTOS such as FreeRTOS or ChibiOS is still a work in progress; especially calling RTOS functions from Rust can be tricky.

This may change in the future, but C is so dominant, that chances of Rust taking over the embedded development completely is low.

Portability

C is the most portable programming language. Rust actually has a pretty admirable selection of supported targets for a new language (thanks mostly to LLVM), but it pales in comparison to C, which runs on almost everything. A new

CPU architecture or operating system can barely be considered to exist until it has a C compiler. And once it does, it unlocks access to a vast repository of software written in C. Many other programming languages, such as Ruby and Python, are implemented in C and you get those for free too.

Most programming language have very good support for calling c-function in a shared library (like ctypes in python or cgo in golang) or even support integration of C code directly like [android studio](#) does.


Integration in existing projects

Since especially embedded systems are usually written in C/C++, offering a pure C-Implementation makes it easy for these projects to use Incubed, since they do not have to change their toolchain.

Even though we may not be able to use a lot of great features Rust offers by going with C, it allows to reach the goal to easily integrate with a lot of projects. For the future we might port the incubed to Rust if we see a demand or chance for the same support as C has today.

10.1.2 Modules

Incubed consists of different modules. While the core module is always required, additional functions will be prepared by different modules.



Verifier

Incubed is a minimal verification client, which means that each response needs to be verifiable. Depending on the expected requests and responses, you need to carefully choose which verifier you may need to register. For Ethereum, we have developed three modules:

1. `eth_nano`: a minimal module only able to verify transaction receipts (`eth_getTransactionReceipt`).
2. `eth_basic`: module able to verify almost all other standard RPC functions (except `eth_call`).
3. `eth_full`: module able to verify standard RPC functions. It also implements a full EVM to handle `eth_call`.
4. `btc`: module able to verify bitcoin or bitcoin based chains.
5. `ipfs`: module able to verify ipfs-hashes

Depending on the module, you need to register the verifier before using it. This is done by calling the `in3_register...` function like `in3_register_eth_full()`.

Transport

To verify responses, you need to be able to send requests. The way to handle them depends heavily on your hardware capabilities. For example, if your device only supports Bluetooth, you may use this connection to deliver the request to a device with an existing internet connection and get the response in the same way, but if your device is able to use a direct internet connection, you may use a curl-library to execute them. This is why the core client only defines function pointer `in3_transport_send`, which must handle the requests.

At the moment we offer these modules; other implementations are supported by different hardware modules.

1. `transport_curl`: module with a dependency on curl, which executes these requests and supports HTTPS. This module runs a standard OS with curl installed.
2. `transport_http`: module with no dependency, but a very basic http-implementation (no https-support)

API

While Incubed operates on JSON-RPC level, as a developer, you might want to use a better-structured API to prepare these requests for you. These APIs are optional but make life easier:

1. `eth`: This module offers all standard RPC functions as described in the [Ethereum JSON-RPC Specification](#). In addition, it allows you to sign and encode/decode calls and transactions.
2. `usn`: This module offers basic USN functions like renting, event handling, and message verification.
3. `btc`: Collection of Bitcoin-functions to access blocks and transactions.
4. `ipfs`: Simple Ipfs-functions to get and store ipfs-content

10.2 Building

While we provide binaries, you can also build from source:

10.2.1 requirements

- `cmake`
- `curl` : curl is used as transport for command-line tools, but you can also compile it without curl (`-DUSE_CURL=false -DCMD=false`), if you want to implement your own transport.

Incubed uses cmake for configuring:

```
mkdir build && cd build
cmake -DCMAKE_BUILD_TYPE=Release .. && make
make install
```

10.2.2 CMake options

When configuring cmake, you can set a lot of different incubed specific like `cmake -DEV_M_GAS=false ...`

ASMJS

compiles the code as asm.js.

Default-Value: `-DASMJS=OFF`

ASSERTIONS

includes assertions into the code, which help track errors but may cost time during runtime

Default-Value: `-DASSERTIONS=OFF`

BTC

if true, the bitcoin verifiers will be build

Default-Value: `-DBTC=ON`

BTC_PRE_BIP34

Enable BTC-Verification for blocks before BIP34 was activated

Default-Value: `-DBTC_PRE_BIP34=ON`

BUILD_DOC

generates the documenation with doxygen.

Default-Value: `-DBUILD_DOC=OFF`

CMD

build the comandline utils

Default-Value: `-DCMD=ON`

CODE_COVERAGE

Builds targets with code coverage instrumentation. (Requires GCC or Clang)

Default-Value: `-DCODE_COVERAGE=OFF`

COLOR

Enable color codes for debug

Default-Value: `-DCOLOR=ON`

CORE_API

registers a chain independend rpc-methods util-functions

Default-Value: `-DCORE_API=ON`

ESP_IDF

include support for ESP-IDF microcontroller framework

Default-Value: `-DESP_IDF=OFF`

ETH_BASIC

build basic eth verification.(all rpc-calls except eth_call)

Default-Value: `-DETH_BASIC=ON`

ETH_FULL

build full eth verification.(including eth_call)

Default-Value: `-DETH_FULL=ON`

ETH_NANO

build minimal eth verification.(eth_getTransactionReceipt)

Default-Value: `-DETH_NANO=ON`

EVM_GAS

if true the gas costs are verified when validating a eth_call. This is a optimization since most calls are only interested in the result. EVM_GAS would be required if the contract uses gas-dependend op-codes.

Default-Value: `-DEV_M_GAS=ON`

FAST_MATH

Math optimizations used in the EVM. This will also increase the filesize.

Default-Value: `-DFAST_MATH=OFF`

GCC_ANALYZER

GCC10 static code analyses

Default-Value: `-DGCC_ANALYZER=OFF`

IN3API

build the USN-API which offer better interfaces and additional functions on top of the pure verification

Default-Value: `-DIN3API=ON`

IN3_LIB

if true a shared anmd static library with all in3-modules will be build.

Default-Value: `-DIN3_LIB=ON`

IN3_SERVER

support for proxy server as part of the cmd-tool, which allows to start the cmd-tool with the -p option and listens to the given port for rpc-requests

Default-Value: `-DIN3_SERVER=OFF`

IN3_STAGING

if true, the client will use the staging-network instead of the live ones

Default-Value: `-DIN3_STAGING=OFF`

IPFS

build IPFS verification

Default-Value: `-DIPFS=ON`

JAVA

build the java-binding (shared-lib and jar-file)

Default-Value: `-DJAVA=OFF`

LEDGER_NANO

include support for nano ledger

Default-Value: `-DLEDGER_NANO=OFF`

LOGGING

if set logging and human readable error messages will be included in th executable, otherwise only the error code is used. (saves about 19kB)

Default-Value: `-DLOGGING=ON`

MULTISIG

add capability to sign with a multig. Currently only gnosis safe is supported

Default-Value: `-DMULTISIG=ON`

NODESELECT_DEF

Enable default nodeselect implementation

Default-Value: `-DNODESELECT_DEF=ON`

NODESELECT_DEF_WL

Enable default nodeselect whitelist implementation

Default-Value: `-DNODESELECT_DEF_WL=ON`

PAY_ETH

support for direct Eth-Payment

Default-Value: `-DPAY_ETH=OFF`

PKG_CONFIG_EXECUTABLE

pkg-config executable

Default-Value: `-DPKG_CONFIG_EXECUTABLE=/opt/homebrew/bin/pkg-config`

PK_SIGNER

Enable Signing with private keys

Default-Value: `-DPK_SIGNER=ON`

PLGN_CLIENT_DATA

Enable client-data plugin

Default-Value: `-DPLGN_CLIENT_DATA=OFF`

POA

support POA verification including validatorlist updates

Default-Value: `-DPOA=OFF`

RECORDER

enable recording option for reproduce executions

Default-Value: `-DRECORDER=ON`

RPC_ONLY

specifies a comma-separated list of rpc-methods which should be supported. all other rpc-methods will be removed reducing the size of executable a lot.

Default-Value: `-DRPC_ONLY=OFF`

SEGGER_RTT

Use the segger real time transfer terminal as the logging mechanism

Default-Value: `-DSEGGER_RTT=OFF`

SENTRY

Enable Sentry

Default-Value: `-DSENTRY=OFF`

SWIFT

swift API for swift bindings

Default-Value: `-DSWIFT=OFF`

TAG_VERSION

the tagged version, which should be used

Default-Value: `-DTAG_VERSION=OFF`

TEST

builds the tests and also adds special memory-management, which detects memory leaks, but will cause slower performance

Default-Value: `-DTEST=OFF`

THREADSAFE

uses mutex to protect shared nodelist access

Default-Value: `-DTHREADSAFE=ON`

TRANSPORTS

builds transports, which may require extra libraries.

Default-Value: `-DTRANSPORTS=ON`

USE_CURL

if true the curl transport will be built (with a dependency to libcurl)

Default-Value: `-DUSE_CURL=ON`

USE_PRECOMPUTED_EC

if true the secp256k1 curve uses precompiled tables to boost performance. turning this off makes ecrecover slower, but saves about 37kb.

Default-Value: `-DUSE_PRECOMPUTED_EC=ON`

USE_SCRIPT

integrate script into the build in order to allow `decrypt_key` for script encoded keys.

Default-Value: `-DUSE_SCRIPT=ON`

USE_WINHTTP

if true the winhttp transport will be built (with a dependency to winhttp)

Default-Value: `-DUSE_WINHTTP=OFF`

WASM

Includes the WASM-Build. In order to build it you need emscripten as toolchain. Usually you also want to turn off other builds in this case.

Default-Value: `-DWASM=OFF`

WASM_EMBED

embeds the wasm as base64-encoded into the js-file

Default-Value: `-DWASM_EMBED=ON`

WASM_EMMALLOC

use ther smaller EMSCRIPTEN Malloc, which reduces the size about 10k, but may be a bit slower

Default-Value: `-DWASM_EMMALLOC=ON`

WASM_SYNC

intiaializes the WASM synchronisly, which allows to require and use it the same function, but this will not be supported by chrome (4k limit)

Default-Value: `-DWASM_SYNC=OFF`

ZKCRYPTO_LIB

Path to the static zkcrypto-lib

Default-Value: -DZKCRYPTO_LIB=OFF

ZKSYNC

add RPC-function to handle zksync-payments

Default-Value: -DZKSYNC=ON

10.3 Examples

10.3.1 btc_transaction

source : in3-c/c/examples/btc_transaction.c

checking a Bitcoin transaction data

```

#include <in3/btc_api.h> // we need the btc-api
#include <in3/client.h>  // the core client
#include <in3/in3_init.h> // this header will make sure we initialize the default_
↳verifiers and transports
#include <in3/utils.h>   // helper functions
#include <stdio.h>

int main() {
    // create new incubed client for BTC
    in3_t* in3 = in3_for_chain(CHAIN_ID_BTC);

    // the hash of transaction that we want to get
    bytes32_t tx_id;
    hex_to_bytes("c41eeelc2d97f6158ea3b3aeba0a5271a2174067a38d089ccc1eefbc796706e0", -1,
    ↳ tx_id, 32);

    // fetch and verify the transaction
    btc_transaction_t* tx = btc_get_transaction(in3, tx_id);

    if (!tx)
        // if the result is null there was an error an we can get the latest error_
    ↳message from btc_last_error()
        printf("error getting the tx : %s\n", btc_last_error());
    else {
        // we loop through the tx outputs
        for (int i = 0; i < tx->vout_len; i++)
            // and pprint the values
            printf("Transaction vout #%d : value: %llu\n", i, tx->vout[i].value);

        // don't forget the clean up!
        free(tx);
    }

    // cleanup client after usage

```

(continues on next page)

(continued from previous page)

```

    in3_free(in3);
}

```

10.3.2 call_a_function

source : in3-c/c/examples/call_a_function.c

This example shows how to call functions on a smart contract either directly or using the api to encode the arguments

```

#include <in3/client.h>    // the core client
#include <in3/eth_api.h>   // functions for direct api-access
#include <in3/in3_init.h>  // if included the verifier will automatically be initialized.
#include <in3/log.h>       // logging functions
#include <inttypes.h>
#include <stdio.h>

static in3_ret_t call_func_rpc(in3_t* c);
static in3_ret_t call_func_api(in3_t* c, address_t contract);

int main() {
    in3_ret_t ret = IN3_OK;

    // Remove log prefix for readability
    in3_log_set_prefix("");

    // create new incubed client
    in3_t* c = in3_for_chain(CHAIN_ID_MAINNET);

    // define a address (20byte)
    address_t contract;

    // copy the hexcoded string into this address
    hex_to_bytes("0x2736D225f85740f42D17987100dc8d58e9e16252", -1, contract, 20);

    // call function using RPC
    ret = call_func_rpc(c);
    if (ret != IN3_OK) goto END;

    // call function using API
    ret = call_func_api(c, contract);
    if (ret != IN3_OK) goto END;

END:
    // clean up
    in3_free(c);
    return 0;
}

in3_ret_t call_func_rpc(in3_t* c) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(

```

(continues on next page)

(continued from previous page)

```

    c,
    ↪ "eth_call",           // the configured client
    ↪ "eth_call",           // the rpc-method you want to call.
    ↪ "[{\"to\":\"0x2736d225f85740f42d17987100dc8d58e9e16252\", \"data\":\"0x15625c5e\
    ↪\"}, {\"latest\"}]\", // the signed raw txn, same as the one used in the API example
    ↪ &result,              // the reference to a pointer which will hold the result
    ↪ &error);              // the pointer which may hold a error message

    // check and print the result or error
    if (res == IN3_OK) {
        printf("Result: \n%s\n", result);
        free(result);
        return 0;
    } else {
        printf("Error sending tx: \n%s\n", error);
        free(error);
        return IN3_EUNKNOWN;
    }
}

in3_ret_t call_func_api(in3_t* c, address_t contract) {
    // ask for the number of servers registered
    json_ctx_t* response = eth_call_fn(c, contract, BLKNUM_LATEST(),
    ↪ "totalServers():uint256");
    if (!response) {
        printf("Could not get the response: %s", eth_last_error());
        return IN3_EUNKNOWN;
    }

    // convert the response to a uint32_t,
    uint32_t number_of_servers = d_int(response->result);

    // clean up resources
    json_free(response);

    // output
    printf("Found %u servers registered : \n", number_of_servers);

    // read all structs ...
    for (uint32_t i = 0; i < number_of_servers; i++) {
        response = eth_call_fn(c, contract, BLKNUM_LATEST(), "servers(uint256):(string,
    ↪address,uint,uint,uint,address)", to_uint256(i));
        if (!response) {
            printf("Could not get the response: %s", eth_last_error());
            return IN3_EUNKNOWN;
        }

        char* url = d_get_string_at(response->result, 0); // get the first item of
    ↪the result (the url)
        bytes_t* owner = d_get_bytes_at(response->result, 1); // get the second item
    ↪of the result (the owner)
        uint64_t deposit = d_get_long_at(response->result, 2); // get the third item of
    ↪the result (the deposit)

```

(continues on next page)

(continued from previous page)

```

    printf("Server %i : %s owner = %02x%02x...", i, url, owner->data[0], owner->
↪data[1]);
    printf(", deposit = %" PRIu64 "\n", deposit);

    // free memory
    json_free(response);
}
return 0;
}

```

10.3.3 get_balance

source : in3-c/c/examples/get_balance.c

get the Balance with the API and also as direct RPC-call

```

#include <in3/client.h> // the core client
#include <in3/eth_api.h> // functions for direct api-access
#include <in3/in3_init.h> // if included the verifier will automaticly be initialized.
#include <in3/log.h> // logging functions
#include <in3/utils.h>
#include <stdio.h>

static void get_balance_rpc(in3_t* in3);
static void get_balance_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // get balance using raw RPC call
    get_balance_rpc(in3);

    // get balance using API
    get_balance_api(in3);

    // cleanup client after usage
    in3_free(in3);
}

void get_balance_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3, // the_
↪configured client // the rpc-
        "eth_getBalance", // the rpc-
↪method you want to call.
        "[\\"0xc94770007dda54cf92009BFF0dE90c06F603a09f\\", \\"latest\\"]", // the_
↪arguments as json-string
        &result, // the_
↪reference to a pointer whill hold the result

```

(continues on next page)

(continued from previous page)

```

    &error);                                     // the pointer_
↪which may hold a error message

// check and print the result or error
if (res == IN3_OK) {
    printf("Balance: \n%s\n", result);
    free(result);
} else {
    printf("Error getting balance: \n%s\n", error);
    free(error);
}
}

void get_balance_api(in3_t* in3) {
    // the address of account whose balance we want to get
    address_t account;
    hex_to_bytes("0xc94770007dda54cF92009BFF0dE90c06F603a09f", -1, account, 20);

    // get balance of account
    long double balance = as_double(eth_getBalance(in3, account, BLKNUM_EARLIEST()));

    // if the result is null there was an error an we can get the latest error message_
↪from eth_lat_error()
    balance ? printf("Balance: %Lf\n", balance) : printf("error getting the balance :
↪%s\n", eth_last_error());
}

```

10.3.4 get_block

source : in3-c/c/examples/get_block.c

using the basic-module to get and verify a Block with the API and also as direct RPC-call

```

#include <in3/client.h>    // the core client
#include <in3/eth_api.h>   // functions for direct api-access
#include <in3/in3_init.h>  // if included the verifier will automaticly be initialized.
#include <in3/log.h>       // logging functions

#include <inttypes.h>
#include <stdio.h>

static void get_block_rpc(in3_t* in3);
static void get_block_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // get block using raw RPC call
    get_block_rpc(in3);

    // get block using API
    get_block_api(in3);
}

```

(continues on next page)

(continued from previous page)

```

    // cleanup client after usage
    in3_free(in3);
}

void get_block_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3, // the configured client
        "eth_getBlockByNumber", // the rpc-method you want to call.
        ["latest", true], // the arguments as json-string
        &result, // the reference to a pointer which will hold the result
        &error); // the pointer which may hold a error message

    // check and print the result or error
    if (res == IN3_OK) {
        printf("Latest block : %s\n", result);
        free(result);
    } else {
        printf("Error verifying the Latest block : %s\n", error);
        free(error);
    }
}

void get_block_api(in3_t* in3) {
    // get the block without the transaction details
    eth_block_t* block = eth_getBlockByNumber(in3, BLKNUM(8432424), false);

    // if the result is null there was an error an we can get the latest error message_
    ↪ from eth_lat_error()
    if (!block)
        printf("error getting the block : %s\n", eth_last_error());
    else {
        printf("Number of transactions in Block %llu: %d\n", block->number, block->tx_
    ↪ count);
        free(block);
    }
}

```

10.3.5 get_logs

source : in3-c/c/examples/get_logs.c

fetching events and verify them with eth_getLogs

```

#include <in3/client.h> // the core client
#include <in3/eth_api.h> // functions for direct api-access
#include <in3/in3_init.h> // if included the verifier will automaticly be initialized.
#include <in3/log.h> // logging functions
#include <inttypes.h>
#include <stdio.h>

```

(continues on next page)

(continued from previous page)

```

static void get_logs_rpc(in3_t* in3);
static void get_logs_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // get logs using raw RPC call
    get_logs_rpc(in3);

    // get logs using API
    get_logs_api(in3);

    // cleanup client after usage
    in3_free(in3);
}

void get_logs_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3,           // the configured client
        "eth_getLogs", // the rpc-method you want to call.
        "[{}]",        // the arguments as json-string
        &result,        // the reference to a pointer which will hold the result
        &error);        // the pointer which may hold a error message

    // check and print the result or error
    if (res == IN3_OK) {
        printf("Logs : \n%s\n", result);
        free(result);
    } else {
        printf("Error getting logs : \n%s\n", error);
        free(error);
    }
}

void get_logs_api(in3_t* in3) {
    // Create filter options
    char b[30];
    sprintf(b, "{\"fromBlock\":\"0x%" PRIx64 "\"}", eth_blockNumber(in3) - 2);
    json_ctx_t* jopt = parse_json(b);

    // Create new filter with options
    size_t fid = eth_newFilter(in3, jopt);

    // Get logs
    eth_log_t* logs = NULL;
    in3_ret_t ret = eth_getFilterLogs(in3, fid, &logs);
    if (ret != IN3_OK) {
        printf("eth_getFilterLogs() failed [%d]\n", ret);
        return;
    }

    // print result

```

(continues on next page)

(continued from previous page)

```

while (logs) {
    eth_log_t* l = logs;
    printf("-----\n");
    printf("\tremoved: %s\n", l->removed ? "true" : "false");
    printf("\tlogId: %lu\n", l->log_index);
    printf("\tTxId: %lu\n", l->transaction_index);
    printf("\thash: ");
    ba_print(l->block_hash, 32);
    printf("\n\tnum: %" PRIu64 "\n", l->block_number);
    printf("\taddress: ");
    ba_print(l->address, 20);
    printf("\n\tdata: ");
    b_print(&l->data);
    printf("\ttopics[%lu]: ", l->topic_count);
    for (size_t i = 0; i < l->topic_count; i++) {
        printf("\n\t");
        ba_print(l->topics[i], 32);
    }
    printf("\n");
    logs = logs->next;
    free(l->data.data);
    free(l->topics);
    free(l);
}
eth_uninstallFilter(in3, fid);
json_free(jopt);
}

```

10.3.6 get_transaction

source : in3-c/c/examples/get_transaction.c

checking the transaction data

```

#include <in3/client.h> // the core client
#include <in3/eth_api.h>
#include <in3/in3_curl.h> // transport implementation
#include <in3/in3_init.h>
#include <in3/utils.h>
#include <stdio.h>

static void get_tx_rpc(in3_t* in3);
static void get_tx_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // get tx using raw RPC call
    get_tx_rpc(in3);

    // get tx using API
    get_tx_api(in3);
}

```

(continues on next page)

(continued from previous page)

```

    // cleanup client after usage
    in3_free(in3);
}

void get_tx_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3, //
        // the configured client
        "eth_getTransactionByHash", //
        // the rpc-method you want to call.
        "[\"0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e\"]", //
        // the arguments as json-string
        &result, //
        // the reference to a pointer which will hold the result
        &error); //
    // the pointer which may hold a error message

    // check and print the result or error
    if (res == IN3_OK) {
        printf("Latest tx : \n%s\n", result);
        free(result);
    } else {
        printf("Error verifying the Latest tx : \n%s\n", error);
        free(error);
    }
}

void get_tx_api(in3_t* in3) {
    // the hash of transaction that we want to get
    bytes32_t tx_hash;
    hex_to_bytes("0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e", -
    // 1, tx_hash, 32);

    // get the tx by hash
    eth_tx_t* tx = eth_getTransactionByHash(in3, tx_hash);

    // if the result is null there was an error and we can get the latest error message
    // from eth_last_error()
    if (!tx)
        printf("error getting the tx : %s\n", eth_last_error());
    else {
        printf("Transaction #%d of block #%llx", tx->transaction_index, tx->block_number);
        free(tx);
    }
}

```

10.3.7 get_transaction_receipt

source : in3-c/c/examples/get_transaction_receipt.c

validating the result or receipt of an transaction

```

#include <in3/client.h>    // the core client
#include <in3/eth_api.h>    // functions for direct api-access
#include <in3/in3_init.h> // if included the verifier will automaticly be initialized.
#include <in3/log.h>        // logging functions
#include <in3/utils.h>
#include <inttypes.h>
#include <stdio.h>

static void get_tx_receipt_rpc(in3_t* in3);
static void get_tx_receipt_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // get tx receipt using raw RPC call
    get_tx_receipt_rpc(in3);

    // get tx receipt using API
    get_tx_receipt_api(in3);

    // cleanup client after usage
    in3_free(in3);
}

void get_tx_receipt_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3, //
        "eth_getTransactionReceipt", //
        "[\"0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e\"]", //
        &result, //
        &error); //
    // the pointer which may hold a error message

    // check and print the result or error
    if (res == IN3_OK) {
        printf("Transaction receipt: %s\n", result);
        free(result);
    } else {
        printf("Error verifying the tx receipt: %s\n", error);
        free(error);
    }
}

void get_tx_receipt_api(in3_t* in3) {
    // the hash of transaction whose receipt we want to get
    bytes32_t tx_hash;
    hex_to_bytes("0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e", -
    1, tx_hash, 32);

```

(continues on next page)

(continued from previous page)

```

// get the tx receipt by hash
eth_tx_receipt_t* txr = eth_getTransactionReceipt(in3, tx_hash);

// if the result is null there was an error an we can get the latest error message_
↳from eth_last_error()
if (!txr)
    printf("error getting the tx : %s\n", eth_last_error());
else {
    printf("Transaction #%d of block #llx, gas used = %" PRIu64 ", status = %s\n",
↳txr->transaction_index, txr->block_number, txr->gas_used, txr->status ? "success" :
↳"failed");
    eth_tx_receipt_free(txr);
}
}

```

10.3.8 ipfs_put_get

source : in3-c/c/examples/ipfs_put_get.c

using the IPFS module

```

#include <in3/client.h> // the core client
#include <in3/in3_init.h> // if included the verifier will automaticly be initialized.
#include <in3/ipfs_api.h> // access ipfs-api
#include <in3/log.h> // logging functions
#include <stdio.h>

#define LOREM_IPSUM "Lorem ipsum dolor sit amet"
#define return_err(err) \
do { \
    printf(__FILE__ ":%d::Error %s\n", __LINE__, err); \
    return; \
} while (0)

static void ipfs_rpc_example(in3_t* c) {
    char *result, *error;
    char tmp[100];

    in3_ret_t res = in3_client_rpc(
        c,
        "ipfs_put",
        "[\"" LOREM_IPSUM "\", \"utf8\"]",
        &result,
        &error);
    if (res != IN3_OK)
        return_err(in3_errmsg(res));

    printf("IPFS hash: %s\n", result);
    sprintf(tmp, "[%s, \"utf8\"]", result);
    free(result);
    result = NULL;

    res = in3_client_rpc(

```

(continues on next page)

(continued from previous page)

```

    c,
    "ipfs_get",
    tmp,
    &result,
    &error);
if (res != IN3_OK)
    return_err(in3_errmsg(res));
res = strcmp(result, "\"" LOREM_IPSUM "\"");
if (res) return_err("Content mismatch");
}

static void ipfs_api_example(in3_t* c) {
    bytes_t b = {.data = (uint8_t*) LOREM_IPSUM, .len = strlen(LOREM_IPSUM)};
    char* multihash = ipfs_put(c, &b);
    if (multihash == NULL)
        return_err("ipfs_put API call error");
    printf("IPFS hash: %s\n", multihash);

    bytes_t* content = ipfs_get(c, multihash);
    free(multihash);
    if (content == NULL)
        return_err("ipfs_get API call error");

    int res = strcmp((char*) content->data, LOREM_IPSUM, content->len);
    b_free(content);
    if (res)
        return_err("Content mismatch");
}

int main() {
    // create new incubed client
    in3_t* c = in3_for_chain(CHAIN_ID_IPFS);

    // IPFS put/get using raw RPC calls
    ipfs_rpc_example(c);

    // IPFS put/get using API
    ipfs_api_example(c);

    // cleanup client after usage
    in3_free(c);
    return 0;
}

```

10.3.9 ledger_sign

source : in3-c/c/examples/ledger_sign.c

```

#include <in3/client.h> // the core client
#include <in3/eth_api.h> // functions for direct api-access
#include <in3/ethereum_apdu_client.h>
#include <in3/in3_init.h> // if included the verifier will automatically be_
↳ initialized.
#include <in3/ledger_signer.h> //to invoke ledger nano device for signing
#include <in3/log.h> // logging functions

```

(continues on next page)

(continued from previous page)

```

#include <in3/utils.h>
#include <stdio.h>

static void send_tx_api(in3_t* in3);

int main() {
    // create new incubed client
    uint8_t bip_path[5] = {44, 60, 0, 0, 0};
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);
    in3_log_set_level(LOG_DEBUG);
    // setting ledger nano s to be the default signer for incubed client
    // it will cause the transaction or any msg to be sent to ledger nanos device for
    ↪ signing
    eth_ledger_set_signer_txn(in3, bip_path);
    // eth_ledger_set_signer(in3, bip_path);

    // send tx using API
    send_tx_api(in3);

    // cleanup client after usage
    in3_free(in3);
}

void send_tx_api(in3_t* in3) {
    // prepare parameters
    address_t to, from;
    hex_to_bytes("0xC51fBbe0a68a7cA8d33f14a660126Da2A2FAF8bf", -1, from, 20);
    hex_to_bytes("0xd46e8dd67c5d32be8058bb8eb970870f07244567", -1, to, 20);

    bytes_t* data = hex_to_new_bytes("0x00", 0);
    // send the tx
    bytes_t* tx_hash = eth_sendTransaction(in3, from, to, OPTIONAL_T_VALUE(uint64_t,
    ↪ 0x96c0), OPTIONAL_T_VALUE(uint64_t, 0x9184e72a000), OPTIONAL_T_VALUE(uint256_t, to_
    ↪ uint256(0x9184e72a)), OPTIONAL_T_VALUE(bytes_t, *data), OPTIONAL_T_UNDEFINED(uint64_
    ↪ t));

    // if the result is null there was an error and we can get the latest error message
    ↪ from eth_last_error()
    if (!tx_hash)
        printf("error sending the tx : %s\n", eth_last_error());
    else {
        printf("Transaction hash: ");
        b_print(tx_hash);
        b_free(tx_hash);
    }
    b_free(data);
}

```

10.3.10 send_transaction

source : in3-c/c/examples/send_transaction.c

sending a transaction including signing it with a private key

```

#include <in3/client.h>    // the core client
#include <in3/eth_api.h>   // functions for direct api-access
#include <in3/in3_init.h>  // if included the verifier will automaticly be initialized.
#include <in3/log.h>       // logging functions
#include <in3/signer.h>    // default signer implementation
#include <in3/utils.h>
#include <stdio.h>

// fixme: This is only for the sake of demo. Do NOT store private keys as plaintext.
#define ETH_PRIVATE_KEY
↳ "0x8da4ef21b864d2cc526dbdb2a120bd2874c36c9d0a1fb7f8c63d7f7a8b41de8f"

static void send_tx_rpc(in3_t* in3);
static void send_tx_api(in3_t* in3);

int main() {
    // create new incubed client
    in3_t* in3 = in3_for_chain(CHAIN_ID_MAINNET);

    // convert the hexstring to bytes
    bytes32_t pk;
    hex_to_bytes(ETH_PRIVATE_KEY, -1, pk, 32);

    // create a simple signer with this key
    eth_set_pk_signer(in3, pk);

    // send tx using raw RPC call
    send_tx_rpc(in3);

    // send tx using API
    send_tx_api(in3);

    // cleanup client after usage
    in3_free(in3);
}

void send_tx_rpc(in3_t* in3) {
    // prepare 2 pointers for the result.
    char *result, *error;

    // send raw rpc-request, which is then verified
    in3_ret_t res = in3_client_rpc(
        in3, // the configured client
        "eth_sendRawTransaction", // the rpc-method you want to call.
        ["\0xf892808609184e72a0008296c094d46e8dd67c5d32be8058bb8eb970870f0724456"
↳ "7849184e72aa9d46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb9"
↳ "70870f07244567526a06f0103fccdcae0d6b265f8c38ee42f4a722c1cb36230fe8da40315acc3051"
        "9a8a06252a68b26a5575f76a65ac08a7f684bc37b0c98d9e715d73ddce696b58f2c72\""], //
↳ the signed raw txn, same as the one used in the API example
        &result, //
↳ the reference to a pointer which will hold the result
        &error); //
↳ the pointer which may hold a error message

```

(continues on next page)

(continued from previous page)

```

// check and print the result or error
if (res == IN3_OK) {
    printf("Result: \n%s\n", result);
    free(result);
} else {
    printf("Error sending tx: \n%s\n", error);
    free(error);
}
}

void send_tx_api(in3_t* in3) {
    // prepare parameters
    address_t to, from;
    hex_to_bytes("0x63FaC9201494f0bd17B9892B9fae4d52fe3BD377", -1, from, 20);
    hex_to_bytes("0xd46e8dd67c5d32be8058bb8eb970870f07244567", -1, to, 20);

    bytes_t* data = hex_to_new_bytes(
↪ "d46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb970870f072445675
↪ ", 82);

    // send the tx
    bytes_t* tx_hash = eth_sendTransaction(in3, from, to, OPTIONAL_T_VALUE(uint64_t,
↪ 0x96c0), OPTIONAL_T_VALUE(uint64_t, 0x9184e72a000), OPTIONAL_T_VALUE(uint256_t, to_
↪ uint256(0x9184e72a)), OPTIONAL_T_VALUE(bytes_t, *data), OPTIONAL_T_UNDEFINED(uint64_
↪ t));

    // if the result is null there was an error and we can get the latest error message
↪ from eth_last_error()
    if (!tx_hash)
        printf("error sending the tx : %s\n", eth_last_error());
    else {
        printf("Transaction hash: ");
        b_print(tx_hash);
        b_free(tx_hash);
    }
    b_free(data);
}

```

10.3.11 usn_device

source : in3-c/c/examples/usn_device.c

a example how to watch usn events and act upon it.

```

#include <in3/client.h> // the core client
#include <in3/eth_api.h> // functions for direct api-access
#include <in3/in3_init.h> // if included the verifier will automaticly be initialized.
#include <in3/log.h> // logging functions
#include <in3/signer.h> // signer-api
#include <in3/usn_api.h>
#include <in3/utils.h>
#include <inttypes.h>
#include <stdio.h>
#include <time.h>

```

(continues on next page)

(continued from previous page)

```

#if defined(_WIN32) || defined(WIN32)
#include <windows.h>
#else
#include <unistd.h>
#endif

static int handle_booking(usn_event_t* ev) {
    printf("\n%s Booking timestamp=%" PRIu64 "\n", ev->type == BOOKING_START ? "START" :
↳: "STOP", ev->ts);
    return 0;
}

int main(int argc, char* argv[]) {
    // create new incubed client
    in3_t* c = in3_for_chain(CHAIN_ID_GOERLI);

    // setting up a usn-device-config
    usn_device_conf_t usn;
    usn.booking_handler = handle_booking;
↳ this is the handler, which is called for each rent/return or start/stop
    usn.c = c;
↳ the incubed client
    usn.chain_id = c->chain.chain_id;
↳ the chain_id
    usn.devices = NULL;
↳ this will contain the list of devices supported
    usn.len_devices = 0;
↳ and length of this list
    usn.now = 0;
↳ the current timestamp
    unsigned int wait_time = 5;
↳ the time to wait between the interval
    hex_to_bytes("0x85Ec283a3Ed4b66dF4da23656d4BF8A507383bca", -1, usn.contract, 20); //
↳ address of the usn-contract, which we copy from hex

    // register a usn-device
    usn_register_device(&usn, "office@slockit");

    // now we run an endless loop which simply wait for events on the chain.
    printf("\n start watching...\n");
    while (true) {
        usn.now = time(NULL); // update the
↳ timestamp, since this is running on embedded devices, this may be depend on the
↳ hardware.
        unsigned int timeout = usn_update_state(&usn, wait_time) * 1000; // this will now
↳ check for new events and trigger the handle_booking if so.

        // sleep
    #if defined(_WIN32) || defined(WIN32)
        Sleep(timeout);
    #else
        nanosleep((const struct timespec[]){0, timeout * 1000000L}, NULL);
    #endif
    }

    // clean up
    in3_free(c);

```

(continues on next page)

(continued from previous page)

```

return 0;
}

```

10.3.12 usn_rent

source : in3-c/c/examples/usn_rent.c

how to send a rent transaction to a usn contract using the usn-api.

```

#include <in3/api_utils.h>
#include <in3/eth_api.h> // functions for direct api-access
#include <in3/in3_init.h> // if included the verifier will automatically be initialized.
#include <in3/signer.h> // signer-api
#include <in3/usn_api.h> // api for renting
#include <in3/utils.h>
#include <inttypes.h>
#include <stdio.h>

void unlock_key(in3_t* c, char* json_data, char* passwd) {
    // parse the json
    json_ctx_t* key_data = parse_json(json_data);
    if (!key_data) {
        perror("key is not parseable!\n");
        exit(EXIT_FAILURE);
    }

    // decrypt the key
    uint8_t* pk = malloc(32);
    if (decrypt_key(key_data->result, passwd, pk) != IN3_OK) {
        perror("wrong password!\n");
        exit(EXIT_FAILURE);
    }

    // free json
    json_free(key_data);

    // create a signer with this key
    eth_set_pk_signer(c, pk);
}

int main(int argc, char* argv[]) {
    // create new incubed client
    in3_t* c = in3_for_chain(CHAIN_ID_GOERLI);

    // address of the usn-contract, which we copy from hex
    address_t contract;
    hex_to_bytes("0x85Ec283a3Ed4b66dF4da23656d4BF8A507383bca", -1, contract, 20);

    // read the key from args - I know this is not safe, but this is just a example.
    if (argc < 3) {
        perror("you need to provide a json-key and password to rent it");
        exit(EXIT_FAILURE);
    }
    char* key_data = argv[1];

```

(continues on next page)

(continued from previous page)

```
char* passwd = argv[2];
unlock_key(c, key_data, passwd);

// rent it for one hour.
uint32_t renting_seconds = 3600;

// allocate 32 bytes for the resulting tx hash
bytes32_t tx_hash;

// start charging
if (usn_rent(c, contract, NULL, "office@slockit", renting_seconds, tx_hash))
    printf("Could not start charging\n");
else {
    printf("Charging tx successfully sent... tx_hash=0x");
    for (int i = 0; i < 32; i++) printf("%02x", tx_hash[i]);
    printf("\n");

    if (argc == 4) // just to include it : if you want to stop earlier, you can call
        usn_return(c, contract, "office@slockit", tx_hash);
}

// clean up
in3_free(c);
return 0;
}
```

10.3.13 Building

In order to run those examples, you only need a c-compiler (gcc or clang) and curl installed.

```
./build.sh
```

will build all examples in this directory. You can build them individually by executing:


```
gcc -o get_block_api get_block_api.c -lin3 -lcurl
```

10.4 How it works

The core of incubed is the processing of json-rpc requests by fetching data from the network and verifying them. This is why in the `core`-module it is all about rpc-requests and their responses.

10.4.1 the statemachine

Each request is represented internally by the `in3_req_t` -struct. This context is responsible for trying to find a verifiable answer to the request and acts as a statemachine.



In order to process a request we follow these steps.

1. `req_new` which creates a new context by parsing a JSON-RPC request.
2. `in3_req_exec_state` this will try to process the state and returns the new state, which will be one of the following:
 - `REQ_SUCCESS` - we have a response
 - `REQ_ERROR` - we stop because of an unrecoverable error
 - `REQ_WAITING_TO_SEND` - we need input and need to send out a request. By calling `in3_create_request()` the ctx will switch to the state to `REQ_WAITING_FOR_RESPONSE` until all the needed responses are reported. While it is possible to fetch all responses and add them before calling `in3_req_exec_state()`, but it would be more efficient if can send all requests out, but then create a response-queue and set one response add a time so we can return as soon as we have the first verifiable response.
 - `REQ_WAITING_FOR_RESPONSE` - the request has been send, but no verifiable response is available. Once the next (or more) responses have been added, we call `in3_req_exec_state()` again, which will verify

all available responses. If we could verify it, we have a response, if not we may either wait for more responses (in case we send out multiple requests -> REQ_WAITING_FOR_RESPONSE) or we send out new requests (REQ_WAITING_TO_SEND)

the `in3_send_req`-function will executly this:

```
in3_ret_t in3_send_req(in3_req_t* ctx) {
    ctx_req_transports_t transports = {0};
    while (true) {
        switch (in3_req_exec_state(ctx)) {
            case REQ_ERROR:
            case REQ_SUCCESS:
                transport_cleanup(ctx, &transports, true);
                return ctx->verification_state;

            case REQ_WAITING_FOR_RESPONSE:
                in3_handle_rpc_next(ctx, &transports);
                break;

            case REQ_WAITING_TO_SEND: {
                in3_req_t* last = in3_req_last_waiting(ctx);
                switch (last->type) {
                    case RT_SIGN:
                        in3_handle_sign(last);
                        break;
                    case RT_RPC:
                        in3_handle_rpc(last, &transports);
                }
            }
        }
    }
}
```

10.4.2 sync calls with `in3_send_req`

This statemachine can be used to process requests synchronously or asynchronously. The `in3_send_req` function, which is used in most convinience-functions will do this synchronously. In order to get user input it relies on 2 callback-functions:

- to sign : `in3_signer_t` struct including its callback function is set in the `in3_t` configuration.
- to fetch data : a `in3_transport_send` function-pointer will be set in the `in3_t` configuration.

signing

For signing the client expects a `in3_signer_t` struct to be set. Setting should be done by using the `in3_set_signer()` function. This function expects 3 arguments (after the client config itself):

- `sign` - this is a function pointer to actual signing-function. Whenever the incubed client needs a signature it will prepare a signing context `in3_sign_ctx_t`, which holds all relevant data, like message and the address for signing. The result will always be a signature which you need to copy into the `signature`-field of this context. The return value must signal the success of the execution. While `IN3_OK` represents success, `IN3_WAITING` can be used to indicate that we need to execute again since there may be a sub-request that needs to finished up before being able to sign. In case of an error `req_set_error` should be used to report the details of the error including returning the `IN3_E...` as error-code.

- `prepare_tx`- this function is optional and gives you a chance to change the data before signing. For example signing with a mutisig would need to do manipulate the data and also the target in order to redirect it to the mutisig contract.
- `wallet` - this is a optional `void*` which will be set in the signing context. It can be used to point to any data structure you may need in order to sign.

As a example this is the implemantation of the signer-function for a simple raw private key:

```
in3_ret_t eth_sign_pk_ctx(in3_sign_ctx_t* ctx) {
    uint8_t* pk = ctx->wallet;
    switch (ctx->type) {
        case SIGN_EC_RAW:
            return ec_sign_pk_raw(ctx->message.data, pk, ctx->signature);
        case SIGN_EC_HASH:
            return ec_sign_pk_hash(ctx->message.data, ctx->message.len, pk, hasher_sha3k,
            ↪ctx->signature);
        default:
            return IN3_ENOTSUP;
    }
    return IN3_OK;
}
```

The pk-signer uses the wallet-pointer to point to the raw 32 bytes private key and will use this to sign.

transport

The transport function is a function-pointer set in the client configuration (`in3_t`) which will be used in the `in3_send_req()` function whenever data are required to get from the network. the function will get a `request_t` object as argument.

The main responsibility of this function is to fetch the requested data and the call `in3_ctx_add_response` to report this to the context. if the request only sends one request to one url, this is all you have to do. But if the user uses a configuration of `request_count > 1`, the `request` object will contain a list of multiples urls. In this case transport function still has 3 options to accomplish this:

1. send the payload to each url sequentially. This is **NOT** recommented, since this increases the time the user has to wait for a response. Especially if some of the request may run into a timeout.
2. send the all in parallel and wait for all the finish. This is better, but it still means, we may have to wait until the last one responses even though we may have a verifiable response already reported.
3. send them all in parallel and return as soon as we have the first response. This increases the performance since we don't have to wait if we have one. But since we don't know yet whether this response is also correct, we must be prepared to also read the other responses if needed, which means the transport would be called multiple times for the same request. In order to process multiple calls to the same resouces the request-object contains two fields:
 - `cptr` - a custom `void*` which can be set in the first call pointing to recources you may need to continue in the subsequent calls.
 - `action` - This value is `enum (#in3_req_action_t)`, which indicates these current state

So only if you need to continue your call later, because you don't want to and can't set all the responses yet, you need set the `cptr` to a non NULL value. And only in this case `in3_send_req()` will follow this process with these states:

- `REQ_ACTION_SEND` - this will always be set in the first call.

- `REQ_ACTION_RECEIVE` - a call with this state indicates that there was a send call prior but since we do not have all responses yet, the transport should now set the next response. So this call may be called multiple times until either we have found a verifiable response or the number of urls is reached. Important during this call the `urls` field of the request will be `NULL` since this should not send a new request.
- `REQ_ACTION_CLEANUP` - this will only be used if the `cptr` was set before. Here the transport should only clean up any allocated resources. This will also be called if not all responses were used.

While there are of course existing implementations for the transport-function (as default we use `in3_curl_c`), especially for embedded devices you may even implement your own.

10.4.3 async calls

While for sync calls you can just implement a transport function, you can also take full control of the process which allows to execute it completely async. The basic process is the same layed out in the *state machine*.

For the js for example the main-loop is part of a async function.

```
async sendRequest(rpc) {

    // create the context
    const r = in3w.ccall('in3_create_request_ctx', 'number', ['number', 'string'],
    ↪[this.ptr, JSON.stringify(rpc)]);

    // hold a queue for responses for the different request contexts
    let responses = {}

    try {
        // main async loop
        while (true) {

            // execute and fetch the new state ( in this case the ctx_execute-function_
            ↪will return the status including the created request as json)
            const state = JSON.parse(call_string('ctx_execute', r))
            switch (state.status) {
                // REQ_ERROR
                case 'error':
                    throw new Error(state.error || 'Unknown error')

                // REQ_SUCCESS
                case 'ok':
                    return state.result

                // REQ_WAITING_FOR_RESPONSE
                case 'waiting':
                    // await the promise for the next response ( the state.request_
                    ↪contains the context-pointer to know which queue)
                    await getNextResponse(responses, state.request)
                    break

                // REQ_WAITING_TO_SEND
                case 'request': {
                    // the request already contains the type, urls and payload.
                    const req = state.request
                    switch (req.type) {
                        case 'sign':
                            try {
```

(continues on next page)

(continued from previous page)

```
// get the message and account from the request
const [message, account] = Array.isArray(req.payload) ? req.payload[0].params : req.payload.params;
// check if can sign
if (!(await this.signer.canSign(account))) throw new Error('unknown account ' + account);

// and set the signature (65 bytes) as response.
setResponse(req.ctx, toHex(await this.signer.sign(message, account, true, false)), 0, false)
} catch (ex) {
    // or set the error
    setResponse(req.ctx, ex.message || ex, 0, true)
}
break;

case 'rpc':
    // here we will send a new request, which puts its responses in a queue
    await getNextResponse(responses, req)
}
}
}
}
finally {
    // we always need to cleanup
    in3w.ccall('in3_request_free', 'void', ['number'], [r])
}
```

10.5 Plugins

While the core is kept as small as possible, we defined actions, which can be implemented by plugins. The core alone would not be able to do any good. While the in3-c repository already provides default implementations for all actions, as a developer you can always extend or replace those. There are good reasons to do so:

- optimizing by using a smaller plugin (like replacing the nodelist handling)
- allowing custom rpc-commands
- changing behavior ...

10.5.1 What is a plugin?

Each plugin needs to define those 3 things:

1. **Actions** - Which actions do I want to handle. This is a bitmask with the actions set. You can use any combination.
2. **Custom data** - This optional data object may contain configurations or other data. If you don't need to hold any data, you may pass `NULL`
3. **Exec-function** - This is a function pointer to a function which will be called whenever the plugin is used.

With these 3 things you can register a plugin with the `in3_plugin_register()` -function:

```
return in3_plugin_register("myplugin"           // the plugin name
                           c,                   // the client
                           PLGN_ACT_TERM | PLGN_ACT_RPC_HANDLE, // the actions to register for
                           handle_rpc,          // the plugin-function
                           custom_data,        // the custom data (if needed)
                           false);             // a bool indicating whether it_
↳ should always add or replace a plugin with the exact same actions.
```

The Plugin-function

Each Plugin must provide a PPlugin-function to execute with the following signature:

```
in3_ret_t handle(
    void*      custom_data, // the custom data as passed in the register-function
    in3_plugin_act_t action, // the action to execute
    void*      arguments); // the arguments (depending on the action)
```

While the `custom_data` is just the pointer to your data-object, the `arguments` contain a pointer to a context object. This object depends on the action you are reacting.

All plugins are stored in a linked list and when we want to trigger a specific actions we will loop through all, but only execute the function if the required action is set in the bitmask. Except for `PLGN_ACT_TERM` we will loop until the first plugin handles it. The handle-function must return a return code indicating this:

- `IN3_OK` - the plugin handled it and it was succesful
- `IN3_WAITING` - the plugin handled the action, but is waiting for more data, which happens in a sub context added. As soon as this was resolved, the plugin will be called again.
- `IN3_EIGNORE` - the plugin did **NOT** handle the action and we should continue with the other plugins.
- `IN3_E...` - the plugin did handle it, but raised a error and returned the error-code. In addition you should always use the current `in3_req_t` to report a detailed error-message (using `req_set_error()`)

10.5.2 Lifecycle

PLGN_ACT_TERM

This action will be triggered during `in3_free` and must be used to free up resources which were allocated.

arguments: `in3_t*` - the in3-instance will be passed as argument.

10.5.3 Transport

For Transport implementations you should always register for those 3 `PLGN_ACT_TRANSPORT_SEND | PLGN_ACT_TRANSPORT_RECEIVE | PLGN_ACT_TRANSPORT_CLEAN`. This is why you can also use the macro combining those as `PLGN_ACT_TRANSPORT`

PLGN_ACT_TRANSPORT_SEND

Send will be triggered only if the request is executed synchron, whenever a new request needs to be send out. This request may contain multiple urls, but the same payload.

arguments: `in3_http_request_t*` - a request-object holding the following data:

```
typedef struct in3_http_request {
    char*      payload; // the payload to send
    char**     urls;    // array of urls
    uint_fast16_t urls_len; // number of urls
    in3_req_t*  ctx;     // the current context
    void*      cptr;     // a custom ptr to hold information during
} in3_http_request_t;
```

It is expected that a plugin will send out http-requests to each (iterating until `urls_len`) url from `urls` with the payload. if the payload is NULL or empty the request is a GET-request. Otherwise, the plugin must use send it with HTTP-Header Content-Type: application/json and attach the payload.

After the request is send out the `cptr` may be set in order to fetch the responses later. This allows us the fetch responses as they come in instead of waiting for the last response before continuing.

Example:

```
in3_ret_t transport_handle(void* custom_data, in3_plugin, in3_plugin_act_t action,
↳void* arguments) {
    switch (action) {

        case PLGN_ACT_TRANSPORT_SEND: {
            in3_http_request_t* req = arguments; // cast it to in3_http_request_t*

            // init the cptr
            in3_curl_t* c = _malloc(sizeof(in3_curl_t));
            c->cm          = curl_multi_init(); // init curl
            c->start       = current_ms();     // keep the staring time
            req->cptr       = c;               // set the cptr

            // define headers
            curl_multi_setopt(c->cm, CURLMOPT_MAXCONNECTS, (long) CURL_MAX_PARALLEL);
            struct curl_slist* headers = curl_slist_append(NULL, "Accept: application/json
↳");
            if (req->payload && *req->payload)
                headers = curl_slist_append(headers, "Content-Type: application/json");
            headers      = curl_slist_append(headers, "charset: utf-8");
            c->headers    = curl_slist_append(headers, "User-Agent: in3 curl " IN3_VERSION);

            // send out requests in parallel
            for (unsigned int i = 0; i < req->urls_len; i++)
                readDataNonBlocking(c->cm, req->urls[i], req->payload, c->headers, req->ctx->
↳raw_response + i, req->ctx->client->timeout);

            return IN3_OK;
        }

        // handle other actions ...
    }
}
```

PLGN_ACT_TRANSPORT_RECEIVE

This will only triggered if the previously triggered PLGN_ACT_TRANSPORT_SEND

- was successfull (IN3_OK)
- if the responses were not all set yet.

- if a `cptr` was set

arguments: `in3_http_request_t*` - a request-object holding the data. (the payload and urls may not be set!)

The plugin needs to wait until the first response was received (or runs into a timeout). To report, please use `'in3_req_add_response()'`

```
void in3_req_add_response(  
    in3_http_request_t* req,      // the the request  
    int index,                   // the index of the url, since this request could go_  
    ↪out to many urls  
    bool is_error,               // if true this will be reported as error. the message_  
    ↪should then be the error-message  
    const char* data,            // the data or the the string of the response  
    int data_len,                // the length of the data or the the string (use -1 if_  
    ↪data is a null terminated string)  
    uint32_t time                // the time (in ms) this request took in ms or 0 if not_  
    ↪possible (it will be used to calculate the weights)  
);
```

In case of a succesful response:

```
in3_req_add_response(request, index, false, response_data, -1, current_ms() - start);
```

in case of an error, the data is the error message itself:

```
in3_req_add_response(request, index, true, "Timeout waiting for a response", -1, 0);
```

PLGN_ACT_TRANSPORT_CLEAN

If a previous `PLGN_ACT_TRANSPORT_SEND` has set a `cptr` this will be triggered in order to clean up memory.

arguments: `in3_http_request_t*` - a request-object holding the data. (the payload and urls may not be set!)

10.5.4 Signing

For Signing we have three different action. While `PLGN_ACT_SIGN` should alsos react to `PLGN_ACT_SIGN_ACCOUNT`, `PLGN_ACT_SIGN_PREPARE` can also be completly independent.

PLGN_ACT_SIGN

This action is triggered as a request to sign data.

arguments: `in3_sign_ctx_t*` - the sign context will hold those data:

```
typedef struct sign_ctx {  
    uint8_t signature[65]; // the resulting signature needs to be writte_  
    ↪into these bytes  
    d_signature_type_t type; // the type of signature  
    in3_req_t* ctx;          // the context of the request in order report_  
    ↪errors  
    bytes_t message;        // the message to sign  
    bytes_t account;        // the account to use for the signature (if set)  
} in3_sign_ctx_t;
```

The signature must be 65 bytes and in the format , where v must be the recovery byte and should only be 1 or 0.

```
r[32]|s[32]|v[1]
```

Currently there are 2 types of sign-request:

- **SIGN_EC_RAW** : the data is already 256bits and may be used directly
- **SIGN_EC_HASH** : the data may be any kind of message, and need to be hashed first. As hash we will use Keccak.

Example:

```
in3_ret_t eth_sign_pk(void* data, in3_plugin_act_t action, void* args) {
    // the data are our pk
    uint8_t* pk = data;

    switch (action) {

        case PLGN_ACT_SIGN: {
            // cast the context
            in3_sign_ctx_t* ctx = args;

            // if there is a account set, we only sign if this matches our account
            // this way we allow multiple accounts to added as plugin
            if (ctx->account.len == 20) {
                address_t adr;
                get_address(pk, adr);
                if (memcmp(adr, ctx->account.data, 20))
                    return IN3_EIGNORE; // does not match, let someone else handle it
            }

            // sign based on sign type
            switch (ctx->type) {
                case SIGN_EC_RAW:
                    return ec_sign_pk_raw(ctx->message.data, pk, ctx->signature);
                case SIGN_EC_HASH:
                    return ec_sign_pk_hash(ctx->message.data, ctx->message.len, pk, hasher_
↳ sha3k, ctx->signature);
                default:
                    return IN3_ENOTSUP;
            }
        }

        case PLGN_ACT_SIGN_ACCOUNT: {
            // cast the context
            in3_sign_account_ctx_t* ctx = args;

            // generate the address from the key
            get_address(pk, ctx->account);
            return IN3_OK;
        }

        default:
            return IN3_ENOTSUP;
    }
}

in3_ret_t eth_set_pk_signer(in3_t* in3, bytes32_t pk) {
```

(continues on next page)

(continued from previous page)

```
// we register for both ACCOUNT and SIGN
return plugin_register(in3, PLGN_ACT_SIGN_ACCOUNT | PLGN_ACT_SIGN, eth_sign_pk, pk,
↳false);
}
```

PLGN_ACT_SIGN_ACCOUNT

if we are about to sign data and need to know the address of the account about to sign, this action will be triggered in order to find out. This is needed if you want to send a transaction without specifying the `from` address, we will still need to get the nonce for this account before signing.

arguments: `in3_sign_account_ctx_t*` - the account context will hold those data:

```
typedef struct sign_account_ctx {
    in3_req_t* ctx;      // the context of the request in order report errors
    address_t account;  // the account to use for the signature
} in3_sign_account_ctx_t;
```

The implementation should return a status code `IN3_OK` if it successfully wrote the address of the account into the content:

Example:

```
in3_ret_t eth_sign_pk(void* data, in3_plugin_act_t action, void* args) {
    // the data are our pk
    uint8_t* pk = data;

    switch (action) {

        case PLGN_ACT_SIGN_ACCOUNT: {
            // cast the context
            in3_sign_account_ctx_t* ctx = args;

            // generate the address from the key
            // and write it into account
            get_address(pk, ctx->account);
            return IN3_OK;
        }

        // handle other actions ...

        default:
            return IN3_ENOTSUP;
    }
}
```

PLGN_ACT_SIGN_PREPARE

The Prepare-action is triggered before signing and gives a plugin the chance to change the data. This is needed if you want to send a transaction through a multisig. Here we have to change the data and to address.

arguments: `in3_sign_prepare_ctx_t*` - the prepare context will hold those data:


```
typedef struct sign_prepare_ctx {
    struct in3_req* ctx;           // the context of the request in order report errors
    address_t      account;       // the account to use for the signature
    bytes_t        old_tx;        // the data to sign
    bytes_t        new_tx;        // the new data to be set
} in3_sign_prepare_ctx_t;
```

the tx-data will be in a form ready to sign, which means those are rlp-encoded data of a transaction without a signature, but the chain-id as v-value.

In order to decode the data you must use rlp.h:

```
#define decode(data,index,dst,msg) if (rlp_decode_in_list(data, index, dst) != 1) _
↪return req_set_error(ctx, "invalid" msg "in txdata", IN3_EINVAL);

in3_ret_t decode_tx(in3_req_t* ctx, bytes_t raw, tx_data_t* result) {
    decode(&raw, 0, &result->nonce, "nonce");
    decode(&raw, 1, &result->gas_price, "gas_price");
    decode(&raw, 2, &result->gas, "gas");
    decode(&raw, 3, &result->to, "to");
    decode(&raw, 4, &result->value, "value");
    decode(&raw, 5, &result->data, "data");
    decode(&raw, 6, &result->v, "v");
    return IN3_OK;
}
```

and of course once the data has changes you need to encode it again and set it as ‘nex_tx‘

10.5.5 RPC Handling

PLGN_ACT_RPC_HANDLE

Triggered for each rpc-request in order to give plugins a chance to directly handle it. If no onoe handles it it will be send to the nodes.

arguments: in3_rpc_handle_ctx_t* - the rpc_handle context will hold those data:

```
typedef struct {
    in3_req_t*      ctx;           // Request context.
    d_token_t*      request;       // request
    in3_response_t** response;     // the response which a prehandle-method should set
} in3_rpc_handle_ctx_t;
```

the steps to add a new custom rpc-method will be the following.

1. get the method and params:

```
char* method      = d_get_string(rpc->request, K_METHOD);
d_token_t* params = d_get(rpc->request, K_PARAMS);
```

1. check if you can handle it
2. handle it and set the result

```
in3_rpc_handle_with_int(rpc, result);
```

for setting the result you should use one of the `in3_rpc_handle_...` methods. Those will create the response and build the JSON-string with the result. While most of those expect the result as a single value you can also return a complex JSON-Object. In this case you have to create a string builder:

```
sb_t* writer = in3_rpc_handle_start(rpc);
sb_add_chars(writer, "{\"raw\":\"");
sb_add_escaped_chars(writer, raw_string);
// ... more data
sb_add_chars(writer, "}");
return in3_rpc_handle_finish(rpc);
```

1. In case of an error, simply set the error in the context, with the right message and error-code:

```
if (d_len(params)<1) return req_set_error(rpc->ctx, "Not enough parameters", IN3_
↪EINVAL);
```

If the request needs additional subrequests, you need to follow the pattern of sending a request asynchronously in a state machine:

```
// we want to get the nonce.....
uint64_t nonce = 0;

// check if a request is already existing
in3_req_t* ctx = req_find_required(rpc->ctx, "eth_getTransactionCount");
if (ctx) {
    // found one - so we check if it is ready.
    switch (in3_req_state(ctx)) {
        // in case of an error, we report it back to the parent context
        case REQ_ERROR:
            return req_set_error(rpc->ctx, ctx->error, IN3_EUNKNOWN);
        // if we are still waiting, we stop here and report it.
        case REQ_WAITING_FOR_RESPONSE:
        case REQ_WAITING_TO_SEND:
            return IN3_WAITING;

        // if it is useable, we can now handle the result.
        case REQ_SUCCESS: {
            // check if the response contains a error.
            TRY(req_check_response_error(ctx, 0))

            // read the nonce
            nonce = d_get_long(ctx->responses[0], K_RESULT);
        }
    }
}
else {
    // no required context found yet, so we create one:

    // since this is a subrequest it will be freed when the parent is freed.
    // allocate memory for the request-string
    char* req = _malloc(strlen(params) + 200);
    // create it
    sprintf(req, "{\"method\":\"eth_getTransactionCount\",\"jsonrpc\":\"2.0\",\"id\":1,\
↪\"params\": [\"%s\", \"latest\"]}", account_hex_string);
    // and add the request context to the parent.
    return req_add_required(parent, req_new(parent->client, req));
}
```

(continues on next page)

(continued from previous page)

// continue here and use the nonce....

Here is a simple Example how to register a plugin hashing data:

```
static in3_ret_t handle_intern(void* pdata, in3_plugin_act_t action, void* args) {
    UNUSED_VAR(pdata);

    // cast args
    in3_rpc_handle_ctx_t* rpc = args;

    switch (action) {
        case PLGN_ACT_RPC_HANDLE: {
            // get method and params
            char*          method = d_get_string(rpc->request, K_METHOD);
            d_token_t*     params = d_get(rpc->request, K_PARAMS);

            // do we support it?
            if (strcmp(method, "web3_sha3") == 0) {
                // check the params
                if (!params || d_len(params) != 1) return req_set_error(rpc->ctx, "invalid_
↳params", IN3_EINVAL);
                bytes32_t hash;
                // hash the first param
                keccak(d_to_bytes(d_get_at(params, 0)), hash);
                // return the hash as resut.
                return in3_rpc_handle_with_bytes(ctx, bytes(hash, 32));
            }

            // we don't support this method, so we ignore it.
            return IN3_EIGNORE;
        }

        default:
            return IN3_ENOTSUP;
    }
}

in3_ret_t in3_register_rpc_handler(in3_t* c) {
    return plugin_register(c, PLGN_ACT_RPC_HANDLE, handle_intern, NULL, false);
}
```

PLGN_ACT_RPC_VERIFY

This plugin represents a verifier. It will be triggered after we have received a response from a node.

arguments: in3_vctx_t* - the verification context will hold those data:

```
typedef struct {
    in3_req_t*   ctx;                // Request context.
    in3_chain_t* chain;              // the chain definition.
    d_token_t*   result;             // the result to verify
    d_token_t*   request;            // the request sent.
    d_token_t*   proof;              // the delivered proof.
    in3_t*       client;             // the client.
    uint64_t     last_validator_change; // Block number of last change of the validator_
↳list
```

(continues on next page)

(continued from previous page)

```

uint64_t    currentBlock;           // Block number of latest block
int         index;                 // the index of the request within the bulk
} in3_vctx_t;

```

Example:

```

in3_ret_t in3_verify_ipfs(void* pdata, in3_plugin_act_t action, void* args) {
    if (action!=PLGN_ACT_RPC_VERIFY) return IN3_ENOTSUP;
    UNUSED_VAR(pdata);

    // we want this verifier to handle ipfs-chains
    if (vc->chain->type != CHAIN_IPFS) return IN3_EIGNORE;

    in3_vctx_t* vc      = args;
    char*       method = d_get_string(vc->request, K_METHOD);
    d_token_t*  params = d_get(vc->request, K_PARAMS);

    // did we ask for proof?
    if (in3_req_get_proof(vc->ctx, vc->index) == PROOF_NONE) return IN3_OK;

    // do we have a result? if not it is a vaslid error-response
    if (!vc->result)
        return IN3_OK;

    if (strcmp(method, "ipfs_get") == 0)
        return ipfs_verify_hash(d_string(vc->result),
                                d_get_string_at(params, 1) ? d_get_string_at(params, 1) :
↪ "base64",
                                d_get_string_at(params, 0));

    // could not verify, so we hope some other plugin will
    return IN3_EIGNORE;
}

in3_ret_t in3_register_ipfs(in3_t* c) {
    return plugin_register(c, PLGN_ACT_RPC_VERIFY, in3_verify_ipfs, NULL, false);
}

```

10.5.6 Cache/Storage

For Cache implementations you also need to register all 3 actions.

PLGN_ACT_CACHE_SET

This action will be triggered whenever there is something worth putting in a cache. If no plugin picks it up, it is ok, since the cache is optional.

arguments: in3_cache_ctx_t* - the cache context will hold those data:

```

typedef struct in3_cache_ctx {
    in3_req_t* ctx;    // the request context
    char*      key;    // the key to fetch

```

(continues on next page)

(continued from previous page)

```
bytes_t*   content; // the content to set
} in3_cache_ctx_t;
```

in the case of `CACHE_SET` the content will point to the bytes we need to store somewhere. If for whatever reason the item can not be stored, a `IN3_EIGNORE` should be send, since to indicate that no action took place.

Example:

```
```c
in3_ret_t handle_storage(void* data, in3_plugin_act_t action, void* arg) {
 in3_cache_ctx_t* ctx = arg;
 switch (action) {
 case PLGN_ACT_CACHE_GET: {
 ctx->content = storage_get_item(data, ctx->key);
 return ctx->content ? IN3_OK : IN3_EIGNORE;
 }
 case PLGN_ACT_CACHE_SET: {
 storage_set_item(data, ctx->key, ctx->content);
 return IN3_OK;
 }
 case PLGN_ACT_CACHE_CLEAR: {
 storage_clear(data);
 return IN3_OK;
 }
 default: return IN3_EINVAL;
 }
}

in3_ret_t in3_register_file_storage(in3_t* c) {
 return plugin_register(c, PLGN_ACT_CACHE, handle_storage, NULL, true);
}
```

## PLGN\_ACT\_CACHE\_GET

This action will be triggered whenever we access the cache in order to get values.

arguments: `in3_cache_ctx_t*` - the cache context will hold those data:

```
typedef struct in3_cache_ctx {
 in3_req_t* ctx; // the request context
 char* key; // the key to fetch
 bytes_t* content; // the content to set
} in3_cache_ctx_t;
```

in the case of `CACHE_GET` the content will be `NULL` and needs to be set to point to the found values. If we did not find it in the cache, we must return `IN3_EIGNORE`.

Example:

```
```c
ctx->content = storage_get_item(data, ctx->key);
return ctx->content ? IN3_OK : IN3_EIGNORE;
```

PLGN_ACT_CACHE_CLEAR

This action will clear all stored values in the cache.

arguments :NULL - so no argument will be passed.

10.5.7 Configuration

For Configuration there are 2 actions for getting and setting. You should always implement both.

Example:

```
static in3_ret_t handle_btc(void* custom_data, in3_plugin_act_t action, void* args) {
    btc_target_conf_t* conf = custom_data;
    switch (action) {
        // clean up
        case PLGN_ACT_TERM: {
            if (conf->data.data) _free(conf->data.data);
            _free(conf);
            return IN3_OK;
        }

        // read config
        case PLGN_ACT_CONFIG_GET: {
            in3_get_config_ctx_t* cctx = args;
            sb_add_chars(cctx->sb, "\",\"maxDAP\":");
            sb_add_int(cctx->sb, conf->max_daps);
            sb_add_chars(cctx->sb, "\",\"maxDiff\":");
            sb_add_int(cctx->sb, conf->max_diff);
            return IN3_OK;
        }

        // configure
        case PLGN_ACT_CONFIG_SET: {
            in3_configure_ctx_t* cctx = args;
            if (cctx->token->key == key("maxDAP"))
                conf->max_daps = d_int(cctx->token);
            else if (cctx->token->key == key("maxDiff"))
                conf->max_diff = d_int(cctx->token);
            else
                return IN3_EIGNORE;
            return IN3_OK;
        }

        case PLGN_ACT_RPC_VERIFY:
            return in3_verify_btc(conf, pctx);

        default:
            return IN3_ENOTSUP;
    }
}

in3_ret_t in3_register_btc(in3_t* c) {
    // init the config with defaults
    btc_target_conf_t* tc = _calloc(1, sizeof(btc_target_conf_t));
    tc->max_daps = 20;
}
```

(continues on next page)

(continued from previous page)

```

tc->max_diff      = 10;
tc->dap_limit     = 20;

return plugin_register(c, PLGN_ACT_RPC_VERIFY | PLGN_ACT_TERM | PLGN_ACT_CONFIG_GET,
↳ | PLGN_ACT_CONFIG_SET, handle_btc, tc, false);
}

```

PLGN_ACT_CONFIG_GET

This action will be triggered during `in3_get_config()` and should dump all config from all plugins.

arguments: `in3_get_config_ctx_t*` - the config context will hold those data:

```

typedef struct in3_get_config_ctx {
    in3_t* client;
    sb_t* sb;
} in3_get_config_ctx_t;

```

if you are using any configuration you should use the `sb` field and add your values to it. Each property must start with a comma.

```

in3_get_config_ctx_t* cctx = args;
sb_add_chars(cctx->sb, ", \"maxDAP\":");
sb_add_int(cctx->sb, conf->max_daps);
sb_add_chars(cctx->sb, ", \"maxDiff\":");
sb_add_int(cctx->sb, conf->max_diff);

```

PLGN_ACT_CONFIG_SET

This action will be triggered during the configuration-process. While going through all config-properties, it will ask the plugins in case a config was not handled. So this action may be triggered multiple times. And the plugin should only return `IN3_OK` if it was handled. If no plugin handles it, a error will be thrown.

arguments: `in3_configure_ctx_t*` - the cache context will hold those data:

```

typedef struct in3_configure_ctx {
    in3_t* client; // the client to configure
    d_token_t* token; // the token not handled yet
} in3_configure_ctx_t;

```

In order to check if the token is relevant for you, you simply check the name of the property and handle its value:

```

in3_configure_ctx_t* cctx = pctx;
if (cctx->token->key == key("maxDAP"))
    conf->max_daps = d_int(cctx->token);
else if (cctx->token->key == key("maxDiff"))
    conf->max_diff = d_int(cctx->token);
else
    return IN3_EIGNORE;
return IN3_OK;

```

10.5.8 Payment

PLGN_ACT_PAY_PREPARE

PLGN_ACT_PAY_FOLLOWUP

PLGN_ACT_PAY_HANDLE

PLGN_ACT_PAY_SIGN_REQ

this will be triggered in order to sign a request. It will provide a request_hash and expects a signature.

arguments: in3_pay_sign_req_ctx_t* - the sign context will hold those data:

```
typedef struct {
    in3_req_t* ctx;
    d_token_t* request;
    bytes32_t request_hash;
    uint8_t signature[65];
} in3_pay_sign_req_ctx_t;
```

It is expected that the plugin will create a signature and write it into the context.

Example:

```
in3_pay_sign_req_ctx_t* ctx = args;
return ec_sign_pk_raw(ctx->request_hash, pk->key, ctx->signature);
```

10.5.9 Nodelist

PLGN_ACT_NL_PICK_DATA

PLGN_ACT_NL_PICK_SIGNER

PLGN_ACT_NL_PICK_FOLLOWUP

10.6 Integration of Ledger Nano S

1. Ways to integrate Ledger Nano S
2. Build incubed source with ledger nano module
3. Start using ledger nano s device with Incubed

10.6.1 Ways to integrate Ledger Nano S

Currently there are two ways to integrate Ledger Nano S with incubed for transaction and message signing:

1. Install Ethereum app from Ledger Manager
2. Setup development environment and install incubed signer app on your Ledger device

Option 1 is the convinient choice for most of the people as incubed signer app is not available to be installed from Ledger Manager and it will take efforts to configure development environment for ledger manager. The main differences in above approaches are following:

If you are comfortable with Option 1 , all you need to do is setup you Ledger device as per usual instructions and install Ethereum app form Ledger Manager store. Otherwise if you are interested in Option 2 Please follow all the instructions given in “Setup development environment for ledger nano s” section .

Ethereum official Ledger app requires rlp encoded transactions **for** signing and there_↵
 ↪is not much scope **for** customization. Currently we have support **for** following_↵
 ↪operations with Ethereum **app**:

1. Getting public key
2. Sign Transactions
3. Sign Messages

Incubed signer app required just hash , so it is better option **if** you are looking to_↵
 ↪integrate incubed in such a way that you would manage all data formation on your_↵
 ↪end and use just hash to get signature from Ledger Nano S and use the signature as_↵
 ↪per your wish.

Setup development environment for ledger nano s

Setting up dev environment for Ledger nano s is one time activity and incubed signer application will be available to install directly from Ledger Manager in future. Ledger nano applications need linux System (recommended is Ubuntu) to build the binary to be installed on Ledger nano devices

Download Toolchains and Nanos ledger SDK (As per latest Ubuntu LTS)

Download the Nano S SDK in bolos-sdk folder

```
$ git clone https://github.com/ledgerhq/nanos-secure-sdk
```

Download a prebuild gcc and move it to bolos-sdk folder

Ref: <https://launchpad.net/gcc-arm-embedded/+milestone/5-2016-q1-update>

Download a prebuild clang and rename the folder to clang-arm-fropi then move it to_↵
 ↪bolos-sdk folder

Ref: <http://releases.llvm.org/download.html#4.0.0>

Add environment variables:

```
sudo -H gedit /etc/environment
```

ADD PATH TO BOLOS **SDK**:

```
BOLOS_SDK="<path>/nanos-secure-sdk"
```

ADD GCCPATH VARIABLE

```
GCCPATH="<path>/gcc-arm-none-eabi-5\_3-2016q1/bin/"
```

ADD CLANGPATH

```
CLANGPATH="<path>/clang-arm-fropi/bin/"
```

Download and install ledger python tools

Installation prerequisites :

```
$ sudo apt-get install libudev-dev <
$ sudo apt-get install libusb-1.0-0-dev
$ sudo apt-get install python-dev (python 2.7)
$ sudo apt-get install virtualenv
```

Installation of ledgerblue:

```
$ virtualenv ledger
$ source ledger/bin/activate
$ pip install ledgerblue
```

Ref: <https://github.com/LedgerHQ/blue-loader-python>

Download and install ledger udev rules

run script from the above download

Open new terminal and check for following installations

```
$ sudo apt-get install gcc-multilib
$ sudo apt-get install libc6-dev:i386
```

Install incubed signer app

Once you complete all the steps, go to folder “c/src/signer/ledger-nano/firmware” and run following command , It will ask you to enter pin for approve installation on ledger nano device. follow all the steps and it will be done.

```
make load
```

10.6.2 Build incubed source with ledger nano module

To build incubed source with ledger nano:-

1. Open root CMakeLists file and find LEDGER_NANO option
2. Turn LEDGER_NANO option ON which is by default OFF
3. Build incubed source

```
cd build
cmake .. && make
```

10.6.3 Start using ledger nano s device with Incubed

Open the application on your ledger nano s usb device and make signing requests from incubed.

Following is the sample command to sendTransaction from command line utility:-

```
bin/in3 send -to 0xd46e8dd67c5d32be8058bb8eb970870f07244567 -gas 0x96c0 -value_
↳0x9184e72a -path 0x2c3c000000 -debug
```

-path points to specific public/private key pair inside HD wallet derivation path . For Ethereum the default path is m/44'/60'/0'/0 , which we can pass in simplified way as hex string i.e [44,60,00,00,00] => 0x2c3c000000

If you want to use apis to integrate ledger nano support in your incubed application , feel free to explore apis given following header files:-

```
ledger_signer.h : It contains APIs to integrate ledger nano device with incubed_
↳signer app.
ethereum_apdu_client.h : It contains APIs to integrate ledger nano device with_
↳Ethereum ledger app.
```

10.7 Module api

10.7.1 btc_api.h

BTC API.

This header-file defines easy to use function, which are preparing the JSON-RPC-Request, which is then executed and verified by the incubed-client.

File: `c/src/api/btc/btc_api.h`

btc_last_error ()

< The current error or null if all is ok

```
#define btc_last_error () api_last_error()
```

btc_transaction_in_t

the tx in

The stuct contains following fields:

uint32_t	vout	the tx index of the output
bytes32_t	txid	the tx id of the output
uint32_t	sequence	the sequence
bytes_t	script	the script
bytes_t	txinwitness	witnessdata (if used)

btc_transaction_out_t

the tx out

The stuct contains following fields:

<code>uint64_t</code>	value	the value of the tx
<code>uint32_t</code>	n	the index
<code>bytes_t</code>	script_pubkey	the script pubkey (or signature)

`btc_transaction_t`

a transaction

The struct contains following fields:

<code>bool</code>	in_active_chain	true if it is part of the active chain
<code>bytes_t</code>	data	the serialized transaction-data
<code>bytes32_t</code>	txid	the transaction id
<code>bytes32_t</code>	hash	the transaction hash
<code>uint32_t</code>	size	raw size of the transaction
<code>uint32_t</code>	vsize	virtual size of the transaction
<code>uint32_t</code>	weight	weight of the tx
<code>uint32_t</code>	version	used version
<code>uint32_t</code>	locktime	locktime
<code>btc_transaction_in_t *</code>	vin	array of transaction inputs
<code>btc_transaction_out_t *</code>	vout	array of transaction outputs
<code>uint32_t</code>	vin_len	number of tx inputs
<code>uint32_t</code>	vout_len	number of tx outputs
<code>bytes32_t</code>	blockhash	hash of block containing the tx
<code>uint32_t</code>	confirmations	number of confirmations or blocks mined on top of the containing block
<code>uint32_t</code>	time	unix timestamp in seconds since 1970
<code>uint32_t</code>	blocktime	unix timestamp in seconds since 1970

`btc_blockheader_t`

the blockheader

The struct contains following fields:

<code>bytes32_t</code>	hash	the hash of the blockheader
<code>uint32_t</code>	confirmations	number of confirmations or blocks mined on top of the containing block
<code>uint32_t</code>	height	block number
<code>uint32_t</code>	version	used version
<code>bytes32_t</code>	merkleroot	merkle root of the trie of all transactions in the block
<code>uint32_t</code>	time	unix timestamp in seconds since 1970
<code>uint32_t</code>	nonce	nonce-field of the block
<code>uint8_t</code>	bits	bits (target) for the block
<code>bytes32_t</code>	chainwork	total amount of work since genesis
<code>uint32_t</code>	n_tx	number of transactions in the block
<code>bytes32_t</code>	previous_hash	hash of the parent blockheader
<code>bytes32_t</code>	next_hash	hash of the next blockheader
<code>uint8_t</code>	data	raw serialized header-bytes

btc_block_txdata_t

a block with all transactions including their full data

The struct contains following fields:

<i>btc_blockheader_t</i>	header	the blockheader
uint32_t	tx_len	number of transactions
<i>btc_transaction_t</i> *	tx	array of transactiondata

btc_block_txids_t

a block with all transaction ids

The struct contains following fields:

<i>btc_blockheader_t</i>	header	the blockheader
uint32_t	tx_len	number of transactions
<i>bytes32_t</i> *	tx	array of transaction ids

btc_get_transaction_bytes

```
bytes_t* btc_get_transaction_bytes(in3_t *in3, bytes32_t txid);
```

gets the transaction as raw bytes or null if it does not exist.

You must free the result with `b_free()` after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	txid	the txid

returns: *bytes_t* *

btc_get_transaction

```
btc_transaction_t* btc_get_transaction(in3_t *in3, bytes32_t txid);
```

gets the transaction as struct or null if it does not exist.

You must free the result with `free()` after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	txid	the txid

returns: *btc_transaction_t* *

btc_get_blockheader

```
btc_blockheader_t* btc_get_blockheader(in3_t *in3, bytes32_t blockhash);
```

gets the blockheader as struct or null if it does not exist.

You must free the result with free() after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	blockhash	the block hash

returns: *btc_blockheader_t* *

btc_get_blockheader_bytes

```
bytes_t* btc_get_blockheader_bytes(in3_t *in3, bytes32_t blockhash);
```

gets the blockheader as raw serialized data (80 bytes) or null if it does not exist.

You must free the result with b_free() after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	blockhash	the block hash

returns: *bytes_t* *

btc_get_block_txdata

```
btc_block_txdata_t* btc_get_block_txdata(in3_t *in3, bytes32_t blockhash);
```

gets the block as struct including all transaction data or null if it does not exist.

You must free the result with free() after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	blockhash	the block hash

returns: *btc_block_txdata_t* *

btc_get_block_txids

```
btc_block_txids_t* btc_get_block_txids(in3_t *in3, bytes32_t blockhash);
```

gets the block as struct including all transaction ids or null if it does not exist.

You must free the result with `free()` after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	blockhash	the block hash

returns: *btc_block_txids_t* *

btc_get_block_bytes

```
bytes_t* btc_get_block_bytes(in3_t *in3, bytes32_t blockhash);
```

gets the block as raw serialized block bytes including all transactions or null if it does not exist.

You must free the result with `b_free()` after use!

arguments:

<i>in3_t</i> *	in3	the in3-instance
<i>bytes32_t</i>	blockhash	the block hash

returns: *bytes_t* *

btc_d_to_tx

```
btc_transaction_t* btc_d_to_tx(d_token_t *t);
```

Deserialization helpers.

arguments:

<i>d_token_t</i> *	t
--------------------	----------

returns: *btc_transaction_t* *

btc_d_to_blockheader

```
btc_blockheader_t* btc_d_to_blockheader(d_token_t *t);
```

Deserializes a *btc_transaction_t* type.

You must free the result with `free()` after use!

arguments:

<i>d_token_t</i> *	t
--------------------	----------

returns: *btc_blockheader_t* *

btc_d_to_block_txids

```
btc_block_txids_t* btc_d_to_block_txids(d_token_t *t);
```

Deserializes a `btc_blockheader_t` type.

You must free the result with `free()` after use!

arguments:

<code>d_token_t *</code>	<code>t</code>
--------------------------	----------------

returns: `btc_block_txids_t *`

btc_d_to_block_txdata

```
btc_block_txdata_t* btc_d_to_block_txdata(d_token_t *t);
```

Deserializes a `btc_block_txids_t` type.

You must free the result with `free()` after use!

arguments:

<code>d_token_t *</code>	<code>t</code>
--------------------------	----------------

returns: `btc_block_txdata_t *`

10.7.2 core_api.h

Ethereum API.

This header-file defines easy to use function, which are preparing the JSON-RPC-Request, which is then executed and verified by the incubed-client.

File: `c/src/api/core/core_api.h`

in3_register_core_api

```
in3_ret_t in3_register_core_api(in3_t *c);
```

register core-api

arguments:

<code>in3_t *</code>	<code>c</code>
----------------------	----------------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.7.3 eth_api.h

Ethereum API.

This header-file defines easy to use function, which are preparing the JSON-RPC-Request, which is then executed and verified by the incubed-client.

File: `c/src/api/eth1/eth_api.h`

BLKNUM (blk)

Initializer macros for `eth_blknum_t`.

```
#define BLKNUM (blk) ((eth_blknum_t){.u64 = blk, .is_u64 = true})
```

BLKNUM_LATEST ()

```
#define BLKNUM_LATEST () ((eth_blknum_t){.def = BLK_LATEST, .is_u64 = false})
```

BLKNUM_EARLIEST ()

```
#define BLKNUM_EARLIEST () ((eth_blknum_t){.def = BLK_EARLIEST, .is_u64 = false})
```

BLKNUM_PENDING ()

The current error or null if all is ok.

```
#define BLKNUM_PENDING () ((eth_blknum_t){.def = BLK_PENDING, .is_u64 = false})
```

eth_last_error ()

```
#define eth_last_error () api_last_error()
```

eth_blknum_def_t

Abstract type for holding a block number.

The enum type contains the following values:

BLK_LATEST	0
BLK_EARLIEST	1
BLK_PENDING	2

eth_tx_t

A transaction.

The struct contains following fields:

<i>bytes32_t</i>	hash	the blockhash
<i>bytes32_t</i>	block_hash	hash of the containing block
<i>uint64_t</i>	block_number	number of the containing block
<i>address_t</i>	from	sender of the tx
<i>uint64_t</i>	gas	gas sent along
<i>uint64_t</i>	gas_price	gas price used
<i>bytes_t</i>	data	data sent along with the transaction
<i>uint64_t</i>	nonce	nonce of the transaction
<i>address_t</i>	to	receiver of the address 0x0000. . -Address is used for contract creation.
<i>uint256_t</i>	value	the value in wei sent
<i>int</i>	transaction_index	the transaction index
<i>uint8_t</i>	signature	signature of the transaction

eth_block_t

An Ethereum Block.

The struct contains following fields:

<i>uint64_t</i>	number	the blockNumber
<i>bytes32_t</i>	hash	the blockhash
<i>uint64_t</i>	gasUsed	gas used by all the transactions
<i>uint64_t</i>	gasLimit	gasLimit
<i>address_t</i>	author	the author of the block.
<i>uint256_t</i>	difficulty	the difficulty of the block.
<i>bytes_t</i>	extra_data	the extra_data of the block.
<i>uint8_t</i>	logsBloom	the logsBloom-data
<i>bytes32_t</i>	parent_hash	the hash of the parent-block
<i>bytes32_t</i>	sha3_uncles	root hash of the uncle-trie
<i>bytes32_t</i>	state_root	root hash of the state-trie
<i>bytes32_t</i>	receipts_root	root of the receipts trie
<i>bytes32_t</i>	transaction_root	root of the transaction trie
<i>int</i>	tx_count	number of transactions in the block
<i>eth_tx_t *</i>	tx_data	array of transaction data or NULL if not requested
<i>bytes32_t *</i>	tx_hashes	array of transaction hashes or NULL if not requested
<i>uint64_t</i>	timestamp	the unix timestamp of the block
<i>bytes_t *</i>	seal_fields	sealed fields
<i>int</i>	seal_fields_count	number of seal fields

eth_log_t

A linked list of Ethereum Logs

The struct contains following fields:

<code>bool</code>	removed	true when the log was removed, due to a chain reorganization. false if its a valid log
<code>size_t</code>	log_index	log index position in the block
<code>size_t</code>	transaction_index	transactions index position log was created from
<code>bytes32_t</code>	transaction_hash	hash of the transactions this log was created from
<code>bytes32_t</code>	block_hash	hash of the block where this log was in
<code>uint64_t</code>	block_number	the block number where this log was in
<code>address_t</code>	address	address from which this log originated
<code>bytes_t</code>	data	non-indexed arguments of the log
<code>bytes32_t *</code>	topics	array of 0 to 4 32 Bytes DATA of indexed log arguments
<code>size_t</code>	topic_count	counter for topics
<code>eth_logstruct , *</code>	next	pointer to next log in list or NULL

eth_tx_receipt_t

A transaction receipt.

The struct contains following fields:

<code>bytes32_t</code>	transaction_hash	the transaction hash
<code>int</code>	transaction_index	the transaction index
<code>bytes32_t</code>	block_hash	hash of the containing block
<code>uint64_t</code>	block_number	number of the containing block
<code>uint64_t</code>	cumulative_gas_used	total amount of gas used by block
<code>uint64_t</code>	gas_used	amount of gas used by this specific transaction
<code>bytes_t *</code>	contract_address	contract address created (if the transaction was a contract creation) or NULL
<code>bool</code>	status	1 if transaction succeeded, 0 otherwise.
<code>eth_log_t *</code>	logs	array of log objects, which this transaction generated

DEFINE_OPTIONAL_T

```
DEFINE_OPTIONAL_T(uint64_t) ;
```

Optional types.

arguments:

uint64_t

returns: “

DEFINE_OPTIONAL_T

```
DEFINE_OPTIONAL_T(bytes_t);
```

arguments:

bytes_t

returns: “

DEFINE_OPTIONAL_T

```
DEFINE_OPTIONAL_T(address_t);
```

arguments:

address_t

returns: “

DEFINE_OPTIONAL_T

```
DEFINE_OPTIONAL_T(uint256_t);
```

arguments:

uint256_t

returns: “

eth_getStorageAt

```
uint256_t eth_getStorageAt(in3_t *in3, address_t account, bytes32_t key, eth_blknum_t ↵  
↵block);
```

Returns the storage value of a given address.

arguments:

<i>in3_t *</i>	in3
<i>address_t</i>	account
<i>bytes32_t</i>	key
<i>eth_blknum_t</i>	block

returns: *uint256_t*

eth_getCode

```
bytes_t eth_getCode(in3_t *in3, address_t account, eth_blknum_t block);
```

Returns the code of the account of given address.

(Make sure you free the data-point of the result after use.)

arguments:

<i>in3_t *</i>	in3
<i>address_t</i>	account
<i>eth_blknum_t</i>	block

returns: *bytes_t*

eth_getBalance

```
uint256_t eth_getBalance(in3_t *in3, address_t account, eth_blknum_t block);
```

Returns the balance of the account of given address.

arguments:

<i>in3_t *</i>	in3
<i>address_t</i>	account
<i>eth_blknum_t</i>	block

returns: *uint256_t*

eth_blockNumber

```
uint64_t eth_blockNumber(in3_t *in3);
```

Returns the current blockNumber, if bn==0 an error ocured and you should check eth_last_error()

arguments:

<i>in3_t *</i>	in3
----------------	------------

returns: *uint64_t*

eth_gasPrice

```
uint64_t eth_gasPrice(in3_t *in3);
```

Returns the current price per gas in wei.

arguments:

<i>in3_t *</i>	in3
----------------	------------

returns: `uint64_t`

`eth_getBlockByNumber`

```
eth_block_t* eth_getBlockByNumber(in3_t *in3, eth_blknum_t number, bool include_tx);
```

Returns the block for the given number (if `number==0`, the latest will be returned).

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<code>in3_t *</code>	in3
<code>eth_blknum_t</code>	number
<code>bool</code>	include_tx

returns: `eth_block_t *`

`eth_getBlockByHash`

```
eth_block_t* eth_getBlockByHash(in3_t *in3, bytes32_t hash, bool include_tx);
```

Returns the block for the given hash.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<code>in3_t *</code>	in3
<code>bytes32_t</code>	hash
<code>bool</code>	include_tx

returns: `eth_block_t *`

`eth_getLogs`

```
eth_log_t* eth_getLogs(in3_t *in3, char *fopt);
```

Returns a linked list of logs.

If result is null, check `eth_last_error()`! otherwise make sure to free the log, its topics and data after using it!

arguments:

<code>in3_t *</code>	in3
<code>char *</code>	fopt

returns: `eth_log_t *`

eth_newFilter

```
in3_ret_t eth_newFilter(in3_t *in3, json_ctx_t *options);
```

Creates a new event filter with specified options and returns its id (>0) on success or 0 on failure.

arguments:

<i>in3_t</i> *	in3
<i>json_ctx_t</i> *	options

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_newBlockFilter

```
in3_ret_t eth_newBlockFilter(in3_t *in3);
```

Creates a new block filter with specified options and returns its id (>0) on success or 0 on failure.

arguments:

<i>in3_t</i> *	in3
----------------	------------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_newPendingTransactionFilter

```
in3_ret_t eth_newPendingTransactionFilter(in3_t *in3);
```

Creates a new pending txn filter with specified options and returns its id on success or 0 on failure.

arguments:

<i>in3_t</i> *	in3
----------------	------------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_uninstallFilter

```
bool eth_uninstallFilter(in3_t *in3, size_t id);
```

Uninstalls a filter and returns true on success or false on failure.

arguments:

<i>in3_t</i> *	in3
<i>size_t</i>	id

returns: `bool`

`eth_getFilterChanges`

```
in3_ret_t eth_getFilterChanges(in3_t *in3, size_t id, bytes32_t **block_hashes, eth_log_t **logs);
```

Sets the logs (for event filter) or blockhashes (for block filter) that match a filter; returns `<0` on error, otherwise no. of block hashes matched (for block filter) or 0 (for log filter)

arguments:

<code>in3_t *</code>	in3
<code>size_t</code>	id
<code>bytes32_t **</code>	block_hashes
<code>eth_log_t **</code>	logs

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

`eth_getFilterLogs`

```
in3_ret_t eth_getFilterLogs(in3_t *in3, size_t id, eth_log_t **logs);
```

Sets the logs (for event filter) or blockhashes (for block filter) that match a filter; returns `<0` on error, otherwise no. of block hashes matched (for block filter) or 0 (for log filter)

arguments:

<code>in3_t *</code>	in3
<code>size_t</code>	id
<code>eth_log_t **</code>	logs

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

`eth_chainId`

```
uint64_t eth_chainId(in3_t *in3);
```

Returns the currently configured chain id.

arguments:

<code>in3_t *</code>	in3
----------------------	------------

returns: `uint64_t`

eth_getBlockTransactionCountByHash

```
uint64_t eth_getBlockTransactionCountByHash(in3_t *in3, bytes32_t hash);
```

Returns the number of transactions in a block from a block matching the given block hash.

arguments:

<i>in3_t *</i>	in3
<i>bytes32_t</i>	hash

returns: uint64_t

eth_getBlockTransactionCountByNumber

```
uint64_t eth_getBlockTransactionCountByNumber(in3_t *in3, eth_blknum_t block);
```

Returns the number of transactions in a block from a block matching the given block number.

arguments:

<i>in3_t *</i>	in3
<i>eth_blknum_t</i>	block

returns: uint64_t

eth_call_fn

```
json_ctx_t* eth_call_fn(in3_t *in3, address_t contract, eth_blknum_t block, char *fn_  
↳ sig, ...);
```

Returns the result of a function_call.

If result is null, check eth_last_error()! otherwise make sure to free the result after using it with json_free()!

arguments:

<i>in3_t *</i>	in3
<i>address_t</i>	contract
<i>eth_blknum_t</i>	block
char *	fn_sig
...	

returns: json_ctx_t *

eth_estimate_fn

```
uint64_t eth_estimate_fn(in3_t *in3, address_t contract, eth_blknum_t block, char *fn_  
↳ sig, ...);
```

Returns the result of a function_call.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it with `json_free()`!

arguments:

<i>in3_t</i> *	in3
<i>address_t</i>	contract
<i>eth_blknum_t</i>	block
char *	fn_sig
...	

returns: `uint64_t`

eth_getTransactionByHash

```
eth_tx_t* eth_getTransactionByHash(in3_t *in3, bytes32_t tx_hash);
```

Returns the information about a transaction requested by transaction hash.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	tx_hash

returns: `eth_tx_t *`

eth_getTransactionByBlockHashAndIndex

```
eth_tx_t* eth_getTransactionByBlockHashAndIndex(in3_t *in3, bytes32_t block_hash, ↵  
↪size_t index);
```

Returns the information about a transaction by block hash and transaction index position.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	block_hash
<i>size_t</i>	index

returns: `eth_tx_t *`

eth_getTransactionByBlockNumberAndIndex

```
eth_tx_t* eth_getTransactionByBlockNumberAndIndex(in3_t *in3, eth_blknum_t block, ↵  
↪size_t index);
```

Returns the information about a transaction by block number and transaction index position.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<i>in3_t</i> *	in3
<i>eth_blknum_t</i>	block
<i>size_t</i>	index

returns: *eth_tx_t* *

eth_getTransactionCount

```
uint64_t eth_getTransactionCount(in3_t *in3, address_t address, eth_blknum_t block);
```

Returns the number of transactions sent from an address.

arguments:

<i>in3_t</i> *	in3
<i>address_t</i>	address
<i>eth_blknum_t</i>	block

returns: `uint64_t`

eth_getUncleByBlockNumberAndIndex

```
eth_block_t* eth_getUncleByBlockNumberAndIndex(in3_t *in3, eth_blknum_t block, size_t_  
↪ index);
```

Returns information about a uncle of a block by number and uncle index position.

If result is null, check `eth_last_error()`! otherwise make sure to free the result after using it!

arguments:

<i>in3_t</i> *	in3
<i>eth_blknum_t</i>	block
<i>size_t</i>	index

returns: *eth_block_t* *

eth_getUncleCountByBlockHash

```
uint64_t eth_getUncleCountByBlockHash(in3_t *in3, bytes32_t hash);
```

Returns the number of uncles in a block from a block matching the given block hash.

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	hash

returns: `uint64_t`

`eth_getUncleCountByBlockNumber`

```
uint64_t eth_getUncleCountByBlockNumber(in3_t *in3, eth_blknum_t block);
```

Returns the number of uncles in a block from a block matching the given block number.

arguments:

<i>in3_t *</i>	in3
<i>eth_blknum_t</i>	block

returns: `uint64_t`

`eth_sendTransaction`

```
bytes_t* eth_sendTransaction(in3_t *in3, address_t from, address_t to, OPTIONAL_
↳T(uint64_t) gas, OPTIONAL_T(uint64_t) gas_price, OPTIONAL_T(uint256_t) value,
↳OPTIONAL_T(bytes_t) data, OPTIONAL_T(uint64_t) nonce);
```

Creates new message call transaction or a contract creation.

Returns (32 Bytes) - the transaction hash, or the zero hash if the transaction is not yet available. Free result after use with `b_free()`.

arguments:

<i>in3_t *</i>	in3
<i>address_t</i>	from
<i>address_t</i>	to
<i>OPTIONAL_T(uint64_t)</i>	gas
<i>OPTIONAL_T(uint64_t)</i>	gas_price
<i>(,)</i>	value
<i>(,)</i>	data
<i>OPTIONAL_T(uint64_t)</i>	nonce

returns: `bytes_t *`

`eth_sendRawTransaction`

```
bytes_t* eth_sendRawTransaction(in3_t *in3, bytes_t data);
```

Creates new message call transaction or a contract creation for signed transactions.

Returns (32 Bytes) - the transaction hash, or the zero hash if the transaction is not yet available. Free after use with `b_free()`.

arguments:

<i>in3_t *</i>	in3
<i>bytes_t</i>	data

returns: *bytes_t* *

eth_getTransactionReceipt

```
eth_tx_receipt_t* eth_getTransactionReceipt(in3_t *in3, bytes32_t tx_hash);
```

Returns the receipt of a transaction by transaction hash.

Free result after use with `eth_tx_receipt_free()`

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	tx_hash

returns: *eth_tx_receipt_t* *

eth_wait_for_receipt

```
char* eth_wait_for_receipt(in3_t *in3, bytes32_t tx_hash);
```

Waits for receipt of a transaction requested by transaction hash.

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	tx_hash

returns: `char` *

eth_log_free

```
void eth_log_free(eth_log_t *log);
```

Frees a `eth_log_t` object.

arguments:

<i>eth_log_t</i> *	log
--------------------	------------

eth_tx_receipt_free

```
void eth_tx_receipt_free(eth_tx_receipt_t *txr);
```

Frees a `eth_tx_receipt_t` object.

arguments:

<i>eth_tx_receipt_t</i> *	txr
---------------------------	------------

string_val_to_bytes

```
int string_val_to_bytes(char *val, char *unit, bytes32_t target);
```

reads the string as hex or decimal and converts it into bytes.

the value may also contains a suffix as unit like '1.5eth' which will convert it into wei. the target-pointer must be at least as big as the strlen. The length of the bytes will be returned or a negative value in case of an error.

arguments:

char *	val
char *	unit
<i>bytes32_t</i>	target

returns: int

bytes_to_string_val

```
char* bytes_to_string_val(bytes_t wei, int exp, int digits);
```

converts the bytes value to a decimal string

arguments:

<i>bytes_t</i>	wei
int	exp
int	digits

returns: char *

in3_register_eth_api

```
in3_ret_t in3_register_eth_api(in3_t *c);
```

this function should only be called once and will register the eth-API verifier.

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.7.4 ipfs_api.h

IPFS API.

This header-file defines easy to use function, which are preparing the JSON-RPC-Request, which is then executed and verified by the incubed-client.

File: `c/src/api/ipfs/ipfs_api.h`

ipfs_put

```
char* ipfs_put(in3_t *in3, const bytes_t *content);
```

Returns the IPFS multihash of stored content on success OR NULL on error (check `api_last_error()`).

Result must be freed by caller.

arguments:

<i>in3_t</i> *	in3
<i>bytes_tconst</i> , *	content

returns: `char *`

ipfs_get

```
bytes_t* ipfs_get(in3_t *in3, const char *multihash);
```

Returns the content associated with specified multihash on success OR NULL on error (check `api_last_error()`).

Result must be freed by caller.

arguments:

<i>in3_t</i> *	in3
const char *	multihash

returns: `bytes_t *`

10.7.5 usn_api.h

USN API.

This header-file defines easy to use function, which are verifying USN-Messages.

File: `c/src/api/usn/usn_api.h`

usn_msg_type_t

The enum type contains the following values:

USN_ACTION	0
USN_REQUEST	1
USN_RESPONSE	2

usn_event_type_t

The enum type contains the following values:

BOOKING_NONE	0
BOOKING_START	1
BOOKING_STOP	2

usn_booking_handler

```
typedef int (* usn_booking_handler) (usn_event_t *)
```

returns: `int (*)`

usn_verify_message

```
usn_msg_result_t usn_verify_message(usn_device_conf_t *conf, char *message);
```

arguments:

<i>usn_device_conf_t</i> *	conf
char *	message

returns: *usn_msg_result_t*

usn_register_device

```
in3_ret_t usn_register_device(usn_device_conf_t *conf, char *url);
```

arguments:

<i>usn_device_conf_t</i> *	conf
char *	url

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

usn_parse_url

```
usn_url_t usn_parse_url(char *url);
```

arguments:

char *	url
--------	------------

returns: *usn_url_t*

usn_update_state


```
unsigned int usn_update_state(usn_device_conf_t *conf, unsigned int wait_time);
```

arguments:

<i>usn_device_conf_t</i> *	conf
unsigned int	wait_time

returns: unsigned int

usn_update_bookings

```
in3_ret_t usn_update_bookings(usn_device_conf_t *conf);
```

arguments:

<i>usn_device_conf_t</i> *	conf
----------------------------	-------------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

usn_remove_old_bookings

```
void usn_remove_old_bookings(usn_device_conf_t *conf);
```

arguments:

<i>usn_device_conf_t</i> *	conf
----------------------------	-------------

usn_get_next_event

```
usn_event_t usn_get_next_event(usn_device_conf_t *conf);
```

arguments:

<i>usn_device_conf_t</i> *	conf
----------------------------	-------------

returns: *usn_event_t*

usn_rent

```
in3_ret_t usn_rent(in3_t *c, address_t contract, address_t token, char *url, uint32_t_
↳seconds, bytes32_t tx_hash);
```

arguments:

<i>in3_t</i> *	c
<i>address_t</i>	contract
<i>address_t</i>	token
char *	url
uint32_t	seconds
<i>bytes32_t</i>	tx_hash

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

usn_return

```
in3_ret_t usn_return(in3_t *c, address_t contract, char *url, bytes32_t tx_hash);
```

arguments:

<i>in3_t</i> *	c
<i>address_t</i>	contract
char *	url
<i>bytes32_t</i>	tx_hash

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

usn_price

```
in3_ret_t usn_price(in3_t *c, address_t contract, address_t token, char *url, uint32_t seconds, address_t controller, bytes32_t price);
```

arguments:

<i>in3_t</i> *	c
<i>address_t</i>	contract
<i>address_t</i>	token
char *	url
uint32_t	seconds
<i>address_t</i>	controller
<i>bytes32_t</i>	price

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.7.6 api_utils.h

Ethereum API utils.

This header-file helper utils for use with API modules.

File: `c/src/api/utils/api_utils.h`

set_error_fn

function to set error.

Will only be called internally. default implementation is NOT MT safe!

```
typedef void(* set_error_fn) (int err, const char *msg)
```

get_error_fn

function to get last error message.

default implementation is NOT MT safe!

```
typedef char*(* get_error_fn) (void)
```

returns: char * (*

as_double

```
long double as_double(uint256_t d);
```

Converts a uint256_t in a long double.

Important: since a long double stores max 16 byte, there is no guarantee to have the full precision.

Converts a uint256_t in a long double.

arguments:

uint256_t	d
-----------	---

returns: long double

as_long

```
uint64_t as_long(uint256_t d);
```

Converts a uint256_t in a long .

Important: since a long double stores 8 byte, this will only use the last 8 byte of the value.

Converts a uint256_t in a long .

arguments:

uint256_t	d
-----------	---

returns: uint64_t

to_uint256

```
uint256_t to_uint256(uint64_t value);
```

Converts a uint64_t into its uint256_t representation.

arguments:

uint64_t	value
----------	-------

returns: *uint256_t*

decrypt_key

```
in3_ret_t decrypt_key(d_token_t *key_data, char *password, bytes32_t dst);
```

Decrypts the private key from a json keystore file using PBKDF2 or SCRYPT (if enabled)

arguments:

<i>d_token_t</i> *	key_data
char *	password
<i>bytes32_t</i>	dst

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

to_checksum

```
in3_ret_t to_checksum(address_t adr, chain_id_t chain_id, char out[43]);
```

converts the given address to a checksum address.

If chain_id is passed, it will use the EIP1191 to include it as well.

arguments:

<i>address_t</i>	adr
<i>chain_id_t</i>	chain_id
char	out

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

api_set_error_fn

```
void api_set_error_fn(set_error_fn fn);
```

arguments:

<i>set_error_fn</i>	fn
---------------------	-----------

api_get_error_fn

```
void api_get_error_fn(get_error_fn fn);
```

arguments:

<i>get_error_fn</i>	fn
---------------------	-----------

api_last_error

```
char* api_last_error();
```

returns current error or null if all is ok

returns: char *

10.8 Module core

10.8.1 client.h

this file defines the incubed configuration struct and it registration.

File: c/src/core/client/client.h

IN3_PROTO_VER

the protocol version used when sending requests from the this client

```
#define IN3_PROTO_VER "2.1.0"
```

CHAIN_ID_MAINNET

chain_id for mainnet

```
#define CHAIN_ID_MAINNET 0x01
```

CHAIN_ID_GOERLI

chain_id for goerli

```
#define CHAIN_ID_GOERLI 0x5
```

CHAIN_ID_EWC

chain_id for ewc

```
#define CHAIN_ID_EWC 0xf6
```

CHAIN_ID_IPFS

chain_id for ipfs

```
#define CHAIN_ID_IPFS 0x7d0
```

CHAIN_ID_BTC

chain_id for btc

```
#define CHAIN_ID_BTC 0x99
```

CHAIN_ID_LOCAL

chain_id for local chain

```
#define CHAIN_ID_LOCAL 0x11
```

DEF_REPL_LATEST_BLK

default replace_latest_block

```
#define DEF_REPL_LATEST_BLK 6
```

PLGN_ACT_LIFECYCLE

```
#define PLGN_ACT_LIFECYCLE (PLGN_ACT_INIT | PLGN_ACT_TERM)
```

PLGN_ACT_TRANSPORT

```
#define PLGN_ACT_TRANSPORT (PLGN_ACT_TRANSPORT_SEND | PLGN_ACT_TRANSPORT_RECEIVE |  
↪ PLGN_ACT_TRANSPORT_CLEAN)
```

PLGN_ACT_NODELIST

```
#define PLGN_ACT_NODELIST (PLGN_ACT_NL_PICK | PLGN_ACT_NL_PICK_FOLLOWUP | PLGN_ACT_NL_  
↪ BLACKLIST | PLGN_ACT_NL_FAILABLE | PLGN_ACT_NL_OFFLINE)
```

PLGN_ACT_CACHE

```
#define PLGN_ACT_CACHE (PLGN_ACT_CACHE_SET | PLGN_ACT_CACHE_GET | PLGN_ACT_CACHE_  
↪ CLEAR)
```

PLGN_ACT_CONFIG

```
#define PLGN_ACT_CONFIG (PLGN_ACT_CONFIG_SET | PLGN_ACT_CONFIG_GET)
```

in3_for_chain(chain_id)

creates a new Incubed configuration for a specified chain and returns the pointer.

when creating the client only the one chain will be configured. (saves memory). but if you pass CHAIN_ID_MULTICHAIN as argument all known chains will be configured allowing you to switch between chains within the same client or configuring your own chain.

you need to free this instance with `in3_free` after use!

Before using the client you still need to set the transport and optional the storage handlers:

- example of initialization:

```
// register verifiers
in3_register_eth_full();

// create new client
in3_t* client = in3_for_chain(CHAIN_ID_MAINNET);

// configure transport
client->transport = send_curl;

// configure storage
in3_set_storage_handler(c, storage_get_item, storage_set_item, storage_clear, NULL);

// ready to use ...
```

```
#define in3_for_chain(chain_id) in3_for_chain_default(chain_id)
```

assert_in3(c)

```
#define assert_in3(c)    assert(c);                                     \
    assert((c)->chain.chain_id);                                     \
    assert((c)->plugins);                                           \
    assert((c)->max_attempts > 0);                                  \
    assert((c)->proof >= 0 && (c)->proof <= PROOF_FULL);           \
    assert((c)->proof >= 0 && (c)->proof <= PROOF_FULL);
```

in3_chain_type_t

the type of the chain.

for incubed a chain can be any distributed network or database with incubed support. Depending on this chain-type the previously registered verifier will be chosen and used.

The enum type contains the following values:

CHAIN_ETH	0	Ethereum chain.
CHAIN_SUBSTRATE	1	substrate chain
CHAIN_IPFS	2	ipfs verification
CHAIN_BTC	3	Bitcoin chain.
CHAIN_EOS	4	EOS chain.
CHAIN_IOTA	5	IOTA chain.
CHAIN_GENERIC	6	other chains

in3_proof_t

the type of proof.

Depending on the proof-type different levels of proof will be requested from the node.

The enum type contains the following values:

PROOF_NONE	0	No Verification.
PROOF_STANDARD	1	Standard Verification of the important properties.
PROOF_FULL	2	All field will be validated including uncles.

in3_flags_type_t

a list of flags defining the behavior of the incubed client.

They should be used as bitmask for the flags-property.

The enum type contains the following values:

FLAGS_KEEP_IN3	0x1	the in3-section with the proof will also returned
FLAGS_AUTO_UPDATE_LIST	0x2	the nodelist will be automatically updated if the last_block is newer
FLAGS_INCLUDE_CODE	0x4	the code is included when sending eth_call-requests
FLAGS_BINARY	0x8	the client will use binary format
FLAGS_HTTP	0x10	the client will try to use http instead of https
FLAGS_STATS	0x20	nodes will keep track of the stats (default=true)
FLAGS_NODE_LIST_NO_SIG	0x40	nodelist update request will not automatically ask for signatures and proof
FLAGS_BOOT_WEIGHTS	0x80	if true the client will initialize the first weights from the nodelist given by the nodelist.
FLAGS_ALLOW_EXPERIMENTAL	0x100	if true the client will support experimental features.

in3_plugin_act_t

plugin action list

The enum type contains the following values:

PLGN_ACT_INIT	0x1	initialize plugin - use for allocating/setting-up internal resources . Plugins will be initialized before first used. The plgn_ctx will be the first request ctx in3_req_t
PLGN_ACT_TERM	0x2	terminate plugin - use for releasing internal resources and cleanup. (ctx: in3_t)
PLGN_ACT_TRANSPORT_SEND		sends out a request - the transport plugin will receive a request_t as plgn_ctx, it may set a cptr which will be passed back when fetching more responses.
PLGN_ACT_TRANSPORT_RECEIVE		next response - the transport plugin will receive a request_t as plgn_ctx, which contains a cptr if set previously
PLGN_ACT_TRANSPORT_CLEAN		clean transport resources - the transport plugin will receive a request_t as plgn_ctx if the cptr was set.
PLGN_ACT_SIGN_ACCOUNT		Returns the accounts or addresses of the signer
PLGN_ACT_SIGN_PUBLICKEY		Returns the public key for a given address (ctx: in3_sign_public_key_ctx_t)
PLGN_ACT_SIGN_PREPARE		allows a wallet to manipulate the payload before signing - the plgn_ctx will be in3_sign_ctx_t. This way a tx can be send through a multisig
PLGN_ACT_SIGN	0x100	signs the payload - the plgn_ctx will be in3_sign_ctx_t.
PLGN_ACT_RPC_HANDLE		a plugin may respond to a rpc-request directly (without sending it to the node).
PLGN_ACT_RPC_VERIFY		verifies the response. the plgn_ctx will be a in3_vctx_t holding all data
PLGN_ACT_CACHE_SET	0x100	stores data to be reused later - the plgn_ctx will be a in3_cache_ctx_t containing the data
PLGN_ACT_CACHE_GET	0x100	reads data to be previously stored - the plgn_ctx will be a in3_cache_ctx_t containing the key. if the data was found the data-property needs to be set.
PLGN_ACT_CACHE_CLEAR		clears all stored data - plgn_ctx will be NULL
PLGN_ACT_CONFIG_GET	0x100	gets a config-token and reads data from it
PLGN_ACT_CONFIG_SET	0x100	gets a string-builder and adds all config to it.
PLGN_ACT_PAY_PREPARE		prepares a payment
PLGN_ACT_PAY_FOLLOWUP		called after a request to update stats.
PLGN_ACT_PAY_HANDLE		handles the payment
PLGN_ACT_PAY_SIGNREQ		signs a request
PLGN_ACT_LOG_ERROR		report an error
PLGN_ACT_NL_PICK	0x200000	picks the data nodes, plgn_ctx will be a pointer to in3_req_t
PLGN_ACT_NL_PICK_FOLLOWUP	0x200000	called after receiving a response in order to decide whether a update is needed, plgn_ctx will be a pointer to in3_req_t
PLGN_ACT_NL_BLACKLIST	0x300000	blacklist a particular node in the nodelist, plgn_ctx will be a pointer to the node's address.
PLGN_ACT_NL_FAILABLE	0x400000	handle fail-able request, plgn_ctx will be a pointer to in3_req_t
PLGN_ACT_NL_OFFLINE	0x500000	mark a particular node in the nodelist as offline, plgn_ctx will be a pointer to in3_nl_offline_ctx_t.
PLGN_ACT_CHAIN_CHANGE	0x600000	chain id change event, called after setting new chain id
PLGN_ACT_GET_DATA	0x800000	get access to plugin data as a void ptr
PLGN_ACT_ADD_PAYLOAD	0x900000	plugin specific metadata to payload, plgn_ctx will be a sb_t pointer, make sure to begin with a comma

chain_id_t

type for a chain_id.

```
typedef uint32_t chain_id_t
```

in3_node_props_t

Node capabilities.

```
typedef uint64_t in3_node_props_t
```

in3_verified_hash_t

represents a blockhash which was previously verified

The stuct contains following fields:

uint64_t	block_number	the number of the block
<i>bytes32_t</i>	hash	the blockhash

in3_chain_t

Chain definition inside incubed.

for incubed a chain can be any distributed network or database with incubed support.

The stuct contains following fields:

uint8_t	version	version of the chain
<i>chain_id_t</i>	chain_id	chain_id, which could be a free or based on the public ethereum networkId
<i>in3_chain_type_t</i>	type	chain-type
<i>in3_verified_hash_t</i> *	verified_hashes	contains the list of already verified blockhashes

in3_plugin_t

plugin interface definition

The stuct contains following fields:

<i>in3_plugin_supp_acts_t</i>	acts	bitmask of supported actions this plugin can handle
void *	data	opaque pointer to plugin data
<i>in3_plugin_act_fn</i>	action_fn	plugin action handler
<i>in3_plugin_t</i> *	next	pointer to next plugin in list

in3_plugin_act_fn

plugin action handler

Implementations of this function must strictly follow the below pattern for return values -

- IN3_OK - successfully handled specified action

- IN3_WAITING - handling specified action, but waiting for more information
- IN3_EIGNORE - could handle specified action, but chose to ignore it so maybe another handler could handle it
- Other errors - handled but failed

```
typedef in3_ret_t(* in3_plugin_act_fn) (void *plugin_data, in3_plugin_act_t action,
↳void *plugin_ctx)
```

returns: *in3_ret_t* (* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_plugin_supp_acts_t

```
typedef uint32_t in3_plugin_supp_acts_t
```

in3_t

Incubed Configuration.

This struct holds the configuration and also point to internal resources such as filters or chain configs.

The stuct contains following fields:

uint8_t	signature_count	the number of signatures used to proof the blockhash.
uint8_t	replace_latest_block	if specified, the blocknumber <i>latest</i> will be replaced by blockNumber- specified value
uint_fast16_t	flags	a bit mask with flags defining the behavior of the incubed client. See the FLAG...-defines
uint16_t	finality	the number of signatures in percent required for the request
uint_fast16_t	max_attempts	the max number of attempts before giving up
uint_fast16_t	max_verified_hashes	number of verified hashes to cache (actual number may temporarily exceed this value due to pending requests)
uint_fast16_t	alloc_verified_hashes	number of currently allocated verified hashes
uint_fast16_t	pending	number of pending requests created with this instance
uint32_t	cache_timeout	number of seconds requests can be cached.
uint32_t	timeout	specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection.
uint32_t	id_count	counter for use as JSON RPC id - incremented for every request
in3_plugin_supp_acts_t	plugin_acts	bitmask of supported actions of all plugins registered with this client
<i>in3_proof_t</i>	proof	the type of proof used
<i>in3_chain_t</i>	chain	chain spec and nodeList definitions
<i>in3_plugin_t</i> *	plugins	list of registered plugins

plgn_register

a register-function for a plugin.

```
typedef in3_ret_t(* plgn_register) (in3_t *c)
```

returns: `in3_ret_t` (* the *result-status* of the function).

Please make sure you check if it was successfull (==IN3_OK)

in3_for_chain_default

```
in3_t* in3_for_chain_default(chain_id_t chain_id);
```

arguments:

<code>chain_id_t</code>	<code>chain_id</code>	the chain_id (see CHAIN_ID_... constants).
-------------------------	-----------------------	---

returns: `in3_t *`

in3_client_rpc

```
NONULL in3_ret_t in3_client_rpc(in3_t *c, const char *method, const char *params,   
↳char **result, char **error);
```

sends a request and stores the result in the provided buffer

arguments:

<code>in3_t *</code>	c	[in] the pointer to the incubed client config.
<code>const char *</code>	method	[in] the name of the rpc-function to call.
<code>const char *</code>	params	[in] docs for input parameter v.
<code>char **</code>	re- sult	[in] pointer to string which will be set if the request was successful. This will hold the result as json-rpc-string. (make sure you free this after use!)
<code>char **</code>	er- ror	[in] pointer to a string containing the error-message. (make sure you free it after use!)

returns: `in3_ret_t``NONULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_client_rpc_raw

```
NONULL in3_ret_t in3_client_rpc_raw(in3_t *c, const char *request, char **result,   
↳char **error);
```

sends a request and stores the result in the provided buffer, this method will always return the first, so bulk-requests are not supported.

arguments:

<i>in3_t</i> *	c	[in] the pointer to the incubed client config.
const char *	re- quest	[in] the rpc request including method and params.
char **	re- sult	[in] pointer to string which will be set if the request was successful. This will hold the result as json-rpc-string. (make sure you free this after use!)
char **	er- ror	[in] pointer to a string containing the error-message. (make sure you free it after use!)

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==*IN3_OK*)

in3_client_exec_req

```
NONULL char* in3_client_exec_req(in3_t *c, char *req);
```

executes a request and returns result as string.

in case of an error, the error-property of the result will be set. This function also supports sending bulk-requests, but you can not mix internal and external calls, since bulk means all requests will be send to picked nodes. The resulting string must be free by the the caller of this function!

arguments:

<i>in3_t</i> *	c	[in] the pointer to the incubed client config.
char *	req	[in] the request as rpc.

returns: *NONULL char **

in3_client_register_chain

```
NONULL in3_ret_t in3_client_register_chain(in3_t *client, chain_id_t chain_id, in3_
↳chain_type_t type, uint8_t version);
```

registers a new chain or replaces a existing (but keeps the nodelist)

arguments:

<i>in3_t</i> *	client	[in] the pointer to the incubed client config.
<i>chain_id_t</i>	chain_id	[in] the chain id.
<i>in3_chain_type_t</i>	type	[in] the verification type of the chain.
uint8_t	version	[in] the chain version.

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==*IN3_OK*)

in3_free

```
NONULL void in3_free(in3_t *a);
```

frees the references of the client

arguments:

<i>in3_t</i> *	a	[in] the pointer to the incubed client config to free.
----------------	----------	--

returns: `NONULL void`

in3_configure

```
NONULL char* in3_configure(in3_t *c, const char *config);
```

configures the client based on a json-config.

For details about the structure of the config see <https://in3.readthedocs.io/en/develop/api-ts.html#type-in3config> Returns NULL on success, and error string on failure (to be freed by caller) - in which case the client state is undefined

arguments:

<i>in3_t</i> *	c	the incubed client
<code>const char *</code>	config	JSON-string with the configuration to set.

returns: `NONULL char *`

in3_get_config

```
NONULL char* in3_get_config(in3_t *c);
```

gets the current config as json.

For details about the structure of the config see <https://in3.readthedocs.io/en/develop/api-ts.html#type-in3config>

arguments:

<i>in3_t</i> *	c	the incubed client
----------------	----------	--------------------

returns: `NONULL char *`

10.8.2 plugin.h

this file defines the plugin-contexts

File: `c/src/core/client/plugin.h`

in3_plugin_is_registered(client,action)

checks if a plugin for specified action is registered with the client

```
#define in3_plugin_is_registered (client,action) (((client)->plugin_acts & (action)) & \
↳ == (action))
```

vc_err (vc,msg)

```
#define vc_err (vc,msg) vc_set_error(vc, NULL)
```

CNF_ERROR (msg)

raises a error during config by setting the error-message and returning a error-code.

```
#define CNF_ERROR (msg) {
    ctx->error_msg = _strdupn(msg, -1); \
    return IN3_EINVAL; \
}
```

CNF_SET_BYTES (dst,token,property,l)

sets the bytes as taken from the given property to the target and raises an error if the len does not fit.

```
#define CNF_SET_BYTES (dst,token,property,l) {
    ↪ \
    const bytes_t tmp = d_to_bytes(d_get(token, key(property))); \
    if (tmp.data) { \
        if (tmp.len != l) CNF_ERROR(property " must be " #l " bytes") \
        memcpy(dst, tmp.data, l); \
    } \
}
```

CNF_SET_STRING (dst,token,property)

sets the string as taken from the given property to the target and raises an error if the len does not fit.

```
#define CNF_SET_STRING (dst,token,property) {
    ↪ \
    const d_token_t* t = d_get(token, key(property));
    ↪ \
    if (d_type(t) != T_NULL && d_type(t) != T_STRING) CNF_ERROR("Invalid config for "
    ↪property "!") \
    const char* tmp = d_string(t);
    ↪ \
    if (tmp) {
    ↪ \
    ↪ if (dst) _free(dst);
    ↪ \
    ↪ dst = _strdupn(tmp, -1);
    ↪ \
    ↪ }
    ↪ \
}
```

in3_signer_type_t

defines the type of signer used

The enum type contains the following values:

SIGNER_ECDSA	1
SIGNER_EIP1271	2

d_signature_type_t

type of the requested signature

The enum type contains the following values:

SIGN_EC_RAW	0	sign the data directly
SIGN_EC_HASH	1	hash and sign the data
SIGN_EC_PREFIX	2	add Ethereum Signed Message-Preofix, hash and sign the data
SIGN_EC_BTC	3	hashes the data twice with sha256 and signs it

d_payload_type_t

payload type of the requested signature.

It describes how to deserialize the payload.

The enum type contains the following values:

PL_SIGN_ANY	0	custom data to be signed
PL_SIGN_ETHTX	1	the payload is a ethereum-tx
PL_SIGN_BTCTX	2	the payload is a BTC-Tx-Input
PL_SIGN_SAFETX	3	The payload is a rlp-encoded data of a Gnosys Safe Tx.

in3_nl_pick_type_t

The enum type contains the following values:

NL_DATA	0	data provider node.
NL_SIGNER	1	signer node.

in3_get_data_type_t

The enum type contains the following values:

GET_DATA_REGISTRY_ID	0
GET_DATA_NODE_MIN_BLK_HEIGHT	1
GET_DATA_CLIENT_DATA	2

in3_req_header_t

optional request headers

The stuct contains following fields:

char *	value	the value
<i>in3_req_headerstruct</i> , *	next	pointer to next header

in3_http_request_t

request-object.

represents a RPC-request

The stuct contains following fields:

char *	method	the http-method to be used
char *	payload	the payload to send
char **	urls	array of urls
uint_fast16_t	urls_len	number of urls
uint32_t	payload_len	length of the payload in bytes.
<i>in3_reqstruct</i> , *	req	the current context
void *	cptr	a custom ptr to hold information during
uint32_t	wait	time in ms to wait before sending out the request
<i>in3_req_header_t</i> *	headers	optional additional headers to be send with the request

in3_transport_legacy

```
typedef in3_ret_t (* in3_transport_legacy) (in3_http_request_t *request)
```

returns: *in3_ret_t* (* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_sign_account_ctx_t

action context when retrieving the addresses or accounts of a signer.

The stuct contains following fields:

<i>in3_reqstruct</i> , *	req	the context of the request in order report errors
uint8_t *	accounts	the account to use for the signature
int	accounts_len	number of accounts
<i>in3_signer_type_t</i>	signer_type	the type of the signer used for this account.

in3_sign_public_key_ctx_t

action context when retrieving the public key of the signer.

The stuct contains following fields:

<i>in3_reqstruct</i> , *	req	the context of the request in order report errors
uint8_t *	account	the account to use for the signature
uint8_t	public_key	the public key in case the plugin returns IN3_OK

in3_sign_prepare_ctx_t

action context when retrieving the account of a signer.

The stuct contains following fields:

<i>in3_reqstruct</i> , *	req	the context of the request in order report errors
<i>address_t</i>	account	the account to use for the signature
<i>d_token_t</i> *	tx	the tx-definition, which may contain additional properties
<i>bytes_t</i>	old_tx	the source-transaction
<i>bytes_t</i>	new_tx	the new-transaction, if the transaction should not changed, the data-ptr must be NULL otherwise a new allocated memory is expected, which will be cleaned by the caller.
<i>sb_t</i> *	output	if this is not NULL, the transaction will not be send, but returns only the state

in3_sign_ctx_t

signing context.

This Context is passed to the signer-function.

The stuct contains following fields:

<i>bytes_t</i>	signature	the resulting signature
<i>d_signature_type_t</i>	type	the type of signature
<i>d_payload_type_t</i>	payload_type	the type of payload in order to deserialize the payload
<i>in3_reqstruct</i> , *	req	the context of the request in order report errors
<i>bytes_t</i>	message	the message to sign
<i>bytes_t</i>	account	the account to use for the signature
<i>d_token_t</i> *	meta	optional metadata to pass a long, which could include data to present to the user before signing

in3_configure_ctx_t

context used during configure

The stuct contains following fields:

<i>in3_t</i> *	client	the client to configure
<i>json_ctx_t</i> *	json	the json ctx corresponding to below token
<i>d_token_t</i> *	token	the token not handled yet
char *	error_msg	message in case of an incorrect config

in3_get_config_ctx_t

context used during get config

The stuct contains following fields:

<i>in3_t</i> *	client	the client to configure
<i>sb_t</i> *	sb	stringbuilder to add json-config

in3_storage_get_item

storage handler function for reading from cache.

```
typedef bytes_t* (* in3_storage_get_item) (void *cptr, const char *key)
```

returns: *bytes_t* * (*: the found result. if the key is found this function should return the values as bytes otherwise NULL.

in3_storage_set_item

storage handler function for writing to the cache.

```
typedef void (* in3_storage_set_item) (void *cptr, const char *key, bytes_t *value)
```

in3_storage_clear

storage handler function for clearing the cache.

```
typedef void (* in3_storage_clear) (void *cptr)
```

in3_cache_ctx_t

context used during get config

The struct contains following fields:

<i>in3_req_t</i> *	req	the request context
const char *	key	the key to fetch
<i>bytes_t</i> *	content	the content to set

in3_plugin_register

```
in3_ret_t in3_plugin_register(in3_t *c, in3_plugin_supp_acts_t acts, in3_plugin_act_
↳fn action_fn, void *data, bool replace_ex);
```

registers a plugin with the client

arguments:

<i>in3_t *</i>	c	the client
<i>in3_plugin_supp_act</i>	acts	the actions to register for combined with OR
<i>in3_plugin_act_fn</i>	ac- tion_fn	the plugin action function
<i>void *</i>	data	an optional data or config struct which will be passed to the action function when executed
<i>bool</i>	re- place_ex	if this is true and an plugin with the same action is already registered, it will replace it

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

in3_register_default

```
void in3_register_default(plgn_register reg_fn);
```

adds a plugin register function to the default.

All defaults functions will automaticly called and registered for every new *in3_t* instance.

arguments:

<i>plgn_register</i>	reg_fn
----------------------	---------------

in3_plugin_execute_all

```
in3_ret_t in3_plugin_execute_all(in3_t *c, in3_plugin_act_t action, void *plugin_ctx);
```

executes all plugins irrespective of their return values, returns first error (if any)

arguments:

<i>in3_t *</i>	c
<i>in3_plugin_act_t</i>	action
<i>void *</i>	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

in3_plugin_execute_first

```
in3_ret_t in3_plugin_execute_first(in3_req_t *req, in3_plugin_act_t action, void_  
↪ *plugin_ctx);
```

executes all plugin actions one-by-one, stops when a plugin returns anything other than `IN3_EIGNORE`.

returns `IN3_EPLGN_NONE` if no plugin was able to handle specified action, otherwise returns `IN3_OK` plugin errors are reported via the *in3_req_t*

arguments:

<i>in3_req_t</i> *	req
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_plugin_execute_first_or_none

```
in3_ret_t in3_plugin_execute_first_or_none(in3_req_t *req, in3_plugin_act_t action,
↳ void *plugin_ctx);
```

same as in3_plugin_execute_first(), but returns IN3_OK even if no plugin could handle specified action

arguments:

<i>in3_req_t</i> *	req
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_plugin_get_data

```
static void* in3_plugin_get_data(in3_t *c, in3_plugin_act_fn fn);
```

get direct access to plugin data (if registered) based on action function

arguments:

<i>in3_t</i> *	c
<i>in3_plugin_act_fn</i>	fn

returns: void *

in3_rpc_handle_start

```
NONULL sb_t* in3_rpc_handle_start(in3_rpc_handle_ctx_t *hctx);
```

creates a response and returns a stringbuilder to add the result-data.

arguments:

<i>in3_rpc_handle_ctx_t</i> *	hctx
-------------------------------	-------------

returns: *sb_t*NONULL , *

in3_rpc_handle_finish

```
NULL in3_ret_t in3_rpc_handle_finish(in3_rpc_handle_ctx_t *hctx);
```

finish the response.

arguments:

<i>in3_rpc_handle_ctx_t</i> *	hctx
-------------------------------	-------------

returns: *in3_ret_t* *NULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_rpc_handle_with_bytes

```
NULL in3_ret_t in3_rpc_handle_with_bytes(in3_rpc_handle_ctx_t *hctx, bytes_t data);
```

creates a response with bytes.

arguments:

<i>in3_rpc_handle_ctx_t</i> *	hctx
<i>bytes_t</i>	data

returns: *in3_ret_t* *NULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_rpc_handle_with_json

```
NULL in3_ret_t in3_rpc_handle_with_json(in3_rpc_handle_ctx_t *ctx, d_token_t_↪*result);
```

creates a response with a json token.

arguments:

<i>in3_rpc_handle_ctx_t</i> *	ctx
<i>d_token_t</i> *	result

returns: *in3_ret_t* *NULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_rpc_handle_with_string

```
NULL in3_ret_t in3_rpc_handle_with_string(in3_rpc_handle_ctx_t *hctx, char *data);
```

creates a response with string.

arguments:

<code>in3_rpc_handle_ctx_t *</code>	hctx
<code>char *</code>	data

returns: `in3_ret_t` `NONULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_rpc_handle_with_int

```
NONULL in3_ret_t in3_rpc_handle_with_int(in3_rpc_handle_ctx_t *hctx, uint64_t value);
```

creates a response with a value which is added as hex-string.

arguments:

<code>in3_rpc_handle_ctx_t *</code>	hctx
<code>uint64_t</code>	value

returns: `in3_ret_t` `NONULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_rpc_handle_with_uint256

```
NONULL in3_ret_t in3_rpc_handle_with_uint256(in3_rpc_handle_ctx_t *hctx, bytes_t_
↪data);
```

creates a response with bytes but without a leading 0.

arguments:

<code>in3_rpc_handle_ctx_t *</code>	hctx
<code>bytes_t</code>	data

returns: `in3_ret_t` `NONULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_get_request_payload

```
char* in3_get_request_payload(in3_http_request_t *request);
```

getter to retrieve the payload from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `char *`

in3_get_request_payload_len

```
uint32_t in3_get_request_payload_len(in3_http_request_t *request);
```

getter to retrieve the length of the payload from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `uint32_t`

in3_get_request_headers_len

```
int in3_get_request_headers_len(in3_http_request_t *request);
```

getter to retrieve the urls list length from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `int`

in3_get_request_headers_at

```
char* in3_get_request_headers_at(in3_http_request_t *request, int index);
```

getter to retrieve the urls list length from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
<code>int</code>	index	the index of the header

returns: `char *`

in3_get_request_method

```
char* in3_get_request_method(in3_http_request_t *request);
```

getter to retrieve the http-method from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `char *`

in3_get_request_urls

```
char** in3_get_request_urls(in3_http_request_t *request);
```

getter to retrieve the urls list from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `char **`

in3_get_request_urls_len

```
int in3_get_request_urls_len(in3_http_request_t *request);
```

getter to retrieve the urls list length from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `int`

in3_get_request_timeout

```
uint32_t in3_get_request_timeout(in3_http_request_t *request);
```

getter to retrieve the urls list length from a `in3_http_request_t` struct

arguments:

<code>in3_http_request_t *</code>	request	request struct
-----------------------------------	----------------	----------------

returns: `uint32_t`

in3_req_add_response

```
NONNULL void in3_req_add_response(in3_http_request_t *req, int index, int error, const_↵
↵char *data, int data_len, uint32_t time);
```

adds a response for a request-object.

This function should be used in the transport-function to set the response.

arguments:

<i>in3_http_request_t</i> *	req	[in]the the request
int	index	[in] the index of the url, since this request could go out to many urls
int	error	[in] if <0 this will be reported as error. the message should then be the error-message
const char *	data	the data or the the string
int	data_len	the length of the data or the the string (use -1 if data is a null terminated string)
uint32_t	time	the time this request took in ms or 0 if not possible (it will be used to calculate the weights)

returns: NONULL void

in3_ctx_add_response

```
NONULL void in3_ctx_add_response(in3_req_t *req, int index, int error, const char_↵↵*data, int data_len, uint32_t time);
```

adds a response to a context.

This function should be used in the transport-function to set the response.

arguments:

<i>in3_req_t</i> *	req	[in]the current context
int	index	[in] the index of the url, since this request could go out to many urls
int	error	[in] if <0 this will be reported as error. the message should then be the error-message
const char *	data	the data or the the string
int	data_len	the length of the data or the the string (use -1 if data is a null terminated string)
uint32_t	time	the time this request took in ms or 0 if not possible (it will be used to calculate the weights)

returns: NONULL void

in3_set_default_legacy_transport

```
void in3_set_default_legacy_transport(in3_transport_legacy transport);
```

defines a default transport which is used when creating a new client.

arguments:

in3_transport_legacy	transport	the default transport-function.
----------------------	------------------	---------------------------------

in3_sign_ctx_get_message

```
bytes_t in3_sign_ctx_get_message(in3_sign_ctx_t *ctx);
```

helper function to retrieve and message from a in3_sign_ctx_t

helper function to retrieve and message from a in3_sign_ctx_t

arguments:

<i>in3_sign_ctx_t</i> *	ctx	the signer context
-------------------------	------------	--------------------

returns: *bytes_t*

in3_sign_ctx_get_account

```
bytes_t in3_sign_ctx_get_account(in3_sign_ctx_t *ctx);
```

helper function to retrieve and account from a *in3_sign_ctx_t*

helper function to retrieve and account from a *in3_sign_ctx_t*

arguments:

<i>in3_sign_ctx_t</i> *	ctx	the signer context
-------------------------	------------	--------------------

returns: *bytes_t*

in3_sign_ctx_set_signature_hex

```
void in3_sign_ctx_set_signature_hex(in3_sign_ctx_t *ctx, const char *signature);
```

helper function to retrieve the signature from a *in3_sign_ctx_t*

arguments:

<i>in3_sign_ctx_t</i> *	ctx	the signer context
const char *	signature	the signature in hex

create_sign_ctx

```
NONULL in3_sign_ctx_t* create_sign_ctx(in3_req_t *req);
```

creates a signer ctx to be used for async signing.

arguments:

<i>in3_req_t</i> *	req	[in] the rpc context
--------------------	------------	----------------------

returns: *in3_sign_ctx_t* *NONULL* , *

in3_set_storage_handler

```
void in3_set_storage_handler(in3_t *c, in3_storage_get_item get_item, in3_storage_set_
↪ item set_item, in3_storage_clear clear, void *cptr);
```

create a new storage handler-object to be set on the client.

the caller will need to free this pointer after usage.

arguments:

<code>in3_t *</code>	c	the incubed client
<code>in3_storage_get_item</code>	get_item	function pointer returning a stored value for the given key.
<code>in3_storage_set_item</code>	set_item	function pointer setting a stored value for the given key.
<code>in3_storage_clear</code>	clear	function pointer clearing all contents of cache.
<code>void *</code>	cptr	custom pointer which will be passed to functions

vc_set_error

```
in3_ret_t vc_set_error(in3_vctx_t *vc, char *msg);
```

arguments:

<code>in3_vctx_t *</code>	vc	the verification context.
<code>char *</code>	msg	the error message.

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.8.3 request.h

Request Context.

This is used for each request holding request and response-pointers but also controls the execution process.

File: `c/src/core/client/request.h`

TRY_SUB_REQUEST (req,name,res,fmt,...)

```
#define TRY_SUB_REQUEST (req,name,res,fmt,...)    {  
    ↪  
        sb_t sb = {0};  
        sb_printx(&sb, fmt, __VA_ARGS__);  
        in3_ret_t r = req_send_sub_request(req, name, sb.data, NULL, res, NULL);  
        _free(sb.data);  
        if (r) return r;  
    }
```

TRY_CATCH_SUB_REQUEST (req,name,res,_catch,fmt,...)

```
#define TRY_CATCH_SUB_REQUEST (req,name,res,_catch,fmt,...)    {  
    ↪  
        sb_t sb = {0};  
        sb_printx(&sb, fmt, __VA_ARGS__);  
        in3_ret_t r = req_send_sub_request(req, name, sb.data, NULL, res, NULL);  
        ↪
```

(continues on next page)

(continued from previous page)

```

    _free(sb.data);
    if (r) {
        _catch;
        return r;
    }
}

```

TRY_FINAL_SUB_REQUEST (req,name,res,_catch,fmt,...)

```

#define TRY_FINAL_SUB_REQUEST (req,name,res,_catch,fmt,...) {
    sb_t sb = {0};
    sb_printx(&sb, fmt, __VA_ARGS__);
    in3_ret_t r = req_send_sub_request(req, name, sb.data, NULL, res, NULL);
    _free(sb.data);
    _catch;
    if (r)
        return r;
}

```

ctx_type

type of the request context,

The enum type contains the following values:

RT_RPC	0	a json-rpc request, which needs to be send to a incubed node
RT_SIGN	1	a sign request

state

The current state of the context.

you can check this state after each execute-call.

The enum type contains the following values:

REQ_SUCCESS	0	The ctx has a verified result.
REQ_WAITING_TO_SEND	1	the request has not been sent yet
REQ_WAITING_FOR_RESPONSE	2	the request is sent but not all of the response are set ()
REQ_ERROR	-1	the request has a error

req_type_t

type of the request context,

The enum type contains the following values:

RT_RPC	0	a json-rpc request, which needs to be send to a incubed node
RT_SIGN	1	a sign request

node_match_t

the weight of a certain node as linked list.

This will be used when picking the nodes to send the request to. A linked list of these structs describe the result.

The struct contains following fields:

unsigned int	index	index of the node in the nodelist
uint32_t	s	The starting value.
uint32_t	w	weight value
char *	url	the url of the node
<i>address_t</i>	address	address of the server
<i>weightstruct</i> , *	next	next in the linked-list or NULL if this is the last element

in3_response_t

response-object.

if the error has a length>0 the response will be rejected

The struct contains following fields:

uint32_t	time	measured time (in ms) which will be used for ajusting the weights
<i>in3_ret_t</i>	state	the state of the response
<i>sb_t</i>	data	a stringbuilder to add the result

in3_req_t

The Request config.

This is generated for each request and represents the current state. it holds the state until the request is finished and must be freed afterwards.

The struct contains following fields:

<code>uint_fast8_t</code>	signers_length	number or addresses
<code>uint_fast16_t</code>	len	the number of requests
<code>uint_fast16_t</code>	attempt	the number of attempts
<code>uint32_t</code>	id	JSON RPC id of request at index 0.
<code>req_type_t</code>	type	the type of the request
<code>in3_ret_t</code>	verification_state	state of the verification
<code>char *</code>	error	in case of an error this will hold the message, if not it points to <i>NULL</i>
<code>json_ctx_t *</code>	request_context	the result of the json-parser for the request.
<code>json_ctx_t *</code>	response_context	the result of the json-parser for the response.
<code>d_token_t **</code>	requests	references to the tokens representing the requests
<code>d_token_t **</code>	responses	references to the tokens representing the parsed responses
<code>in3_response_t *</code>	raw_response	the raw response-data, which should be verified.
<code>uint8_t *</code>	signers	the addresses of servers requested to sign the blockhash
<code>node_match_t *</code>	nodes	selected nodes to process the request, which are stored as linked list.
<code>cache_entry_t *</code>	cache	optional cache-entries. These entries will be freed when cleaning up the context.
<code>in3_reqstruct_t *</code>	required	pointer to the next required context. if not NULL the data from this context need get finished first, before being able to resume this context.
<code>in3_t *</code>	client	reference to the client

in3_req_state_t

The current state of the context.

you can check this state after each execute-call.

The enum type contains the following values:

REQ_SUCCESS	0	The ctx has a verified result.
REQ_WAITING_TO_SEND	1	the request has not been sent yet
REQ_WAITING_FOR_RESPONSE	2	the request is sent but not all of the response are set ()
REQ_ERROR	-1	the request has a error

req_new

```
NONNULL in3_req_t* req_new(in3_t *client, const char *req_data);
```

creates a new request.

the request data will be parsed and represented in the context. calling this function will only parse the request data, but not send anything yet.

Important: the req_data will not be cloned but used during the execution. The caller of the this function is also responsible for freeing this string afterwards.

arguments:

<i>in3_t</i> *	client	[in] the client-config.
const char *	req_data	[in] the rpc-request as json string.

returns: *in3_req_t* *nonnull* , *

req_new_clone

```
nonnull in3_req_t* req_new_clone(in3_t *client, const char *req_data);
```

creates a new request but clones the request-data.

the request data will be parsed and represented in the context. calling this function will only parse the request data, but not send anything yet.

arguments:

<i>in3_t</i> *	client	[in] the client-config.
const char *	req_data	[in] the rpc-request as json string.

returns: *in3_req_t* *nonnull* , *

in3_send_req

```
nonnull in3_ret_t in3_send_req(in3_req_t *req);
```

sends a previously created request to nodes and verifies it.

The execution happens within the same thread, thich mean it will be blocked until the response ha beedn received and verified. In order to handle calls asynchronously, you need to call the *in3_req_execute* function and provide the data as needed.

arguments:

<i>in3_req_t</i> *	req	[in] the request context.
--------------------	------------	---------------------------

returns: *in3_ret_t* *nonnull* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_req_last_waiting

```
nonnull in3_req_t* in3_req_last_waiting(in3_req_t *req);
```

finds the last waiting request-context.

arguments:

<i>in3_req_t</i> *	req	[in] the request context.
--------------------	------------	---------------------------

returns: `in3_req_t` `NULL` , *

in3_req_exec_state

```
NONULL in3_req_state_t in3_req_exec_state(in3_req_t *req);
```

executes the request and returns its state.

arguments:

<code>in3_req_t *</code>	req	[in] the request context.
--------------------------	------------	---------------------------

returns: `in3_req_state_t` `NULL`

in3_req_execute

```
NONULL in3_ret_t in3_req_execute(in3_req_t *req);
```

execute the context, but stops whenever data are required.

This function should be used in order to call data in a asynchronous way, since this function will not use the transport-function to actually send it.

The caller is responsible for delivering the required responses. After calling you need to check the return-value:

- `IN3_WAITING` : provide the required data and then call `in3_req_execute` again.
- `IN3_OK` : success, we have a result.
- any other status = error



Here is a example how to use this function:

```
in3_ret_t in3_send_req(in3_req_t* req) {
    in3_ret_t ret;
    // execute the context and store the return value.
    // if the return value is 0 == IN3_OK, it was successful and we return,
    // if not, we keep on executing
}
```

(continues on next page)

(continued from previous page)

```

while ((ret = in3_req_execute(ctx))) {
    // error we stop here, because this means we got an error
    if (ret != IN3_WAITING) return ret;

    // handle subcontexts first, if they have not been finished
    while (ctx->required && in3_req_state(ctx->required) != REQ_SUCCESS) {
        // execute them, and return the status if still waiting or error
        if ((ret = in3_send_req(ctx->required)) return ret;

        // recheck in order to prepare the request.
        // if it is not waiting, then it we cannot do much, because it will an error or
        ↪ successfull.
        if ((ret = in3_req_execute(ctx)) != IN3_WAITING) return ret;
    }

    // only if there is no response yet...
    if (!ctx->raw_response) {

        // what kind of request do we need to provide?
        switch (ctx->type) {

            // RPC-request to send to the nodes
            case RT_RPC: {

                // build the request
                in3_http_request_t* request = in3_create_request(ctx);

                // here we use the transport, but you can also try to fetch the data in
                ↪ any other way.
                ctx->client->transport(request);

                // clean up
                request_free(request);
                break;
            }

            // this is a request to sign a transaction
            case RT_SIGN: {
                // read the data to sign from the request
                d_token_t* params = d_get(ctx->requests[0], K_PARAMS);
                // the data to sign
                bytes_t data = d_to_bytes(d_get_at(params, 0));
                // the account to sign with
                bytes_t from = d_to_bytes(d_get_at(params, 1));

                // prepare the response
                ctx->raw_response = _malloc(sizeof(in3_response_t));
                sb_init(&ctx->raw_response[0].error);
                sb_init(&ctx->raw_response[0].result);

                // data for the signature
                uint8_t sig[65];
                // use the signer to create the signature
                ret = ctx->client->signer->sign(ctx, SIGN_EC_HASH, data, from, sig);
                // if it fails we report this as error
                if (ret < 0) return req_set_error(ctx, ctx->raw_response->error.data,
                ↪ ret);
            }
        }
    }
}

```

(continues on next page)

(continued from previous page)

```

        // otherwise we simply add the raw 65 bytes to the response.
        sb_add_range(&ctx->raw_response->result, (char*) sig, 0, 65);
    }
}
}
// done...
return ret;
}

```

arguments:

<code>in3_req_t *</code>	req	[in] the request context.
--------------------------	------------	---------------------------

returns: `in3_ret_t` `NULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_req_state

```

NULL in3_req_state_t in3_req_state(in3_req_t *req);

```

returns the current state of the context.

arguments:

<code>in3_req_t *</code>	req	[in] the request context.
--------------------------	------------	---------------------------

returns: `in3_req_state_t` `NULL`

req_get_error_data

```

char* req_get_error_data(in3_req_t *req);

```

returns the error of the context.

arguments:

<code>in3_req_t *</code>	req	[in] the request context.
--------------------------	------------	---------------------------

returns: `char *`

req_get_response_data

```

char* req_get_response_data(in3_req_t *req);

```

returns json response for that context

arguments:

<code>in3_req_t *</code>	req	[in] the request context.
--------------------------	------------	---------------------------

returns: `char *`

`req_get_result_json`

```
char* req_get_result_json(in3_req_t *ctx, int index);
```

returns the result or NULL in case of an error for that context.

The result must be freed!

arguments:

<code>in3_req_t *</code>	<code>ctx</code>
<code>int</code>	<code>index</code>

returns: `char *`

`req_get_type`

```
nonnull req_type_t req_get_type(in3_req_t *req);
```

returns the type of the request

arguments:

<code>in3_req_t *</code>	<code>req</code>	[in] the request context.
--------------------------	------------------	---------------------------

returns: `req_type_t` *nonnull*

`req_free`

```
nonnull void req_free(in3_req_t *req);
```

frees all resources allocated during the request.

But this will not free the request string passed when creating the context!

arguments:

<code>in3_req_t *</code>	<code>req</code>	[in] the request context.
--------------------------	------------------	---------------------------

returns: `nonnull void`

`req_add_required`

```
nonnull in3_ret_t req_add_required(in3_req_t *parent, in3_req_t *req);
```

adds a new context as a requirment.

Whenever a verifier needs more data and wants to send a request, we should create the request and add it as dependency and stop.

If the function is called again, we need to search and see if the required status is now useable.

Here is an example of how to use it:

```
in3_ret_t get_from_nodes(in3_req_t* parent, char* method, char* params, bytes_t* dst)
↪{
    // check if the method is already existing
    in3_req_t* req = req_find_required(parent, method, NULL);
    if (ctx) {
        // found one - so we check if it is useable.
        switch (in3_req_state(ctx)) {
            // in case of an error, we report it back to the parent context
            case REQ_ERROR:
                return req_set_error(parent, ctx->error, IN3_EUNKNOWN);
            // if we are still waiting, we stop here and report it.
            case CTX_WAITING_FOR_REQUIRED_CTX:
            case REQ_WAITING_FOR_RESPONSE:
                return IN3_WAITING;

            // if it is useable, we can now handle the result.
            case REQ_SUCCESS: {
                d_token_t* r = d_get(ctx->responses[0], K_RESULT);
                if (r) {
                    // we have a result, so write it back to the dst
                    *dst = d_to_bytes(r);
                    return IN3_OK;
                } else
                    // or check the error and report it
                    return req_check_response_error(parent, 0);
            }
        }
    }

    // no required context found yet, so we create one:

    // since this is a subrequest it will be freed when the parent is freed.
    // allocate memory for the request-string
    char* req = _malloc(strlen(method) + strlen(params) + 200);
    // create it
    sprintf(req, "{\"method\":\"%s\",\"jsonrpc\":\"2.0\",\"id\":1,\"params\":%s}",
↪method, params);
    // and add the request context to the parent.
    return req_add_required(parent, req_new(parent->client, req));
}
```

arguments:

<i>in3_req_t</i> *	parent	[in] the current request context.
<i>in3_req_t</i> *	req	[in] the new request context to add.

returns: *in3_ret_t* *NONNULL* the *result-status* of the function.

Please make sure you check if it was successful (`==IN3_OK`)

req_find_required

```
in3_req_t* req_find_required(const in3_req_t *parent, const char *method, const char_  
↪ *param_query);
```

searches within the required request contextes for one with the given method.

This method is used internally to find a previously added context.

arguments:

<i>in3_req_t</i> const *	parent	[in] the current request context.
const char *	method	[in] the method of the rpc-request.
const char *	param_query	[in] a optional string within thew params.

returns: *in3_req_t* *

req_remove_required

```
NONULL in3_ret_t req_remove_required(in3_req_t *parent, in3_req_t *req, bool rec);
```

removes a required context after usage.

removing will also call free_ctx to free resources.

arguments:

<i>in3_req_t</i> *	parent	[in] the current request context.
<i>in3_req_t</i> *	req	[in] the request context to remove.
bool	rec	[in] if true all sub contexts will aösp be removed

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

req_check_response_error

```
NONULL in3_ret_t req_check_response_error(in3_req_t *c, int i);
```

check if the response contains a error-property and reports this as error in the context.

arguments:

<i>in3_req_t</i> *	c	[in] the current request context.
int	i	[in] the index of the request to check (if this is a batch-request, otherwise 0).

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

req_get_error

```

NONULL in3_ret_t req_get_error(in3_req_t *req, int id);

```

determines the errorcode for the given request.

arguments:

<i>in3_req_t</i> *	req	[in] the current request context.
int	id	[in] the index of the request to check (if this is a batch-request, otherwise 0).

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_client_rpc_ctx_raw

```

NONULL in3_req_t* in3_client_rpc_ctx_raw(in3_t *c, const char *request);

```

sends a request and returns a context used to access the result or errors.

This context *MUST* be freed with req_free(ctx) after usage to release the resources.

arguments:

<i>in3_t</i> *	c	[in] the client config.
const char *	request	[in] rpc request.

returns: *in3_req_t* *NONULL* , *

in3_client_rpc_ctx

```

NONULL in3_req_t* in3_client_rpc_ctx(in3_t *c, const char *method, const char_
↪ *params);

```

sends a request and returns a context used to access the result or errors.

This context *MUST* be freed with req_free(ctx) after usage to release the resources.

arguments:

<i>in3_t</i> *	c	[in] the clientt config.
const char *	method	[in] rpc method.
const char *	params	[in] params as string.

returns: *in3_req_t* *NONULL* , *

in3_req_get_proof

```

NONULL in3_proof_t in3_req_get_proof(in3_req_t *req, int i);

```

determines the proof as set in the request.

arguments:

<i>in3_req_t</i> *	req	[in] the current request.
int	i	[in] the index within the request.

returns: *in3_proof_t* *NONNULL*

10.8.4 bytes.h

util helper on byte arrays.

File: *c/src/core/util/bytes.h*

bb_new ()

creates a new *bytes_builder* with a initial size of 32 bytes

```
#define bb_new () bb_newl(32)
```

bb_read (bb,i,vptr)

```
#define bb_read (_bb_,_i_,_vptr_) bb_readl((_bb_), (_i_), (_vptr_), sizeof(*_vptr_))
```

bb_read_next (bb,iptr,vptr)

```
#define bb_read_next (_bb_,_iptr_,_vptr_)    do {
↪      \
      size_t _l_ = sizeof(*_vptr_);          \
      bb_readl((_bb_), *(_iptr_), (_vptr_), _l_); \
      *(_iptr_) += _l_;                       \
    } while (0)
```

bb_readl (bb,i,vptr,l)

```
#define bb_readl (_bb_,_i_,_vptr_,_l_) memcpy((_vptr_), (_bb_)->b.data + (_i_), _l_)
```

b_read (b,i,vptr)

```
#define b_read (_b_,_i_,_vptr_) b_readl((_b_), (_i_), _vptr_, sizeof(*_vptr_))
```

b_readl (b,i,vptr,l)

```
#define b_readl (_b_,_i_,_vptr_,_l_) memcpy(_vptr_, (_b_)->data + (_i_), (_l_))
```


NULL_BYTES

empty bytes as struct

```
#define NULL_BYTES ((bytes_t){0})
```

b_to_stack(d)

converts bytes from heap to stack

```
#define b_to_stack(d)  {
    bytes_t o = d;
    d.data = alloca(d.len);
    memcpy(d.data, o.data, o.len);
    _free(o.data);
}
```

address_t

pointer to a 20byte address

```
typedef uint8_t address_t[20]
```

bytes32_t

pointer to a 32byte word

```
typedef uint8_t bytes32_t[32]
```

wlen_t

number of bytes within a word (min 1byte but usually a uint)

```
typedef uint_fast8_t wlen_t
```

bytes_t

a byte array

The struct contains following fields:

uint8_t *	data	the byte-data
uint32_t	len	the length of the array ion bytes

b_new

```
RETURNS_NONNULL bytes_t* b_new(const uint8_t *data, uint32_t len);
```

allocates a new byte array with 0 filled

arguments:

<code>const uint8_t *</code>	data
<code>uint32_t</code>	len

returns: `bytes_t RETURNS_NONNULL` , *

b_get_data

```
NONULL uint8_t* b_get_data(const bytes_t *b);
```

gets the data field from an input byte array

arguments:

<code>bytes_tconst</code> , *	b
-------------------------------	----------

returns: `NONULL uint8_t *`

b_get_len

```
NONULL uint32_t b_get_len(const bytes_t *b);
```

gets the len field from an input byte array

arguments:

<code>bytes_tconst</code> , *	b
-------------------------------	----------

returns: `NONULL uint32_t`

b_print

```
NONULL void b_print(const bytes_t *a);
```

prints a the bytes as hex to stdout

arguments:

<code>bytes_tconst</code> , *	a
-------------------------------	----------

returns: `NONULL void`

ba_print

```
NONULL void ba_print(const uint8_t *a, size_t l);
```

prints a the bytes as hex to stdout

arguments:

<code>const uint8_t *</code>	a
<code>size_t</code>	l

returns: NONULL void

b_cmp

```
NONULL int b_cmp(const bytes_t *a, const bytes_t *b);
```

compares 2 byte arrays and returns 1 for equal and 0 for not equal

arguments:

<i>bytes_tconst</i> , *	a
<i>bytes_tconst</i> , *	b

returns: NONULL int

bytes_cmp

```
int bytes_cmp(const bytes_t a, const bytes_t b);
```

compares 2 byte arrays and returns 1 for equal and 0 for not equal

arguments:

<i>bytes_tconst</i>	a
<i>bytes_tconst</i>	b

returns: int

b_free

```
void b_free(bytes_t *a);
```

frees the data

arguments:

<i>bytes_t</i> *	a
------------------	----------

b_concat

```
bytes_t b_concat(int cnt, ...);
```

duplicates the content of bytes

arguments:

int	cnt
...	

returns: *bytes_t*

b_dup

```
NONULL bytes_t* b_dup(const bytes_t *a);
```

clones a byte array

arguments:

<i>bytes_tconst</i> , *	a
-------------------------	----------

returns: *bytes_tNONULL*, *

bytes_dup

```
NONULL bytes_t bytes_dup(const bytes_t a);
```

clones a byte array

arguments:

<i>bytes_tconst</i>	a
---------------------	----------

returns: *bytes_tNONULL*

b_read_byte

```
NONULL uint8_t b_read_byte(bytes_t *b, size_t *pos);
```

reads a byte on the current position and updates the pos afterwards.

arguments:

<i>bytes_t</i> *	b
size_t *	pos

returns: NONULL uint8_t

b_read_int

```
NONULL uint32_t b_read_int(bytes_t *b, size_t *pos);
```

reads a integer on the current position and updates the pos afterwards.

arguments:

<i>bytes_t</i> *	b
size_t *	pos

returns: NONULL uint32_t

b_read_long

```
NONULL uint64_t b_read_long(bytes_t *b, size_t *pos);
```

reads a long on the current position and updates the pos afterwards.

arguments:

<i>bytes_t</i> *	b
size_t *	pos

returns: NONULL uint64_t

b_new_chars

```
NONULL char* b_new_chars(bytes_t *b, size_t *pos);
```

creates a new string (needs to be freed) on the current position and updates the pos afterwards.

arguments:

<i>bytes_t</i> *	b
size_t *	pos

returns: NONULL char *

b_new_fixed_bytes

```
NONULL bytes_t* b_new_fixed_bytes(bytes_t *b, size_t *pos, int len);
```

reads bytes with a fixed length on the current position and updates the pos afterwards.

arguments:

<i>bytes_t</i> *	b
size_t *	pos
int	len

returns: *bytes_t*NONULL , *

bb_newl

```
bytes_builder_t* bb_newl(size_t l);
```

creates a new bytes_builder

arguments:

size_t	l
--------	----------

returns: *bytes_builder_t* *

bb_free

```
NONULL void bb_free(bytes_builder_t *bb);
```

frees a bytearray and its content.

arguments:

<i>bytes_builder_t</i> *	bb
--------------------------	-----------

returns: NONULL void

bb_check_size

```
NONULL int bb_check_size(bytes_builder_t *bb, size_t len);
```

internal helper to increase the buffer if needed

arguments:

<i>bytes_builder_t</i> *	bb
size_t	len

returns: NONULL int

bb_write_chars

```
NONULL void bb_write_chars(bytes_builder_t *bb, char *c, int len);
```

writes a string to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
char *	c
int	len

returns: NONULL void

bb_write_dyn_bytes

```
NONULL void bb_write_dyn_bytes(bytes_builder_t *bb, const bytes_t *src);
```

writes bytes to the builder with a prefixed length.

arguments:

<i>bytes_builder_t</i> *	bb
<i>bytes_tconst</i> , *	src

returns: NONULL void

bb_write_fixed_bytes

```
NONULL void bb_write_fixed_bytes(bytes_builder_t *bb, const bytes_t *src);
```

writes fixed bytes to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
<i>bytes_tconst</i> , *	src

returns: NONULL void

bb_write_int

```
NONULL void bb_write_int(bytes_builder_t *bb, uint32_t val);
```

writes a ineteger to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
uint32_t	val

returns: NONULL void

bb_write_long

```
NONULL void bb_write_long(bytes_builder_t *bb, uint64_t val);
```

writes s long to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
uint64_t	val

returns: NONULL void

bb_write_long_be

```
NONULL void bb_write_long_be(bytes_builder_t *bb, uint64_t val, int len);
```

writes any integer value with the given length of bytes

arguments:

<i>bytes_builder_t</i> *	bb
uint64_t	val
int	len

returns: NONULL void

bb_write_byte

```
NONULL void bb_write_byte(bytes_builder_t *bb, uint8_t val);
```

writes a single byte to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
uint8_t	val

returns: NONULL void

bb_write_raw_bytes

```
NONULL void bb_write_raw_bytes(bytes_builder_t *bb, void *ptr, size_t len);
```

writes the bytes to the builder.

arguments:

<i>bytes_builder_t</i> *	bb
void *	ptr
size_t	len

returns: NONULL void

bb_clear

```
NONULL void bb_clear(bytes_builder_t *bb);
```

resets the content of the builder.

arguments:

<i>bytes_builder_t</i> *	bb
--------------------------	-----------

returns: NONULL void

bb_replace

```

NONULL void bb_replace(bytes_builder_t *bb, int offset, int delete_len, uint8_t *data,
↳ int data_len);

```

replaces or deletes a part of the content.

arguments:

<i>bytes_builder_t</i> *	bb
int	offset
int	delete_len
uint8_t *	data
int	data_len

returns: NONULL void

bb_move_to_bytes

```

RETURNS_NONNULL NONULL bytes_t* bb_move_to_bytes(bytes_builder_t *bb);

```

frees the builder and moves the content in a newly created bytes struct (which needs to be freed later).

arguments:

<i>bytes_builder_t</i> *	bb
--------------------------	-----------

returns: *bytes_t* RETURNS_NONNULL NONULL , *

bb_read_long

```

NONULL uint64_t bb_read_long(bytes_builder_t *bb, size_t *i);

```

reads a long from the builder

arguments:

<i>bytes_builder_t</i> *	bb
size_t *	i

returns: NONULL uint64_t

bb_read_int

```

NONULL uint32_t bb_read_int(bytes_builder_t *bb, size_t *i);

```

reads a int from the builder

arguments:

<i>bytes_builder_t</i> *	bb
size_t *	i

returns: `NONULL uint32_t`

bytes

```
static bytes_t bytes(uint8_t *a, uint32_t len);
```

converts the given bytes to a bytes struct

arguments:

<code>uint8_t *</code>	a
<code>uint32_t</code>	len

returns: `bytes_t`

cloned_bytes

```
bytes_t cloned_bytes(bytes_t data);
```

cloned the passed data

arguments:

<code>bytes_t</code>	data
----------------------	-------------

returns: `bytes_t`

b_optimize_len

```
static NONULL void b_optimize_len(bytes_t *b);
```

< changed the data and len to remove leading 0-bytes

arguments:

<code>bytes_t *</code>	b
------------------------	----------

returns: `NONULL void`

b_compare

```
static int b_compare(bytes_t a, bytes_t b);
```

arguments:

<code>bytes_t</code>	a
<code>bytes_t</code>	b

returns: `int`

10.8.5 data.h

json-parser.

The parser can read from :

- json
- bin

When reading from json all '0x'... values will be stored as bytes_t. If the value is lower than 0xFFFFFFFF, it is converted as integer.

File: `c/src/core/util/data.h`

DATA_DEPTH_MAX

the max DEPTH of the JSON-data allowed.

It will throw an error if reached.

```
#define DATA_DEPTH_MAX 11
```

printX

```
#define printX printf
```

fprintX

```
#define fprintX fprintf
```

snprintX

```
#define snprintX snprintf
```

vprintX

```
#define vprintX vprintf
```

d_type_t

type of a token.

The enum type contains the following values:

T_BYTES	0	content is stored as data ptr.
T_STRING	1	content is stored a c-str
T_ARRAY	2	the node is an array with the length stored in length
T_OBJECT	3	the node is an object with properties
T_BOOLEAN	4	boolean with the value stored in len
T_INTEGER	5	a integer with the value stored
T_NULL	6	a NULL-value

d_key_t

```
typedef uint16_t d_key_t
```

d_token_t

a token holding any kind of value.

use `d_type`, `d_len` or the cast-function to get the value.

The stuct contains following fields:

uint8_t *	data	the byte or string-data
uint32_t	len	the length of the content (or number of properties) depending + type.
d_key_t	key	the key of the property.

str_range_t

internal type used to represent the a range within a string.

The stuct contains following fields:

char *	data	pointer to the start of the string
size_t	len	len of the characters

json_ctx_t

parser for json or binary-data.

it needs to freed after usage.

The stuct contains following fields:

<i>d_token_t</i> *	result	the list of all tokens. the first token is the main-token as returned by the parser.
char *	c	pointer to the src-data
size_t	allocated	amount of tokens allocated result
size_t	len	number of tokens in result
size_t	depth	max depth of tokens in result
uint8_t *	keys	
size_t	keys_last	

d_iterator_t

iterator over elements of a array opf object.

usage:

```

for (d_iterator_t iter = d_iter( parent ); iter.left ; d_iter_next(&iter)) {
    uint32_t val = d_int(iter.token);
}

```

The stuct contains following fields:

<i>d_token_t</i> *	token	current token
int	left	number of result left

d_to_bytes

```

bytes_t d_to_bytes(d_token_t *item);

```

returns the byte-representation of token.

In case of a number it is returned as bigendian. booleans as 0x01 or 0x00 and NULL as 0x. Objects or arrays will return 0x.

arguments:

<i>d_token_t</i> *	item
--------------------	-------------

returns: *bytes_t*

d_bytes_to

```

int d_bytes_to(d_token_t *item, uint8_t *dst, const int max);

```

writes the byte-representation to the dst.

details see d_to_bytes.

arguments:

<i>d_token_t</i> *	item
uint8_t *	dst
const int	max

returns: int

d_bytes

```

bytes_t* d_bytes(const d_token_t *item);

```

returns the value as bytes (Carefully, make sure that the token is a bytes-type!)

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *bytes_t* *

d_bytesl

```
bytes_t* d_bytesl(d_token_t *item, size_t l);
```

returns the value as bytes with length l (may reallocates)

arguments:

<i>d_token_t</i> *	item
size_t	l

returns: *bytes_t* *

d_string

```
char* d_string(const d_token_t *item);
```

converts the value as string.

Make sure the type is string!

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *char* *

d_int

```
int32_t d_int(const d_token_t *item);
```

returns the value as integer.

only if type is integer

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *int32_t*

d_intd

```
int32_t d_intd(const d_token_t *item, const uint32_t def_val);
```

returns the value as integer or if NULL the default.

only if type is integer

arguments:

<i>d_token_tconst</i> , *	item
const uint32_t	def_val

returns: int32_t

d_long

```
uint64_t d_long(const d_token_t *item);
```

returns the value as long.

only if type is integer or bytes, but short enough

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: uint64_t

d_longd

```
uint64_t d_longd(const d_token_t *item, const uint64_t def_val);
```

returns the value as long or if NULL the default.

only if type is integer or bytes, but short enough

arguments:

<i>d_token_tconst</i> , *	item
const uint64_t	def_val

returns: uint64_t

d_create_bytes_vec

```
bytes_t** d_create_bytes_vec(const d_token_t *arr);
```

arguments:

<i>d_token_tconst</i> , *	arr
---------------------------	------------

returns: *bytes_t* **

d_token_size

```
size_t d_token_size(const d_token_t *item);
```

creates a array of bytes from JOSN-array

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *size_t*

d_type

```
static d_type_t d_type(const d_token_t *item);
```

returns the size (number of tokens) of the token

type of the token

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *d_type_t*

d_len

```
static int d_len(const d_token_t *item);
```

< number of elements in the token (only for object or array, other will return 0)

arguments:

<i>d_token_tconst</i> , *	item
---------------------------	-------------

returns: *int*

d_eq

```
bool d_eq(const d_token_t *a, const d_token_t *b);
```

compares 2 token and if the value is equal

arguments:

<i>d_token_tconst</i> , *	a
<i>d_token_tconst</i> , *	b

returns: *bool*

keyn

```
NONULL d_key_t keyn(const char *c, const size_t len);
```

generates the keyhash for the given stringrange as defined by len

arguments:

const char *	c
const size_t	len

returns: NONULL d_key_t

ikey

```
d_key_t ikey(json_ctx_t *ctx, const char *name);
```

returns the indexed key for the given name.

arguments:

<i>json_ctx_t</i> *	ctx
const char *	name

returns: d_key_t

d_get

```
d_token_t* d_get(d_token_t *item, const uint16_t key);
```

returns the token with the given propertyname (only if item is a object)

arguments:

<i>d_token_t</i> *	item
const uint16_t	key

returns: *d_token_t* *

d_get_or

```
d_token_t* d_get_or(d_token_t *item, const uint16_t key1, const uint16_t key2);
```

returns the token with the given propertyname or if not found, tries the other.

(only if item is a object)

arguments:

<i>d_token_t</i> *	item
const uint16_t	key1
const uint16_t	key2

returns: *d_token_t* *

d_get_at

```
d_token_t* d_get_at(d_token_t *item, const uint32_t index);
```

returns the token of an array with the given index

arguments:

<i>d_token_t</i> *	item
const uint32_t	index

returns: *d_token_t* *

d_next

```
d_token_t* d_next(d_token_t *item);
```

returns the next sibling of an array or object

arguments:

<i>d_token_t</i> *	item
--------------------	-------------

returns: *d_token_t* *

d_serialize_binary

```
NONULL void d_serialize_binary(bytes_builder_t *bb, d_token_t *t);
```

write the token as binary data into the builder

arguments:

<i>bytes_builder_t</i> *	bb
<i>d_token_t</i> *	t

returns: NONULL void

parse_binary

```
NONULL json_ctx_t* parse_binary(const bytes_t *data);
```

parses the data and returns the context with the token, which needs to be freed after usage!

arguments:

<i>bytes_tconst</i> , *	data
-------------------------	-------------

returns: *json_ctx_t*NONULL , *

parse_binary_str

```

NONULL json_ctx_t* parse_binary_str(const char *data, int len);

```

parses the data and returns the context with the token, which needs to be freed after usage!

arguments:

const char *	data
int	len

returns: *json_ctx_t* *NONULL* , *

parse_json_error

```

NONULL char* parse_json_error(const char *js);

```

parses the json, but only return an error if the json is invalid.

The returning string must be freed!

arguments:

const char *	js
--------------	-----------

returns: *NONULL char **

parse_json

```

NONULL json_ctx_t* parse_json(const char *js);

```

parses json-data, which needs to be freed after usage!

arguments:

const char *	js
--------------	-----------

returns: *json_ctx_t* *NONULL* , *

parse_json_indexed

```

NONULL json_ctx_t* parse_json_indexed(const char *js);

```

parses json-data, which needs to be freed after usage!

arguments:

const char *	js
--------------	-----------

returns: *json_ctx_t* *NONULL* , *

json_free

```
NONULL void json_free(json_ctx_t *parser_ctx);
```

frees the parse-context after usage

arguments:

<i>json_ctx_t</i> *	parser_ctx
---------------------	-------------------

returns: NONULL void

d_to_json

```
NONULL str_range_t d_to_json(const d_token_t *item);
```

returns the string for a object or array.

This only works for json as string. For binary it will not work!

arguments:

<i>d_token_t</i> const, *	item
---------------------------	-------------

returns: *str_range_t*NONULL

d_create_json

```
char* d_create_json(json_ctx_t *ctx, d_token_t *item);
```

creates a json-string.

It does not work for objects if the parsed data were binary!

arguments:

<i>json_ctx_t</i> *	ctx
<i>d_token_t</i> *	item

returns: char *

json_create

```
json_ctx_t* json_create();
```

returns: *json_ctx_t* *

json_create_null

```
NONULL d_token_t* json_create_null(json_ctx_t *jp);
```

arguments:

<i>json_ctx_t</i> *	jp
---------------------	-----------

returns: *d_token_t*NONULL , *

json_create_bool

```
NONULL d_token_t* json_create_bool(json_ctx_t *jp, bool value);
```

arguments:

<i>json_ctx_t</i> *	jp
bool	value

returns: *d_token_t*NONULL , *

json_create_int

```
NONULL d_token_t* json_create_int(json_ctx_t *jp, uint64_t value);
```

arguments:

<i>json_ctx_t</i> *	jp
uint64_t	value

returns: *d_token_t*NONULL , *

json_create_string

```
NONULL d_token_t* json_create_string(json_ctx_t *jp, char *value, int len);
```

arguments:

<i>json_ctx_t</i> *	jp
char *	value
int	len

returns: *d_token_t*NONULL , *

json_create_bytes

```
NONULL d_token_t* json_create_bytes(json_ctx_t *jp, bytes_t value);
```

arguments:

<i>json_ctx_t</i> *	jp
<i>bytes_t</i>	value

returns: *d_token_t*NONULL , *

json_create_object

```
NONULL int json_create_object(json_ctx_t *jp);
```

arguments:

<i>json_ctx_t</i> *	jp
---------------------	-----------

returns: NONULL int

json_create_array

```
NONULL int json_create_array(json_ctx_t *jp);
```

arguments:

<i>json_ctx_t</i> *	jp
---------------------	-----------

returns: NONULL int

json_object_add_prop

```
NONULL void json_object_add_prop(json_ctx_t *jp, int ob_index, d_key_t key, d_token_t_↪*value);
```

arguments:

<i>json_ctx_t</i> *	jp
int	ob_index
d_key_t	key
<i>d_token_t</i> *	value

returns: NONULL void

json_create_ref_item

```
NONULL d_token_t* json_create_ref_item(json_ctx_t *jp, d_type_t type, void *data, int_
↳len);
```

arguments:

<i>json_ctx_t</i> *	jp
<i>d_type_t</i>	type
void *	data
int	len

returns: *d_token_t*NONULL , *

json_array_add_value

```
NONULL void json_array_add_value(json_ctx_t *jp, int parent_index, d_token_t *value);
```

arguments:

<i>json_ctx_t</i> *	jp
int	parent_index
<i>d_token_t</i> *	value

returns: NONULL void

token_from_string

```
NONULL d_token_t* token_from_string(char *val, d_token_t *d, bytes32_t buffer);
```

returns a token ptr using the val without allocating memory in the heap, which can be used to pass values as token

arguments:

char *	val
<i>d_token_t</i> *	d
<i>bytes32_t</i>	buffer

returns: *d_token_t*NONULL , *

token_from_bytes

```
NONULL d_token_t* token_from_bytes(bytes_t b, d_token_t *d);
```

returns a token ptr using the val without allocating memory in the heap, which can be used to pass values as token

arguments:

<i>bytes_t</i>	b
<i>d_token_t</i> *	d

returns: *d_token_t*NONULL , *

d_get_keystr

```
char* d_get_keystr(json_ctx_t *json, d_key_t k);
```

returns the string for a key.

This only works for index keys or known keys!

arguments:

<i>json_ctx_t</i> *	json
d_key_t	k

returns: char *

key

```
static NONULL d_key_t key(const char *c);
```

arguments:

const char *	c
--------------	----------

returns: NONULL d_key_t

d_get_string

```
static char* d_get_string(d_token_t *r, d_key_t k);
```

reads token of a property as string.

arguments:

<i>d_token_t</i> *	r
d_key_t	k

returns: char *

d_get_string_at

```
static char* d_get_string_at(d_token_t *r, uint32_t pos);
```

reads string at given pos of an array.

arguments:

<i>d_token_t</i> *	r
uint32_t	pos

returns: char *

d_get_int

```
static int32_t d_get_int(d_token_t *r, d_key_t k);
```

reads token of a property as int.

arguments:

<i>d_token_t</i> *	r
d_key_t	k

returns: int32_t

d_get_intd

```
static int32_t d_get_intd(d_token_t *r, d_key_t k, uint32_t d);
```

reads token of a property as int.

arguments:

<i>d_token_t</i> *	r
d_key_t	k
uint32_t	d

returns: int32_t

d_get_int_at

```
static int32_t d_get_int_at(d_token_t *r, uint32_t pos);
```

reads a int at given pos of an array.

arguments:

<i>d_token_t</i> *	r
uint32_t	pos

returns: int32_t

d_get_long

```
static uint64_t d_get_long(d_token_t *r, d_key_t k);
```

reads token of a property as long.

arguments:

<i>d_token_t</i> *	r
d_key_t	k

returns: uint64_t

d_get_longd

```
static uint64_t d_get_longd(d_token_t *r, d_key_t k, uint64_t d);
```

reads token of a property as long.

arguments:

<i>d_token_t</i> *	r
d_key_t	k
uint64_t	d

returns: uint64_t

d_get_long_at

```
static uint64_t d_get_long_at(d_token_t *r, uint32_t pos);
```

reads long at given pos of an array.

arguments:

<i>d_token_t</i> *	r
uint32_t	pos

returns: uint64_t

d_get_bytes

```
static bytes_t* d_get_bytes(d_token_t *r, d_key_t k);
```

reads token of a property as bytes.

arguments:

<i>d_token_t</i> *	r
d_key_t	k

returns: *bytes_t* *

d_get_bytes_at

```
static bytes_t* d_get_bytes_at(d_token_t *r, uint32_t pos);
```

reads bytes at given pos of an array.

arguments:

<i>d_token_t</i> *	r
uint32_t	pos

returns: *bytes_t* *

d_is_binary_ctx

```
static bool d_is_binary_ctx(json_ctx_t *ctx);
```

check if the parser context was created from binary data.

arguments:

<i>json_ctx_t</i> *	ctx
---------------------	------------

returns: bool

d_get_byteskl

```
bytes_t* d_get_byteskl(d_token_t *r, d_key_t k, uint32_t minl);
```

arguments:

<i>d_token_t</i> *	r
d_key_t	k
uint32_t	minl

returns: *bytes_t* *

d_getl

```
d_token_t* d_getl(d_token_t *item, uint16_t k, uint32_t minl);
```

arguments:

<i>d_token_t</i> *	item
uint16_t	k
uint32_t	minl

returns: *d_token_t* *

d_iter

```
d_iterator_t d_iter(d_token_t *parent);
```

creates a iterator for a object or array

arguments:

<i>d_token_t</i> *	parent
--------------------	---------------

returns: *d_iterator_t*

d_iter_next

```
static bool d_iter_next(d_iterator_t *const iter);
```

fetches the next token and returns a boolean indicating whether there is a next or not.

arguments:

<i>d_iterator_t *const</i>	iter
----------------------------	-------------

returns: bool

10.8.6 debug.h

logs debug data only if the DEBUG-flag is set.

File: c/src/core/util/debug.h

dbg_log (msg,...)

logs a debug-message including file and linenumber

dbg_log_raw (msg,...)

logs a debug-message without the filename

_assert (exp)

EXPECT (cond,exit)

```
#define EXPECT (cond,exit)    do {                                \
    if (!(cond))              \
        exit;                 \
    } while (0)
```

EXPECT_CFG (cond,err)

```
#define EXPECT_CFG (cond,err) EXPECT(cond, { \
    res = malloc(strlen(err) + 1);           \
    if (res) strcpy(res, err);               \
    goto cleanup;                            \
})
```

EXPECT_CFG_NCP_ERR (cond,err)

```
#define EXPECT_CFG_NCP_ERR (cond,err) EXPECT(cond, { res = err; goto cleanup; })
```

EXPECT_TOK (token,cond,err)

```
#define EXPECT_TOK (token,cond,err) EXPECT_CFG_NCP_ERR(cond, config_err(d_get_
↪keystr(json, (token)->key), err))
```

EXPECT_TOK_BOOL (token)

```
#define EXPECT_TOK_BOOL (token) EXPECT_TOK(token, d_type(token) == T_BOOLEAN,
↪"expected boolean value")
```

EXPECT_TOK_STR (token)

```
#define EXPECT_TOK_STR (token) EXPECT_TOK(token, d_type(token) == T_STRING, "expected_
↪string value")
```

EXPECT_TOK_ARR (token)

```
#define EXPECT_TOK_ARR (token) EXPECT_TOK(token, d_type(token) == T_ARRAY, "expected_
↪array")
```

EXPECT_TOK_OBJ (token)

```
#define EXPECT_TOK_OBJ (token) EXPECT_TOK(token, d_type(token) == T_OBJECT, "expected_
↪object")
```

EXPECT_TOK_ADDR (token)

```
#define EXPECT_TOK_ADDR (token) EXPECT_TOK(token, d_type(token) == T_BYTES && d_
↪len(token) == 20, "expected address")
```

EXPECT_TOK_B256 (token)

```
#define EXPECT_TOK_B256 (token) EXPECT_TOK(token, d_type(token) == T_BYTES && d_
↪len(token) == 32, "expected 256 bit data")
```

IS_D_UINT64 (token)

```
#define IS_D_UINT64 (token) ((d_type(token) == T_INTEGER || (d_type(token) == T_BYTES_
↪&& d_len(token) <= 8)) && d_long(token) <= UINT64_MAX)
```

IS_D_UINT32 (token)

```
#define IS_D_UINT32 (token) ((d_type(token) == T_INTEGER || d_type(token) == T_BYTES) &
↪ && d_long(token) <= UINT32_MAX)
```

IS_D_UINT16 (token)

```
#define IS_D_UINT16 (token) (d_type(token) == T_INTEGER && d_int(token) >= 0 && d_
↪ int(token) <= UINT16_MAX)
```

IS_D_UINT8 (token)

```
#define IS_D_UINT8 (token) (d_type(token) == T_INTEGER && d_int(token) >= 0 && d_
↪ int(token) <= UINT8_MAX)
```

EXPECT_TOK_U8 (token)

```
#define EXPECT_TOK_U8 (token) EXPECT_TOK(token, IS_D_UINT8(token), "expected uint8_
↪ value")
```

EXPECT_TOK_U16 (token)

```
#define EXPECT_TOK_U16 (token) EXPECT_TOK(token, IS_D_UINT16(token), "expected uint16_
↪ value")
```

EXPECT_TOK_U32 (token)

```
#define EXPECT_TOK_U32 (token) EXPECT_TOK(token, IS_D_UINT32(token), "expected uint32_
↪ value")
```

EXPECT_TOK_U64 (token)

```
#define EXPECT_TOK_U64 (token) EXPECT_TOK(token, IS_D_UINT64(token), "expected uint64_
↪ value")
```

EXPECT_TOK_KEY_HEXSTR (token)

```
#define EXPECT_TOK_KEY_HEXSTR (token) EXPECT_TOK(token, is_hex_str(d_get_keystr(json, ↪
↪ (token)->key)), "expected hex str")
```

msg_dump

```
void msg_dump(const char *s, const unsigned char *data, unsigned len);
```

dumps the given data as hex coded bytes to stdout

arguments:

const char *	s
const unsigned char *	data
unsigned	len

config_err

```
static char* config_err(const char *keyname, const char *err);
```

arguments:

const char *	keyname
const char *	err

returns: char *

is_hex_str

```
static bool is_hex_str(const char *str);
```

arguments:

const char *	str
--------------	------------

returns: bool

add_prop

```
static void add_prop(sb_t *sb, char prefix, const char *property);
```

arguments:

<i>sb_t</i> *	sb
char	prefix
const char *	property

add_bool

```
static void add_bool(sb_t *sb, char prefix, const char *property, bool value);
```

arguments:

<i>sb_t</i> *	sb
char	prefix
const char *	property
bool	value

add_string

```
static void add_string(sb_t *sb, char prefix, const char *property, const char_  
↳ *value);
```

arguments:

<i>sb_t</i> *	sb
char	prefix
const char *	property
const char *	value

add_uint

```
static void add_uint(sb_t *sb, char prefix, const char *property, uint64_t value);
```

arguments:

<i>sb_t</i> *	sb
char	prefix
const char *	property
uint64_t	value

add_hex

```
static void add_hex(sb_t *sb, char prefix, const char *property, bytes_t value);
```

arguments:

<i>sb_t</i> *	sb
char	prefix
const char *	property
<i>bytes_t</i>	value

10.8.7 error.h

defines the return-values of a function call.

File: `c/src/core/util/error.h`

DEPRECATED

depreacted-attribute

```
#define DEPRECATED __attribute__((deprecated))
```


JSON_RPC_ERR_INTERNAL

JSON-RPC errors.

```
#define JSON_RPC_ERR_INTERNAL (-32603) /** Internal error (probably offline signer_
↪node) */
```

JSON_RPC_ERR_FINALITY

```
#define JSON_RPC_ERR_FINALITY (-16001) /** Block is not final so node refused to sign_
↪*/
```

OPTIONAL_T (t)

Optional type similar to C++ std::optional Optional types must be defined prior to usage (e.g.

DEFINE_OPTIONAL_T(int)) Use OPTIONAL_T_UNDEFINED(t) & OPTIONAL_T_VALUE(t, v) for easy initialization (rvalues) Note: Defining optional types for pointers is ill-formed by definition. This is because redundant

```
#define OPTIONAL_T (t) opt_##t
```

DEFINE_OPTIONAL_T (t)

Optional types must be defined prior to usage (e.g.

DEFINE_OPTIONAL_T(int)) Use OPTIONAL_T_UNDEFINED(t) & OPTIONAL_T_VALUE(t, v) for easy initialization (rvalues)

```
#define DEFINE_OPTIONAL_T (t)    typedef struct {                \
    t    value;                \
    bool defined;              \
} OPTIONAL_T(t)
```

OPTIONAL_T_UNDEFINED (t)

marks a used value as undefined.

```
#define OPTIONAL_T_UNDEFINED (t) ((OPTIONAL_T(t)){.defined = false})
```

OPTIONAL_T_VALUE (t,v)

sets the value of an optional type.

```
#define OPTIONAL_T_VALUE (t,v) ((OPTIONAL_T(t)){.value = v, .defined = true})
```

in3_ret_t

ERROR types used as return values.

All values (except IN3_OK) indicate an error. IN3_WAITING may be treated like an error, since we have stop executing until the response has arrived, but it is a valid return value.

The enum type contains the following values:

IN3_OK	0	Success.
IN3_EUNKNOWN	-1	Unknown error - usually accompanied with specific error msg.
IN3_ENOMEM	-2	No memory.
IN3_ENOTSUP	-3	Not supported.
IN3_EINVAL	-4	Invalid value.
IN3_EFIND	-5	Not found.
IN3_ECONFIG	-6	Invalid config.
IN3_ELIMIT	-7	Limit reached.
IN3_EVERS	-8	Version mismatch.
IN3_EINVALDT	-9	Data invalid, eg. invalid/incomplete JSON
IN3_EPASS	-10	Wrong password.
IN3_ERPC	-11	RPC error (i.e. in3_req_t::error set)
IN3_ERPCNRES	-12	RPC no response.
IN3_EUSNURL	-13	USN URL parse error.
IN3_ETRANS	-14	Transport error.
IN3_ERANGE	-15	Not in range.
IN3_WAITING	-16	the process can not be finished since we are waiting for responses
IN3_EIGNORE	-17	Ignorable error.
IN3_EPAYMENT_REQUIRED	-18	payment required
IN3_ENODEVICE	-19	hardware wallet device not connected
IN3_EAPDU	-20	error in hardware wallet communication
IN3_EPLGN_NONE	-21	no plugin could handle specified action
IN3_ERETRY	-22	request to retry all plugins again
IN3_HTTP_BAD_REQUEST	-400	Bad Request.
IN3_HTTP_UNAUTHORIZED	-401	Unauthorized.
IN3_HTTP_PAYMENT_REQUIRED	-402	Unauthorized.
IN3_HTTP_FORBIDDEN	-403	Forbidden.
IN3_HTTP_NOT_FOUND	-404	not found
IN3_HTTP_M_NOT_ALLOWED	-405	method not allowed
IN3_HTTP_NOT_ACCEPTABLE	-406	Not acceptable.
IN3_HTTP_PROX_AUTH_REQUIRED	-407	Proxy Authentification required.
IN3_HTTP_TIMEOUT	-408	Request timeout.
IN3_HTTP_CONFLICT	-409	conflict
IN3_HTTP_GONE	-410	gone
IN3_HTTP_INTERNAL_ERROR	-500	Internal Server Error.
IN3_HTTP_NOT_IMPLEMENTED	-501	not implemented
IN3_HTTP_BAD_GATEWAY	-502	Bad Gateway.

Continued on next page

Table 1 – continued from previous page

IN3_HTTP_UNAVAILABLE	-503	service unavailable
-----------------------------	------	---------------------

in3_errmsg

```
char* in3_errmsg(in3_ret_t err);
```

converts a error code into a string.

These strings are constants and do not need to be freed.

arguments:

<i>in3_ret_t</i>	err	the error code
------------------	------------	----------------

returns: char *

10.8.8 scache.h

util helper on byte arrays.

File: `c/src/core/util/scache.h`

cache_props

The enum type contains the following values:

CACHE_PROP_MUST_FREE	0x1	indicates the content must be freed
CACHE_PROP_SRC_REQ	0x2	the value holds the src-request
CACHE_PROP_ONLY_EXTERNAL	0x4	should only be freed if the context is external
CACHE_PROP_ONLY_NOT_EXTERNAL	0x20	should only be freed if the context is not external
CACHE_PROP_JSON	0x8	indicates the content is a json_ctxt and must be freed as such
CACHE_PROP_INHERIT	0x10	indicates the content will be inherited when creating sub_request
CACHE_PROP_PAYMENT	0x80	This cache-entry is a payment.data.

cache_props_t

The enum type contains the following values:

CACHE_PROP_MUST_FREE	0x1	indicates the content must be freed
CACHE_PROP_SRC_REQ	0x2	the value holds the src-request
CACHE_PROP_ONLY_EXTERNAL	0x4	should only be freed if the context is external
CACHE_PROP_ONLY_NOT_EXTERNAL	0x20	should only be freed if the context is not external
CACHE_PROP_JSON	0x8	indicates the content is a json_ctxt and must be freed as such
CACHE_PROP_INHERIT	0x10	indicates the content will be inherited when creating sub_request
CACHE_PROP_PAYMENT	0x80	This cache-entry is a payment.data.

cache_entry_t

represents a single cache entry in a linked list.

These are used within a request context to cache values and automatically free them.

The struct contains following fields:

<i>bytes_t</i>	key	an optional key of the entry
<i>bytes_t</i>	value	the value
uint8_t	buffer	the buffer is used to store extra data, which will be cleaned when freed.
cache_props_t	props	if true, the cache-entry will be freed when the request context is cleaned up.
<i>cache_entrystruct</i> , *	next	pointer to the next entry.

in3_cache_get_entry

```
bytes_t* in3_cache_get_entry(cache_entry_t *cache, bytes_t *key);
```

get the entry for a given key.

arguments:

<i>cache_entry_t</i> *	cache	the root entry of the linked list.
<i>bytes_t</i> *	key	the key to compare with

returns: *bytes_t* *

in3_cache_get_entry_by_prop

```
cache_entry_t* in3_cache_get_entry_by_prop(cache_entry_t *cache, cache_props_t prop);
```

get the entry for a given property.

arguments:

<i>cache_entry_t</i> *	cache	the root entry of the linked list.
cache_props_t	prop	the prop, which must match exactly

returns: *cache_entry_t* *

in3_cache_add_entry

```
cache_entry_t* in3_cache_add_entry(cache_entry_t **cache, bytes_t key, bytes_t value);
```

adds an entry to the linked list.

arguments:

<i>cache_entry_t</i> **	cache	the root entry of the linked list.
<i>bytes_t</i>	key	an optional key
<i>bytes_t</i>	value	the value of the entry

returns: *cache_entry_t* *

in3_cache_free

```
void in3_cache_free(cache_entry_t *cache, bool is_external);
```

clears all entries in the linked list.

arguments:

<i>cache_entry_t</i> *	cache	the root entry of the linked list.
bool	is_external	true if this is the root context or an external.

in3_cache_add_ptr

```
static NONULL cache_entry_t* in3_cache_add_ptr(cache_entry_t **cache, void *ptr);
```

adds a pointer, which should be freed when the context is freed.

arguments:

<i>cache_entry_t</i> **	cache	the root entry of the linked list.
void *	ptr	pointer to memory which should be freed.

returns: *cache_entry_t* *NONULL* , *

10.8.9 stringbuilder.h

simple string buffer used to dynamically add content.

File: *c/src/core/util/stringbuilder.h*

sb_add_hexuint (sb,i)

shortcut macro for adding a uint to the stringbuilder using sizeof(i) to automatically determine the size

```
#define sb_add_hexuint (sb,i) sb_add_hexuint_l(sb, i, sizeof(i))
```

sb_t

string build struct, which is able to hold and modify a growing string.

The struct contains following fields:

char *	data	the current string (null terminated)
size_t	allocated	number of bytes currently allocated
size_t	len	the current length of the string

sb_stack

```
static NONULL sb_t sb_stack(char *p);
```

creates a stringbuilder which is allocating any new memory, but uses an existing string and is used directly on the stack.

Since it will not grow the memory you need to pass a `char*` which allocated enough memory.

arguments:

<code>char *</code>	<code>p</code>
---------------------	----------------

returns: `sb_t`*NONULL*

sb_new

```
sb_t* sb_new(const char *chars);
```

creates a new stringbuilder and copies the initial characters into it.

arguments:

<code>const char *</code>	<code>chars</code>
---------------------------	--------------------

returns: `sb_t *`

sb_init

```
NONULL sb_t* sb_init(sb_t *sb);
```

initializes a stringbuilder by allocating memory.

arguments:

<code>sb_t *</code>	<code>sb</code>
---------------------	-----------------

returns: `sb_t`*NONULL* , *

sb_free

```
NONULL void sb_free(sb_t *sb);
```

frees all resources of the stringbuilder

arguments:

<code>sb_t *</code>	<code>sb</code>
---------------------	-----------------

returns: `NONULL void`

sb_add_char

```
NONULL sb_t* sb_add_char(sb_t *sb, char c);
```

add a single character

arguments:

<i>sb_t</i> *	sb
char	c

returns: *sb_t*NONULL , *

sb_add_chars

```
NONULL sb_t* sb_add_chars(sb_t *sb, const char *chars);
```

adds a string

arguments:

<i>sb_t</i> *	sb
const char *	chars

returns: *sb_t*NONULL , *

sb_add_range

```
NONULL sb_t* sb_add_range(sb_t *sb, const char *chars, int start, int len);
```

add a string range

arguments:

<i>sb_t</i> *	sb
const char *	chars
int	start
int	len

returns: *sb_t*NONULL , *

sb_add_key_value

```
NONULL sb_t* sb_add_key_value(sb_t *sb, const char *key, const char *value, int value_
↳ len, bool as_string);
```

adds a value with an optional key.

if as_string is true the value will be quoted.

arguments:

<i>sb_t</i> *	sb
const char *	key
const char *	value
int	value_len
bool	as_string

returns: *sb_t* *NONULL* , *

sb_add_bytes

```
sb_t* sb_add_bytes(sb_t *sb, const char *prefix, const bytes_t *bytes, int len, bool_
↳as_array);
```

add bytes as 0x-prefixed hexcoded string (including an optional prefix), if len>1 is passed bytes maybe an array (if as_array==true)

arguments:

<i>sb_t</i> *	sb
const char *	prefix
<i>bytes_t</i> const , *	bytes
int	len
bool	as_array

returns: *sb_t* *

sb_add_hexuint_l

```
NONULL sb_t* sb_add_hexuint_l(sb_t *sb, uintmax_t uint, size_t l);
```

add a integer value as hexcoded, 0x-prefixed string

Other types not supported

arguments:

<i>sb_t</i> *	sb
uintmax_t	uint
size_t	l

returns: *sb_t* *NONULL* , *

sb_add_escaped_chars

```
NONULL sb_t* sb_add_escaped_chars(sb_t *sb, const char *chars);
```

add chars but escapes all quotes

arguments:

<i>sb_t</i> *	sb
const char *	chars

returns: *sb_t* *NONULL* , *

sb_add_int

```
NONULL sb_t* sb_add_int(sb_t *sb, int64_t val);
```

adds a numeric value to the stringbuilder

arguments:

<i>sb_t</i> *	sb
int64_t	val

returns: *sb_t* *NONULL* , *

format_json

```
NONULL char* format_json(const char *json);
```

format a json string and returns a new string, which needs to be freed

arguments:

const char *	json
--------------	-------------

returns: NONULL char *

sb_add_rawbytes

```
sb_t* sb_add_rawbytes(sb_t *sb, char *prefix, bytes_t b, int fix_size);
```

arguments:

<i>sb_t</i> *	sb
char *	prefix
<i>bytes_t</i>	b
int	fix_size

returns: *sb_t* *

sb_print

```
sb_t* sb_print(sb_t *sb, const char *fmt, ...);
```

arguments:

<i>sb_t</i> *	sb
const char *	fmt
...	

returns: *sb_t* *

sb_vprint

```
sb_t* sb_vprint(sb_t *sb, const char *fmt, va_list args);
```

arguments:

<i>sb_t</i> *	sb
const char *	fmt
va_list	args

returns: *sb_t* *

sb_add_json

```
sb_t* sb_add_json(sb_t *sb, const char *prefix, d_token_t *token);
```

arguments:

<i>sb_t</i> *	sb
const char *	prefix
<i>d_token_t</i> *	token

returns: *sb_t* *

sb_printx

```
sb_t* sb_printx(sb_t *sb, const char *fmt, ...);
```

arguments:

<i>sb_t</i> *	sb
const char *	fmt
...	

returns: *sb_t* *

10.8.10 utils.h

utility functions.

File: `c/src/core/util/utils.h`

_strtoull (str,endptr,base)

```
#define _strtoull (str,endptr,base) strtoull(str, endptr, base)
```

SWAP (a,b)

simple swap macro for integral types

```
#define SWAP (a,b) { \
    void* p = a; \
    a = b; \
    b = p; \
}
```

min (a,b)

simple min macro for interagl types

```
#define min (a,b) ((a) < (b) ? (a) : (b))
```

max (a,b)

simple max macro for interagl types

```
#define max (a,b) ((a) > (b) ? (a) : (b))
```

IS_APPROX (n1,n2,err)

Check if n1 & n2 are at max err apart Expects n1 & n2 to be integral types.

```
#define IS_APPROX (n1,n2,err) ((n1 > n2) ? ((n1 - n2) <= err) : ((n2 - n1) <= err))
```

DIFF_ATMOST (n1,n2,diff)

```
#define DIFF_ATMOST (n1,n2,diff) IS_APPROX(n1, n2, diff)
```

DIFF_ATLEAST (n1,n2,err)

```
#define DIFF_ATLEAST (n1,n2,err) ((n1 > n2) ? ((n1 - n2) >= err) : ((n2 - n1) >= err))
```

STR_IMPL_(x)

simple macro to stringify other macro defs eg.

usage - to concatenate a const with a string at compile time -> define SOME_CONST_UINT 10U printf("Using default value of " STR(SOME_CONST_UINT));

```
#define STR_IMPL_ (x) #x
```

STR (x)

```
#define STR (x) STR_IMPL_(x)
```

optimize_len (a,l)

changes to pointer (a) and it length (l) to remove leading 0 bytes.

it will reduce it to max len=1

```
#define optimize_len (a,l)    while (l > 1 && *a == 0) { \
    l--;                      \
    a++;                      \
}
```

TRY (exp)

executes the expression and expects the return value to be a int indicating the error.

if the return value is negative it will stop and return this value otherwise continue.

```
#define TRY (exp)    {                                \
    int _r = (exp);    \
    if (_r < 0) return _r; \
}
```

TRY_FINAL (exp,final)

executes the expression and expects the return value to be a int indicating the error.

if the return value is negative it will stop and return this value otherwise continue.

```
#define TRY_FINAL (exp,final)    {                                \
    int _r = (exp);    \
    final;                \
    if (_r < 0) return _r;    \
}
```

TRY_CATCH (exp,catch)

executes the expression and expects the return value to be a int indicating the error.

if the return value is negative it will stop and return this value otherwise continue.

```
#define TRY_CATCH (exp,catch)    {                                \
    int _r = (exp);    \
    if (_r < 0) {        \
        catch;          \
        return _r;      \
    }
```

(continues on next page)

(continued from previous page)

```

    }
}
\

```

TRY_RPC (name,fn)

```
#define TRY_RPC (name,fn)    if (strcmp(ctx->method, name) == 0) return fn;
```

VERIFY_RPC (name)

used in if-conditions and returns true if the vc->method matches the name.

It is also used as marker.

```
#define VERIFY_RPC (name) (strcmp(vc->method, name) == 0)
```

CONFIG_KEY (name)

```
#define CONFIG_KEY (name) key(name)
```

EXPECT_EQ (exp,val)

executes the expression and expects value to equal val.

if not it will return IN3_EINVAL

```
#define EXPECT_EQ (exp,val)    if ((exp) != val) return IN3_EINVAL;
```

TRY_SET (var,exp)

executes the expression and expects the return value to be a int indicating the error.

the return value will be set to a existing variable (var). if the return value is negative it will stop and return this value otherwise continue.

```
#define TRY_SET (var,exp)    {
    var = (exp);              \
    if (var < 0) return var;  \
}
```

TRY_GOTO (exp)

executes the expression and expects the return value to be a int indicating the error.

if the return value is negative it will stop and jump (goto) to a marked position “clean”. it also expects a previously declared variable “in3_ret_t res”.

```
#define TRY_GOTO (exp)    {                                \
    res = (exp);          \
    if (res < 0) goto clean; \
}
```

WORD_ADR (index,right)

calculates the address of a word in a abi-encoded data (assuming data = bytes_t res exists)

```
#define WORD_ADR (index,right) (res.data + 4 + (index) *32 + 32 - (right))
```

ABI_ADDRESS (index,adr)

sets an address at the word index in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_ADDRESS (index,adr) memcpy(WORD_ADR(index, 20), adr, 20)
```

ABI_UINT32 (index,val)

sets an int at the word index in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_UINT32 (index,val) int_to_bytes(val, WORD_ADR(index, 4))
```

ABI_UINT256 (index,data,len)

sets an uint256 as bytes at the word index in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_UINT256 (index,data,len) memcpy(WORD_ADR(index, len), data, len)
```

ABI_BYTES (index,bytes)

writes the bytes at the word index in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_BYTES (index,bytes) {                                ↵
    ↪                                \
    if (bytes.data) memcpy(WORD_ADR(index, 32), bytes.data, bytes.len); \
}
```

ABI_FNC (hash)

writes the functionhash in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_FNC (hash) memcpy(res.data, (void*) hash, 4)
```

ABI_BYTES_CALLOC (words)

allocates memory filled with zeros with the size words*32 +4 for e3ncoding abi-data

```
#define ABI_BYTES_CALLOC (words) bytes(_calloc(4 + (words) *32, 1), 4 + (words) *32)
```

ABI_WORDS (byte_len)

calculates the number of words (32 bytes) needed to hold the specified bytes

```
#define ABI_WORDS (byte_len) ((byte_len + 31) / 32)
```

ABI_OFFSET (index,word)

writes the offset (as word) at the word index in a abi-encoded data (assuming data = bytes_t res exists)

```
#define ABI_OFFSET (index,word) ABI_UINT32(index, (word * 32))
```

INIT_LOCK (NAME)

```
#define INIT_LOCK (NAME)    {}
```

LOCK (NAME,code)

```
#define LOCK (NAME,code)    { code }
```

time_func

Pluggable functions: Mechanism to replace library functions with custom alternatives.

This is particularly useful for embedded systems which have their own time or rand functions.

eg. // define function with specified signature uint64_t my_time(void* t) { // ... }

// then call in3_set_func_*() int main() { in3_set_func_time(my_time); // Henceforth, all library calls will use my_time() instead of the platform default time function } time function defaults to k_uptime_get() for zeohyr and time(NULL) for other platforms expected to return a u64 value representative of time (from epoch/start)

```
typedef uint64_t (* time_func) (void *t)
```

returns: uint64_t (*

rand_func

rand function defaults to k_uptime_get() for zeohyr and rand() for other platforms expected to return a random number

```
typedef int (* rand_func) (void *s)
```

returns: int (*

srand_func

srand function defaults to NOOP for zephyr and srand() for other platforms expected to set the seed for a new sequence of random numbers to be returned by in3_rand()

```
typedef void(* srand_func) (unsigned int s)
```

bytes_to_long

```
uint64_t bytes_to_long(const uint8_t *data, int len);
```

converts the bytes to a unsigned long (at least the last max len bytes).

arguments:

const uint8_t *	data
int	len

returns: uint64_t

bytes_to_int

```
static uint32_t bytes_to_int(const uint8_t *data, int len);
```

converts the bytes to a unsigned int (at least the last max len bytes)

arguments:

const uint8_t *	data
int	len

returns: uint32_t

char_to_long

```
uint64_t char_to_long(const char *a, int l);
```

converts a character into a uint64_t

arguments:

const char *	a
int	l

returns: uint64_t

hexchar_to_int

```
uint8_t hexchar_to_int(char c);
```

converts a hexchar to byte (4bit).

In case of a nonhex char 0xff will be returned.

arguments:

char	c
------	----------

returns: uint8_t

hex_to_bytes

```
int hex_to_bytes(const char *hexdata, int hexlen, uint8_t *out, int outlen);
```

convert a c hex string to a byte array storing it into an existing buffer.

arguments:

const char *	hexdata
int	hexlen
uint8_t *	out
int	outlen

returns: int

hex_to_new_bytes

```
bytes_t* hex_to_new_bytes(const char *buf, int len);
```

convert a c string to a byte array creating a new buffer

arguments:

const char *	buf
int	len

returns: *bytes_t* *

bytes_to_hex

```
int bytes_to_hex(const uint8_t *buffer, int len, char *out);
```

convefrts a bytes into hex

arguments:

const uint8_t *	buffer
int	len
char *	out

returns: int

keccak

```
int keccak(bytes_t data, void *dst);
```

writes 32 bytes to the pointer.

arguments:

<i>bytes_t</i>	data
void *	dst

returns: int

long_to_bytes

```
void long_to_bytes(uint64_t val, uint8_t *dst);
```

converts a a uin64_t to 8 bytes written to dst using big endian

arguments:

uint64_t	val
uint8_t *	dst

int_to_bytes

```
void int_to_bytes(uint32_t val, uint8_t *dst);
```

converts a unsigned int to 4 bytes written to dst using big endian

arguments:

uint32_t	val
uint8_t *	dst

_strdupn

```
char* _strdupn(const char *src, int len);
```

duplicate the string.

A len=-1 will determine the len with strlen.

arguments:

const char *	src
int	len

returns: char *

min_bytes_len

```
int min_bytes_len(uint64_t val);
```

calculate the min number of byte to represents the len

arguments:

uint64_t	val
----------	------------

returns: int

uint256_set

```
void uint256_set(const uint8_t *src, wlen_t src_len, bytes32_t dst);
```

sets a variable value to 32byte word.

arguments:

const uint8_t *	src
<i>wlen_t</i>	src_len
<i>bytes32_t</i>	dst

str_replace

```
char* str_replace(char *orig, const char *rep, const char *with);
```

replaces a string and returns a copy.

arguments:

char *	orig
const char *	rep
const char *	with

returns: char *

str_replace_pos

```
char* str_replace_pos(char *orig, size_t pos, size_t len, const char *rep);
```

replaces a string at the given position.

arguments:

char *	orig
size_t	pos
size_t	len
const char *	rep

returns: char *

str_find

```
char* str_find(char *haystack, const char *needle);
```

lightweight strstr() replacements

arguments:

char *	haystack
const char *	needle

returns: char *

str_remove_html

```
char* str_remove_html(char *data);
```

remove all html-tags in the text.

This function will modify the original data and return the same pointer as the input.

arguments:

char *	data
--------	-------------

returns: char *

current_ms

```
uint64_t current_ms();
```

current timestamp in ms.

returns: uint64_t

memiszero

```
static bool memiszero(uint8_t *ptr, size_t l);
```

returns true if all pytes (specified by l) of pts have a value of zero.

arguments:

uint8_t *	ptr
size_t	l

returns: bool

in3_set_func_time

```
void in3_set_func_time(time_func fn);
```

arguments:

<i>time_func</i>	fn
------------------	-----------

in3_time

```
uint64_t in3_time(void *t);
```

arguments:

void *	t
--------	----------

returns: uint64_t

in3_set_func_rand

```
void in3_set_func_rand(rand_func fn);
```

arguments:

<i>rand_func</i>	fn
------------------	-----------

in3_rand

```
int in3_rand(void *s);
```

arguments:

void *	s
--------	----------

returns: int

in3_set_func_srand

```
void in3_set_func_srand(srand_func fn);
```

arguments:

<i>srand_func</i>	fn
-------------------	-----------

in3_srand

```
void in3_srand(unsigned int s);
```

arguments:

unsigned int	s
--------------	----------

in3_sleep

```
void in3_sleep(uint32_t ms);
```

arguments:

uint32_t	ms
----------	-----------

parse_float_val

```
int64_t parse_float_val(const char *data, int32_t expo);
```

parses a float-string and returns the value as int

arguments:

const char *	data	the data string
int32_t	expo	the exponent

returns: int64_t

b256_add

```
void b256_add(bytes32_t a, uint8_t *b, wlen_t len_b);
```

simple add function, which adds the bytes (b) to a

arguments:

<i>bytes32_t</i>	a
uint8_t *	b
<i>wlen_t</i>	len_b

bytes_to_hex_string

```
char* bytes_to_hex_string(char *out, const char *prefix, const bytes_t b, const char_
↳ *postfix);
```

prints a bytes into a string

arguments:

char *	out
const char *	prefix
<i>bytes_tconst</i>	b
const char *	postfix

returns: char *

10.9 Module init

10.9.1 in3_init.h

IN3 init module for auto initializing verifiers and transport based on build config.

File: `c/src/init/in3_init.h`

in3_for_chain(chain_id)

```
#define in3_for_chain (chain_id) in3_for_chain_auto_init(chain_id)
```

in3_init

```
void in3_init();
```

Global initialization for the in3 lib.

Note: This function is not MT-safe and is expected to be called early during program startup (i.e. in main()) before other threads are spawned.

in3_for_chain_auto_init

```
in3_t* in3_for_chain_auto_init(chain_id_t chain_id);
```

Auto-init fallback for easy client initialization meant for single-threaded apps.

This function automatically calls `in3_init()` before calling `in3_for_chain_default()`. To enable this feature, make sure you include this header file (i.e. `in3_init.h`) before `client.h`. Doing so will replace the call to `in3_for_chain()` with this function.

arguments:

<i>chain_id_t</i>	chain_id
-------------------	-----------------

returns: *in3_t* *

10.10 Module pay

10.10.1 pay_eth.h

USN API.

This header-file defines easy to use function, which are verifying USN-Messages.

File: `c/src/pay/eth/pay_eth.h`

in3_pay_eth_node_t

The stuct contains following fields:

<i>address_t</i>	address
uint32_t	price
uint64_t	payed
<i>in3_pay_eth_nodestruct</i> , *	next

in3_pay_eth

```
in3_ret_t in3_pay_eth(void *plugin_data, in3_plugin_act_t action, void *plugin_ctx);
```

Eth payment implementation.

arguments:

void *	plugin_data
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_pay_eth_data

```
static in3_pay_eth_t* in3_pay_eth_data(in3_t *c);
```

get access to internal plugin data if registered

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_pay_eth_t* *

in3_register_pay_eth

```
in3_ret_t in3_register_pay_eth(in3_t *c);
```

registers the Eth payment plugin

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.10.2 zksync.h

ZKSync API.

This header-file registers zksync api functions.

File: *c/src/pay/zksync/zksync.h*

zk_msg_type

message type.

The enum type contains the following values:

ZK_TRANSFER	5	transfer tx
ZK_WITHDRAW	3	withdraw tx

zk_sign_type

signature-type which can be configured in the config

The enum type contains the following values:

ZK_SIGN_PK	1	sign with PK (default)
ZK_SIGN_CONTRACT	2	use eip1271 contract signatures
ZK_SIGN_CREATE2	3	use creat2 code

zk_fee_t

```
typedef uint64_t zk_fee_t
```

zk_fee_p_t

```
typedef uint64_t zk_fee_p_t
```

zk_msg_type_t

message type.

The enum type contains the following values:

ZK_TRANSFER	5	transfer tx
ZK_WITHDRAW	3	withdraw tx

zk_sign_type_t

signature-type which can be configured in the config

The enum type contains the following values:

ZK_SIGN_PK	1	sign with PK (default)
ZK_SIGN_CONTRACT	2	use eip1271 contract signatures
ZK_SIGN_CREATE2	3	use creat2 code

zk_create2_t

create2-arguments

The stuct contains following fields:

<i>address_t</i>	creator	address of the creator
<i>bytes32_t</i>	salt_arg	saltarg
<i>bytes32_t</i>	codehash	hash of the deploy-txdata

zk_musig_session_t

a musig session to create a combined signature

The stuct contains following fields:

uint64_t	id	identifier of a current session
<i>bytes32_t</i>	seed	a random seed used
<i>bytes_t</i>	pub_keys	the seesion id
unsigned int	pos	the position within the pub_keys
unsigned int	len	number of participants
<i>bytes_t</i>	precommit-ments	all precommits
<i>bytes_t</i>	commit-ments	all commits
<i>bytes_t</i>	signature_shares	all signatures shares
void *	signer	handle for the signer
char *	proof_data	the proof needed by the server to verify. This is created by the client and checked in the server.
<i>zk_musig_sessionstruct</i> , *	next	next session

zksync_config_t

internal configuration-object

The struct contains following fields:

char *	provider_url	url of the zksync-server
char *	rest_api	url of the zksync-rest-api
uint8_t *	account	address of the account
uint8_t *	main_contract	address of the main zksync contract
uint8_t *	gov_contract	address of the government contract
uint64_t	account_id	the id of the account as used in the messages
uint64_t	nonce	the current nonce
<i>address_t</i>	pub_key_hash_set	the pub_key_hash as set in the account
<i>address_t</i>	pub_key_hash_pk	the pub_key_hash based on the sync_key
<i>bytes32_t</i>	pub_key	the pub_key
uint16_t	token_len	number of tokens in the tokenlist
<i>bytes32_t</i>	sync_key	the raw key to sign with
<i>zksync_token_t</i> *	tokens	the token-list
<i>zk_sign_type_t</i>	sign_type	the signature-type to use
uint32_t	version	zksync version
<i>zk_create2_t</i>	create2	create2 args
<i>bytes_t</i>	musig_pub_keys	the public keys of all participants of a schnorr musig signature
<i>zk_musig_session_t</i> *	musig_sessions	linked list of open musig sessions
char **	musig_urls	urls to get signatureshares, the order must be in the same order as the pub_keys
<i>pay_criteriastruct</i> , *	incentive	incentive payment configuration
char *	proof_verify_method	the rpc-method used to verify the proof before creating a signature
char *	proof_create_method	the rpc-method used to create the proof before creating a signature

zksync_valid_t

The struct contains following fields:

uint64_t	from
uint64_t	to

pay_criteria_t

The struct contains following fields:

uint_fast32_t	payed_nodes	max number of nodes payed at the same time
uint64_t	max_price_per_hundred_igas	the max price per 100 gas units to accept a payment offer
char *	token	token-name
<i>zksync_config_t</i>	config	the account configuration

in3_register_zksync

```
nonnull in3_ret_t in3_register_zksync(in3_t *c);
```

registers the zksync-plugin in the client

arguments:

<code>in3_t *</code>	<code>c</code>
----------------------	----------------

returns: `in3_ret_t` `nonnull` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_set_key

```
nonnull in3_ret_t zksync_set_key(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx,   
↪ bool only_update);
```

sets a PubKeyHash for the current Account

arguments:

<code>zksync_config_t *</code>	<code>conf</code>
<code>in3_rpc_handle_ctx_t *</code>	<code>ctx</code>
<code>bool</code>	<code>only_update</code>

returns: `in3_ret_t` `nonnull` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_transfer

```
nonnull in3_ret_t zksync_transfer(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx, zk_  
↪ msg_type_t type);
```

sends a transfer transaction in Layer 2

arguments:

<code>zksync_config_t *</code>	<code>conf</code>
<code>in3_rpc_handle_ctx_t *</code>	<code>ctx</code>
<code>zk_msg_type_t</code>	<code>type</code>

returns: `in3_ret_t` `nonnull` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_deposit

```
nonnull in3_ret_t zksync_deposit(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx);
```

sends a deposit transaction in Layer 1

arguments:

<code>zksync_config_t *</code>	conf
<code>in3_rpc_handle_ctx_t *</code>	ctx

returns: `in3_ret_t` *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_emergency_withdraw

```
NONULL in3_ret_t zksync_emergency_withdraw(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx);
```

sends a emergency withdraw transaction in Layer 1

arguments:

<code>zksync_config_t *</code>	conf
<code>in3_rpc_handle_ctx_t *</code>	ctx

returns: `in3_ret_t` *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_sign_transfer

```
NONULL in3_ret_t zksync_sign_transfer(sb_t *sb, zksync_tx_data_t *data, in3_req_t *req, zksync_config_t *conf);
```

creates message data and signs a transfer-message

arguments:

<code>sb_t *</code>	sb
<code>zksync_tx_data_t *</code>	data
<code>in3_req_t *</code>	req
<code>zksync_config_t *</code>	conf

returns: `in3_ret_t` *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_sign_change_pub_key

```
NONULL in3_ret_t zksync_sign_change_pub_key(sb_t *sb, in3_req_t *req, uint8_t *sync_pub_key, uint32_t nonce, zksync_config_t *conf, zk_fee_t fee, zksync_token_t *token, zksync_valid_t valid);
```

creates message data and signs a change_pub_key-message

arguments:

<i>sb_t</i> *	sb
<i>in3_req_t</i> *	req
uint8_t *	sync_pub_key
uint32_t	nonce
<i>zksync_config_t</i> *	conf
zk_fee_t	fee
<i>zksync_token_t</i> *	token
<i>zksync_valid_t</i>	valid

returns: *in3_ret_t* *NONULL* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_musig_sign

```
in3_ret_t zksync_musig_sign(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx);
```

arguments:

<i>zksync_config_t</i> *	conf
<i>in3_rpc_handle_ctx_t</i> *	ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zk_musig_session_free

```
zk_musig_session_t* zk_musig_session_free(zk_musig_session_t *s);
```

arguments:

<i>zk_musig_session_t</i> *	s
-----------------------------	----------

returns: *zk_musig_session_t* *

zksync_sign

```
in3_ret_t zksync_sign(zksync_config_t *conf, bytes_t msg, in3_req_t *req, uint8_t_  
↪ *sig);
```

arguments:

<i>zksync_config_t</i> *	conf
<i>bytes_t</i>	msg
<i>in3_req_t</i> *	req
uint8_t *	sig

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_check_payment

```
in3_ret_t zksync_check_payment(zksync_config_t *conf, in3_pay_followup_ctx_t *ctx);
```

arguments:

<code>zksync_config_t *</code>	conf
<code>in3_pay_followup_ctx_t *</code>	ctx

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_add_payload

```
in3_ret_t zksync_add_payload(in3_pay_payload_ctx_t *ctx);
```

arguments:

<code>in3_pay_payload_ctx_t *</code>	ctx
--------------------------------------	------------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

update_nodelist_from_cache

```
in3_ret_t update_nodelist_from_cache(in3_req_t *req, unsigned int nodelen);
```

arguments:

<code>in3_req_t *</code>	req
unsigned int	nodelen

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

handle_zksync

```
in3_ret_t handle_zksync(void *conf, in3_plugin_act_t action, void *arg);
```

arguments:

void *	conf
<code>in3_plugin_act_t</code>	action
void *	arg

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_tx_data

```
in3_ret_t zksync_tx_data(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx);
```

arguments:

<code>zksync_config_t *</code>	conf
<code>in3_rpc_handle_ctx_t *</code>	ctx

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_account_history

```
in3_ret_t zksync_account_history(zksync_config_t *conf, in3_rpc_handle_ctx_t *ctx);
```

arguments:

<code>zksync_config_t *</code>	conf
<code>in3_rpc_handle_ctx_t *</code>	ctx

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

zksync_get_conf

```
NONULL zksync_config_t* zksync_get_conf(in3_req_t *req);
```

arguments:

<code>in3_req_t *</code>	req
--------------------------	------------

returns: `zksync_config_tNONULL , *`

10.11 Module signer

10.11.1 ethereum_apdu_client.h

this file defines the incubed configuration struct and it registration.

File: `c/src/signer/ledger-nano/signer/ethereum_apdu_client.h`

eth_ledger_set_signer_txn

```
in3_ret_t eth_ledger_set_signer_txn(in3_t *in3, uint8_t *bip_path);
```

attaches ledger nano hardware wallet signer with incubed .

bip32 path to be given to point the specific public/private key in HD tree for Ethereum!

arguments:

<i>in3_t</i> *	in3
uint8_t *	bip_path

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_ledger_get_public_addr

```
in3_ret_t eth_ledger_get_public_addr(uint8_t *i_bip_path, uint8_t *o_public_key);
```

returns public key at the bip_path .

returns IN3_ENODEVICE error if ledger nano device is not connected

arguments:

uint8_t *	i_bip_path
uint8_t *	o_public_key

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.11.2 ledger_signer.h

this file defines the incubed configuration struct and it registration.

File: `c/src/signer/ledger-nano/signer/ledger_signer.h`

eth_ledger_set_signer

```
in3_ret_t eth_ledger_set_signer(in3_t *in3, uint8_t *bip_path);
```

attaches ledger nano hardware wallet signer with incubed .

bip32 path to be given to point the specific public/private key in HD tree for Ethereum!

arguments:

<i>in3_t</i> *	in3
uint8_t *	bip_path

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

eth_ledger_get_public_key

```
in3_ret_t eth_ledger_get_public_key(uint8_t *bip_path, uint8_t *public_key);
```

returns public key at the bip_path .

returns IN3_ENODEVICE error if ledger nano device is not connected

arguments:

uint8_t *	bip_path
uint8_t *	public_key

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

10.11.3 signer.h

Ethereum Nano verification.

File: `c/src/signer/pk-signer/signer.h`

hasher_t

The enum type contains the following values:

hasher_sha2	0
hasher_sha2d	1
hasher_sha2_ripemd	2
hasher_sha3	3
hasher_sha3k	4
hasher_blake	5
hasher_blaked	6
hasher_blake_ripemd	7
hasher_groestld_trunc	8
hasher_overwinter_prevouts	9
hasher_overwinter_sequence	10
hasher_overwinter_outputs	11
hasher_overwinter_preimage	12
hasher_sapling_preimage	13

eth_set_pk_signer

```
in3_ret_t eth_set_pk_signer(in3_t *in3, bytes32_t pk);
```

simply signer with one private key.

since the pk pointing to the 32 byte private key is not cloned, please make sure, you manage memory allocation correctly!

simply signer with one private key.

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	pk

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_register_pk_signer

```
in3_ret_t eth_register_pk_signer(in3_t *in3);
```

registers pk signer as plugin so you can use config or in3_addKeys as rpc

arguments:

<i>in3_t</i> *	in3
----------------	------------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_set_request_signer

```
in3_ret_t eth_set_request_signer(in3_t *in3, bytes32_t pk);
```

sets the signer and a pk to the client

arguments:

<i>in3_t</i> *	in3
<i>bytes32_t</i>	pk

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_set_pk_signer_hex

```
void eth_set_pk_signer_hex(in3_t *in3, char *key);
```

simply signer with one private key as hex.

simply signer with one private key as hex.

arguments:

<i>in3_t</i> *	in3
char *	key

ec_sign_pk_hash

```
in3_ret_t ec_sign_pk_hash(uint8_t *message, size_t len, uint8_t *pk, hasher_t hasher,
↳uint8_t *dst);
```

Signs message after hashing it with hasher function given in ‘hasher_t’, with the given private key.

Signs message after hashing it with hasher function given in ‘hasher_t’, with the given private key.

arguments:

uint8_t *	message
size_t	len
uint8_t *	pk
hasher_t	hasher
uint8_t *	dst

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

ec_sign_pk_raw

```
in3_ret_t ec_sign_pk_raw(uint8_t *message, uint8_t *pk, uint8_t *dst);
```

Signs message raw with the given private key.

Signs message raw with the given private key.

arguments:

uint8_t *	message
uint8_t *	pk
uint8_t *	dst

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_create_prefixed_msg_hash

```
void eth_create_prefixed_msg_hash(bytes32_t dst, bytes_t msg);
```

hashes the msg by adding the Ethereum Signed Message-Prefix

arguments:

<i>bytes32_t</i>	dst
<i>bytes_t</i>	msg

sign_with_pk

```
bytes_t sign_with_pk(const bytes32_t pk, const bytes_t data, const d_signature_type_t_
↳type);
```

signs with a pk bases on the type

arguments:

<i>bytes32_tconst</i>	pk
<i>bytes_tconst</i>	data
<i>d_signature_type_tconst</i>	type

returns: *bytes_t*

10.12 Module transport

10.12.1 in3_curl.h

transport-handler using libcurl.

File: c/src/transport/curl/in3_curl.h

send_curl

```
in3_ret_t send_curl(void *plugin_data, in3_plugin_act_t action, void *plugin_ctx);
```

a transport function using curl.

arguments:

void *	plugin_data
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_register_curl

```
in3_ret_t in3_register_curl(in3_t *c);
```

registers curl as a default transport.

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.12.2 in3_http.h

transport-handler using simple http.

File: `c/src/transport/http/in3_http.h`

send_http

```
in3_ret_t send_http(void *plugin_data, in3_plugin_act_t action, void *plugin_ctx);
```

a very simple transport function, which allows to send http-requests without a dependency to curl.

Here each request will be transformed to http instead of https.

You can use it by setting the transport-function-pointer in the `in3_t->transport` to this function:

```
#include <in3/in3_http.h>
...
c->transport = send_http;
```

arguments:

void *	plugin_data
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_register_http

```
in3_ret_t in3_register_http(in3_t *c);
```

registers http as a default transport.

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.12.3 in3_winhttp.h

transport-handler using simple http.

File: `c/src/transport/winhttp/in3_winhttp.h`

send_winhttp

```
in3_ret_t send_winhttp(void *plugin_data, in3_plugin_act_t action, void *plugin_ctx);
```

arguments:

void *	plugin_data
<i>in3_plugin_act_t</i>	action
void *	plugin_ctx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_register_winhttp

```
in3_ret_t in3_register_winhttp(in3_t *c);
```

registers http as a default transport.

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.13 Module verifier

10.13.1 btc.h

Bitcoin verification.

File: `c/src/verifier/btc/btc.h`

in3_register_btc

```
in3_ret_t in3_register_btc(in3_t *c);
```

this function should only be called once and will register the bitcoin verifier.

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.13.2 eth_basic.h

Ethereum Nanon verification.

File: `c/src/verifier/eth1/basic/eth_basic.h`

in3_filter_type_t

Filter type used internally when managing filters.

The enum type contains the following values:

FILTER_EVENT	0	Event filter.
FILTER_BLOCK	1	Block filter.
FILTER_PENDING	2	Pending filter (Unsupported)

in3_filter_t

The struct contains following fields:

bool	is_first_usage	if true the filter was not used previously
<i>in3_filter_type_t</i>	type	filter type: (event, block or pending)
uint64_t	last_block	block no. when filter was created OR eth_getFilterChanges was called
char *	options	associated filter options
void(*)	release	method to release owned resources

in3_filter_handler_t

Handler which is added to client config in order to handle filter.

The struct contains following fields:

<i>in3_filter_t</i> **	array	
size_t	count	array of filters

eth_basic_get_filters

```
in3_filter_handler_t* eth_basic_get_filters(in3_t *c);
```

returns the filters

arguments:

<i>in3_t</i> *	c
----------------	----------

returns: *in3_filter_handler_t* *

eth_verify_tx_values

```
in3_ret_t eth_verify_tx_values(in3_vctx_t *vc, d_token_t *tx, bytes_t *raw);
```

verifies internal tx-values.

arguments:

<i>in3_vctx_t</i> *	vc
<i>d_token_t</i> *	tx
<i>bytes_t</i> *	raw

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_eth_getTransaction

```
in3_ret_t eth_verify_eth_getTransaction(in3_vctx_t *vc, bytes_t *tx_hash);
```

verifies a transaction.

arguments:

<i>in3_vctx_t</i> *	vc
<i>bytes_t</i> *	tx_hash

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_eth_getTransactionByBlock

```
in3_ret_t eth_verify_eth_getTransactionByBlock(in3_vctx_t *vc, d_token_t *blk, uint32_t tx_idx);
```

verifies a transaction by block hash/number and id.

arguments:

<i>in3_vctx_t</i> *	vc
<i>d_token_t</i> *	blk
uint32_t	tx_idx

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_account_proof

```
in3_ret_t eth_verify_account_proof(in3_vctx_t *vc);
```

verify account-proofs

arguments:

<code>in3_vctx_t *</code>	<code>vc</code>
---------------------------	-----------------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_eth_getBlock

```
in3_ret_t eth_verify_eth_getBlock(in3_vctx_t *vc, bytes_t *block_hash, uint64_t_  
↪ blockNumber);
```

verifies a block

arguments:

<code>in3_vctx_t *</code>	<code>vc</code>
<code>bytes_t *</code>	<code>block_hash</code>
<code>uint64_t</code>	<code>blockNumber</code>

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_eth_getBlockTransactionCount

```
in3_ret_t eth_verify_eth_getBlockTransactionCount(in3_vctx_t *vc, bytes_t *block_hash,  
↪ uint64_t blockNumber);
```

verifies block transaction count by number or hash

arguments:

<code>in3_vctx_t *</code>	<code>vc</code>
<code>bytes_t *</code>	<code>block_hash</code>
<code>uint64_t</code>	<code>blockNumber</code>

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_register_eth_basic

```
in3_ret_t in3_register_eth_basic(in3_t *c);
```

this function should only be called once and will register the eth-nano verifier.

arguments:

<code>in3_t *</code>	<code>c</code>
----------------------	----------------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

eth_verify_eth_getLog

```
in3_ret_t eth_verify_eth_getLog(in3_vctx_t *vc, int l_logs);
```

verify logs

arguments:

<code>in3_vctx_t *</code>	vc
<code>int</code>	l_logs

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

eth_prepare_unsigned_tx

```
in3_ret_t eth_prepare_unsigned_tx(d_token_t *tx, in3_req_t *req, bytes_t *dst, sb_t_
↳ *meta);
```

prepares a transaction and writes the data to the dst-bytes.

In case of success, you MUST free only the data-pointer of the dst.

arguments:

<code>d_token_t *</code>	tx	a json-token desribing the transaction
<code>in3_req_t *</code>	req	the current context
<code>bytes_t *</code>	dst	the bytes to write the result to.
<code>sb_t *</code>	meta	a stringbuilder in order write the wallet_state and metadata depending on the tx.

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

eth_sign_raw_tx

```
in3_ret_t eth_sign_raw_tx(bytes_t raw_tx, in3_req_t *req, address_t from, bytes_t_
↳ *dst);
```

signs a unsigned raw transaction and writes the raw data to the dst-bytes.

In case of success, you MUST free only the data-pointer of the dst.

arguments:

<code>bytes_t</code>	raw_tx	the unsigned raw transaction to sign
<code>in3_req_t *</code>	req	the current context
<code>address_t</code>	from	the address of the account to sign with
<code>bytes_t *</code>	dst	the bytes to write the result to.

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

handle_eth_sendTransaction

```
in3_ret_t handle_eth_sendTransaction(in3_req_t *req, d_token_t *req_data);
```

expects a req-object for a transaction and converts it into a sendRawTransaction after signing.

expects a req-object for a transaction and converts it into a sendRawTransaction after signing.

arguments:

<code>in3_req_t *</code>	req	the current context
<code>d_token_t *</code>	req_data	the request

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

empty_hash

```
const uint8_t* empty_hash();
```

returns a pointer to 32 bytes marking a empty hash (keccakc(0x))

returns: `const uint8_t *`

eth_wallet_sign

```
RETURNS_NONNULL NONNULL char* eth_wallet_sign(const char *key, const char *data);
```

minimum signer for the wallet, returns the signed message which needs to be freed

arguments:

<code>const char *</code>	key
<code>const char *</code>	data

returns: `RETURNS_NONNULL NONNULL char *`

get_from_address

```
in3_ret_t get_from_address(d_token_t *tx, in3_req_t *ctx, address_t res);
```

determines the from-address in case no from-address has been specified.

determines the from-address in case no from-address has been specified.

arguments:

<i>d_token_t</i> *	tx
<i>in3_req_t</i> *	ctx
<i>address_t</i>	res

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.13.3 trie.h

Patricia Merkle Tree Imnpl.

File: `c/src/verifier/eth1/basic/trie.h`

trie_node_type_t

Node types.

The enum type contains the following values:

NODE_EMPTY	0	empty node
NODE_BRANCH	1	a Branch
NODE_LEAF	2	a leaf containing the value.
NODE_EXT	3	a extension

in3_hasher_t

hash-function

```
typedef void(* in3_hasher_t) (bytes_t *src, uint8_t *dst)
```

in3_codec_add_t

codec to organize the encoding of the nodes

```
typedef void(* in3_codec_add_t) (bytes_builder_t *bb, bytes_t *val)
```

in3_codec_finish_t

```
typedef void(* in3_codec_finish_t) (bytes_builder_t *bb, bytes_t *dst)
```

in3_codec_decode_size_t

```
typedef int(* in3_codec_decode_size_t) (bytes_t *src)
```

returns: `int (*)`

in3_codec_decode_index_t

```
typedef int (* in3_codec_decode_index_t) (bytes_t *src, int index, bytes_t *dst)
```

returns: int (*)

trie_node_t

single node in the merkle trie.

The struct contains following fields:

uint8_t	hash	the hash of the node
<i>bytes_t</i>	data	the raw data
<i>bytes_t</i>	items	the data as list
uint8_t	own_memory	if true this is a embedded node with own memory
<i>trie_node_type_t</i>	type	type of the node
<i>trie_nodestruct</i> , *	next	used as linked list

trie_codec_t

the codec used to encode nodes.

The struct contains following fields:

<i>in3_codec_add_t</i>	encode_add
<i>in3_codec_finish_t</i>	encode_finish
<i>in3_codec_decode_size_t</i>	decode_size
<i>in3_codec_decode_index_t</i>	decode_item

trie_t

a merkle trie implementation.

This is a Patricia Merkle Tree.

The struct contains following fields:

<i>in3_hasher_t</i>	hasher	hash-function.
<i>trie_codec_t</i> *	codec	encoding of the nodes.
<i>bytes32_t</i>	root	The root-hash.
<i>trie_node_t</i> *	nodes	linked list of contains nodes

trie_new

```
trie_t* trie_new();
```

creates a new Merkle Trie.

returns: *trie_t* *

trie_free

```
void trie_free(trie_t *val);
```

frees all resources of the trie.

arguments:

<i>trie_t</i> *	val
-----------------	------------

trie_set_value

```
void trie_set_value(trie_t *t, bytes_t *key, bytes_t *value);
```

sets a value in the trie.

The root-hash will be updated automatically.

arguments:

<i>trie_t</i> *	t
<i>bytes_t</i> *	key
<i>bytes_t</i> *	value

10.13.4 big.h

Ethereum Nanon verification.

File: `c/src/verifier/eth1/evm/big.h`

big_is_zero

```
uint8_t big_is_zero(uint8_t *data, wlen_t l);
```

arguments:

uint8_t *	data
<i>wlen_t</i>	l

returns: uint8_t

big_shift_left

```
void big_shift_left(uint8_t *a, wlen_t len, int bits);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	len
int	bits

big_shift_right

```
void big_shift_right(uint8_t *a, wlen_t len, int bits);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	len
int	bits

big_cmp

```
int big_cmp(const uint8_t *a, const wlen_t len_a, const uint8_t *b, const wlen_t len_b);
```

arguments:

const uint8_t *	a
<i>wlen_t</i> const	len_a
const uint8_t *	b
<i>wlen_t</i> const	len_b

returns: int

big_signed

```
int big_signed(uint8_t *val, wlen_t len, uint8_t *dst);
```

returns 0 if the value is positive or 1 if negavtive.

in this case the absolute value is copied to dst.

arguments:

uint8_t *	val
<i>wlen_t</i>	len
uint8_t *	dst

returns: int

big_int

```
int32_t big_int(uint8_t *val, wlen_t len);
```

arguments:

uint8_t *	val
<i>wlen_t</i>	len

returns: int32_t

big_add

```
int big_add(uint8_t *a, wlen_t len_a, uint8_t *b, wlen_t len_b, uint8_t *out, wlen_t_
↳max);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	len_a
uint8_t *	b
<i>wlen_t</i>	len_b
uint8_t *	out
<i>wlen_t</i>	max

returns: int

big_sub

```
int big_sub(uint8_t *a, wlen_t len_a, uint8_t *b, wlen_t len_b, uint8_t *out);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	len_a
uint8_t *	b
<i>wlen_t</i>	len_b
uint8_t *	out

returns: int

big_mul

```
int big_mul(uint8_t *a, wlen_t la, uint8_t *b, wlen_t lb, uint8_t *res, wlen_t max);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	la
uint8_t *	b
<i>wlen_t</i>	lb
uint8_t *	res
<i>wlen_t</i>	max

returns: int

big_div

```
int big_div(uint8_t *a, wlen_t la, uint8_t *b, wlen_t lb, wlen_t sig, uint8_t *res);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	la
uint8_t *	b
<i>wlen_t</i>	lb
<i>wlen_t</i>	sig
uint8_t *	res

returns: int

big_mod

```
int big_mod(uint8_t *a, wlen_t la, uint8_t *b, wlen_t lb, wlen_t sig, uint8_t *res);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	la
uint8_t *	b
<i>wlen_t</i>	lb
<i>wlen_t</i>	sig
uint8_t *	res

returns: int

big_exp

```
int big_exp(uint8_t *a, wlen_t la, uint8_t *b, wlen_t lb, uint8_t *res);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	la
uint8_t *	b
<i>wlen_t</i>	lb
uint8_t *	res

returns: int

big_log256

```
int big_log256(uint8_t *a, wlen_t len);
```

arguments:

uint8_t *	a
<i>wlen_t</i>	len

returns: int

10.13.5 code.h

code cache.

File: `c/src/verifier/eth1/evm/code.h`

in3_get_code

```
in3_ret_t in3_get_code(in3_vctx_t *vc, address_t address, cache_entry_t **target);
```

fetches the code and adds it to the context-cache as `cache_entry`.

So calling this function a second time will take the result from cache.

arguments:

<i>in3_vctx_t</i> *	vc
<i>address_t</i>	address
<i>cache_entry_t</i> **	target

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

10.13.6 evm.h

main evm-file.

File: `c/src/verifier/eth1/evm/evm.h`

gas_options

EVM_ERROR_EMPTY_STACK

the no more elements on the stack

```
#define EVM_ERROR_EMPTY_STACK -20
```

EVM_ERROR_INVALID_OPCODE

the opcode is not supported

```
#define EVM_ERROR_INVALID_OPCODE -21
```

EVM_ERROR_BUFFER_TOO_SMALL

reading data from a position, which is not initialized

```
#define EVM_ERROR_BUFFER_TOO_SMALL -22
```

EVM_ERROR_ILLEGAL_MEMORY_ACCESS

the memory-offset does not exist

```
#define EVM_ERROR_ILLEGAL_MEMORY_ACCESS -23
```

EVM_ERROR_INVALID_JUMPDEST

the jump destination is not marked as valid destination

```
#define EVM_ERROR_INVALID_JUMPDEST -24
```

EVM_ERROR_INVALID_PUSH

the push data is empty

```
#define EVM_ERROR_INVALID_PUSH -25
```

EVM_ERROR_UNSUPPORTED_CALL_OPCODE

error handling the call, usually because static-calls are not allowed to change state

```
#define EVM_ERROR_UNSUPPORTED_CALL_OPCODE -26
```

EVM_ERROR_TIMEOUT

the evm ran into a loop

```
#define EVM_ERROR_TIMEOUT -27
```

EVM_ERROR_INVALID_ENV

the environment could not deliver the data

```
#define EVM_ERROR_INVALID_ENV -28
```

EVM_ERROR_OUT_OF_GAS

not enough gas to execute the opcode

```
#define EVM_ERROR_OUT_OF_GAS -29
```

EVM_ERROR_BALANCE_TOO_LOW

not enough funds to transfer the requested value.

```
#define EVM_ERROR_BALANCE_TOO_LOW -30
```

EVM_ERROR_STACK_LIMIT

stack limit reached

```
#define EVM_ERROR_STACK_LIMIT -31
```

EVM_ERROR_SUCCESS_CONSUME_GAS

write success but consume all gas

```
#define EVM_ERROR_SUCCESS_CONSUME_GAS -32
```

EVM_ERROR_MAX_CODE_SIZE_EXCEEDED

tried to create a contract with code bigger than the maximum size limit

```
#define EVM_ERROR_MAX_CODE_SIZE_EXCEEDED -33
```

EVM_PROP_FRONTIER

```
#define EVM_PROP_FRONTIER 1
```

EVM_PROP_EIP150

```
#define EVM_PROP_EIP150 2
```

EVM_PROP_EIP158

```
#define EVM_PROP_EIP158 4
```

EVM_PROP_CONSTANTINOPL

```
#define EVM_PROP_CONSTANTINOPL 16
```

EVM_PROP_ISTANBUL

```
#define EVM_PROP_ISTANBUL 32
```

EVM_PROP_NO_FINALIZE

```
#define EVM_PROP_NO_FINALIZE 32768
```

EVM_PROP_STATIC

```
#define EVM_PROP_STATIC 256
```

EVM_PROP_TXCREATE

executing a creation transaction >

```
#define EVM_PROP_TXCREATE 512
```

EVM_PROP_CALL_DEPEND_ON_REFUND

executing code that depends on subcall gas refund to succeed >

```
#define EVM_PROP_CALL_DEPEND_ON_REFUND 1024
```

EVM_ENV_BALANCE

```
#define EVM_ENV_BALANCE 1
```

EVM_ENV_CODE_SIZE

```
#define EVM_ENV_CODE_SIZE 2
```

EVM_ENV_CODE_COPY

```
#define EVM_ENV_CODE_COPY 3
```

EVM_ENV_BLOCKHASH

```
#define EVM_ENV_BLOCKHASH 4
```

EVM_ENV_STORAGE

```
#define EVM_ENV_STORAGE 5
```

EVM_ENV_BLOCKHEADER

```
#define EVM_ENV_BLOCKHEADER 6
```

EVM_ENV_CODE_HASH

```
#define EVM_ENV_CODE_HASH 7
```

EVM_ENV_NONCE

```
#define EVM_ENV_NONCE 8
```

MATH_ADD

```
#define MATH_ADD 1
```

MATH_SUB

```
#define MATH_SUB 2
```

MATH_MUL

```
#define MATH_MUL 3
```

MATH_DIV

```
#define MATH_DIV 4
```

MATH_SDIV

```
#define MATH_SDIV 5
```

MATH_MOD

```
#define MATH_MOD 6
```

MATH_SMOD

```
#define MATH_SMOD 7
```

MATH_EXP

```
#define MATH_EXP 8
```

MATH_SIGNEXP

```
#define MATH_SIGNEXP 9
```

CALL_CALL

```
#define CALL_CALL 0
```

CALL_CODE

```
#define CALL_CODE 1
```

CALL_DELEGATE

```
#define CALL_DELEGATE 2
```

CALL_STATIC

```
#define CALL_STATIC 3
```

OP_AND

```
#define OP_AND 0
```

OP_OR

```
#define OP_OR 1
```

OP_XOR

```
#define OP_XOR 2
```

EVM_DEBUG_BLOCK (...)

OP_LOG (...)

```
#define OP_LOG (...) EVM_ERROR_UNSUPPORTED_CALL_OPCODE
```


OP_SLOAD_GAS (...)**OP_CREATE (...)**

```
#define OP_CREATE (...) EVM_ERROR_UNSUPPORTED_CALL_OPCODE
```

OP_ACCOUNT_GAS (...)

```
#define OP_ACCOUNT_GAS (...) exit_zero()
```

OP_SELFDESTRUCT (...)

```
#define OP_SELFDESTRUCT (...) EVM_ERROR_UNSUPPORTED_CALL_OPCODE
```

OP_EXTCODECOPY_GAS (evm)**OP_SSTORE (...)**

```
#define OP_SSTORE (...) EVM_ERROR_UNSUPPORTED_CALL_OPCODE
```

EVM_CALL_MODE_STATIC

```
#define EVM_CALL_MODE_STATIC 1
```

EVM_CALL_MODE_DELEGATE

```
#define EVM_CALL_MODE_DELEGATE 2
```

EVM_CALL_MODE_CALLCODE

```
#define EVM_CALL_MODE_CALLCODE 3
```

EVM_CALL_MODE_CALL

```
#define EVM_CALL_MODE_CALL 4
```

evm_state

the current state of the evm

The enum type contains the following values:

EVM_STATE_INIT	0	just initialised, but not yet started
EVM_STATE_RUNNING	1	started and still running
EVM_STATE_STOPPED	2	successfully stopped
EVM_STATE_REVERTED	3	stopped, but results must be reverted

evm_state_t

the current state of the evm

The enum type contains the following values:

EVM_STATE_INIT	0	just initialised, but not yet started
EVM_STATE_RUNNING	1	started and still running
EVM_STATE_STOPPED	2	successfully stopped
EVM_STATE_REVERTED	3	stopped, but results must be reverted

evm_get_env

This function provides data from the enviroment.

depending on the key the function will set the out_data-pointer to the result. This means the enviroment is responsible for memory management and also to clean up resources afterwards.

```
typedef int (* evm_get_env) (void *evm, uint16_t evm_key, uint8_t *in_data, int in_len,  
↪ uint8_t **out_data, int offset, int len)
```

returns: int (*)

storage_t

The stuct contains following fields:

<i>bytes32_t</i>	key
<i>bytes32_t</i>	value
<i>account_storagestruct</i> , *	next

logs_t

The stuct contains following fields:

<i>bytes_t</i>	topics
<i>bytes_t</i>	data
<i>address_t</i>	address
<i>logsstruct</i> , *	next

account_t

The struct contains following fields:

<i>address_t</i>	address
<i>bytes32_t</i>	balance
<i>bytes32_t</i>	nonce
<i>bytes_t</i>	code
<i>storage_t</i> *	storage
<i>accountstruct</i> , *	next

evm_t

The struct contains following fields:

<i>bytes_builder_t</i>	stack	
<i>bytes_builder_t</i>	memory	
int	stack_size	
<i>bytes_t</i>	code	
uint32_t	pos	
<i>evm_state_t</i>	state	
<i>bytes_t</i>	last_returned	
<i>bytes_t</i>	return_data	
uint32_t *	invalid_jumpdest	
uint32_t	properties	
<i>evm_get_env</i>	env	
void *	env_ptr	
uint64_t	chain_id	the chain_id as returned by the opcode
uint8_t *	address	the address of the current storage
uint8_t *	account	the address of the code
uint8_t *	origin	the address of original sender of the root-transaction
uint8_t *	caller	the address of the parent sender
<i>bytes_t</i>	call_value	value send
<i>bytes_t</i>	call_data	data send in the tx
<i>bytes_t</i>	gas_price	current gasprice
uint64_t	gas	
	gas_options	

exit_zero

```
int exit_zero(void);
```

arguments:

void

returns: int

evm_stack_push

```
int evm_stack_push(evm_t *evm, uint8_t *data, uint8_t len);
```

arguments:

<i>evm_t</i> *	evm
uint8_t *	data
uint8_t	len

returns: int

evm_stack_push_ref

```
int evm_stack_push_ref(evm_t *evm, uint8_t **dst, uint8_t len);
```

arguments:

<i>evm_t</i> *	evm
uint8_t **	dst
uint8_t	len

returns: int

evm_stack_push_int

```
int evm_stack_push_int(evm_t *evm, uint32_t val);
```

arguments:

<i>evm_t</i> *	evm
uint32_t	val

returns: int

evm_stack_push_long

```
int evm_stack_push_long(evm_t *evm, uint64_t val);
```

arguments:

<i>evm_t</i> *	evm
uint64_t	val

returns: int

evm_stack_get_ref

```
int evm_stack_get_ref(evm_t *evm, uint8_t pos, uint8_t **dst);
```

arguments:

<i>evm_t</i> *	evm
uint8_t	pos
uint8_t **	dst

returns: int

evm_stack_pop

```
int evm_stack_pop(evm_t *evm, uint8_t *dst, uint8_t len);
```

arguments:

<i>evm_t</i> *	evm
uint8_t *	dst
uint8_t	len

returns: int

evm_stack_pop_ref

```
int evm_stack_pop_ref(evm_t *evm, uint8_t **dst);
```

arguments:

<i>evm_t</i> *	evm
uint8_t **	dst

returns: int

evm_stack_pop_byte

```
int evm_stack_pop_byte(evm_t *evm, uint8_t *dst);
```

arguments:

<i>evm_t</i> *	evm
uint8_t *	dst

returns: int

evm_stack_pop_int

```
int32_t evm_stack_pop_int (evm_t *evm);
```

arguments:

<i>evm_t</i> *	evm
----------------	------------

returns: int32_t

evm_run

```
int evm_run (evm_t *evm, address_t code_address);
```

arguments:

<i>evm_t</i> *	evm
<i>address_t</i>	code_address

returns: int

evm_sub_call

```
int evm_sub_call (evm_t *parent, uint8_t address[20], uint8_t account[20], uint8_t_  
↳ *value, wlen_t l_value, uint8_t *data, uint32_t l_data, uint8_t caller[20], uint8_t_  
↳ origin[20], uint64_t gas, wlen_t mode, uint32_t out_offset, uint32_t out_len);
```

handle internal calls.

arguments:

<i>evm_t</i> *	parent
uint8_t	address
uint8_t	account
uint8_t *	value
<i>wlen_t</i>	l_value
uint8_t *	data
uint32_t	l_data
uint8_t	caller
uint8_t	origin
uint64_t	gas
<i>wlen_t</i>	mode
uint32_t	out_offset
uint32_t	out_len

returns: int

evm_ensure_memory

```
int evm_ensure_memory(evm_t *evm, uint32_t max_pos);
```

arguments:

<i>evm_t</i> *	evm
uint32_t	max_pos

returns: int

in3_get_env

```
int in3_get_env(void *evm_ptr, uint16_t evm_key, uint8_t *in_data, int in_len, uint8_t
↳ **out_data, int offset, int len);
```

arguments:

void *	evm_ptr
uint16_t	evm_key
uint8_t *	in_data
int	in_len
uint8_t **	out_data
int	offset
int	len

returns: int

evm_call

```
int evm_call(void *vc, uint8_t address[20], uint8_t *value, wlen_t l_value, uint8_t_
↳ *data, uint32_t l_data, uint8_t caller[20], uint64_t gas, uint64_t chain_id, bytes_
↳ **result, json_ctx_t *receipt);
```

run a evm-call

arguments:

void *	vc
uint8_t	address
uint8_t *	value
<i>wlen_t</i>	l_value
uint8_t *	data
uint32_t	l_data
uint8_t	caller
uint64_t	gas
uint64_t	chain_id
<i>bytes_t</i> **	result
<i>json_ctx_t</i> *	receipt

returns: int

evm_print_stack

```
void evm_print_stack(evm_t *evm, uint64_t last_gas, uint32_t pos);
```

arguments:

<i>evm_t</i> *	evm
uint64_t	last_gas
uint32_t	pos

evm_free

```
void evm_free(evm_t *evm);
```

arguments:

<i>evm_t</i> *	evm
----------------	------------

evm_execute

```
int evm_execute(evm_t *evm);
```

arguments:

<i>evm_t</i> *	evm
----------------	------------

returns: int

10.13.7 gas.h

evm gas defines.

File: c/src/verifier/eth1/evm/gas.h

op_exec (m,gas)

```
#define op_exec (m,gas) return m;
```

subgas (g)

GAS_CC_NET_SSTORE_NOOP_GAS

Once per SSTORE operation if the value doesn't change.

```
#define GAS_CC_NET_SSTORE_NOOP_GAS 200
```


GAS_CC_NET_SSTORE_INIT_GAS

Once per SSTORE operation from clean zero.

```
#define GAS_CC_NET_SSTORE_INIT_GAS 20000
```

GAS_CC_NET_SSTORE_CLEAN_GAS

Once per SSTORE operation from clean non-zero.

```
#define GAS_CC_NET_SSTORE_CLEAN_GAS 5000
```

GAS_CC_NET_SSTORE_DIRTY_GAS

Once per SSTORE operation from dirty.

```
#define GAS_CC_NET_SSTORE_DIRTY_GAS 200
```

GAS_CC_NET_SSTORE_CLEAR_REFUND

Once per SSTORE operation for clearing an originally existing storage slot.

```
#define GAS_CC_NET_SSTORE_CLEAR_REFUND 15000
```

GAS_CC_NET_SSTORE_RESET_REFUND

Once per SSTORE operation for resetting to the original non-zero value.

```
#define GAS_CC_NET_SSTORE_RESET_REFUND 4800
```

GAS_CC_NET_SSTORE_RESET_CLEAR_REFUND

Once per SSTORE operation for resetting to the original zero value.

```
#define GAS_CC_NET_SSTORE_RESET_CLEAR_REFUND 19800
```

G_ZERO

Nothing is paid for operations of the set Wzero.

```
#define G_ZERO 0
```

G_JUMPDEST

JUMP DEST.

```
#define G_JUMPDEST 1
```

G_BASE

This is the amount of gas to pay for operations of the set Wbase.

```
#define G_BASE 2
```

G_VERY_LOW

This is the amount of gas to pay for operations of the set Wverylow.

```
#define G_VERY_LOW 3
```

G_LOW

This is the amount of gas to pay for operations of the set Wlow.

```
#define G_LOW 5
```

G_MID

This is the amount of gas to pay for operations of the set Wmid.

```
#define G_MID 8
```

G_HIGH

This is the amount of gas to pay for operations of the set Whigh.

```
#define G_HIGH 10
```

G_EXTCODE

This is the amount of gas to pay for operations of the set Wextcode.

```
#define G_EXTCODE 700
```

G_BALANCE

This is the amount of gas to pay for a BALANCE operation.

```
#define G_BALANCE 400
```

G_SLOAD

This is paid for an SLOAD operation.

```
#define G_SLOAD 200
```

G_SSET

This is paid for an SSTORE operation when the storage value is set to non-zero from zero.

```
#define G_SSET 20000
```

G_SRESET

This is the amount for an SSTORE operation when the storage value's zeroness remains unchanged or is set to zero.

```
#define G_SRESET 5000
```

R_SCLEAR

This is the refund given (added into the refund counter) when the storage value is set to zero from non-zero.

```
#define R_SCLEAR 15000
```

R_SELFDESTRUCT

This is the refund given (added into the refund counter) for self-destructing an account.

```
#define R_SELFDESTRUCT 24000
```

G_SELFDESTRUCT

This is the amount of gas to pay for a SELFDESTRUCT operation.

```
#define G_SELFDESTRUCT 5000
```

G_CREATE

This is paid for a CREATE operation.

```
#define G_CREATE 32000
```

G_CODEDEPOSIT

This is paid per byte for a CREATE operation to succeed in placing code into the state.

```
#define G_CODEDEPOSIT 200
```

G_CALL

This is paid for a CALL operation.

```
#define G_CALL 700
```

G_CALLVALUE

This is paid for a non-zero value transfer as part of the CALL operation.

```
#define G_CALLVALUE 9000
```

G_CALLSTIPEND

This is a stipend for the called contract subtracted from Gcallvalue for a non-zero value transfer.

```
#define G_CALLSTIPEND 2300
```

G_NEWACCOUNT

This is paid for a CALL or for a SELFDESTRUCT operation which creates an account.

```
#define G_NEWACCOUNT 25000
```

G_EXP

This is a partial payment for an EXP operation.

```
#define G_EXP 10
```

G_EXPBYTE

This is a partial payment when multiplied by $\log_2 256$ (exponent) for the EXP operation.

```
#define G_EXPBYTE 50
```

G_MEMORY

This is paid for every additional word when expanding memory.

```
#define G_MEMORY 3
```

G_TXCREATE

This is paid by all contract-creating transactions after the Homestead transition.

```
#define G_TXCREATE 32000
```

G_TXDATA_ZERO

This is paid for every zero byte of data or code for a transaction.

```
#define G_TXDATA_ZERO 4
```

G_TXDATA_NONZERO

This is paid for every non-zero byte of data or code for a transaction.

```
#define G_TXDATA_NONZERO 68
```

G_TRANSACTION

This is paid for every transaction.

```
#define G_TRANSACTION 21000
```

G_LOG

This is a partial payment for a LOG operation.

```
#define G_LOG 375
```

G_LOGDATA

This is paid for each byte in a LOG operation's data.

```
#define G_LOGDATA 8
```

G_LOGTOPIC

This is paid for each topic of a LOG operation.

```
#define G_LOGTOPIC 375
```

G_SHA3

This is paid for each SHA3 operation.

```
#define G_SHA3 30
```

G_SHA3WORD

This is paid for each word (rounded up) for input data to a SHA3 operation.

```
#define G_SHA3WORD 6
```

G_COPY

This is a partial payment for *COPY operations, multiplied by the number of words copied, rounded up.

```
#define G_COPY 3
```

G_BLOCKHASH

This is a payment for a BLOCKHASH operation.

```
#define G_BLOCKHASH 20
```

G_PRE_EC_RECOVER

Precompile EC RECOVER.

```
#define G_PRE_EC_RECOVER 3000
```

G_PRE_SHA256

Precompile SHA256.

```
#define G_PRE_SHA256 60
```

G_PRE_SHA256_WORD

Precompile SHA256 per word.

```
#define G_PRE_SHA256_WORD 12
```

G_PRE_RIPEMD160

Precompile RIPEMD160.

```
#define G_PRE_RIPEMD160 600
```

G_PRE_RIPEMD160_WORD

Precompile RIPEMD160 per word.

```
#define G_PRE_RIPEMD160_WORD 120
```

G_PRE_IDENTITY

Precompile IDENTITY (copies data)

```
#define G_PRE_IDENTITY 15
```

G_PRE_IDENTITY_WORD

Precompile IDENTITY per word.

```
#define G_PRE_IDENTITY_WORD 3
```

G_PRE_MODEXP_GQUAD_DIVISOR

Gquaddivisor from modexp precompile for gas calculation.

```
#define G_PRE_MODEXP_GQUAD_DIVISOR 20
```

G_PRE_ECADD

Gas costs for curve addition precompile.

```
#define G_PRE_ECADD 500
```

G_PRE_ECMUL

Gas costs for curve multiplication precompile.

```
#define G_PRE_ECMUL 40000
```

G_PRE_ECPAIRING

Base gas costs for curve pairing precompile.

```
#define G_PRE_ECPAIRING 100000
```

G_PRE_ECPAIRING_WORD

Gas costs regarding curve pairing precompile input length.

```
#define G_PRE_ECPAIRING_WORD 80000
```

EVM_STACK_LIMIT

max elements of the stack

```
#define EVM_STACK_LIMIT 1024
```

EVM_MAX_CODE_SIZE

max size of the code

```
#define EVM_MAX_CODE_SIZE 24576
```

FRONTIER_G_EXPBYTE

fork values

This is a partial payment when multiplied by $\text{dlog256}(\text{exponent})e$ for the EXP operation.

```
#define FRONTIER_G_EXPBYTE 10
```

FRONTIER_G_SLOAD

This is a partial payment when multiplied by $\text{dlog}_{256}(\text{exponent})$ for the EXP operation.

```
#define FRONTIER_G_SLOAD 50
```

FREE_EVM (...)

INIT_EVM (...)

INIT_GAS (...)

SUBGAS (...)

FINALIZE_SUBCALL_GAS (...)

UPDATE_SUBCALL_GAS (...)

FINALIZE_AND_REFUND_GAS (...)

KEEP_TRACK_GAS (evm)

```
#define KEEP_TRACK_GAS (evm) 0
```

UPDATE_ACCOUNT_CODE (...)

10.13.8 eth_full.h

Ethereum Nanon verification.

File: `c/src/verifier/eth1/full/eth_full.h`

in3_register_eth_full

```
in3_ret_t in3_register_eth_full(in3_t *c);
```

this function should only be called once and will register the eth-full verifier.

arguments:

<code>in3_t *</code>	<code>c</code>
----------------------	----------------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (`==IN3_OK`)

10.13.9 chainspec.h

Ethereum chain specification.

File: `c/src/verifier/eth1/nano/chainspec.h`

BLOCK_LATEST

```
#define BLOCK_LATEST 0xFFFFFFFFFFFFFFFF
```

eth_consensus_type_t

the consensus type.

The enum type contains the following values:

ETH_POW	0	Pro of Work (Ethash)
ETH_POA_AURA	1	Proof of Authority using Aura.
ETH_POA_CLIQUE	2	Proof of Authority using clique.

eip_transition_t

The struct contains following fields:

uint64_t	transition_block
eip_t	eips

consensus_transition_t

The struct contains following fields:

uint64_t	transition_block
<i>eth_consensus_type_t</i>	type
<i>bytes_t</i>	validators
uint8_t *	contract

chainspec_t

The struct contains following fields:

uint64_t	network_id
uint64_t	account_start_nonce
uint32_t	eip_transitions_len
<i>eip_transition_t</i> *	eip_transitions
uint32_t	consensus_transitions_len
<i>consensus_transition_t</i> *	consensus_transitions

attribute

```
struct __attribute__((__packed__)) eip;
```

defines the flags for the current activated EIPs.

Since it does not make sense to support a evm defined before Homestead, homestead EIP is always turned on!

< REVERT instruction

< Bitwise shifting instructions in EVM

< Gas cost changes for IO-heavy operations

< Simple replay attack protection

< EXP cost increase

< Contract code size limit

< Precompiled contracts for addition and scalar multiplication on the elliptic curve alt_bn128

< Precompiled contracts for optimal ate pairing check on the elliptic curve alt_bn128

< Big integer modular exponentiation

< New opcodes: RETURNDATASIZE and RETURNDATACOPY

< New opcode STATICCALL

< Embedding transaction status code in receipts

< Skinny CREATE2

< EXTCODEHASH opcode

< Net gas metering for SSTORE without dirty maps

arguments:

(`__packed__`)

returns: struct

chainspec_create_from_json

```
chainspec_t* chainspec_create_from_json(json_ctx_t *data);
```

arguments:

<code>json_ctx_t *</code>	<code>data</code>
---------------------------	-------------------

returns: `chainspec_t *`

chainspec_get_eip

```
eip_t chainspec_get_eip(chainspec_t *spec, uint64_t block_number);
```

arguments:

<i>chainspec_t</i> *	spec
uint64_t	block_number

returns: eip_t

chainspec_get_consensus

```
consensus_transition_t* chainspec_get_consensus(chainspec_t *spec, uint64_t block_
↪number);
```

arguments:

<i>chainspec_t</i> *	spec
uint64_t	block_number

returns: *consensus_transition_t* *

chainspec_to_bin

```
in3_ret_t chainspec_to_bin(chainspec_t *spec, bytes_builder_t *bb);
```

arguments:

<i>chainspec_t</i> *	spec
<i>bytes_builder_t</i> *	bb

returns: *in3_ret_t* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

chainspec_from_bin

```
chainspec_t* chainspec_from_bin(void *raw);
```

arguments:

void *	raw
--------	------------

returns: *chainspec_t* *

chainspec_get

```
chainspec_t* chainspec_get(chain_id_t chain_id);
```

arguments:

<i>chain_id_t</i>	chain_id
-------------------	-----------------

returns: *chainspec_t* *

chainspec_put

```
void chainspec_put(chain_id_t chain_id, chainspec_t *spec);
```

arguments:

<i>chain_id_t</i>	chain_id
<i>chainspec_t</i> *	spec

10.13.10 eth_nano.h

Ethereum Nanon verification.

File: `c/src/verifier/eth1/nano/eth_nano.h`

in3_verify_eth_nano

```
nonnull in3_ret_t in3_verify_eth_nano(void *p_data, in3_plugin_act_t action, void_  
↪ *pctx);
```

entry-function to execute the verification context.

arguments:

void *	p_data
<i>in3_plugin_act_t</i>	action
void *	pctx

returns: *in3_ret_t* *nonnull* the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_blockheader

```
in3_ret_t eth_verify_blockheader(in3_vctx_t *vc, bytes_t *header, bytes_t *expected_  
↪ blockhash);
```

verifies a blockheader.

verifies a blockheader.

arguments:

<i>in3_vctx_t</i> *	vc
<i>bytes_t</i> *	header
<i>bytes_t</i> *	expected_blockhash

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

eth_verify_signature

```

NONULL unsigned int eth_verify_signature(in3_vctx_t *vc, bytes_t *msg_hash, d_token_t_
↳ *sig);

```

verifies a single signature blockheader.

This function will return a positive integer with a bitmask holding the bit set according to the address that signed it. This is based on the signatiures in the request-config.

arguments:

<code>in3_vctx_t *</code>	vc
<code>bytes_t *</code>	msg_hash
<code>d_token_t *</code>	sig

returns: NONULL unsigned int

ecrecover_signature

```

NONULL bytes_t* ecrecover_signature(bytes_t *msg_hash, d_token_t *sig);

```

returns the address of the signature if the msg_hash is correct

arguments:

<code>bytes_t *</code>	msg_hash
<code>d_token_t *</code>	sig

returns: `bytes_tNONULL` , *

eth_verify_eth_getTransactionReceipt

```

NONULL in3_ret_t eth_verify_eth_getTransactionReceipt(in3_vctx_t *vc, bytes_t *tx_
↳ hash);

```

verifies a transaction receipt.

arguments:

<code>in3_vctx_t *</code>	vc
<code>bytes_t *</code>	tx_hash

returns: `in3_ret_tNONULL` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

in3_register_eth_nano

```
nonnull in3_ret_t in3_register_eth_nano(in3_t *c);
```

this function should only be called once and will register the eth-nano verifier.

arguments:

<code>in3_t *</code>	<code>c</code>
----------------------	----------------

returns: `in3_ret_t` `nonnull` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

create_tx_path

```
bytes_t* create_tx_path(uint32_t index);
```

helper function to rlp-encode the transaction_index.

The result must be freed after use!

arguments:

<code>uint32_t</code>	<code>index</code>
-----------------------	--------------------

returns: `bytes_t *`

10.13.11 merkle.h

Merkle Proof Verification.

File: `c/src/verifier/eth1/nano/merkle.h`

MERKLE_DEPTH_MAX

```
#define MERKLE_DEPTH_MAX 64
```

trie_verify_proof

```
int trie_verify_proof(bytes_t *rootHash, bytes_t *path, bytes_t **proof, bytes_t_  
↪ *expectedValue);
```

verifies a merkle proof.

`expectedValue == NULL` : value must not exist `expectedValue.data == NULL` : please copy the data I want to evaluate it afterwards. `expectedValue.data != NULL` : the value must match the data.

arguments:

<i>bytes_t</i> *	rootHash
<i>bytes_t</i> *	path
<i>bytes_t</i> **	proof
<i>bytes_t</i> *	expectedValue

returns: int

trie_path_to_nibbles

```
NULL uint8_t* trie_path_to_nibbles(bytes_t path, int use_prefix);
```

helper function split a path into 4-bit nibbles.

The result must be freed after use!

arguments:

<i>bytes_t</i>	path
int	use_prefix

returns: NULL `uint8_t *`: the resulting bytes represent a 4bit-number each and are terminated with a 0xFF.

trie_matching_nibbles

```
NULL int trie_matching_nibbles(uint8_t *a, uint8_t *b);
```

helper function to find the number of nibbles matching both paths.

arguments:

<code>uint8_t *</code>	a
<code>uint8_t *</code>	b

returns: NULL int

10.13.12 rlp.h

RLP-En/Decoding as described in the [Ethereum RLP-Spec](#).

This decoding works without allocating new memory.

File: `c/src/verifier/eth1/nano/rlp.h`

rlp_decode

```
int rlp_decode(bytes_t *b, int index, bytes_t *dst);
```

this function decodes the given bytes and returns the element with the given index by updating the reference of dst.

the bytes will only hold references and do **not** need to be freed!

```
bytes_t* tx_raw = serialize_tx(tx);

bytes_t item;

// decodes the tx_raw by letting the item point to range of the first element, which
↪ should be the body of a list.
if (rlp_decode(tx_raw, 0, &item) !=2) return -1 ;

// now decode the 4th element (which is the value) and let item point to that range.
if (rlp_decode(&item, 4, &item) !=1) return -1 ;
```

arguments:

<i>bytes_t</i> *	b
int	index
<i>bytes_t</i> *	dst

returns: int : - 0 : means item out of range

- 1 : item found
- 2 : list found (you can then decode the same bytes again)

rlp_decode_in_list

```
int rlp_decode_in_list(bytes_t *b, int index, bytes_t *dst);
```

this function expects a list item (like the blockheader as first item and will then find the item within this list).

It is a shortcut for

```
// decode the list
if (rlp_decode(b,0,dst) !=2) return 0;
// and the decode the item
return rlp_decode(dst,index,dst);
```

arguments:

<i>bytes_t</i> *	b
int	index
<i>bytes_t</i> *	dst

returns: int : - 0 : means item out of range

- 1 : item found
- 2 : list found (you can then decode the same bytes again)

rlp_decode_len

```
int rlp_decode_len(bytes_t *b);
```

returns the number of elements found in the data.

arguments:

<i>bytes_t</i> *	b
------------------	----------

returns: int

rlp_encode_item

```
void rlp_encode_item(bytes_builder_t *bb, bytes_t *val);
```

encode a item as single string and add it to the bytes_builder.

arguments:

<i>bytes_builder_t</i> *	bb
<i>bytes_t</i> *	val

rlp_encode_list

```
void rlp_encode_list(bytes_builder_t *bb, bytes_t *val);
```

encode a the value as list of already encoded items.

arguments:

<i>bytes_builder_t</i> *	bb
<i>bytes_t</i> *	val

rlp_encode_to_list

```
bytes_builder_t* rlp_encode_to_list(bytes_builder_t *bb);
```

converts the data in the builder to a list.

This function is optimized to not increase the memory more than needed and is fastest than creating a second builder to encode the data.

arguments:

<i>bytes_builder_t</i> *	bb
--------------------------	-----------

returns: *bytes_builder_t* *: the same builder.

rlp_encode_to_item

```
bytes_builder_t* rlp_encode_to_item(bytes_builder_t *bb);
```

converts the data in the builder to a rlp-encoded item.

This function is optimized to not increase the memory more than needed and is faster than creating a second builder to encode the data.

arguments:

<i>bytes_builder_t</i> *	bb
--------------------------	-----------

returns: *bytes_builder_t* *: the same builder.

rlp_add_length

```
void rlp_add_length(bytes_builder_t *bb, uint32_t len, uint8_t offset);
```

helper to encode the prefix for a value

arguments:

<i>bytes_builder_t</i> *	bb
uint32_t	len
uint8_t	offset

10.13.13 serialize.h

serialization of ETH-Objects.

This incoming tokens will represent their values as properties based on [JSON-RPC](#).

File: `c/src/verifier/eth1/nano/serialize.h`

BLOCKHEADER_PARENT_HASH

```
#define BLOCKHEADER_PARENT_HASH 0
```

BLOCKHEADER_SHA3_UNCLES

```
#define BLOCKHEADER_SHA3_UNCLES 1
```

BLOCKHEADER_MINER

```
#define BLOCKHEADER_MINER 2
```

BLOCKHEADER_STATE_ROOT

```
#define BLOCKHEADER_STATE_ROOT 3
```

BLOCKHEADER_TRANSACTIONS_ROOT

```
#define BLOCKHEADER_TRANSACTIONS_ROOT 4
```

BLOCKHEADER_RECEIPT_ROOT

```
#define BLOCKHEADER_RECEIPT_ROOT 5
```

BLOCKHEADER_LOGS_BLOOM

```
#define BLOCKHEADER_LOGS_BLOOM 6
```

BLOCKHEADER_DIFFICULTY

```
#define BLOCKHEADER_DIFFICULTY 7
```

BLOCKHEADER_NUMBER

```
#define BLOCKHEADER_NUMBER 8
```

BLOCKHEADER_GAS_LIMIT

```
#define BLOCKHEADER_GAS_LIMIT 9
```

BLOCKHEADER_GAS_USED

```
#define BLOCKHEADER_GAS_USED 10
```

BLOCKHEADER_TIMESTAMP

```
#define BLOCKHEADER_TIMESTAMP 11
```

BLOCKHEADER_EXTRA_DATA

```
#define BLOCKHEADER_EXTRA_DATA 12
```

BLOCKHEADER_SEALED_FIELD1

```
#define BLOCKHEADER_SEALED_FIELD1 13
```

BLOCKHEADER_SEALED_FIELD2

```
#define BLOCKHEADER_SEALED_FIELD2 14
```

BLOCKHEADER_SEALED_FIELD3

```
#define BLOCKHEADER_SEALED_FIELD3 15
```

BLOCKHEADER_BASE_GAS_FEE

```
#define BLOCKHEADER_BASE_GAS_FEE 15
```

serialize_tx_receipt

```
bytes_t* serialize_tx_receipt(d_token_t *receipt);
```

creates rlp-encoded raw bytes for a receipt.

The bytes must be freed with `b_free` after use!

arguments:

<code>d_token_t *</code>	<code>receipt</code>
--------------------------	----------------------

returns: `bytes_t *`

serialize_tx

```
bytes_t* serialize_tx(d_token_t *tx);
```

creates rlp-encoded raw bytes for a transaction.

The bytes must be freed with `b_free` after use!

arguments:

<code>d_token_t *</code>	<code>tx</code>
--------------------------	-----------------

returns: `bytes_t *`

serialize_tx_raw

```
bytes_t* serialize_tx_raw(bytes_t nonce, bytes_t gas_price, bytes_t gas_limit, bytes_  
↪t to, bytes_t value, bytes_t data, uint64_t v, bytes_t r, bytes_t s);
```

creates rlp-encoded raw bytes for a transaction from direct values.

The bytes must be freed with `b_free` after use!

arguments:

<i>bytes_t</i>	nonce
<i>bytes_t</i>	gas_price
<i>bytes_t</i>	gas_limit
<i>bytes_t</i>	to
<i>bytes_t</i>	value
<i>bytes_t</i>	data
uint64_t	v
<i>bytes_t</i>	r
<i>bytes_t</i>	s

returns: *bytes_t* *

serialize_account

```
bytes_t* serialize_account(d_token_t *a);
```

creates rlp-encoded raw bytes for a account.

The bytes must be freed with `b_free` after use!

arguments:

<i>d_token_t</i> *	a
--------------------	----------

returns: *bytes_t* *

serialize_block_header

```
bytes_t* serialize_block_header(d_token_t *block);
```

creates rlp-encoded raw bytes for a blockheader.

The bytes must be freed with `b_free` after use!

arguments:

<i>d_token_t</i> *	block
--------------------	--------------

returns: *bytes_t* *

rlp_add

```
int rlp_add(bytes_builder_t *rlp, d_token_t *t, int ml);
```

adds the value represented by the token rlp-encoded to the byte_builder.

arguments:

<i>bytes_builder_t</i> *	rlp
<i>d_token_t</i> *	t
int	ml

returns: `int` : 0 if added -1 if the value could not be handled.

10.13.14 ipfs.h

IPFS verification.

File: `c/src/verifier/ipfs/ipfs.h`

`ipfs_verify_hash`

```
in3_ret_t ipfs_verify_hash(const char *content, const char *encoding, const char_  
↪ *requested_hash);
```

verifies an IPFS hash.

Supported encoding schemes - hex, utf8 and base64

arguments:

<code>const char *</code>	content
<code>const char *</code>	encoding
<code>const char *</code>	requested_hash

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

`in3_register_ipfs`

```
in3_ret_t in3_register_ipfs(in3_t *c);
```

this function should only be called once and will register the IPFS verifier.

arguments:

<code>in3_t *</code>	c
----------------------	----------

returns: `in3_ret_t` the *result-status* of the function.

Please make sure you check if it was successfull (==IN3_OK)

Even though the IN3 client is written in C, we are using emscripten to build wasm. Together with some binding-code IN3 runs in any Javascript-Runtime. Using WASM gives us 3 important features:

1. Performance. Since WASM runs at almost native speed it is very fast
2. Security Since the WASM-Module has no dependencies it reduces the risk of using a malicious dependency, which would be able to manipulate Prototypes. Also, since the real work is happening inside the wasm, trying to change Prototype would not work.
3. Size The current wasm-file is about 200kb. This is smaller then most other libraries and can easily be used in any app or website.

11.1 Installing

This client uses the in3-core sources compiled to wasm. The wasm is included into the js-file wich makes it easier to include the data. This module has **no** dependencies! All it needs is included into a wasm of about 300kB.

Installing IN3 is as easy as installing any other module:

```
npm install --save in3
```

11.1.1 WASM-support

Even though most browsers and javascript enviroment such as nodejs, have full support for wasm, there are occasions, where WASM is fully supported. In case you want to run IN3 within a react native app, you might face such issues. In this case you can use [in3-asmjs](#), which has the same API, but runs on pure javascript (a bit slower and bigger, but full support everywhere).

11.2 Building from Source

11.2.1 install emscripten

In order to build the wasm or asmjs from source you need to install emscripten first. In case you have not done it yet:

```
# Get the emsdk repo
git clone https://github.com/emscripten-core/emsdk.git

# Enter that directory
cd emsdk

# install the latest-upstream sdk and activate it
./emsdk install latest-upstream && ./emsdk activate latest-upstream
```

```
# Please make sure you add this line to your .bash_profile or .zshrc
source <PATH_TO_EMSDK>/emsdk_env.sh > /dev/null
```

11.2.2 CMake

With emscripten set up, you can now configure the wasm and build it (in the in3-c directory):

```
# create a build directory
mkdir -p build
cd build

# configure CMake
emcmake cmake -DWASM=true -DCMAKE_BUILD_TYPE=MINISIZEREL ..

# and build it
make -j8 in3_wasm

# optionally you can also run the tests
make test
```

Per default the generated wasm embedded the wasm-data as base64 and resulted in the build/module. If you want to build asmjs, use the `-DASMJS=true` as an additional option. If you don't want to embedd the wasm, add `-DWASM_EMBED=false`. If you want to set the `-DCMAKE_BUILD_TYPE=DEBUG` your filesize increases but all function names are kept (resulting in readable stacktraces) and emscripten will add a lot of checks and assertions.

For more options please see the [CMake Options](#).

11.3 Examples

11.3.1 get_block_api

source : in3-c/wasm/examples/get_block_api.ts

Reads the latest block by calling IN3's web3.js-compatible eth API. Read the eth api from web3.js docs: <https://web3js.readthedocs.io/en/v1.3.0/web3-eth.html>


```

/// Reads the latest block by calling IN3's web3.js-compatible eth API.
/// Read the eth api from web3.js docs: https://web3js.readthedocs.io/en/v1.3.0/web3-
→eth.html
import { IN3 } from 'in3'

async function showLatestBlock() {

  // create new IN3 instance
  const client = new IN3({
    proof      : 'standard',
    signatureCount : 1,
    chainId    : 'goerli'
  })

  const lastBlock = await client.eth.getBlockByNumber()

  console.log("latest Block: ", JSON.stringify(lastBlock, null, 2))
}

showLatestBlock().catch(console.error)

```

11.3.2 get_block_rpc

source : `in3-c/wasm/examples/get_block_rpc.ts`

Reads the latest block by calling IN3's internal RPC to the WASM core. Learn other exclusive IN3 RPC calls here: <https://in3.readthedocs.io/en/develop/rpc.html>

```

/// Reads the latest block by calling IN3's internal RPC to the WASM core.
/// Learn other exclusive IN3 RPC calls here: https://in3.readthedocs.io/en/develop-
→rpc.html
import { IN3 } from 'in3'

async function showLatestBlock() {

  // create new IN3 instance
  var c = new IN3({
    chainId: '0x5' // use goerli
  })

  // make a RPC (this would throw if the response contains an error)
  const lastBlockResponse = await c.sendRPC('eth_getBlockByNumber', ['latest', →false])

  console.log("latest Block: ", JSON.stringify(lastBlockResponse, null, 2))
}

showLatestBlock().catch(console.error)

```

11.3.3 register_pugin

source : `in3-c/wasm/examples/register_pugin.ts`

```

// Register a custom RPC for sha256 hashing using a plugin
// Read about IN3 Plugins in the docs: https://in3.readthedocs.io/en/develop/api-c.
↪html#plugins
import { IN3, RPCRequest, IN3Plugin } from 'in3'
import * as crypto from 'crypto'

class Sha256Plugin<BigIntType, BufferType> implements IN3Plugin<BigIntType,
↪BufferType> {

    // this function will register for handling rpc-methods
    // only if we return something other then `undefined`, it will be taken as the
↪result of the rpc.
    // if we don't return, the request will be forwarded to the IN3 nodes
    handleRPC(client, request: RPCRequest): any {

        if (request.method === 'sha256') {
            // assert params
            if (request.params.length !== 1 || typeof (request.params[0]) !== 'string')
                throw new Error('Only one parameter with as string is expected!')

            // create hash
            const hash = crypto.createHash('sha256').update(Buffer.from(request.params[0],
↪'utf8')).digest()

            // return the result
            return '0x' + hash.toString('hex')
        }
    }
}

async function registerPlugin() {

    // create new IN3 instance
    const client = new IN3()

    // register the plugin
    client.registerPlugin(new Sha256Plugin())

    // exeucte a rpc-call
    const result = await client.sendRPC("sha256", ["testdata"])

    console.log(" sha256: ", result)
}

registerPlugin().catch(console.error)

```

11.3.4 use_web3

source : in3-c/wasm/examples/use_web3.ts

use IN3 as Web3Provider in web3.js

```

/// use IN3 as Web3Provider in web3.js
import { IN3 } from 'in3'

```

(continues on next page)

(continued from previous page)

```

const Web3 = require('web3')

const in3 = new IN3({
  proof: 'standard',
  signatureCount: 1,
  requestCount: 1,
  chainId: 'goerli',
  replaceLatestBlock: 10
})

// Use IN3 network client as a Http-Provider
const web3 = new Web3(in3.createWeb3Provider());

(async () => {
  const block = await web3.eth.getBlock('latest')
  console.log("Block : ", block)
})().catch(console.error);

```

11.3.5 in3_in_browser

source : in3-c/wasm/examples/in3_in_browser.html

use IN3 in html

```

<!-- use IN3 in html -->
<html>

<head>
  <script src="node_modules/in3/index.js"></script>
</head>

<body>
  IN3-Demo
  <div>
    result:
    <pre id="result"> ...waiting... </pre>
  </div>
  <script>
    var in3 = new IN3({ chainId: 0x1, replaceLatestBlock: 6, requestCount: 3 });
    in3.eth.getBlockByNumber('latest', false)
      .then(block => document.getElementById('result').innerHTML = JSON.
↳stringify(block, null, 2))
      .catch(alert)
  </script>
</body>

</html>

```

11.3.6 Building

In order to run those examples, you need to install in3 and typescript first. The build.sh will do this and the run the tsc-compiler

```
./build.sh
```

In order to run a example use

```
node build/get_block_api.ts
```

11.4 Incubed - from Typescript to WASM

When we started to implement Incubed, it all began with a Proof of Concept. This was implemented in Typescript and showed that it was possible to verify all important ethereum rpc-requests. Out of thie PoC we continued to develop the first release of the Typescript Client at Devcon 2017. But the goal of incubed was always to be able to run in embedded devices with minimal specs (256kB RAM), so we started to implement the incubed client in C from scratch.

11.4.1 Why C? (not Rust?)

Don't get me wrong, I love Rust and in the beginning this seemed the best way to implement it, but when looking at our target platforms (embedded devices) you soon find out that almost all of them use C or C++. It would be way easier to get a C-developer to inculde a C-Library than to change its toolchain to include Rust. Also at that time Rust was not ready for embedded yet. „Integrating Rust with an RTOS such as FreeRTOS or ChibiOS is still a work in progress; especially calling RTOS functions from Rust can be tricky.“ (<https://rust-embedded.org>) When we looked at Stackoverflow Developer Survey 2019 for the most loved Language, 83% of developers made Rust the #1, but looking at the results for actually usage, only 3% used Rust in their products. Another reason was the fact, that if you write code in C it will run everywhere. Especially embedded devices like to come with their own toolchain only supporting C/C++.

11.4.2 Size matters

While most Dektop-PCs are powerful enough so you wouldn't care how big a library is, there are still 2 platforms, where size matters a lot:

1. Browsers - when including it in a webapp each user needs to download the code. So having a small library means a faster and better user experience.
2. Embedded Devices - if you only have 1MB flash memory you simply can't use huge libraries.

The smallest possible incubed client is around 300kb including a full evm and running on devices with about 100kB RAM.

11.4.3 Emscripten

With Incubed implemented in C we used emscripten to compile it to WASM. This allows us to run almost at native speed in the browser. While almost all browsers support WASM, yet there are still JS-Engines without WebAssembly-Support. Luckily emscripten is able to compile it to asmjs as well, which allows us to also run (a bit slower and bigger) even there (which by the way includes react native !).

11.4.4 Security - no dependencies

Packing all in one wasm-file is not only creating a very compact size (The minimal wasm-size is 162kB), but also is a lot safer. When you look at your node_modules-folder after installing the old typescript-client, you would find 267 packages from various authors. if you do the same with the wasm-client version 3.2 now, you will find only one folder

: in3. Yes, We are very proud of our library with ZERO dependencies! Why are dependencies bad? According to a security survey by npm, 77% of respondents were concerned with the security of OSS/third-party code. Especially when writing security critical applications, auditing all even nested dependencies is very hard. (Remember when an innocent package like `event-stream` became malicious and got downloaded 8 Million times?)

11.5 How to migrate?

For the WASM-Client we tried to keep the API as close as possible to the old TypeScript-Version, but due to new features and some WASM-specific behaviors there are some changes you need to be aware of:

1. **WASM loads async** Since WebAssembly is always loaded async, some function (like special util-functions) may not be available if you execute code directly after requiring the client. For all those cases the Incubed-Client now offers a `onInit`-function, which also returns a promise with the result. (this is not be needed for normale rpc-request, since they are already async)

```
import IN3 from 'in3'

// the code will be executed as soon as the client is ready (wasm loaded)
IN3.onInit(()=>{
  console.log(' Address : ', IN3.util.toChecksumAddress(
    ↪ '0xb3b7874f13387d44a3398d298B075b7a3505d8d4'))
})
```

2. **Freeing Memory** As every C/C++-Developer knows, in order to avoid memory leaks, you need to free memory after usage. While it may not make a big difference if you only use one instance, if you create a temp instance, make sure to call `.free()` afterwards.
3. **Deprecated Functions** We removed a lot of internal functions from the Client, like
 - `getChainContext()`
 - `updateWhiteListNodes()`
 - `updateNodeList()`
 - `call()`
 - `verifyResponse()`
 - `clearStats()`
 - `addListener()`

On the other hand we also added some useful functions, like

- `setConfig(config: Partial<IN3Config>)` - changes (partial) configurations
- `execLocal(method: string, params?: any[])` - to execute a rpc request synchronously directly in the client, like (`web3_version` or)

4. **Changes in the Eth-API** We extended the Eth-API (`in3.eth`) and added the following functions.

- `accounts` - the Account API for adding signer keys
- `toWei()` - converts any value and unit to wei as hex.
- `resolveENS()` - ENS-Resolver
- `web3ContractAt()` - creates a instance of a Contract with the same methods as web3 would do
- `contractAt()` - creates a instance of an contract with the same methods as ethers would do

5. **New APIs**

- `btc` - this API support verified Bitcoin-Responses (we will have a seperate blogpost about it)
- `zksync` - API for using a `zksync`-service

11.5.1 Optimizing size

The official `in3`-module release contains different configurations you can choose from. This way you can pick a version which is just small enough to fit your needs. Currently those Versions are included:

- `require('in3')` - default, uses `asmjs` and includes all modules (`eth`, `btc`, `zksync`) - 900kB
- `require('in3/wasm')` - `wasm`-version which includes all modules (`eth`, `btc`, `zksync`) - 525kB
- `require('in3/eth1')` - Ethereum only `asmjs` module - 823kB
- `require('in3/eth1-wasm')` - Ethereum only `wasm` module - 470kB
- `require('in3/btc')` - Bitcoin - the `asmjs`-version with only `eth_nano` and `btc` - 656kB
- `require('in3/btc-wasm')` - Bitcoin - the `wasm`-version with only `eth_nano` and `btc` - 400kB
- `require('in3/zksync')` - `Zksync` - the `asmjs`-version with only `eth_full`, `ipfs` and `zksync` - 2.8MB
- `require('in3/zksync-wasm')` - `Zksync` - the `wasm`-version with only `eth_full`, `ipfs` and `zksync` - 819kB
- `require('in3/min')` - Minimal - the `asmjs`-version with only `eth_nano` - 524kB
- `require('in3/min-wasm')` - Minimal - the `wasm`-version with only `eth_nano` - 313kB

For all `wasm`-versions we are embedding the `wasm`-code as `base64` directly into the code making it easier to bundle the package.

11.6 IN3 Module

This page contains a list of all Datastructures and Classes used within the `IN3 WASM-Client`

Importing `IN3` is as easy as

```
import {IN3} from "in3"
```

11.6.1 BufferType and BigIntType

The `WASM-Module` comes with no dependencies. This means per default it uses the standard classes provided as part of the `EMCAScript-Standard`.

If you work with a library which expects different types, you can change the generic-type and giving a converter:

Type `BigIntType`

Per default we use `bigint`. This is used whenever we work with number too big to be stored as a `number`-type.

If you want to change this type, use `setConverBigInt()` function.

Type Buffer

Per default we use `UInt8Array`. This is used whenever we work with raw bytes.

If you want to change this type, use `setConverBuffer()` function.

Generics

```
import {IN3Generic} from 'in3'
import BN from 'bn.js'

// create a new client by setting the Generic Types
const c = new IN3Generic<BN,Buffer>()

// set the converter-functions
IN3Generic.setConverBuffer(val => Buffer.from(val))
IN3Generic.setConverBigInt(val => new BN(val))
```

11.6.2 Package

While the `In3Client`-class is also the default import, the following imports can be used: `Signer`, which stores the key encrypted in the `indexDB` in the browser.

constructor()

creates a `BrowserSigner`, which will use the given callback-function in order to retrieve the password, which is used to encrypt the stored keys.

BrowserSigner constructor (passwordCB:()=>String)

Parameters:

passwordCB	() => String	password cb
------------	--------------	-------------

Returns:

BrowserSigner

sign()

signing of any data. if `hashFirst` is true the data should be hashed first, otherwise the data is the hash.

Promise<BufferType> sign (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none">- ec_hash : the data needs to be hashed first (using keccak) before signing- ec_raw : the data is the ryw value (32bytes) to sign- ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> **canSign** (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

generateAndStorePrivateKey()

adds a private key to the signer and returns the address associated with it.

Promise<string> `generateAndStorePrivateKey` (*pk:BufferType*)

Parameters:

pk	<i>BufferType</i>	pk
----	-------------------	----

Returns:

Promise<string>

getAccounts()

returns all addresses managed by the signer.

Address [] `getAccounts` ()

Returns:

Address []

default Incubed client with bigint for big numbers Uint8Array for bytes

default		supporting both ES6 and UMD usage
util	<i>Utils<any></i>	collection of util-functions.
btc	<i>BtcAPI<Uint8Array></i>	btc API
config	<i>IN3Config</i>	IN3 config
eth	<i>EthAPI<bigint, Uint8Array></i>	eth1 API.
ipfs	<i>IpfsAPI<Uint8Array></i>	ipfs API
signer	<i>Signer<bigint, Uint8Array></i>	the signer, if specified this interface will be used to sign transactions, if not, sending transaction will not be possible.
util	<i>Utils<Uint8Array></i>	collection of util-functions.
zksync	<i>ZksyncAPI<Uint8Array></i>	zksync API

freeAll()

frees all Incubed instances.

```
static void freeAll ()
```

onInit()

registers a function to be called as soon as the wasm is ready. If it is already initialized it will call it right away.

```
static Promise<T> onInit ( fn:() => T )
```

Parameters:

fn	() => T	the function to call
----	---------	----------------------

Returns:

static *Promise*<T>

setConvertBigInt()

sets the convert-function, which converts any kind of type to Type defined for BigInt-operation. if not set the default type would be bigint.

static void setConvertBigInt (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setConvertBuffer()

sets the convert-function, which converts any kind of type to Type defined for Buffer or Bytes-operation. if not set the default type would be UInt8Array.

static void setConvertBuffer (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setStorage()

changes the storage handler, which is called to read and write to the cache.

static void setStorage (handler:)

Parameters:

handler		handler
---------	--	---------

setTransport()

changes the default transport-function.

static void setTransport (fn:(string, string, number) => Promise<string>)

Parameters:

fn	(string, string, number) => Promise<string>	the function to fetch the response for the given url
----	---	--

constructor()

creates a new client.

IN3 constructor (config:*Partial<IN3Config>*)

Parameters:

config	<i>Partial<IN3Config></i>	a optional config
--------	---------------------------------	-------------------

Returns:

IN3

createWeb3Provider()

returns a Object, which can be used as Web3Provider.

```
const web3 = new Web3(new IN3().createWeb3Provider())
```

any **createWeb3Provider** ()

Returns:

any

execLocal()

sends a RPC-Requests specified by name and params as a sync call. This is only allowed if the request is handled internally, like web3_sha3,

if the response contains an error, this will be thrown. if not the result will be returned.

any execLocal (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

any

free()

disposes the Client. This must be called in order to free allocated memory!

void **free** ()

registerPlugin()

registers a plugin. The plugin may define methods which will be called by the client.

void registerPlugin (plugin:*IN3Plugin<bigint, Uint8Array>*)

Parameters:

plugin	<i>IN3Plugin<bigint, Uint8Array></i>	the plugin-object to register
--------	--	-------------------------------

send()

sends a raw request. if the request is a array the response will be a array as well. If the callback is given it will be called with the response, if not a Promise will be returned. This function supports callback so it can be used as a Provider for the web3.

Promise<RPCResponse> **send** (request:*RPCRequest* , callback:(*Error* , *RPCResponse*) => void)

Parameters:

request	<i>RPCRequest</i>	a JSONRPC-Request with N3-Extension
callback	(<i>Error</i> , <i>RPCResponse</i>) => void	callback

Returns:

Promise<RPCResponse>

sendRPC()

sends a RPC-Requests specified by name and params.

if the response contains an error, this will be thrown. if not the result will be returned.

Promise<any> **sendRPC** (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

Promise<any>

setConfig()

sets configuration properties. You can pass a partial object specifieing any of defined properties.

void setConfig (config:*Partial<IN3Config>*)

Parameters:

config	<i>Partial<IN3Config></i>	config
--------	---------------------------------	--------

default		supporting both ES6 and UMD usage
util	<i>Utils<any></i>	collection of util-functions.
btc	<i>BtcAPI<BufferType></i>	btc API
config	<i>IN3Config</i>	IN3 config
eth	<i>EthAPI<BigIntType,BufferType></i>	eth1 API.
ipfs	<i>IpfsAPI<BufferType></i>	ipfs API
signer	<i>Signer<BigIntType,BufferType></i>	the signer, if specified this interface will be used to sign transactions, if not, sending transaction will not be possible.
util	<i>Utils<BufferType></i>	collection of util-functions.
zksync	<i>ZksyncAPI<BufferType></i>	zksync API

freeAll()

frees all Incubed instances.

static void `freeAll()`

onInit()

registers a function to be called as soon as the wasm is ready. If it is already initialized it will call it right away.

static *Promise<T>* `onInit` (fn:() => T)

Parameters:

fn	() => T	the function to call
----	---------	----------------------

Returns:

static *Promise*<T>

setConvertBigInt()

sets the convert-function, which converts any kind of type to Type defined for BigInt-operation. if not set the default type would be bigint.

static void setConvertBigInt (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setConvertBuffer()

sets the convert-function, which converts any kind of type to Type defined for Buffer or Bytes-operation. if not set the default type would be UInt8Array.

static void setConvertBuffer (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setStorage()

changes the storage handler, which is called to read and write to the cache.

static void setStorage (handler:)

Parameters:

handler		handler
---------	--	---------

setTransport()

changes the default transport-function.

static void setTransport (fn:(string, string, number) => Promise<string>)

Parameters:

fn	(string, string, number) => Promise<string>	the function to fetch the response for the given url
----	---	--

constructor()

creates a new client.

IN3Generic constructor (config:Partial<IN3Config>)

Parameters:

config	Partial<IN3Config>	a optional config
--------	--------------------	-------------------

Returns:

IN3Generic

createWeb3Provider()

returns a Object, which can be used as Web3Provider.

```
const web3 = new Web3(new IN3().createWeb3Provider())
```

any createWeb3Provider ()

Returns:

any

execLocal()

sends a RPC-Requests specified by name and params as a sync call. This is only allowed if the request is handled internally, like web3_sha3,

if the response contains an error, this will be thrown. if not the result will be returned.

any execLocal (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

any

free()

disposes the Client. This must be called in order to free allocated memory!

```
void free ()
```

registerPlugin()

registers a plugin. The plugin may define methods which will be called by the client.

```
void registerPlugin ( plugin:IN3Plugin<BigIntType,BufferType> )
```

Parameters:

plugin	<i>IN3Plugin<BigIntType,BufferType></i>	the plugin-object to register
--------	---	-------------------------------

send()

sends a raw request. if the request is a array the response will be a array as well. If the callback is given it will be called with the response, if not a Promise will be returned. This function supports callback so it can be used as a Provider for the web3.

```
Promise<RPCResponse> send ( request:RPCRequest , callback:(Error , RPCResponse ) => void)
```

Parameters:

request	<i>RPCRequest</i>	a JSONRPC-Request with N3-Extension
callback	<i>(Error , RPCResponse) => void</i>	callback

Returns:

Promise<RPCResponse>

sendRPC()

sends a RPC-Requests specified by name and params.

if the response contains an error, this will be thrown. if not the result will be returned.

Promise<any> **sendRPC** (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

Promise<any>

setConfig()

sets configuration properties. You can pass a partial object specifeing any of defined properties.

void setConfig (config:Partial<IN3Config>)

Parameters:

config	<i>Partial<IN3Config></i>	config
accounts		the accounts

constructor()

constructor

SimpleSigner **constructor** (pks:Hash | BufferType [])

Parameters:

pks	<i>Hash</i> <i>BufferType</i> []	pks
-----	---------------------------------------	-----

Returns:

SimpleSigner

sign()

signing of any data. if hashFirst is true the data should be hashed first, otherwise the data is the hash.

Promise<BufferType> **sign** (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none">- ec_hash : the data needs to be hashed first (using keccak) before signing- ec_raw : the data is the ryw value (32bytes) to sign- ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

addAccount()

adds a private key to the signer and returns the address associated with it.

string addAccount (pk:*Hash*)

Parameters:

pk	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
----	-------------	--

Returns:

string

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> canSign (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

getAccounts()

returns all addresses managed by the signer.

Address [] getAccounts ()

Returns:

Address []

The Account API

add()

adds a private key to sign with. This method returns address of the pk

string add (pk:string|*BufferType*)

Parameters:

pk	<code>string BufferType</code>	
----	----------------------------------	--

Returns:

`string`

addKeyStore()

adds a key from a JSON Keystore file as defined in the Web3 Secret Storage Definition . This method returns address of the pk.

String **addKeyStore** (keystore:any, passphrase:string)

Parameters:

keystore	<code>any</code>	the keystore data
passphrase	<code>string</code>	the passphrase

Returns:

String

decryptKeystore()

decrypts a JSON Keystore file as defined in the Web3 Secret Storage Definition . The result is the raw private key.

BufferType **decryptKeystore** (keystore:any, passphrase:string)

Parameters:

keystore	<code>any</code>	the keystore data
passphrase	<code>string</code>	the passphrase

Returns:

BufferType

ecrecover()

recovers a ecdsa signature.

```
ecrecover ( msg:string | BufferType , sig:string | BufferType , msgtype:'eth_sign' | 'raw' | 'hash')
```

Parameters:

msg	string <i>BufferType</i>	the message
sig	string <i>BufferType</i>	the signature (must be 65bytes in hex or Buffer)
msgtype	'eth_sign' 'raw' 'hash'	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

prepareTx()

prepares a Transaction by creating a unsigned raw transaction.

```
Promise<BufferType> prepareTx ( tx:TxRequest )
```

Parameters:

tx	<i>TxRequest</i>	the tx parameter
----	------------------	------------------

Returns:

```
Promise<BufferType>
```

signData()

creates a signature with a previously registered signer based on the data

```
Promise<Signature> signData ( msg:string | BufferType , account:string | BufferType , msg-type:'eth_sign' | 'raw' | 'hash')
```

Parameters:

msg	<code>string BufferType</code>	the message to sign
account	<code>string BufferType</code>	the address of the account (if null, the first available account is used). If the account is a 32byte hex or buffer, it it will be used as raw private key.
msgtype	<code>'eth_sign' 'raw' 'hash'</code>	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

Returns:

Promise<Signature>

signRawTx()

creates a signature with a previously registered signer based on the data

Promise<BufferType> **signRawTx** (msg:string | BufferType , account:string | BufferType , msg-type:'eth_sign' | 'raw' | 'hash')

Parameters:

msg	string <i>BufferType</i>	the message to sign
account	string <i>BufferType</i>	the address of the account (if null, the first available account is used). If the account is a 32byte hex or buffer, it it will be used as raw private key.
msgtype	'eth_sign' 'raw' 'hash'	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

Returns:

Promise<*BufferType*>

a full Block including the transactions

bits	string	bits (target) for the block as hex
chainwork	string	total amount of work since genesis
confirmations	number	number of confirmations or blocks mined on top of the containing block
difficulty	number	difficulty of the block
hash	string	the hash of the blockheader
height	number	block number
mediantime	string	unix timestamp in seconds since 1970
merkleroot	string	merkle root of the trie of all transactions in the block
nTx	number	number of transactions in the block
nextblockhash	string	hash of the next blockheader
nonce	number	nonce-field of the block
previousblockhash	string	hash of the parent blockheader
time	string	unix timestamp in seconds since 1970

a Block header

bits	string	bits (target) for the block as hex
chainwork	string	total amount of work since genesis
confirmations	number	number of confirmations or blocks mined on top of the containing block
difficulty	number	difficulty of the block
hash	string	the hash of the blockheader
height	number	block number
mediantime	string	unix timestamp in seconds since 1970
merkleroot	string	merkle root of the trie of all transactions in the block
nTx	number	number of transactions in the block
nextblockhash	string	hash of the next blockheader
nonce	number	nonce-field of the block
previousblockhash	string	hash of the parent blockheader
time	string	unix timestamp in seconds since 1970
version	number	Chapter 11. API Reference TS/JS see version
versionHex	string	version as hex

Block state.

<code>blockNumber</code>	<code>number</code>	the <code>blockNumber</code>
<code>committed</code>	<code>boolean</code>	the <code>committed</code>
<code>verified</code>	<code>boolean</code>	the <code>verified</code>

API for handling BitCoin data

getBlockBytes()

retrieves the serialized block (bytes) including all transactions

Promise<BufferType> **getBlockBytes** (`blockHash`:*Hash*)

Parameters:

<code>blockHash</code>	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------------------------	-------------	--

Returns:

Promise<BufferType>

getBlockCount()

Returns the number of blocks in the longest blockchain.

Promise<Number> **getBlockCount** ()

Returns:

Promise<Number>

getBlockHeader()

retrieves the blockheader and returns the data as json.

Promise<BTCBlockHeader> **getBlockHeader** (`blockHash`:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlockHeader>

getBlockHeaderBytes()

retrieves the serialized blockheader (bytes)

Promise<BufferType> **getBlockHeaderBytes** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BufferType>

getBlockWithTxData()

retrieves the block including all tx data as json.

Promise<BTCBlock> **getBlockWithTxData** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlock>

getBlockWithTxIds()

retrieves the block including all tx ids as json.

Promise<BTCBlock> **getBlockWithTxIds** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlock>

getTransaction()

retrieves the transaction and returns the data as json.

Promise<BtcTransaction> **getTransaction** (txid:*Hash*)

Parameters:

txid	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<BtcTransaction>

getTransactionBytes()

retrieves the serialized transaction (bytes)

Promise<BufferType> **getTransactionBytes** (txid:*Hash*)

Parameters:

txid	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<BufferType>

a BitCoin Transaction.

blockhash	<i>Hash</i>	the block hash of the block containing this transaction.
blocktime	number	The block time in seconds since epoch (Jan 1 1970 GMT)
confirmations	number	The confirmations.
hash	<i>Hash</i>	The transaction hash (differs from txid for witness transactions)
hex	<i>Data</i>	the hex representation of raw data
in_active_chain	boolean	true if this transaction is part of the longest chain
locktime	number	The locktime
size	number	The serialized transaction size
time	number	The transaction time in seconds since epoch (Jan 1 1970 GMT)
txid	<i>Hash</i>	The requested transaction id.
version	number	The version
vin	<i>BtcTransactionInput</i> []	the transaction inputs
vout	<i>BtcTransactionOutput</i> []	the transaction outputs
vsize	number	The virtual transaction size (differs from size for witness transactions)

a Input of a Bitcoin Transaction

scriptSig		the script
sequence	number	The script sequence number
txid	<i>Hash</i>	the transaction id
txinwitness	<i>Data []</i>	hex-encoded witness data (if any)
vout	number	the index of the transactionoutput

a Input of a Bitcoin Transaction

n	number	the index
scriptPubKey		the script
value	number	the value in BTC
vout	number	the index of the transactionoutput

Response of a Deposit-Transaction.

receipt	<i>TransactionReceipt</i>	the receipt
---------	---------------------------	-------------

L1 Operation State

block	<i>BlockInfo</i>	the block
executed	boolean	the executed

The API for ethereum operations.

accounts	<i>AccountAPI<BufferType></i>	accounts-API
client	<i>IN3Generic<BigIntType,BufferType></i>	the client used.
signer	<i>Signer<BigIntType,BufferType></i>	a custom signer (<i>optional</i>)

blockNumber()

Returns the number of most recent block. (as number)

Promise<number> **blockNumber** ()

Returns:

Promise<number>

call()

Executes a new message call immediately without creating a transaction on the block chain.

Promise<string> **call** (tx:*Transaction* , block:*BlockType*)

Parameters:

tx	<i>Transaction</i>	tx
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

callFn()

Executes a function of a contract, by passing a [method-signature](#) and the arguments, which will then be ABI-encoded and send as eth_call.

Promise<any> `callFn (to:Address , method:string, args:any [])`

Parameters:

to	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
method	string	method
args	any []	args

Returns:

Promise<any>

chainId()

Returns the EIP155 chain ID used for transaction signing at the current best block. Null is returned if not available.

Promise<string> `chainId ()`

Returns:

Promise<string>

clientVersion()

Returns the clientVersion. This may differ in case of an network, depending on the node it communicates with.

Promise<string> `clientVersion ()`

Returns:

Promise<string>

constructor()

The API for ethereum operations.

EthAPI<BigIntType,BufferType> **constructor** (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	client
--------	--	--------

Returns:

EthAPI<BigIntType,BufferType>

contractAt()

contract at

contractAt (abi:*ABI* [], address:*Address*)

Parameters:

abi	<i>ABI</i> []	abi
address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)

decodeEventData()

decode event data

any decodeEventData (log:*Log* , d:*ABI*)

Parameters:

log	<i>Log</i>	log
d	<i>ABI</i>	d

Returns:

any

estimateGas()

Makes a call or transaction, which won't be added to the blockchain and returns the used gas, which can be used for estimating the used gas.

Promise<number> estimateGas (tx:*Transaction*)

Parameters:

tx	<i>Transaction</i>	tx
----	--------------------	----

Returns:

Promise<number>

fromWei()

Returns a formatted String in the specified unit (or eth if not specified). If digits are specified, the number of digits behind the comma can be limited.

string fromWei (value:string, unit:string, digits:number)

Parameters:

value	string	value
unit	string	unit
digits	number	digits

Returns:

string

gasPrice()

Returns the current price per gas in wei. (as number)

Promise<number> **gasPrice** ()

Returns:

Promise<number>

getAccounts()

returns the public addresses accounts

Promise<> **getAccounts** ()

Returns:

Promise<>

getBalance()

Returns the balance of the account of given address in wei (as hex).

Promise<*BigIntType*> **getBalance** (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<*BigIntType*>

getBlockByHash()

Returns information about a block by hash.

Promise<*Block*> **getBlockByHash** (hash:*Hash* , includeTransactions:boolean)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
includeTransactions	boolean	include transactions

Returns:

Promise<*Block*>

getBlockByNumber()

Returns information about a block by block number.

Promise<*Block*> **getBlockByNumber** (block:*BlockType* , includeTransactions:boolean)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
includeTransactions	boolean	include transactions

Returns:

Promise<Block>

getBlockTransactionCountByHash()

Returns the number of transactions in a block from a block matching the given block hash.

Promise<number> *getBlockTransactionCountByHash* (block:*Hash*)

Parameters:

block	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-------	-------------	--

Returns:

Promise<number>

getBlockTransactionCountByNumber()

Returns the number of transactions in a block from a block matching the given block number.

Promise<number> *getBlockTransactionCountByNumber* (block:*Hash*)

Parameters:

block	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-------	-------------	--

Returns:

Promise<number>

getCode()

Returns code at a given address.

Promise<string> *getCode* (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

getFilterChanges()

Polling method for a filter, which returns an array of logs which occurred since last poll.

Promise<> **getFilterChanges** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<>

getFilterLogs()

Returns an array of all logs matching filter with given id.

Promise<> **getFilterLogs** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<>

getLogs()

Returns an array of all logs matching a given filter object.

Promise<> **getLogs** (filter:*LogFilter*)

Parameters:

filter	<i>LogFilter</i>	filter
--------	------------------	--------

Returns:

Promise<>

getStorageAt()

Returns the value from a storage position at a given address.

Promise<string> **getStorageAt** (address:*Address* , pos:*Quantity* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

getTransactionByBlockHashAndIndex()

Returns information about a transaction by block hash and transaction index position.

Promise<TransactionDetail> **getTransactionByBlockHashAndIndex** (hash:*Hash* , pos:*Quantity*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<TransactionDetail>

getTransactionByBlockNumberAndIndex()

Returns information about a transaction by block number and transaction index position.

Promise<TransactionDetail> **getTransactionByBlockNumberAndIndex** (block:*BlockType* , pos:*Quantity*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<TransactionDetail>

getTransactionByHash()

Returns the information about a transaction requested by transaction hash.

Promise<TransactionDetail> **getTransactionByHash** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<TransactionDetail>

getTransactionCount()

Returns the number of transactions sent from an address. (as number)

Promise<number> **getTransactionCount** (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

`Promise<number>`

getTransactionReceipt()

Returns the receipt of a transaction by transaction hash. Note That the receipt is available even for pending transactions.

Promise<TransactionReceipt> **getTransactionReceipt** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<TransactionReceipt>

getUncleByBlockHashAndIndex()

Returns information about a uncle of a block by hash and uncle index position. Note: An uncle doesn't contain individual transactions.

Promise<Block> **getUncleByBlockHashAndIndex** (hash:*Hash* , pos:*Quantity*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<Block>

getUncleByBlockNumberAndIndex()

Returns information about a uncle of a block number and uncle index position. Note: An uncle doesn't contain individual transactions.

Promise<Block> **getUncleByBlockNumberAndIndex** (block:*BlockType* , pos:*Quantity*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<Block>

getUncleCountByBlockHash()

Returns the number of uncles in a block from a block matching the given block hash.

Promise<number> **getUncleCountByBlockHash** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<number>

getUncleCountByBlockNumber()

Returns the number of uncles in a block from a block matching the given block hash.

Promise<number> **getUncleCountByBlockNumber** (block:*BlockType*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
-------	------------------	---------------------------------

Returns:

Promise<number>

hashMessage()

a Hexcoded String (starting with 0x)

Hex **hashMessage** (data:*Data*)

Parameters:

data	<i>Data</i>	data encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Hex

newBlockFilter()

Creates a filter in the node, to notify when a new block arrives. To check if the state has changed, call `eth_getFilterChanges`.

Promise<string> **newBlockFilter** ()

Returns:

Promise<string>

newFilter()

Creates a filter object, based on filter options, to notify when the state changes (logs). To check if the state has changed, call `eth_getFilterChanges`.

A note on specifying topic filters: Topics are order-dependent. A transaction with a log with topics [A, B] will be matched by the following topic filters:

[] “anything” [A] “A in first position (and anything after)” [null, B] “anything in first position AND B in second position (and anything after)” [A, B] “A in first position AND B in second position (and anything after)” [[A, B], [A, B]] “(A OR B) in first position AND (A OR B) in second position (and anything after)”

Promise<string> **newFilter** (filter:*LogFilter*)

Parameters:

filter	<i>LogFilter</i>	filter
--------	------------------	--------

Returns:

Promise<string>

newPendingFilter()

adds a filter for pending transaction (only available for local rpc)

```
Promise<string> newPendingFilter ()
```

Returns:

```
Promise<string>
```

newPendingTransactionFilter()

Creates a filter in the node, to notify when new pending transactions arrive.

To check if the state has changed, call `eth_getFilterChanges`.

```
Promise<string> newPendingTransactionFilter ()
```

Returns:

```
Promise<string>
```

protocolVersion()

Returns the current ethereum protocol version.

```
Promise<string> protocolVersion ()
```

Returns:

```
Promise<string>
```

resolveENS()

resolves a name as an ENS-Domain.

```
Promise<Address> resolveENS ( name:string, type:Address , registry:string)
```

Parameters:

name	string	the domain name
type	<i>Address</i>	the type (currently only addr is supported)
registry	string	optionally the address of the registry (default is the mainnet ens registry)

Returns:

Promise<Address>

sendRawTransaction()

Creates new message call transaction or a contract creation for signed transactions.

Promise<string> **sendRawTransaction** (data:*Data*)

Parameters:

data	<i>Data</i>	data encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<string>

sendTransaction()

sends a Transaction

Promise<> **sendTransaction** (args:*TxRequest*)

Parameters:

args	<i>TxRequest</i>	args
------	------------------	------

Returns:

Promise<>

sign()

signs any kind of message using the \x19Ethereum Signed Message:\n-prefix

Promise<BufferType> **sign** (account:*Address* , data:*Data*)

Parameters:

account	<i>Address</i>	the address to sign the message with (if this is a 32-bytes hex-string it will be used as private key)
data	<i>Data</i>	the data to sign (Buffer, hexstring or utf8-string)

Returns:

Promise<*BufferType*>

syncing()

Returns the state of the underlying node.

Promise<> *syncing* ()

Returns:

Promise<>

toWei()

Returns the value in wei as hexstring.

string *toWei* (value:string, unit:string)

Parameters:

value	string	value
unit	string	unit

Returns:

string

uninstallFilter()

Uninstalls a filter with given id. Should always be called when watch is no longer needed. Additionally Filters timeout when they aren't requested with *eth_getFilterChanges* for a period of time.

Promise<*Quantity*> **uninstallFilter** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<Quantity>

web3ContractAt()

web3 contract at

Web3Contract **web3ContractAt** (abi:*ABI* [], address:*Address* , options:)

Parameters:

abi	<i>ABI</i> []	abi
address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
options		options

Returns:

Web3Contract

fee collection.

feeType	<i>TxType</i>	the feeType
gasFee	number	the gasFee
gasPrice	number	the gasPrice
totalFee	number	the totalFee
totalGas	number	the totalGas
zkpFee	number	the zkpFee

the configuration of the IN3-Client. This can be changed at any time. All properties are optional and will be verified when sending the next request.

autoUpdateList	boolean	<p>if true the nodelist will be automatically updated if the lastBlock is newer.</p> <p>default: true (optional)</p>
bootWeights	boolean	<p>if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.</p> <p>default: false (optional)</p>
btc	btc_config	config for btc (optional)
chainId	string	<p>The chain-id based on EIP-155. or the name of the supported chain.</p> <p>Currently we support 'mainnet', 'goerli', 'ipfs' and 'local'</p> <p>While most of the chains use preconfigured chain settings, 'local' actually uses the local running client turning of proof.</p> <p>example: '0x1' or 'mainnet' or 'goerli'</p> <p>default: 'mainnet'</p>
chainRegistry	string	<p>main chain-registry contract example: 0xe36179e2286ef405e929C90ad3E70E649B22a945 (optional)</p>
11.6. IN3 Module experimental	boolean	<p>if true, features marked as experimental are allowed. Otherwise an exception would</p>

transport()

sets the transport-function.

Promise<string> **transport** (url:string, payload:string, timeout:number)

Parameters:

url	string	url
payload	string	payload
timeout	number	timeout

Returns:

Promise<string>

a configuration of a in3-server.

address	string	the address of the node, which is the public address it is signing with. example: 0x6C1a01C2aB554930A937B0a2E8105fB47946c679
capacity	number	the capacity of the node. example: 100 (<i>optional</i>)
chainIds	string []	the list of supported chains example: 0x1
deposit	number	the deposit of the node in wei example: 12350000
index	number	the index within the contract example: 13 (<i>optional</i>)
props	number	the properties of the node. example: 3 (<i>optional</i>)
registerTime	number	the UNIX-timestamp when the node was registered example: 1563279168 (<i>optional</i>)
timeout	number	the time (in seconds) until an owner is able to receive his deposit back after he unregisters himself example: 3600 (<i>optional</i>)
unregisterTime	number	the UNIX-timestamp when the node is allowed to be deregister example: 1563279168 (<i>optional</i>)
url	string	the endpoint to post to example: https://in3.slock.it

a local weight of a n3-node. (This is used internally to weight the requests)

<code>avgResponseTime</code>	<code>number</code>	average time of a response in ms example: 240 (<i>optional</i>)
<code>blacklistedUntil</code>	<code>number</code>	blacklisted because of failed requests until the timestamp example: 1529074639623 (<i>optional</i>)
<code>lastRequest</code>	<code>number</code>	timestamp of the last request in ms example: 1529074632623 (<i>optional</i>)
<code>pricePerRequest</code>	<code>number</code>	last price (<i>optional</i>)
<code>responseCount</code>	<code>number</code>	number of uses. example: 147 (<i>optional</i>)
<code>weight</code>	<code>number</code>	factor the weight this noe (default 1.0) example: 0.5 (<i>optional</i>)

a Incubed plugin.

Depending on the methods this will register for those actions.

getAccount()

returns address (*optional*)

string `getAccount` (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>
--------	--

Returns:

string

getAccounts()

returns list of addresses (*optional*)

Address [] **getAccounts** (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	
--------	--	--

Returns:

Address []

handleRPC()

called for each request. If the plugin wants to handle the request, this function should return the value or a Promise for the value. If the plugin does not want to handle it, it should rreturn undefined. (*optional*)

undefined | Promise<any> **handleRPC** (client:*IN3Generic<BigIntType,BufferType>* , request:*RPCRequest*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	the current client
request	<i>RPCRequest</i>	the rpc-request

Returns:

undefined | Promise<any>

term()

this is called when the client is cleaned up. (*optional*)

void term (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	the client object
--------	--	-------------------

API for storing and retrieving IPFS-data.

get()

retrieves the content for a hash from IPFS.

Promise<BufferType> **get** (multihash:string)

Parameters:

multihash	string	the IPFS-hash to fetch
-----------	--------	------------------------

Returns:

Promise<BufferType>

put()

stores the data on ipfs and returns the IPFS-Hash.

Promise<string> **put** (content:BufferType)

Parameters:

content	<i>BufferType</i>	puts a IPFS content
---------	-------------------	---------------------

Returns:

Promise<string>

a JSONRPC-Request with N3-Extension

id	number string	the identifier of the request example: 2 (<i>optional</i>)
jsonrpc	'2.0'	the version
method	string	the method to call example: eth_getBalance
params	any []	the params example: 0xe36179e2286ef405e929C90ad3E70E649B22a945,latest (<i>optional</i>)

a JSONRPC-Responset with N3-Extension

error	string	in case of an error this needs to be set (<i>optional</i>)
id	string number	the id matching the request example: 2
jsonrpc	'2.0'	the version
result	any	the params example: 0xa35bc (<i>optional</i>)

sign()

signing of any data. if hashFirst is true the data should be hashed first, otherwise the data is the hash.

Promise<BufferType> **sign** (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none">- ec_hash : the data needs to be hashed first (using keccak) before signing- ec_raw : the data is the ryw value (32bytes) to sign- ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> **canSign** (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

getAccounts()

returns all addresses managed by the signer.

Address [] getAccounts ()

Returns:

Address []

Token representation

address	<i>String</i>	the address
decimals	number	the decimals
id	number	the id
symbol	<i>String</i>	the symbol

Token List.

Transaction state

block	<i>BlockInfo</i>	the block
executed	boolean	the executed
failReason	string	the failReason
success	boolean	the success

Defines the type of a transaction.

type	'Withdraw' 'Transfer' 'TransferToNew'	the type
------	---	----------

Collection of different util-functions.

abiDecode()

decodes the given data as ABI-encoded (without the methodHash)

any [] **abiDecode** (signature:string, data:*Data*)

Parameters:

signature	string	the method signature, which must contain a return description
data	<i>Data</i>	the data to decode

Returns:

any []

abiEncode()

encodes the given arguments as ABI-encoded (including the methodHash)

Hex **abiEncode** (signature:string, args:any [])

Parameters:

signature	string	the method signature
args	any []	the arguments

Returns:

Hex

checkAddressChecksum()

checks whether the given address is a correct checksumAddress If the chainId is passed, it will be included accord to EIP 1191

boolean **checkAddressChecksum** (address:*Address* , chainId:number)

Parameters:

address	<i>Address</i>	the address (as hex)
chainId	number	the chainId (if supported)

Returns:

boolean

createSignatureHash()

a Hexcoded String (starting with 0x)

Hex **createSignatureHash** (def:*ABI*)

Parameters:

def	<i>ABI</i>	def
-----	------------	-----

Returns:

Hex

decodeEvent()

decode event

any **decodeEvent** (log:*Log* , d:*ABI*)

Parameters:

log	<i>Log</i>	log
d	<i>ABI</i>	d

Returns:

any

ecSign()

create a signature (65 bytes) for the given message and key

BufferType ecSign (pk:*Hex* | *BufferType* , msg:*Hex* | *BufferType* , signType:*SignType*)

Parameters:

pk	<i>Hex</i> <i>BufferType</i>	the private key
msg	<i>Hex</i> <i>BufferType</i>	the message
signType	<i>SignType</i>	the type of signature to create

Returns:

BufferType

getVersion()

returns the incubed version.

string getVersion ()

Returns:

string

isAddress()

checks whether the given address is a valid hex string with 0x-prefix and 20 bytes

boolean isAddress (address:*Address*)

Parameters:

address	<i>Address</i>	the address (as hex)
---------	----------------	----------------------

Returns:

boolean

keccak()

calculates the keccak hash for the given data.

BufferType **keccak** (data:*BufferType* | *Data*)

Parameters:

data	<i>BufferType</i> <i>Data</i>	the data as Uint8Array or hex data.
------	------------------------------------	-------------------------------------

Returns:

BufferType

private2address()

generates the public address from the private key.

Address **private2address** (pk:*Hex* | *BufferType*)

Parameters:

pk	<i>Hex</i> <i>BufferType</i>	the private key.
----	-----------------------------------	------------------

Returns:

Address

private2public()

generates the public address (64 bytes) from the private key

BufferType **private2public** (pk:*Hex* | *BufferType*)

Parameters:

pk	<i>Hex</i> <i>BufferType</i>	the raw private key
----	-----------------------------------	---------------------

Returns:

BufferType

randomBytes()

returns a Buffer with strong random bytes. This will use the browser's crypto-module or in case of node.js use the crypto-module there.

BufferType **randomBytes** (len:number)

Parameters:

len	number	the number of bytes to generate.
-----	--------	----------------------------------

Returns:

BufferType

sha256()

calculates the sha256 hash for the given data.

BufferType **sha256** (data:BufferType | Data)

Parameters:

data	<i>BufferType</i> <i>Data</i>	the data as Uint8Array or hex data.
------	------------------------------------	-------------------------------------

Returns:

BufferType

soliditySha3()

solidity sha3

string **soliditySha3** (args:any [])

Parameters:

args	any []	args
------	--------	------

Returns:

string

splitSignature()

takes raw signature (65 bytes) and splits it into a signature object.

Signature **splitSignature** (signature:*Hex* | *BufferType* , message:*BufferType* | *Hex* , hashFirst:boolean)

Parameters:

signature	<i>Hex</i> <i>BufferType</i>	the 65 byte-signature
message	<i>BufferType</i> <i>Hex</i>	the message
hashFirst	boolean	if true (default) this will be taken as raw-data and will be hashed first.

Returns:

Signature

toBuffer()

converts any value to a Buffer. optionally the target length can be specified (in bytes)

BufferType **toBuffer** (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

BufferType

toChecksumAddress()

generates a checksum Address for the given address. If the chainId is passed, it will be included accord to EIP 1191

Address **toChecksumAddress** (address:*Address* , chainId:number)

Parameters:

address	<i>Address</i>	the address (as hex)
chainId	number	the chainId (if supported)

Returns:

Address

toHex()

converts any value to a hex string (with prefix 0x). optionally the target length can be specified (in bytes)

Hex **toHex** (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

Hex

toMinHex()

removes all leading 0 in the hexstring

string **toMinHex** (key:string | *BufferType* | number)

Parameters:

key	string <i>BufferType</i> number	key
-----	---	-----

Returns:

string

toNumber()

converts any value to a hex string (with prefix 0x). optionally the target length can be specified (in bytes)

number **toNumber** (data:string | *BufferType* | number | bigint)

Parameters:

data	string <i>BufferType</i> number bigint	data
------	---	------

Returns:

number

toUint8Array()

converts any value to a Uint8Array. optionally the target length can be specified (in bytes)

BufferType **toUint8Array** (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

BufferType

toUtf8()

convert to String

string **toUtf8** (val:any)

Parameters:

val	any	val
-----	-----	-----

Returns:

string

events		the events
methods		the methods
options		the options

deploy()

deploy

Web3TransactionObject **deploy** (args:)

Parameters:

args		args
------	--	------

Returns:

Web3TransactionObject

once()

once

void **once** (eventName:string, options:., handler:(*Error* , *Web3Event*) => void)

Parameters:

eventName	string	event name
options		options
handler	(<i>Error</i> , <i>Web3Event</i>) => void	handler

getPastEvents()

get past events

Promise<> **getPastEvents** (evName:string, options:)

Parameters:

evName	string	ev name
options		options

Returns:

Promise<>

address	<i>Address</i>	the address
blockHash	<i>Hash</i>	the blockHash
blockNumber	number	the blockNumber
event	string	the event
logIndex	number	the logIndex
raw		the raw
returnValues		the returnValues
signature	string	the signature
transactionHash	<i>Hash</i>	the transactionHash
transactionIndex	number	the transactionIndex

call()

call

Promise<any> **call** (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<any>

encodeABI()

a Hexcoded String (starting with 0x)

Hex encodeABI ()

Returns:

Hex

estimateGas()

estimate gas

Promise<number> estimateGas (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<number>

send()

send

Promise<any> send (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<any>

return structure after fetching the current account info.

address	string	the address
committed		the committed
depositing		the depositing
id	number	the id
verified		the verified

API for zksync.

aggregatePubKey()

aggregates the given publickeys into one public key for a Musig Schnorr signature

string **aggregatePubKey** (pubkeys:string|string [])

Parameters:

pubkeys	string string []	the packed public keys (either a concatenated string or as array of public keys)
---------	------------------	--

Returns:

string

deposit()

deposits the declared amount into the rollup

Promise<DepositResponse> **deposit** (amount:number, token:string, approveDepositAmountFor-ERC20:boolean, account:string)

Parameters:

amount	number	amount in wei to deposit
token	string	the token identifier e.g. ETH
approveDepositAmountForERC20	boolean	bool that is set to true if it is a erc20 token that needs approval
account	string	address of the account that wants to deposit (if left empty it will be taken from current signer)

Returns:

Promise<DepositResponse>

emergencyWithdraw()

executes an emergency withdrawel onchain

Promise<String> **emergencyWithdraw** (token:string)

Parameters:

token	string	the token identifier e.g. ETH
-------	--------	-------------------------------

Returns:

Promise<String>

getAccountAddress()

returns the address of the account used.

String **getAccountAddress** ()

Returns:

String

getAccountInfo()

gets current account Infoa and balances.

Promise<ZKAccountInfo> **getAccountInfo** (account:string)

Parameters:

account	string	the address of the account . if not specified, the first signer is used.
---------	--------	--

Returns:

Promise<ZKAccountInfo>

getContractAddress()

gets the contract address of the zksync contract

Promise<String> **getContractAddress** ()

Returns:

Promise<String>

getEthopInfo()

returns the state of receipt of the PriorityOperation

Promise<ETHOpInfoResp> **getEthopInfo** (opId:number)

Parameters:

opId	number	the id of the PriorityOperation
------	--------	---------------------------------

Returns:

Promise<ETHOpInfoResp>

getSyncKey()

returns private key used for signing zksync transactions

String **getSyncKey** ()

Returns:

String

getSyncPubKey()

returns public key used for signing zksync transactions

String getSyncPubKey ()

Returns:

String

getSyncPubKeyHash()

returns public key used for signing zksync transactions

String getSyncPubKeyHash ()

Returns:

String

getTokenPrice()

returns the current token price

Promise<Number> **getTokenPrice** (tokenSymbol:string)

Parameters:

tokenSymbol	string	the address of the token
-------------	--------	--------------------------

Returns:

Promise<Number>

getTokens()

returns an object containing Token objects with its short name as key

Promise<Tokens> getTokens ()

Returns:

Promise<Tokens>

getTxFee()

returns the transaction fee

Promise<Fee> **getTxFee** (txType:TxType , receipient:string, token:string)

Parameters:

txType	<i>TxType</i>	either Withdraw or Transfer
receipient	string	the address the transaction is send to
token	string	the token identifier e.g. ETH

Returns:

Promise<Fee>

getTxInfo()

get transaction info

Promise<TxInfo> **getTxInfo** (txHash:string)

Parameters:

txHash	string	the has of the tx you want the info about
--------	--------	---

Returns:

Promise<TxInfo>

setKey()

set the signer key based on the current pk

Promise<String> **setKey** (tokenSymbol:string, newKey:BufferType | string)

Parameters:

tokenSymbol	string	the address of the token
newKey	<i>BufferType</i> string	the seed of the new key (this is optional, if ommited the derrived key will be set in the rollup)

Returns:

Promise<String>

sign()

signs the message based on the config and returns a Musig Schnorr signature

Promise<String> **sign** (msg:string)

Parameters:

msg	string	the message
-----	--------	-------------

Returns:

Promise<String>

transfer()

transfers the specified amount to another address within the zksync rollup

Promise<String> **transfer** (to:string, amount:number, token:string, account:string)

Parameters:

to	string	address of the receiptent
amount	number	amount to send in wei
token	string	the token indentifier e.g. ETH
account	string	address of the account that wants to transfer (if left empty it will be taken from current signer)

Returns:

Promise<String>

verify()

verifies a Musig Schnorr signature

boolean **verify** (msg:string, sig:string)

Parameters:

msg	string	the message
sig	string	the 96byte long signature

Returns:

boolean

withdraw()

withdraws the specified amount from the rollup to a specific address

Promise<String> **withdraw** (ethAddress:string, amount:number, token:string, account:string)

Parameters:

ethAddress	string	the receipt address
amount	number	amount to withdraw in wei
token	string	the token identifier e.g. ETH
account	string	address of the account that wants to withdraw (if left empty it will be taken from current signer)

Returns:

Promise<String>

anonymous	boolean	the anonymous (<i>optional</i>)
components	<i>ABIField</i> []	the components (<i>optional</i>)
constant	boolean	the constant (<i>optional</i>)
inputs	<i>ABIField</i> []	the inputs (<i>optional</i>)
internalType	string	the internalType (<i>optional</i>)
name	string	the name (<i>optional</i>)
outputs	<i>ABIField</i> [] any []	the outputs (<i>optional</i>)
payable	boolean	the payable (<i>optional</i>)
stateMutability	'pure' 'view' 'nonpayable' 'payable' string	the stateMutability (<i>optional</i>)
type	'function' 'constructor' 'event' 'fallback' string	the type

<code>indexed</code>	<code>boolean</code>	the indexed (<i>optional</i>)
<code>internalType</code>	<code>string</code>	the internalType (<i>optional</i>)
<code>name</code>	<code>string</code>	the name
<code>type</code>	<code>string</code>	the type

a 20 byte Address encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = `string`

author	<i>Address</i>	20 Bytes - the address of the author of the block (the beneficiary to whom the mining rewards were given)
difficulty	<i>Quantity</i>	integer of the difficulty for this block
extraData	<i>Data</i>	the 'extra data' field of this block
gasLimit	<i>Quantity</i>	the maximum gas allowed in this block
gasUsed	<i>Quantity</i>	the total used gas by all transactions in this block
hash	<i>Hash</i>	hash of the block. null when its pending block
logsBloom	<i>Data</i>	256 Bytes - the bloom filter for the logs of the block. null when its pending block
miner	<i>Address</i>	20 Bytes - alias of 'author'
nonce	<i>Data</i>	8 bytes hash of the generated proof-of-work. null when its pending block. Missing in case of PoA.
number	<i>Quantity</i>	The block number. null when its pending block
parentHash	<i>Hash</i>	hash of the parent block
554 receiptsRoot	<i>Data</i>	Chapter 11. API Reference TS/JS the root of the receipts trie of the block

BlockNumber or predefined Block = number | 'latest' | 'earliest' | 'pending'

data encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = string

a 32 byte Hash encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = string

a Hexcoded String (starting with 0x) = string

address	<i>Address</i>	20 Bytes - address from which this log originated.
blockHash	<i>Hash</i>	Hash, 32 Bytes - hash of the block where this log was in. null when its pending. null when its pending log.
blockNumber	<i>Quantity</i>	the block number where this log was in. null when its pending. null when its pending log.
data	<i>Data</i>	contains the non-indexed arguments of the log.
logIndex	<i>Quantity</i>	integer of the log index position in the block. null when its pending log.
removed	boolean	true when the log was removed, due to a chain reorganization. false if its a valid log.
topics	<i>Data []</i>	- Array of 0 to 4 32 Bytes DATA of indexed log arguments. (In solidity: The first topic is the hash of the signature of the event (e.g. Deposit(address,bytes32,uint256)), except you declared the event with the anonymous specifier.)
transactionHash	<i>Hash</i>	Hash, 32 Bytes - hash of the transactions this log was created from. null when its pending log.
transactionIndex	<i>Quantity</i>	integer of the transactions index position log was created from. null when its pending log.

address	<i>Address</i>	(optional) 20 Bytes - Contract address or a list of addresses from which logs should originate.
fromBlock	<i>BlockType</i>	Quantity or Tag - (optional) (default: latest) Integer block number, or 'latest' for the last mined block or 'pending', 'earliest' for not yet mined transactions. <i>(optional)</i>
limit	<i>Quantity</i>	(optional) The maximum number of entries to retrieve (latest first). <i>(optional)</i>
toBlock	<i>BlockType</i>	Quantity or Tag - (optional) (default: latest) Integer block number, or 'latest' for the last mined block or 'pending', 'earliest' for not yet mined transactions. <i>(optional)</i>
topics	<code>string string [] []</code>	(optional) Array of 32 Bytes Data topics. Topics are order-dependent. It's possible to pass in null to match any topic, or a subarray of multiple topics of which one should be matching. <i>(optional)</i>

a BigInteger encoded as hex. = `number | Hex`

the type of signature to create.

- `ec_hash` : the data needs to be hashed first (using keccak) before signing
- `ec_raw` : the data is the ryw value (32bytes) to sign
- `ec_prefix` : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing = `'ec_hash'|'ec_prefix'|'ec_raw'`

Signature

message	<i>Data</i>	the message
messageHash	<i>Hash</i>	the messageHash
r	<i>Hash</i>	the r
s	<i>Hash</i>	the s
signature	<i>Data</i>	the signature (<i>optional</i>)
v	<i>Hex</i>	the v

chainId	any	optional chain id (<i>optional</i>)
data	string	4 byte hash of the method signature followed by encoded parameters. For details see Ethereum Contract ABI.
from	<i>Address</i>	20 Bytes - The address the transaction is send from.
gas	<i>Quantity</i>	Integer of the gas provided for the transaction execution. eth_call consumes zero gas, but this parameter may be needed by some executions.
gasPrice	<i>Quantity</i>	Integer of the gas price used for each paid gas.
nonce	<i>Quantity</i>	nonce
to	<i>Address</i>	(optional when creating new contract) 20 Bytes - The address the transaction is directed to. (<i>optional</i>)
value	<i>Quantity</i>	Integer of the value sent with this transaction.

blockHash	<i>Hash</i>	32 Bytes - hash of the block where this transaction was in. null when its pending.
blockNumber	<i>BlockType</i>	block number where this transaction was in. null when its pending.
chainId	<i>Quantity</i>	the chain id of the transaction, if any.
condition	any	(optional) conditional submission, Block number in block or timestamp in time or null. (parity-feature) (<i>optional</i>)
creates	<i>Address</i>	creates contract address
from	<i>Address</i>	20 Bytes - address of the sender.
gas	<i>Quantity</i>	gas provided by the sender.
gasPrice	<i>Quantity</i>	gas price provided by the sender in Wei.
hash	<i>Hash</i>	32 Bytes - hash of the transaction.
input	<i>Data</i>	the data send along with the transaction.
nonce	<i>Quantity</i>	the number of transactions made by the sender prior to this one.
pk	any	Chapter 11, API Reference TS/JS for signing (<i>optional</i>)

a Receipt of a Transaction containing the events and execution status

blockHash	<i>Hash</i>	32 Bytes - hash of the block where this transaction was in.
blockNumber	<i>BlockType</i>	block number where this transaction was in.
contractAddress	<i>Address</i>	20 Bytes - The contract address created, if the transaction was a contract creation, otherwise null.
cumulativeGasUsed	<i>Quantity</i>	The total amount of gas used when this transaction was executed in the block.
events		event objects, which are only added in the web3Contract (<i>optional</i>)
from	<i>Address</i>	20 Bytes - The address of the sender.
gasUsed	<i>Quantity</i>	The amount of gas used by this specific transaction alone.
logs	<i>Log []</i>	Array of log objects, which this transaction generated.
logsBloom	<i>Data</i>	256 Bytes - A bloom filter of logs/events generated by contracts during transaction execution. Used to efficiently rule out transactions without expected logs.
root	<i>Hash</i>	32 Bytes - Merkle root of the state trie after the transaction has been executed (optional after Byzantium hard fork

args	any []	the argument to pass to the method (<i>optional</i>)
confirmations	number	number of block to wait before confirming (<i>optional</i>)
data	<i>Data</i>	the data to send (<i>optional</i>)
from	<i>Address</i>	address of the account to use (<i>optional</i>)
gas	number	the gas needed (<i>optional</i>)
gasPrice	number	the gasPrice used (<i>optional</i>)
method	string	the ABI of the method to be used (<i>optional</i>)
nonce	number	the nonce (<i>optional</i>)
pk	<i>Hash</i>	raw private key in order to sign (<i>optional</i>)
timeout	number	number of seconds to wait for confirmations before giving up. Default: 10 (<i>optional</i>)
to	<i>Address</i>	contract (<i>optional</i>)
value	<i>Quantity</i>	the value in wei (<i>optional</i>)

bitcoin configuration.

<code>maxDAP</code>	<code>number</code>	max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. <i>(optional)</i>
<code>maxDiff</code>	<code>number</code>	max increase (in percent) of the difference between targets when accepting new targets. <i>(optional)</i>

zksync configuration.

account	string	the account to be used. if not specified, the first signer will be used. <i>(optional)</i>
create2		create2 arguments <i>(optional)</i>
musig_pub_keys	string	concatated packed public keys of the signers of the multisig <i>(optional)</i>
musig_urls	string []	if used as a musig-signature the <i>(optional)</i>
provider_url	string	url of the zksync-server <i>(optional)</i>
signer_type	'pk' 'contract' 'create2'	defines the type of the signer. Must be one of those 3 values. (default: pk) <i>(optional)</i>
sync_key	string	optionaly the private seephrase to use when signing sync-transaction. If ommitted this key is derived from the signer. <i>(optional)</i>

11.7 Package index

11.7.1 Type BrowserSigner

Source: `index.d.ts`

Signer, which stores the key encrypted in the indexDB in the browser.

constructor()

creates a BrowserSigner, which will use the given callback-function in order to retrieve the password, which is used to encrypt the stored keys.

BrowserSigner constructor (passwordCB:() => String)

Parameters:

passwordCB	() => String	password cb
------------	--------------	-------------

Returns:

BrowserSigner

sign()

signing of any data. if hashFirst is true the data should be hashed first, otherwise the data is the hash.

Promise<BufferType> **sign** (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none">- ec_hash : the data needs to be hashed first (using keccak) before signing- ec_raw : the data is the ryw value (32bytes) to sign- ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> **canSign** (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

generateAndStorePrivateKey()

adds a private key to the signer and returns the address associated with it.

Promise<string> **generateAndStorePrivateKey** (pk:*BufferType*)

Parameters:

pk	<i>BufferType</i>	pk
----	-------------------	----

Returns:

Promise<string>

getAccounts()

returns all addresses managed by the signer.

Address [] **getAccounts** ()

Returns:

Address []

11.7.2 Type Hex

Source: [index.d.ts](#)

a Hexcoded String (starting with 0x) = string

11.7.3 Type Address

Source: [index.d.ts](#)

a 20 byte Address encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = `string`

11.7.4 Type SignType

Source: [index.d.ts](#)

the type of signature to create.

- `ec_hash` : the data needs to be hashed first (using keccak) before signing
- `ec_raw` : the data is the ryw value (32bytes) to sign
- `ec_prefix` : the data is a message which needs to be prefixed with the `EthereumSignedMessage` and length to before hashing and signing = `'ec_hash' | 'ec_prefix' | 'ec_raw'`

11.7.5 Type SignPayload

Source: [index.d.ts](#)

11.7.6 Type Utils

Source: [index.d.ts](#)

Collection of different util-functions.

abiDecode()

decodes the given data as ABI-encoded (without the methodHash)

any [] **abiDecode** (signature:`string`, data:*Data*)

Parameters:

signature	<code>string</code>	the method signature, which must contain a return description
data	<i>Data</i>	the data to decode

Returns:

`any []`

abiEncode()

encodes the given arguments as ABI-encoded (including the methodHash)

Hex **abiEncode** (signature:string, args:any [])

Parameters:

signature	string	the method signature
args	any []	the arguments

Returns:

Hex

checkAddressChecksum()

checks whether the given address is a correct checksumAddress If the chainId is passed, it will be included accord to EIP 1191

boolean **checkAddressChecksum** (address:*Address* , chainId:number)

Parameters:

address	<i>Address</i>	the address (as hex)
chainId	number	the chainId (if supported)

Returns:

boolean

createSignatureHash()

a Hexcoded String (starting with 0x)

Hex **createSignatureHash** (def:*ABI*)

Parameters:

def	<i>ABI</i>	def
-----	------------	-----

Returns:

Hex

decodeEvent()

decode event

any **decodeEvent** (log:*Log* , d:*ABI*)

Parameters:

log	<i>Log</i>	log
d	<i>ABI</i>	d

Returns:

any

ecSign()

create a signature (65 bytes) for the given message and key

BufferType **ecSign** (pk:*Hex* | *BufferType* , msg:*Hex* | *BufferType* , signType:*SignType*)

Parameters:

pk	<i>Hex</i> <i>BufferType</i>	the private key
msg	<i>Hex</i> <i>BufferType</i>	the message
signType	<i>SignType</i>	the type of signature to create

Returns:

BufferType

getVersion()

returns the incubed version.

```
string getVersion ()
```

Returns:

```
string
```

isAddress()

checks whether the given address is a valid hex string with 0x-prefix and 20 bytes

```
boolean isAddress ( address:Address )
```

Parameters:

address	<i>Address</i>	the address (as hex)
---------	----------------	----------------------

Returns:

```
boolean
```

keccak()

calculates the keccak hash for the given data.

```
BufferType keccak ( data:BufferType | Data )
```

Parameters:

data	<i>BufferType</i> <i> Data</i>	the data as Uint8Array or hex data.
------	------------------------------------	-------------------------------------

Returns:

```
BufferType
```

private2address()

generates the public address from the private key.

```
Address private2address ( pk:Hex | BufferType )
```

Parameters:

pk	<i>Hex</i> <i> BufferType</i>	the private key.
----	-----------------------------------	------------------

Returns:

Address

private2public()

generates the public address (64 bytes) from the private key

BufferType **private2public** (pk:*Hex* | *BufferType*)

Parameters:

pk	<i>Hex</i> <i> BufferType</i>	the raw private key
----	-----------------------------------	---------------------

Returns:

BufferType

randomBytes()

returns a Buffer with strong random bytes. Thsi will use the browsers crypto-module or in case of nodejs use the crypto-module there.

BufferType **randomBytes** (len:number)

Parameters:

len	number	the number of bytes to generate.
-----	--------	----------------------------------

Returns:

BufferType

sha256()

calculates the sha256 hash for the given data.

BufferType **sha256** (data:*BufferType* | *Data*)

Parameters:

data	<i>BufferType</i> <i>Data</i>	the data as Uint8Array or hex data.
------	------------------------------------	-------------------------------------

Returns:

BufferType

soliditySha3()

solidity sha3

string soliditySha3 (args:any [])

Parameters:

args	any []	args
------	--------	------

Returns:

string

splitSignature()

takes raw signature (65 bytes) and splits it into a signature object.

Signature **splitSignature** (signature:*Hex* | *BufferType* , message:*BufferType* | *Hex* , hashFirst:boolean)

Parameters:

signature	<i>Hex</i> <i>BufferType</i>	the 65 byte-signature
message	<i>BufferType</i> <i>Hex</i>	the message
hashFirst	boolean	if true (default) this will be taken as raw-data and will be hashed first.

Returns:

Signature

toBuffer()

converts any value to a Buffer. optionally the target length can be specified (in bytes)

BufferType toBuffer (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

BufferType

toChecksumAddress()

generates a checksum Address for the given address. If the chainId is passed, it will be included accord to EIP 1191

Address toChecksumAddress (address:*Address* , chainId:number)

Parameters:

address	<i>Address</i>	the address (as hex)
chainId	number	the chainId (if supported)

Returns:

Address

toHex()

converts any value to a hex string (with prefix 0x). optionally the target length can be specified (in bytes)

Hex toHex (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

Hex

toMinHex()

removes all leading 0 in the hexstring

string toMinHex (key:string | *BufferType* | number)

Parameters:

key	string <i>BufferType</i> number	key
-----	---	-----

Returns:

string

toNumber()

converts any value to a hex string (with prefix 0x). optionally the target length can be specified (in bytes)

number toNumber (data:string | *BufferType* | number | bigint)

Parameters:

data	string <i>BufferType</i> number bigint	data
------	---	------

Returns:

number

toUint8Array()

converts any value to a Uint8Array. optionally the target length can be specified (in bytes)

BufferType **toUint8Array** (data:*Hex* | *BufferType* | number | bigint, len:number)

Parameters:

data	<i>Hex</i> <i>BufferType</i> number bigint	data
len	number	len

Returns:

BufferType

toUtf8()

convert to String

string **toUtf8** (val:any)

Parameters:

val	any	val
-----	-----	-----

Returns:

string

11.7.7 Type IN3Config

Source: [index.d.ts](#)

the configuration of the IN3-Client. This can be changed at any time. All properties are optional and will be verified when sending the next request.

autoUpdateList	boolean	<p>if true the nodelist will be automatically updated if the lastBlock is newer.</p> <p>default: true (optional)</p>
bootWeights	boolean	<p>if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.</p> <p>default: false (optional)</p>
btc	btc_config	config for btc (optional)
chainId	string	<p>The chain-id based on EIP-155. or the name of the supported chain.</p> <p>Currently we support 'mainnet', 'goerli', 'ipfs' and 'local'</p> <p>While most of the chains use preconfigured chain settings, 'local' actually uses the local running client turning of proof.</p> <p>example: '0x1' or 'mainnet' or 'goerli'</p> <p>default: 'mainnet'</p>
chainRegistry	string	<p>main chain-registry contract</p> <p>example: 0xe36179e2286ef405e929C90ad3E70E649B22a945 (optional)</p>
11.7. Package index experimental	boolean	<p>if true, features marked as experimental are allowed. Otherwise an exception would</p>

transport()

sets the transport-function.

Promise<string> **transport** (url:string, payload:string, timeout:number)

Parameters:

url	string	url
payload	string	payload
timeout	number	timeout

Returns:

Promise<string>

11.7.8 Type IN3

Source: [index.d.ts](#)

default Incubed client with bigint for big numbers Uint8Array for bytes

default		supporting both ES6 and UMD usage
util	<i>Utils<any></i>	collection of util-functions.
btc	<i>BtcAPI<Uint8Array></i>	btc API
config	<i>IN3Config</i>	IN3 config
eth	<i>EthAPI<bigint, Uint8Array></i>	eth1 API.
ipfs	<i>IpfsAPI<Uint8Array></i>	ipfs API
signer	<i>Signer<bigint, Uint8Array></i>	the signer, if specified this interface will be used to sign transactions, if not, sending transaction will not be possible.
util	<i>Utils<Uint8Array></i>	collection of util-functions.
zksync	<i>ZksyncAPI<Uint8Array></i>	zksync API

freeAll()

frees all Incubed instances.

```
static void freeAll ()
```

onInit()

registers a function to be called as soon as the wasm is ready. If it is already initialized it will call it right away.

```
static Promise<T> onInit ( fn:() => T )
```

Parameters:

fn	() => T	the function to call
----	---------	----------------------

Returns:

static *Promise*<T>

setConvertBigInt()

sets the convert-function, which converts any kind of type to Type defined for BigInt-operation. if not set the default type would be bigint.

static void setConvertBigInt (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setConvertBuffer()

sets the convert-function, which converts any kind of type to Type defined for Buffer or Bytes-operation. if not set the default type would be Uint8Array.

static void setConvertBuffer (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setStorage()

changes the storage handler, which is called to read and write to the cache.

static void setStorage (handler:)

Parameters:

handler		handler
---------	--	---------

setTransport()

changes the default transport-function.

static void setTransport (fn:(string, string, number) => Promise<string>)

Parameters:

fn	(string, string, number) => Promise<string>	the function to fetch the response for the given url
----	---	--

constructor()

creates a new client.

IN3 constructor (config:Partial<IN3Config>)

Parameters:

config	Partial<IN3Config>	a optional config
--------	--------------------	-------------------

Returns:

IN3

createWeb3Provider()

returns a Object, which can be used as Web3Provider.

```
const web3 = new Web3(new IN3().createWeb3Provider())
```

any createWeb3Provider ()

Returns:

any

execLocal()

sends a RPC-Requests specified by name and params as a sync call. This is only allowed if the request is handled internally, like web3_sha3,

if the response contains an error, this will be thrown. if not the result will be returned.

any execLocal (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

any

free()

disposes the Client. This must be called in order to free allocated memory!

```
void free ()
```

registerPlugin()

registers a plugin. The plugin may define methods which will be called by the client.

```
void registerPlugin ( plugin:IN3Plugin<bigint,Uint8Array> )
```

Parameters:

plugin	<i>IN3Plugin<bigint,Uint8Array></i>	the plugin-object to register
--------	---	-------------------------------

send()

sends a raw request. if the request is a array the response will be a array as well. If the callback is given it will be called with the response, if not a Promise will be returned. This function supports callback so it can be used as a Provider for the web3.

```
Promise<RPCResponse> send ( request:RPCRequest , callback:(Error , RPCResponse ) => void)
```

Parameters:

request	<i>RPCRequest</i>	a JSONRPC-Request with N3-Extension
callback	<i>(Error , RPCResponse) => void</i>	callback

Returns:

Promise<RPCResponse>

sendRPC()

sends a RPC-Requests specified by name and params.

if the response contains an error, this will be thrown. if not the result will be returned.

Promise<any> **sendRPC** (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

Promise<any>

setConfig()

sets configuration properties. You can pass a partial object specifeing any of defined properties.

void setConfig (config:*Partial<IN3Config>*)

Parameters:

config	<i>Partial<IN3Config></i>	config
--------	---------------------------------	--------

11.7.9 Type BtcAPI

Source: [index.d.ts](#)

API for handling BitCoin data

getBlockBytes()

retrieves the serialized block (bytes) including all transactions

Promise<BufferType> **getBlockBytes** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BufferType>

getBlockCount()

Returns the number of blocks in the longest blockchain.

Promise<Number> **getBlockCount** ()

Returns:

Promise<Number>

getBlockHeader()

retrieves the blockheader and returns the data as json.

Promise<BTCBlockHeader> **getBlockHeader** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlockHeader>

getBlockHeaderBytes()

retrieves the serialized blockheader (bytes)

Promise<BufferType> **getBlockHeaderBytes** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BufferType>

getBlockWithTxData()

retrieves the block including all tx data as json.

Promise<BTCBlock> **getBlockWithTxData** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlock>

getBlockWithTxIds()

retrieves the block including all tx ids as json.

Promise<BTCBlock> **getBlockWithTxIds** (blockHash:*Hash*)

Parameters:

blockHash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-----------	-------------	--

Returns:

Promise<BTCBlock>

getTransaction()

retrieves the transaction and returns the data as json.

Promise<BtcTransaction> **getTransaction** (txid:*Hash*)

Parameters:

txid	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<BtcTransaction>

getTransactionBytes()

retrieves the serialized transaction (bytes)

Promise<BufferType> **getTransactionBytes** (txid:*Hash*)

Parameters:

txid	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<BufferType>

11.7.10 Type EthAPI

Source: [index.d.ts](#)

The API for ethereum operations.

accounts	<i>AccountAPI<BufferType></i>	accounts-API
client	<i>IN3Generic<BigIntType,BufferType></i>	the client used.
signer	<i>Signer<BigIntType,BufferType></i>	a custom signer (<i>optional</i>)

blockNumber()

Returns the number of most recent block. (as number)

Promise<number> **blockNumber** ()

Returns:

Promise<number>

call()

Executes a new message call immediately without creating a transaction on the block chain.

Promise<string> **call** (tx:*Transaction* , block:*BlockType*)

Parameters:

tx	<i>Transaction</i>	tx
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

callFn()

Executes a function of a contract, by passing a [method-signature](#) and the arguments, which will then be ABI-encoded and send as eth_call.

Promise<any> **callFn** (to:[Address](#) , method:string, args:any [])

Parameters:

to	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
method	string	method
args	any []	args

Returns:

Promise<any>

chainId()

Returns the EIP155 chain ID used for transaction signing at the current best block. Null is returned if not available.

Promise<string> **chainId** ()

Returns:

Promise<string>

clientVersion()

Returns the clientVersion. This may differ in case of an network, depending on the node it communicates with.

Promise<string> **clientVersion** ()

Returns:

Promise<string>

constructor()

The API for ethereum operations.

EthAPI<*BigIntType*,*BufferType*> **constructor** (client:*IN3Generic*<*BigIntType*,*BufferType*>)

Parameters:

client	<i>IN3Generic</i> < <i>BigIntType</i> , <i>BufferType</i> >	client
--------	---	--------

Returns:

EthAPI<*BigIntType*,*BufferType*>

contractAt()

contract at

contractAt (abi:*ABI* [], address:*Address*)

Parameters:

abi	<i>ABI</i> []	abi
address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)

decodeEventData()

decode event data

any decodeEventData (log:*Log* , d:*ABI*)

Parameters:

log	<i>Log</i>	log
d	<i>ABI</i>	d

Returns:

any

estimateGas()

Makes a call or transaction, which won't be added to the blockchain and returns the used gas, which can be used for estimating the used gas.

Promise<number> `estimateGas` (tx:*Transaction*)

Parameters:

tx	<i>Transaction</i>	tx
----	--------------------	----

Returns:

Promise<number>

fromWei()

Returns a formatted String in the specified unit (or eth if not specified). If digits are specified, the number of digits behind the comma can be limited.

string `fromWei` (value:string, unit:string, digits:number)

Parameters:

value	string	value
unit	string	unit
digits	number	digits

Returns:

string

gasPrice()

Returns the current price per gas in wei. (as number)

Promise<number> `gasPrice` ()

Returns:

Promise<number>

getAccounts()

returns the public addresses accounts

`Promise<> getAccounts ()`

Returns:

`Promise<>`

getBalance()

Returns the balance of the account of given address in wei (as hex).

Promise<BigIntType> getBalance (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<BigIntType>

getBlockByHash()

Returns information about a block by hash.

Promise<Block> getBlockByHash (hash:*Hash* , includeTransactions:boolean)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
includeTransactions	boolean	include transactions

Returns:

Promise<Block>

getBlockByNumber()

Returns information about a block by block number.

Promise<Block> **getBlockByNumber** (block:*BlockType* , includeTransactions:boolean)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
includeTransactions	boolean	include transactions

Returns:

Promise<Block>

getBlockTransactionCountByHash()

Returns the number of transactions in a block from a block matching the given block hash.

Promise<number> **getBlockTransactionCountByHash** (block:*Hash*)

Parameters:

block	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-------	-------------	--

Returns:

Promise<number>

getBlockTransactionCountByNumber()

Returns the number of transactions in a block from a block matching the given block number.

Promise<number> **getBlockTransactionCountByNumber** (block:*Hash*)

Parameters:

block	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
-------	-------------	--

Returns:

Promise<number>

getCode()

Returns code at a given address.

Promise<string> **getCode** (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

getFilterChanges()

Polling method for a filter, which returns an array of logs which occurred since last poll.

Promise<> **getFilterChanges** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<>

getFilterLogs()

Returns an array of all logs matching filter with given id.

Promise<> **getFilterLogs** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<>

getLogs()

Returns an array of all logs matching a given filter object.

Promise<> **getLogs** (filter:*LogFilter*)

Parameters:

filter	<i>LogFilter</i>	filter
--------	------------------	--------

Returns:

Promise<>

getStorageAt()

Returns the value from a storage position at a given address.

Promise<string> **getStorageAt** (address:*Address* , pos:*Quantity* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<string>

getTransactionByBlockHashAndIndex()

Returns information about a transaction by block hash and transaction index position.

Promise<TransactionDetail> **getTransactionByBlockHashAndIndex** (hash:*Hash* , pos:*Quantity*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<TransactionDetail>

getTransactionByBlockNumberAndIndex()

Returns information about a transaction by block number and transaction index position.

Promise<TransactionDetail> **getTransactionByBlockNumberAndIndex** (block:*BlockType* , pos:*Quantity*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<TransactionDetail>

getTransactionByHash()

Returns the information about a transaction requested by transaction hash.

Promise<TransactionDetail> **getTransactionByHash** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<TransactionDetail>

getTransactionCount()

Returns the number of transactions sent from an address. (as number)

Promise<number> **getTransactionCount** (address:*Address* , block:*BlockType*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
block	<i>BlockType</i>	BlockNumber or predefined Block

Returns:

Promise<number>

getTransactionReceipt()

Returns the receipt of a transaction by transaction hash. Note That the receipt is available even for pending transactions.

Promise<TransactionReceipt> **getTransactionReceipt** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<TransactionReceipt>

getUncleByBlockHashAndIndex()

Returns information about a uncle of a block by hash and uncle index position. Note: An uncle doesn't contain individual transactions.

Promise<Block> **getUncleByBlockHashAndIndex** (hash:*Hash* , pos:*Quantity*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<Block>

getUncleByBlockNumberAndIndex()

Returns information about a uncle of a block number and uncle index position. Note: An uncle doesn't contain individual transactions.

Promise<Block> **getUncleByBlockNumberAndIndex** (block:*BlockType* , pos:*Quantity*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
pos	<i>Quantity</i>	a BigInteger encoded as hex.

Returns:

Promise<Block>

getUncleCountByBlockHash()

Returns the number of uncles in a block from a block matching the given block hash.

Promise<number> **getUncleCountByBlockHash** (hash:*Hash*)

Parameters:

hash	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<number>

getUncleCountByBlockNumber()

Returns the number of uncles in a block from a block matching the given block hash.

Promise<number> `getUncleCountByBlockNumber` (block:*BlockType*)

Parameters:

block	<i>BlockType</i>	BlockNumber or predefined Block
-------	------------------	---------------------------------

Returns:

Promise<number>

hashMessage()

a Hexcoded String (starting with 0x)

Hex `hashMessage` (data:*Data*)

Parameters:

data	<i>Data</i>	data encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Hex

newBlockFilter()

Creates a filter in the node, to notify when a new block arrives. To check if the state has changed, call `eth_getFilterChanges`.

Promise<string> `newBlockFilter` ()

Returns:

Promise<string>

newFilter()

Creates a filter object, based on filter options, to notify when the state changes (logs). To check if the state has changed, call `eth_getFilterChanges`.

A note on specifying topic filters: Topics are order-dependent. A transaction with a log with topics [A, B] will be matched by the following topic filters:

[] “anything” [A] “A in first position (and anything after)” [null, B] “anything in first position AND B in second position (and anything after)” [A, B] “A in first position AND B in second position (and anything after)” [[A, B], [A, B]] “(A OR B) in first position AND (A OR B) in second position (and anything after)”

Promise<string> newFilter (filter:*LogFilter*)

Parameters:

filter	<i>LogFilter</i>	filter
--------	------------------	--------

Returns:

Promise<string>

newPendingFilter()

adds a filter for pending transaction (only available for local rpc)

Promise<string> **newPendingFilter** ()

Returns:

Promise<string>

newPendingTransactionFilter()

Creates a filter in the node, to notify when new pending transactions arrive.

To check if the state has changed, call `eth_getFilterChanges`.

Promise<string> **newPendingTransactionFilter** ()

Returns:

Promise<string>

protocolVersion()

Returns the current ethereum protocol version.

Promise<string> **protocolVersion** ()

Returns:

Promise<string>

resolveENS()

resolves a name as an ENS-Domain.

Promise<Address> **resolveENS** (name:string, type:*Address* , registry:string)

Parameters:

name	string	the domain name
type	<i>Address</i>	the type (currently only addr is supported)
registry	string	optionally the address of the registry (default is the mainnet ens registry)

Returns:

Promise<Address>

sendRawTransaction()

Creates new message call transaction or a contract creation for signed transactions.

Promise<string> **sendRawTransaction** (data:*Data*)

Parameters:

data	<i>Data</i>	data encoded as Hex (starting with 0x)
------	-------------	--

Returns:

Promise<string>

sendTransaction()

sends a Transaction

Promise<> **sendTransaction** (args:*TxRequest*)

Parameters:

args	<i>TxRequest</i>	args
------	------------------	------

Returns:

Promise<>

sign()

signs any kind of message using the \x19Ethereum Signed Message:\n-prefix

Promise<BufferType> **sign** (account:*Address* , data:*Data*)

Parameters:

account	<i>Address</i>	the address to sign the message with (if this is a 32-bytes hex-string it will be used as private key)
data	<i>Data</i>	the data to sign (Buffer, hexstring or utf8-string)

Returns:

Promise<BufferType>

syncing()

Returns the state of the underlying node.

Promise<> **syncing** ()

Returns:

Promise<>

toWei()

Returns the value in wei as hexstring.

string **toWei** (value:string, unit:string)

Parameters:

value	string	value
unit	string	unit

Returns:

string

uninstallFilter()

Uninstalls a filter with given id. Should always be called when watch is no longer needed. Additionally Filters timeout when they aren't requested with `eth_getFilterChanges` for a period of time.

Promise<Quantity> **uninstallFilter** (id:*Quantity*)

Parameters:

id	<i>Quantity</i>	a BigInteger encoded as hex.
----	-----------------	------------------------------

Returns:

Promise<Quantity>

web3ContractAt()

web3 contract at

Web3Contract **web3ContractAt** (abi:*ABI* [], address:*Address* , options:)

Parameters:

abi	<i>ABI</i> []	abi
address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
options		options

Returns:

Web3Contract

11.7.11 Type IpfsAPI

Source: [index.d.ts](#)

API for storing and retrieving IPFS-data.

get()

retrieves the content for a hash from IPFS.

Promise<BufferType> **get** (multihash:string)

Parameters:

multihash	string	the IPFS-hash to fetch
-----------	--------	------------------------

Returns:

Promise<BufferType>

put()

stores the data on ipfs and returns the IPFS-Hash.

Promise<string> **put** (content:*BufferType*)

Parameters:

content	<i>BufferType</i>	puts a IPFS content
---------	-------------------	---------------------

Returns:

Promise<string>

11.7.12 Type Signer

Source: [index.d.ts](#)

sign()

signing of any data. if hashFirst is true the data should be hashed first, otherwise the data is the hash.

Promise<BufferType> **sign** (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none"> - ec_hash : the data needs to be hashed first (using keccak) before signing - ec_raw : the data is the ryw value (32bytes) to sign - ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> **canSign** (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

getAccounts()

returns all addresses managed by the signer.

Address [] getAccounts ()

Returns:

Address []

11.7.13 Type ZksyncAPI

Source: [index.d.ts](#)

API for zksync.

aggregatePubKey()

aggregates the given publickeys into one public key for a Musig Schnorr signature

string aggregatePubKey (pubkeys:string|string [])

Parameters:

pubkeys	string string []	the packed public keys (either a concatenated string or as array of public keys)
---------	------------------	--

Returns:

string

deposit()

deposits the declared amount into the rollup

Promise<DepositResponse> deposit (amount:number, token:string, approveDepositAmountFor-ERC20:boolean, account:string)

Parameters:

amount	number	amount in wei to deposit
token	string	the token identifier e.g. ETH
approveDepositAmountForERC20	boolean	bool that is set to true if it is a erc20 token that needs approval
account	string	address of the account that wants to deposit (if left empty it will be taken from current signer)

Returns:

Promise<DepositResponse>

emergencyWithdraw()

executes an emergency withdrawel onchain

Promise<String> **emergencyWithdraw** (token:string)

Parameters:

token	string	the token identifier e.g. ETH
-------	--------	-------------------------------

Returns:

Promise<String>

getAccountAddress()

returns the address of the account used.

String **getAccountAddress** ()

Returns:

String

getAccountInfo()

gets current account Infoa and balances.

Promise<ZKAccountInfo> **getAccountInfo** (account:string)

Parameters:

account	string	the address of the account . if not specified, the first signer is used.
---------	--------	--

Returns:

Promise<ZKAccountInfo>

getContractAddress()

gets the contract address of the zksync contract

Promise<String> **getContractAddress** ()

Returns:

Promise<String>

getEthopInfo()

returns the state of receipt of the PriorityOperation

Promise<ETHOpInfoResp> **getEthopInfo** (opId:number)

Parameters:

opId	number	the id of the PriorityOperation
------	--------	---------------------------------

Returns:

Promise<ETHOpInfoResp>

getSyncKey()

returns private key used for signing zksync transactions

String **getSyncKey** ()

Returns:

String

getSyncPubKey()

returns public key used for signing zksync transactions

String `getSyncPubKey ()`

Returns:

String

getSyncPubKeyHash()

returns public key used for signing zksync transactions

String `getSyncPubKeyHash ()`

Returns:

String

getTokenPrice()

returns the current token price

Promise<Number> `getTokenPrice (tokenSymbol:string)`

Parameters:

tokenSymbol	string	the address of the token
-------------	--------	--------------------------

Returns:

Promise<Number>

getTokens()

returns an object containing Token objects with its short name as key

Promise<Tokens> `getTokens ()`

Returns:

Promise<Tokens>

getTxFee()

returns the transaction fee

Promise<Fee> `getTxFee (txType:TxType , receipient:string, token:string)`

Parameters:

txType	<i>TxType</i>	either Withdraw or Transfer
receipient	string	the address the transaction is send to
token	string	the token identifier e.g. ETH

Returns:

Promise<Fee>

getTxInfo()

get transaction info

Promise<TxInfo> **getTxInfo** (txHash:string)

Parameters:

txHash	string	the has of the tx you want the info about
--------	--------	---

Returns:

Promise<TxInfo>

setKey()

set the signer key based on the current pk

Promise<String> **setKey** (tokenSymbol:string, newKey:BufferType | string)

Parameters:

tokenSymbol	string	the address of the token
newKey	<i>BufferType</i> string	the seed of the new key (this is optional, if ommited the derrived key will be set in the rollup)

Returns:

Promise<String>

sign()

signs the message based on the config and returns a Musig Schnorr signature

Promise<String> **sign** (msg:string)

Parameters:

msg	string	the message
-----	--------	-------------

Returns:

Promise<String>

transfer()

transfers the specified amount to another address within the zksync rollup

Promise<String> **transfer** (to:string, amount:number, token:string, account:string)

Parameters:

to	string	address of the receiptent
amount	number	amount to send in wei
token	string	the token indentifier e.g. ETH
account	string	address of the account that wants to transfer (if left empty it will be taken from current signer)

Returns:

Promise<String>

verify()

verifies a Musig Schnorr signature

boolean **verify** (msg:string, sig:string)

Parameters:

msg	string	the message
sig	string	the 96byte long signature

Returns:

boolean

withdraw()

withdraws the specified amount from the rollup to a specific address

Promise<String> **withdraw** (ethAddress:string, amount:number, token:string, account:string)

Parameters:

ethAddress	string	the receipt address
amount	number	amount to withdraw in wei
token	string	the token identifier e.g. ETH
account	string	address of the account that wants to withdraw (if left empty it will be taken from current signer)

Returns:

Promise<String>

11.7.14 Type IN3Plugin

Source: [index.d.ts](#)

a Incubed plugin.

Depending on the methods this will register for those actions.

getAccount()

returns address (*optional*)

string **getAccount** (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	
--------	--	--

Returns:

string

getAccounts()

returns list of addresses (*optional*)

Address [] **getAccounts** (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	
--------	--	--

Returns:

Address []

handleRPC()

called for each request. If the plugin wants to handle the request, this function should return the value or a Promise for the value. If the plugin does not want to handle it, it should rreturn undefined. (*optional*)

undefined | Promise<any> **handleRPC** (client:*IN3Generic<BigIntType,BufferType>* , request:*RPCRequest*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	the current client
request	<i>RPCRequest</i>	the rpc-request

Returns:

undefined | Promise<any>

term()

this is called when the client is cleaned up. (*optional*)

void term (client:*IN3Generic<BigIntType,BufferType>*)

Parameters:

client	<i>IN3Generic<BigIntType,BufferType></i>	the client object
--------	--	-------------------

11.7.15 Type RPCRequest

Source: [index.d.ts](#)

a JSONRPC-Request with N3-Extension

<code>id</code>	<code>number string</code>	the identifier of the request example: 2 (<i>optional</i>)
<code>jsonrpc</code>	<code>'2.0'</code>	the version
<code>method</code>	<code>string</code>	the method to call example: <code>eth_getBalance</code>
<code>params</code>	<code>any []</code>	the params example: <code>0xe36179e2286ef405e929C90ad3E70E649B22a945,latest</code> (<i>optional</i>)

11.7.16 Type `RPCResponse`

Source: `index.d.ts`

a JSONRPC-Responset with N3-Extension

<code>error</code>	<code>string </code>	in case of an error this needs to be set (<i>optional</i>)
<code>id</code>	<code>string number</code>	the id matching the request example: 2
<code>jsonrpc</code>	<code>'2.0'</code>	the version
<code>result</code>	<code>any</code>	the params example: <code>0xa35bc</code> (<i>optional</i>)

11.7.17 Type `IN3Generic`

Source: `index.d.ts`

default		supporting both ES6 and UMD usage
util	<i>Utils<any></i>	collection of util-functions.
btc	<i>BtcAPI<BufferType></i>	btc API
config	<i>IN3Config</i>	IN3 config
eth	<i>EthAPI<BigIntType,BufferType></i>	eth1 API.
ipfs	<i>IpfsAPI<BufferType></i>	ipfs API
signer	<i>Signer<BigIntType,BufferType></i>	the signer, if specified this interface will be used to sign transactions, if not, sending transaction will not be possible.
util	<i>Utils<BufferType></i>	collection of util-functions.
zksync	<i>ZksyncAPI<BufferType></i>	zksync API

freeAll()

frees all Incubed instances.

static void **freeAll** ()

onInit()

registers a function to be called as soon as the wasm is ready. If it is already initialized it will call it right away.

static Promise<T> onInit (fn:() => T)

Parameters:

fn	() => T	the function to call
----	---------	----------------------

Returns:

static *Promise*<T>

setConvertBigInt()

sets the convert-function, which converts any kind of type to Type defined for BigInt-operation. if not set the default type would be bigint.

static void setConvertBigInt (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setConvertBuffer()

sets the convert-function, which converts any kind of type to Type defined for Buffer or Bytes-operation. if not set the default type would be UInt8Array.

static void setConvertBuffer (convert:(any) => any)

Parameters:

convert	(any) => any	convert
---------	--------------	---------

setStorage()

changes the storage handler, which is called to read and write to the cache.

static void setStorage (handler:)

Parameters:

handler		handler
---------	--	---------

setTransport()

changes the default transport-function.

static void setTransport (fn:(string, string, number) => Promise<string>)

Parameters:

fn	(string, string, number) => Promise<string>	the function to fetch the response for the given url
----	---	--

constructor()

creates a new client.

IN3Generic constructor (config:*Partial<IN3Config>*)

Parameters:

config	<i>Partial<IN3Config></i>	a optional config
--------	---------------------------------	-------------------

Returns:

IN3Generic

createWeb3Provider()

returns a Object, which can be used as Web3Provider.

```
const web3 = new Web3(new IN3().createWeb3Provider())
```

any **createWeb3Provider** ()

Returns:

any

execLocal()

sends a RPC-Requests specified by name and params as a sync call. This is only allowed if the request is handled internally, like web3_sha3,

if the response contains an error, this will be thrown. if not the result will be returned.

any execLocal (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

any

free()

disposes the Client. This must be called in order to free allocated memory!

```
void free ()
```

registerPlugin()

registers a plugin. The plugin may define methods which will be called by the client.

```
void registerPlugin ( plugin:IN3Plugin<BigIntType,BufferType> )
```

Parameters:

plugin	<i>IN3Plugin<BigIntType,BufferType></i>	the plugin-object to register
--------	---	-------------------------------

send()

sends a raw request. if the request is a array the response will be a array as well. If the callback is given it will be called with the response, if not a Promise will be returned. This function supports callback so it can be used as a Provider for the web3.

```
Promise<RPCResponse> send ( request:RPCRequest , callback:(Error , RPCResponse ) => void)
```

Parameters:

request	<i>RPCRequest</i>	a JSONRPC-Request with N3-Extension
callback	<i>(Error , RPCResponse) => void</i>	callback

Returns:

Promise<RPCResponse>

sendRPC()

sends a RPC-Requests specified by name and params.

if the response contains an error, this will be thrown. if not the result will be returned.

Promise<any> **sendRPC** (method:string, params:any [])

Parameters:

method	string	the method to call.
params	any []	params

Returns:

Promise<any>

setConfig()

sets configuration properties. You can pass a partial object specifieing any of defined properties.

void **setConfig** (config:*Partial<IN3Config>*)

Parameters:

config	<i>Partial<IN3Config></i>	config
--------	---------------------------------	--------

11.7.18 Type Hash

Source: [index.d.ts](#)

a 32 byte Hash encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = *string*

11.7.19 Type SimpleSigner

Source: [index.d.ts](#)

accounts		the accounts
----------	--	--------------

constructor()

constructor

SimpleSigner constructor (pks:*Hash* | *BufferType* [])

Parameters:

pks	<i>Hash</i> <i>BufferType</i> []	pks
-----	---------------------------------------	-----

Returns:

SimpleSigner

sign()

signing of any data. if hashFirst is true the data should be hashed first, otherwise the data is the hash.

Promise<*BufferType*> **sign** (data:*Hex* , account:*Address* , sign_type:*SignType* , payloadType:*SignPayload* , meta:any)

Parameters:

data	<i>Hex</i>	a Hexcoded String (starting with 0x)
account	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
sign_type	<i>SignType</i>	the type of signature to create. <ul style="list-style-type: none">- ec_hash : the data needs to be hashed first (using keccak) before signing- ec_raw : the data is the ryw value (32bytes) to sign- ec_prefix : the data is a message which needs to be prefixed with the EthereumSignedMessage and length to before hashing and signing
payloadType	<i>SignPayload</i>	The type of the payload to sign
meta	any	meta

Returns:

Promise<BufferType>

addAccount()

adds a private key to the signer and returns the address associated with it.

string **addAccount** (pk:*Hash*)

Parameters:

pk	<i>Hash</i>	a 32 byte Hash encoded as Hex (starting with 0x)
----	-------------	--

Returns:

string

canSign()

returns true if the account is supported (or unlocked)

Promise<boolean> **canSign** (address:*Address*)

Parameters:

address	<i>Address</i>	a 20 byte Address encoded as Hex (starting with 0x)
---------	----------------	---

Returns:

Promise<boolean>

getAccounts()

returns all addresses managed by the signer.

Address [] **getAccounts** ()

Returns:

Address []

11.7.20 Type TxRequest

Source: `index.d.ts`

args	any []	the argument to pass to the method (<i>optional</i>)
confirmations	number	number of block to wait before confirming (<i>optional</i>)
data	<i>Data</i>	the data to send (<i>optional</i>)
from	<i>Address</i>	address of the account to use (<i>optional</i>)
gas	number	the gas needed (<i>optional</i>)
gasPrice	number	the gasPrice used (<i>optional</i>)
method	string	the ABI of the method to be used (<i>optional</i>)
nonce	number	the nonce (<i>optional</i>)
pk	<i>Hash</i>	raw private key in order to sign (<i>optional</i>)
timeout	number	number of seconds to wait for confirmations before giving up. Default: 10 (<i>optional</i>)
to	<i>Address</i>	contract (<i>optional</i>)
value	<i>Quantity</i>	the value in wei (<i>optional</i>)

11.7.21 Type Signature

Source: `index.d.ts`

Signature

message	<i>Data</i>	the message
messageHash	<i>Hash</i>	the messageHash
r	<i>Hash</i>	the r
s	<i>Hash</i>	the s
signature	<i>Data</i>	the signature (<i>optional</i>)
v	<i>Hex</i>	the v

11.7.22 Type BTCBlockHeader

Source: `index.d.ts`

a Block header

bits	string	bits (target) for the block as hex
chainwork	string	total amount of work since genesis
confirmations	number	number of confirmations or blocks mined on top of the containing block
difficulty	number	difficulty of the block
hash	string	the hash of the blockheader
height	number	block number
mediantime	string	unix timestamp in seconds since 1970
merkleroot	string	merkle root of the trie of all transactions in the block
nTx	number	number of transactions in the block
nextblockhash	string	hash of the next blockheader
nonce	number	nonce-field of the block
previousblockhash	string	hash of the parent blockheader
time	string	unix timestamp in seconds since 1970

versionHex	string	version as hex
------------	--------	----------------

11.7.23 Type BTCBlock

Source: [index.d.ts](#)

a full Block including the transactions

bits	string	bits (target) for the block as hex
chainwork	string	total amount of work since genesis
confirmations	number	number of confirmations or blocks mined on top of the containing block
difficulty	number	difficulty of the block
hash	string	the hash of the blockheader
height	number	block number
mediantime	string	unix timestamp in seconds since 1970
merkleroot	string	merkle root of the trie of all transactions in the block
nTx	number	number of transactions in the block
nextblockhash	string	hash of the next blockheader
nonce	number	nonce-field of the block
previousblockhash	string	hash of the parent blockheader
time	string	unix timestamp in seconds since 1970
tx	$T []$	the transactions
version	number	used version

11.7.24 Type BtcTransaction

Source: `index.d.ts`

a BitCoin Transaction.

blockhash	<i>Hash</i>	the block hash of the block containing this transaction.
blocktime	number	The block time in seconds since epoch (Jan 1 1970 GMT)
confirmations	number	The confirmations.
hash	<i>Hash</i>	The transaction hash (differs from txid for witness transactions)
hex	<i>Data</i>	the hex representation of raw data
in_active_chain	boolean	true if this transaction is part of the longest chain
locktime	number	The locktime
size	number	The serialized transaction size
time	number	The transaction time in seconds since epoch (Jan 1 1970 GMT)
txid	<i>Hash</i>	The requested transaction id.
version	number	The version
vin	<i>BtcTransactionInput</i> []	the transaction inputs
vout	<i>BtcTransactionOutput</i> []	the transaction outputs
vsize	number	The virtual transaction size (differs from size for witness transactions)

11.7.25 Type Data

Source: `index.d.ts`

data encoded as Hex (starting with 0x) a Hexcoded String (starting with 0x) = `string`

11.7.26 Type BtcTransactionInput

Source: `index.d.ts`

a Input of a Bitcoin Transaction

<code>scriptSig</code>		the script
<code>sequence</code>	<code>number</code>	The script sequence number
<code>txid</code>	<i>Hash</i>	the transaction id
<code>txinwitness</code>	<i>Data []</i>	hex-encoded witness data (if any)
<code>vout</code>	<code>number</code>	the index of the transactionoutput

11.7.27 Type BtcTransactionOutput

Source: `index.d.ts`

a Input of a Bitcoin Transaction

<code>n</code>	<code>number</code>	the index
<code>scriptPubKey</code>		the script
<code>value</code>	<code>number</code>	the value in BTC
<code>vout</code>	<code>number</code>	the index of the transactionoutput

11.7.28 Type TransactionReceipt

Source: [index.d.ts](#)

a Receipt of a Transaction containing the events and execution status

blockHash	Hash	32 Bytes - hash of the block where this transaction was in.	
blockNumber	BlockType	block number where this transaction was in.	
contractAddress	Address	20 Bytes - The contract address created, if the transaction was a contract creation, otherwise null.	
cumulativeGasUsed	Quantity	The total amount of gas used when this transaction was executed in the block.	
events		event objects, which are only added in the web3Contract (optional)	
from	Address	20 Bytes - The address of the sender.	
gasUsed	Quantity	The amount of gas used by this specific transaction alone.	
logs	Log []	Array of log objects, which this transaction generated.	
logsBloom	Data	256 Bytes - A bloom filter of logs/events generated by contracts during transaction execution. Used to efficiently rule out transactions without expected logs.	
root	Hash	32 Bytes - Merkle root of the state trie after the transaction has been executed (optional after Byzantium hard fork EIP609) (optional)	
11.7. Package index		EIP609) (optional)	631
status	Quantity	0x0 indicates transaction	

11.7.29 Type BlockInfo

Source: `index.d.ts`

Block state.

<code>blockNumber</code>	<code>number</code>	the <code>blockNumber</code>
<code>committed</code>	<code>boolean</code>	the <code>committed</code>
<code>verified</code>	<code>boolean</code>	the <code>verified</code>

11.7.30 Type AccountAPI

Source: `index.d.ts`

The Account API

add()

adds a private key to sign with. This method returns address of the pk

string add (`pk:string|BufferType`)

Parameters:

<code>pk</code>	<code>string BufferType</code>	
-----------------	--------------------------------	--

Returns:

`string`

addKeyStore()

adds a key from a JSON Keystore file as defined in the Web3 Secret Storage Definition . This method returns address of the pk.

String addKeyStore (`keystore:any, passphrase:string`)

Parameters:

keystore	any	the keystore data
passphrase	string	the passphrase

Returns:

String

decryptKeystore()

decrypts a JSON Keystore file as defined in the Web3 Secret Storage Definition . The result is the raw private key.

BufferType **decryptKeystore** (keystore:any, passphrase:string)

Parameters:

keystore	any	the keystore data
passphrase	string	the passphrase

Returns:

BufferType

ecrecover()

recovers a ecdsa signature.

ecrecover (msg:string | *BufferType* , sig:string | *BufferType* , msgtype:'eth_sign' | 'raw' | 'hash')

Parameters:

msg	string <i>BufferType</i>	the message
sig	string <i>BufferType</i>	the signature (must be 65bytes in hex or Buffer)
msgtype	'eth_sign' 'raw' 'hash'	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

prepareTx()

prepares a Transaction by creating a unsigned raw transaction.

Promise<BufferType> **prepareTx** (tx:*TxRequest*)

Parameters:

tx	<i>TxRequest</i>	the tx parameter
----	------------------	------------------

Returns:

Promise<BufferType>

signData()

creates a signature with a previously registered signer based on the data

Promise<Signature> **signData** (msg:string | *BufferType* , account:string | *BufferType* , msg-type:'eth_sign' | 'raw' | 'hash')

Parameters:

msg	string <i>BufferType</i>	the message to sign
account	string <i>BufferType</i>	the address of the account (if null, the first available account is used). If the account is a 32byte hex or buffer, it it will be used as raw private key.
msgtype	'eth_sign' 'raw' 'hash'	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

Returns:

Promise<Signature>

signRawTx()

creates a signature with a previously registered signer based on the data

Promise<BufferType> **signRawTx** (msg:string | *BufferType* , account:string | *BufferType* , msg-type:'eth_sign' | 'raw' | 'hash')

Parameters:

msg	<code>string BufferType</code>	the message to sign
account	<code>string BufferType</code>	the address of the account (if null, the first available account is used). If the account is a 32byte hex or buffer, it it will be used as raw private key.
msgtype	<code>'eth_sign' 'raw' 'hash'</code>	the type (raw : the message must be hashed first (default), 'hash' the message is already a 32byte hash, 'eth_sign' - the message will be hashed with EthereumSignedMessage-Prefix)

Returns:

Promise<*BufferType*>

11.7.31 Type Transaction

Source: [index.d.ts](#)

chainId	any	optional chain id (<i>optional</i>)
data	string	4 byte hash of the method signature followed by encoded parameters. For details see Ethereum Contract ABI.
from	<i>Address</i>	20 Bytes - The address the transaction is send from.
gas	<i>Quantity</i>	Integer of the gas provided for the transaction execution. eth_call consumes zero gas, but this parameter may be needed by some executions.
gasPrice	<i>Quantity</i>	Integer of the gas price used for each paid gas.
nonce	<i>Quantity</i>	nonce
to	<i>Address</i>	(optional when creating new contract) 20 Bytes - The address the transaction is directed to. (<i>optional</i>)
value	<i>Quantity</i>	Integer of the value sent with this transaction.

11.7.32 Type BlockType

Source: `index.d.ts`

BlockNumber or predefined Block = number | 'latest' | 'earliest' | 'pending'

11.7.33 Type ABI

Source: `index.d.ts`

anonymous	boolean	the anonymous (<i>optional</i>)
components	<i>ABIField</i> []	the components (<i>optional</i>)
constant	boolean	the constant (<i>optional</i>)
inputs	<i>ABIField</i> []	the inputs (<i>optional</i>)
internalType	string	the internalType (<i>optional</i>)
name	string	the name (<i>optional</i>)
outputs	<i>ABIField</i> [] any []	the outputs (<i>optional</i>)
payable	boolean	the payable (<i>optional</i>)
stateMutability	'pure' 'view' 'nonpayable' 'payable' string	the stateMutability (<i>optional</i>)
type	'function' 'constructor' 'event' 'fallback' string	the type

11.7.34 Type Log

Source: `index.d.ts`

address	<i>Address</i>	20 Bytes - address from which this log originated.
blockHash	<i>Hash</i>	Hash, 32 Bytes - hash of the block where this log was in. null when its pending. null when its pending log.
blockNumber	<i>Quantity</i>	the block number where this log was in. null when its pending. null when its pending log.
data	<i>Data</i>	contains the non-indexed arguments of the log.
logIndex	<i>Quantity</i>	integer of the log index position in the block. null when its pending log.
removed	boolean	true when the log was removed, due to a chain reorganization. false if its a valid log.
topics	<i>Data []</i>	- Array of 0 to 4 32 Bytes DATA of indexed log arguments. (In solidity: The first topic is the hash of the signature of the event (e.g. Deposit(address,bytes32,uint256)), except you declared the event with the anonymous specifier.)
transactionHash	<i>Hash</i>	Hash, 32 Bytes - hash of the transactions this log was created from. null when its pending log.
transactionIndex	<i>Quantity</i>	integer of the transactions index position log was created from. null when its pending log.
11.7. Package index		

11.7.35 Type Block

Source: `index.d.ts`

author	<i>Address</i>	20 Bytes - the address of the author of the block (the beneficiary to whom the mining rewards were given)
difficulty	<i>Quantity</i>	integer of the difficulty for this block
extraData	<i>Data</i>	the 'extra data' field of this block
gasLimit	<i>Quantity</i>	the maximum gas allowed in this block
gasUsed	<i>Quantity</i>	the total used gas by all transactions in this block
hash	<i>Hash</i>	hash of the block. null when its pending block
logsBloom	<i>Data</i>	256 Bytes - the bloom filter for the logs of the block. null when its pending block
miner	<i>Address</i>	20 Bytes - alias of 'author'
nonce	<i>Data</i>	8 bytes hash of the generated proof-of-work. null when its pending block. Missing in case of PoA.
number	<i>Quantity</i>	The block number. null when its pending block
parentHash	<i>Hash</i>	hash of the parent block
receiptRoot	<i>Hash</i>	hash of the receipt trie
11.7. Package index	<i>Data</i>	32 Bytes - the root of the receipts trie of the block

11.7.36 Type Quantity

Source: `index.d.ts`

a BigInteger encoded as hex, = number | *Hex*

11.7.37 Type LogFilter

Source: `index.d.ts`

<code>address</code>	<i>Address</i>	(optional) 20 Bytes - Contract address or a list of addresses from which logs should originate.
<code>fromBlock</code>	<i>BlockType</i>	Quantity or Tag - (optional) (default: latest) Integer block number, or 'latest' for the last mined block or 'pending', 'earliest' for not yet mined transactions. (<i>optional</i>)
<code>limit</code>	<i>Quantity</i>	â(optional) The maximum number of entries to retrieve (latest first). (<i>optional</i>)
<code>toBlock</code>	<i>BlockType</i>	Quantity or Tag - (optional) (default: latest) Integer block number, or 'latest' for the last mined block or 'pending', 'earliest' for not yet mined transactions. (<i>optional</i>)
<code>topics</code>	<code>string string [] []</code>	(optional) Array of 32 Bytes Data topics. Topics are order-dependent. It's possible to pass in null to match any topic, or a subarray of multiple topics of which one should be matching. (<i>optional</i>)

11.7.38 Type TransactionDetail

Source: `index.d.ts`

blockHash	<i>Hash</i>	32 Bytes - hash of the block where this transaction was in. null when its pending.
blockNumber	<i>BlockType</i>	block number where this transaction was in. null when its pending.
chainId	<i>Quantity</i>	the chain id of the transaction, if any.
condition	any	(optional) conditional submission, Block number in block or timestamp in time or null. (parity-feature) (<i>optional</i>)
creates	<i>Address</i>	creates contract address
from	<i>Address</i>	20 Bytes - address of the sender.
gas	<i>Quantity</i>	gas provided by the sender.
gasPrice	<i>Quantity</i>	gas price provided by the sender in Wei.
hash	<i>Hash</i>	32 Bytes - hash of the transaction.
input	<i>Data</i>	the data send along with the transaction.
nonce	<i>Quantity</i>	the number of transactions made by the sender prior to this one.

11.7.39 Type Web3Contract

Source: [index.d.ts](#)

events		the events
methods		the methods
options		the options

deploy()

deploy

Web3TransactionObject **deploy** (args:)

Parameters:

args		args
------	--	------

Returns:

Web3TransactionObject

once()

once

void **once** (eventName:string, options:., handler:(*Error* , *Web3Event*) => void)

Parameters:

eventName	string	event name
options		options
handler	(<i>Error</i> , <i>Web3Event</i>) => void	handler

getPastEvents()

get past events

Promise<> **getPastEvents** (evName:string, options:)

Parameters:

evName	string	ev name
options		options

Returns:

Promise<>

11.7.40 Type TxType

Source: [index.d.ts](#)

Defines the type of a transaction.

type	'Withdraw' 'Transfer' 'TransferToNew'	the type
------	---	----------

11.7.41 Type btc_config

Source: [index.d.ts](#)

bitcoin configuration.

maxDAP	number	max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. <i>(optional)</i>
maxDiff	number	max increase (in percent) of the difference between targets when accepting new targets. <i>(optional)</i>

11.7.42 Type zksync_config

Source: `index.d.ts`

zksync configuration.

<code>account</code>	<code>string</code>	the account to be used. if not specified, the first signer will be used. <i>(optional)</i>
<code>create2</code>		create2 arguments <i>(optional)</i>
<code>musig_pub_keys</code>	<code>string</code>	concatated packed public keys of the signers of the multisig <i>(optional)</i>
<code>musig_urls</code>	<code>string []</code>	if used as a musig-signature the <i>(optional)</i>
<code>provider_url</code>	<code>string</code>	url of the zksync-server <i>(optional)</i>
<code>signer_type</code>	<code>'pk' 'contract' 'create2'</code>	defines the type of the signer. Must be one of those 3 values. (default: pk) <i>(optional)</i>
<code>sync_key</code>	<code>string</code>	optionaly the private seephase to use when signing sync-transaction. If ommitted this key is derived from the signer. <i>(optional)</i>

11.7.43 Type Web3TransactionObject

Source: `index.d.ts`

`call()`

`call`

Promise<any> `call` (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<any>

encodeABI()

a Hexcoded String (starting with 0x)

Hex encodeABI ()

Returns:

Hex

estimateGas()

estimate gas

Promise<number> estimateGas (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<number>

send()

send

Promise<any> send (options:)

Parameters:

options		options
---------	--	---------

Returns:

Promise<any>

11.7.44 Type Web3Event

Source: index.d.ts

address	<i>Address</i>	the address
blockHash	<i>Hash</i>	the blockHash
blockNumber	number	the blockNumber
event	string	the event
logIndex	number	the logIndex
raw		the raw
returnValues		the returnValues
signature	string	the signature
transactionHash	<i>Hash</i>	the transactionHash
transactionIndex	number	the transactionIndex

11.7.45 Type DepositResponse

Source: index.d.ts

Response of a Deposit-Transaction.

receipt	<i>TransactionReceipt</i>	the receipt
---------	---------------------------	-------------

11.7.46 Type ZKAccountInfo

Source: [index.d.ts](#)

return structure after fetching the current account info.

<code>address</code>	<code>string</code>	the address
<code>committed</code>		the committed
<code>depositing</code>		the depositing
<code>id</code>	<code>number</code>	the id
<code>verified</code>		the verified

11.7.47 Type ETHOpInfoResp

Source: [index.d.ts](#)

L1 Operation State

<code>block</code>	<i>BlockInfo</i>	the block
<code>executed</code>	<code>boolean</code>	the executed

11.7.48 Type Tokens

Source: [index.d.ts](#)

Token List.

11.7.49 Type Fee

Source: [index.d.ts](#)

fee collection.

feeType	<i>TxType</i>	the feeType
gasFee	number	the gasFee
gasPrice	number	the gasPrice
totalFee	number	the totalFee
totalGas	number	the totalGas
zkpFee	number	the zkpFee

11.7.50 Type TxInfo

Source: `index.d.ts`

Transaction state

block	<i>BlockInfo</i>	the block
executed	boolean	the executed
failReason	string	the failReason
success	boolean	the success

11.7.51 Type ABIField

Source: `index.d.ts`

<code>indexed</code>	<code>boolean</code>	the indexed (<i>optional</i>)
<code>internalType</code>	<code>string</code>	the internalType (<i>optional</i>)
<code>name</code>	<code>string</code>	the name
<code>type</code>	<code>string</code>	the type

12.1 Python Incubed client

This library is based on the [C version of Incubed](#), which limits the compatibility for Cython, so please contribute by compiling it to your own platform and sending us a pull-request!

Go to our [readthedocs](#) page for more.

12.1.1 Quickstart

Install with pip

```
pip install in3
```

In3 Client API

```
import in3

in3_client = in3.Client()
# Sends a request to the Incubed Network, that in turn will collect proofs from the_
↪Ethereum client,
# attest and sign the response, then send back to the client, that will verify_
↪signatures and proofs.
block_number = in3_client.eth.block_number()
print(block_number) # Mainnet's block number

in3_client # incubed network api
in3_client.eth # ethereum api
in3_client.eth.account # ethereum account api
in3_client.eth.contract # ethereum smart-contract api
```

Developing & Tests

Install dev dependencies, IDEs should automatically recognize interpreter if done like this.

```
python3 -m venv venv
source venv/bin/activate
pip install -r requirements.txt
```

Compile local libraries and run tests. Make sure you have cmake installed.

```
./buidl_libs.sh
```

Index

Explanation of this source code architecture and how it is organized. For more on design-patterns see [here](#) or on [Martin Fowler's Catalog of Patterns of Enterprise Application Architecture](#).

- **in3.init.py**: Library entry point, imports organization. Standard for any pipy package.
- **in3.client**: Incubed Client and API.
- **in3.model**: MVC Model classes for the Incubed client module domain.
- **in3.transport**: HTTP Transport function and error handling.
- **in3.wallet**: WiP - Wallet API.
- **in3.exception**: Custom exceptions.
- **in3.eth**: Ethereum module.
- **in3.eth.api**: Ethereum API.
- **in3.eth.account**: Ethereum accounts.
- **in3.eth.contract**: Ethereum smart-contracts API.
- **in3.eth.model**: MVC Model classes for the Ethereum client module domain. Manages serialization.
- **in3.eth.factory**: Ethereum Object Factory. Manages deserialization.
- **in3.libin3**: Module for the libin3 runtime. Libin3 is written in C and can be found [here](#).
- **in3.libin3.shared**: Native shared libraries for multiple operating systems and platforms.
- **in3.libin3.enum**: Enumerations mapping C definitions to python.
- **in3.libin3.lib_loader**: Bindings using Ctypes.
- **in3.libin3.runtime**: Runtime object, bridging the remote procedure calls to the libin3 instances.

12.2 Examples

12.2.1 connect_to_ethereum

source : [in3-c/python/examples/connect_to_ethereum.py](#)

```

"""
Connects to Ethereum and fetches attested information from each chain.
"""
import in3

if __name__ == '__main__':

    client = in3.Client()
    try:
        print('\nEthereum Main Network')
        latest_block = client.eth.block_number()
        gas_price = client.eth.gas_price()
        print('Latest BN: {} \nGas Price: {} Wei'.format(latest_block, gas_price))
    except in3.ClientException as e:
        print('Network might be unstable, try again later.\n Reason: ', str(e))

    goerli_client = in3.Client('goerli')
    try:
        print('\nEthereum Goerli Test Network')
        latest_block = goerli_client.eth.block_number()
        gas_price = goerli_client.eth.gas_price()
        print('Latest BN: {} \nGas Price: {} Wei'.format(latest_block, gas_price))
    except in3.ClientException as e:
        print('Network might be unstable, try again later.\n Reason: ', str(e))

# Produces
"""
Ethereum Main Network
Latest BN: 9801135
Gas Price: 2000000000 Wei

Ethereum Goerli Test Network
Latest BN: 2460853
Gas Price: 4610612736 Wei
"""

```

12.2.2 incubed_network

source : in3-c/python/examples/incubed_network.py

```

"""
Shows Incubed Network Nodes Stats
"""
import in3

if __name__ == '__main__':

    print('\nEthereum Goerli Test Network')
    client = in3.Client('goerli')
    try:
        node_list = client.refresh_node_list()
        print('\nIncubed Registry:')
        print('\ttotal servers:', node_list.totalServers)
        print('\tlast updated in block:', node_list.lastBlockNumber)
        print('\tregistry ID:', node_list.registryId)
        print('\tcontract address:', node_list.contract)
    
```

(continues on next page)

(continued from previous page)

```

print('\nNodes Registered:\n')
for node in node_list.nodes:
    print('\turl:', node.url)
    print('\tdeposit:', node.deposit)
    print('\tweight:', node.weight)
    print('\tregistered in block:', node.registerTime)
    print('\n')
except in3.ClientException as e:
    print('Network might be unstable, try again later.\n Reason: ', str(e))

# Produces
"""
Ethereum Goerli Test Network

Incubed Registry:
    total servers: 7
    last updated in block: 2320627
    registry ID: 0x67c02e5e272f9d6b4a33716614061dd298283f86351079ef903bf0d4410a44ea
    contract address: 0x5f51e413581dd76759e9eed51e63d14c8d1379c8

Nodes Registered:

    url: https://in3-v2.slock.it/goerli/nd-1
    deposit: 10000000000000000
    weight: 2000
    registered in block: 1576227711

    url: https://in3-v2.slock.it/goerli/nd-2
    deposit: 10000000000000000
    weight: 2000
    registered in block: 1576227741

    url: https://in3-v2.slock.it/goerli/nd-3
    deposit: 10000000000000000
    weight: 2000
    registered in block: 1576227801

    url: https://in3-v2.slock.it/goerli/nd-4
    deposit: 10000000000000000
    weight: 2000
    registered in block: 1576227831

    url: https://in3-v2.slock.it/goerli/nd-5
    deposit: 10000000000000000
    weight: 2000
    registered in block: 1576227876

    url: https://tincubeth.komputing.org/
    deposit: 10000000000000000
    weight: 1
    registered in block: 1578947320

```

(continues on next page)

(continued from previous page)

```

url: https://h5145fkzz7oc3gmb.onion/
deposit: 10000000000000000
weight: 1
registered in block: 1578954071
"""

```

12.2.3 resolve_eth_names

source : in3-c/python/examples/resolve_eth_names.py

```

"""
Resolves ENS domains to Ethereum addresses
ENS is a smart-contract system that registers and resolves `.eth` domains.
"""
import in3

# Find ENS for the desired chain or the address of your own ENS resolver. https://
↳ docs.ens.domains/ens-deployments
# Instantiate In3 Client for the Ethereum main net disabling cache to get the
↳ freshest address.
client = in3.Client(cache_enabled=False)
domain = 'depraz.eth'

if __name__ == '__main__':

    try:
        print('\nEthereum Name Service')
        address = client.ens_address(domain)
        owner = client.ens_owner(domain)
        print('\nAddress for {} @ {}: {}'.format(domain, 'mainnet', address))
        print('Owner for {} @ {}: {}'.format(domain, 'mainnet', owner))
    except in3.ClientException as e:
        print('Network might be unstable, try again later.\n Reason: ', str(e))

# Produces
"""
Ethereum Name Service

Address for depraz.eth @ mainnet: 0x0b56ae81586d2728ceaf7c00a6020c5d63f02308
Owner for depraz.eth @ mainnet: 0x6fa33809667a99a805b610c49ee2042863b1bb83
"""

```

12.2.4 send_transaction

source : in3-c/python/examples/send_transaction.py

```

"""
Sends Ethereum transactions using Incubed.
Incubed send Transaction does all necessary automation to make sending a transaction
↳ a breeze.

```

(continues on next page)

(continued from previous page)

```

Works with included `data` field for smart-contract calls.
"""
import json
import in3
import time

# On Metamask, be sure to be connected to the correct chain, click on the `...` icon
↳ on the right corner of
# your Account name, select `Account Details`. There, click `Export Private Key`,
↳ copy the value to use as secret.
# By reading the terminal input, this value will stay in memory only. Don't forget to
↳ cls or clear terminal after ;)
sender_secret = input("Sender secret: ")
receiver = input("Receiver address: ")
# 10000000000000000000 == 1 ETH
# 1000000000 == 1 Gwei Check https://etherscan.io/gasTracker.
value_in_wei = 1463926659
# None for Eth mainnet
chain = 'goerli'
client = in3.Client(chain if chain else 'mainnet')
# A transaction is only final if a certain number of blocks are mined on top of it.
# This number varies with the chain's consensus algorithm. Time can be calculated
↳ over using:
# wait_time = blocks_for_consensus * avg_block_time_in_secs
# For mainnet and paying low gas, it might take 10 minutes.
confirmation_wait_time_in_seconds = 30
etherscan_link_mask = 'https://{}/{}/etherscan.io/tx/{}/'

if __name__ == '__main__':

    try:
        print('-- Ethereum Transaction using Incubed == \n')
        sender = client.eth.account.recover(sender_secret)
        tx = in3.eth.NewTransaction(to=receiver, value=value_in_wei)
        print('[.] Sending {} Wei from {} to {}. Please wait.\n'.format(tx.value,
↳ sender.address, tx.to))
        tx_hash = client.eth.account.send_transaction(sender, tx)
        print('[.] Transaction accepted with hash {}'.format(tx_hash))
        add_dot_if_chain = '.' if chain else ''
        print(etherscan_link_mask.format(chain, add_dot_if_chain, tx_hash))
        while True:
            try:
                print('\n[.] Waiting {} seconds for confirmation.\n'.
↳ format(confirmation_wait_time_in_seconds))
                time.sleep(confirmation_wait_time_in_seconds)
                receipt: in3.eth.TransactionReceipt = client.eth.transaction_
↳ receipt(tx_hash)
                print('[.] Transaction was sent successfully!\n')
                print(json.dumps(receipt.to_dict(), indent=4, sort_keys=True))
                print('[.] Mined on block {} used {} GWei.'.format(receipt.
↳ blockNumber, receipt.gasUsed))
                break
            except Exception:
                print('[!] Transaction not mined yet, check https://etherscan.io/
↳ gasTracker.')
                print('[!] Just wait some minutes longer than the average for the
↳ price paid!')

```

(continues on next page)

(continued from previous page)

```

if __name__ == '__main__':

    try:
        print('-- Smart-Contract Call on Ethereum using Incubed == \n')
        domain_name = client.ens_namehash('depraz.eth')
        ens_registry_addr = '0x000000000000c2e074ec69a0dfb2997ba6c7d2e1e'
        ens_resolver_abi = 'resolver(bytes32):address'

        # Find resolver contract for ens name
        resolver_tx = {
            "to": ens_registry_addr,
            "data": client.eth.contract.encode(ens_resolver_abi, domain_name)
        }
        tx = in3.eth.NewTransaction(**resolver_tx)
    except in3.ClientException as e:
        print('Something went wrong converting data.\n Reason: ', str(e))

    try:
        # Make the smart contract call
        print('Calling the ENS registry contract.')
        encoded_resolver_addr = client.eth.contract.call(tx)
        resolver_address = client.eth.contract.decode(ens_resolver_abi, encoded_
↪resolver_addr)
    except in3.ClientException as e:
        print('Network might be unstable, try again later.\n Reason: ', str(e))

    try:
        # Resolve name
        ens_addr_abi = 'addr(bytes32):address'
        name_tx = {
            "to": resolver_address,
            "data": client.eth.contract.encode(ens_addr_abi, domain_name)
        }
    except in3.ClientException as e:
        print('Something went wrong converting data.\n Reason: ', str(e))

    try:
        print('Calling the ENS resolver contract.')
        encoded_domain_address = client.eth.contract.call(in3.eth.
↪NewTransaction(**name_tx))
        domain_address = client.eth.contract.decode(ens_addr_abi, encoded_domain_
↪address)

        print('\nENS domain:\n{}\nResolved by:\n{}\nTo address:\n{}'.format(domain_
↪name, resolver_address,
                                                                                               domain_
↪address))
    except in3.ClientException as e:
        print('Network might be unstable, try again later.\n Reason: ', str(e))

# Produces
"""
END domain:
0x4a17491df266270a8801cee362535e520a5d95896a719e4a7d869fb22a93162e
Resolved by:
0x4b1488b7a6b320d2d721406204abc3eeaa9ad329
To address:
0x0b56ae81586d2728ceaf7c00a6020c5d63f02308

```

(continues on next page)

(continued from previous page)

"""

12.2.6 Running the examples

To run an example, you need to install in3 first:

```
pip install in3
```

This will install the library system-wide. Please consider using `virtualenv` or `pipenv` for a project-wide install.

Then copy one of the examples and paste into a file, i.e. `example.py`:

MacOS

```
pbpaste > example.py
```

Execute the example with python:

```
python example.py
```

12.3 Incubed Modules

12.3.1 Client

```
Client(self,
chain: str = 'mainnet',
in3_config: ClientConfig = None,
transport=<function https_transport at 0x101cd8430>,
cache_enabled: bool = True,
test_instance: bool = False)
```

Incubed network client. Connect to the blockchain via a list of bootnodes, then gets the latest list of nodes in the network and ask a certain number of the to sign the block header of given list, putting their deposit at stake. Once with the latest list at hand, the client can request any other on-chain information using the same scheme.

Arguments:

- `chain str` - Ethereum chain to connect to. Defaults to mainnet. Options: 'mainnet', 'goerli', 'ewc', 'btc', 'ipfs'.
- `in3_config ClientConfig or str` - (optional) Configuration for the client. If not provided, default is loaded.
- `transport function` - Transport function for custom request routing. Defaults to https.
- `cache_enabled bool` - False will disable local storage caching.
- `test_instance bool` - True will create a test instance of IN3. HIGH SECURITY RISK - USE FOR TESTS ONLY.

refresh_node_list

```
Client.refresh_node_list()
```

Gets the list of Incubed nodes registered in the selected chain registry contract.

Returns:

- `node_list` *NodeList* - List of registered in3 nodes and metadata.

config

```
Client.config()
```

Client configuration dictionary.

Returns:

- `config dict` - Client configuration keys and values.

ens_namehash

```
Client.ens_namehash(domain_name: str)
```

Name format based on [EIP-137](#)

Arguments:

- `domain_name` - ENS supported domain. mydomain.ens, mydomain.xyz, etc

Returns:

- `node str` - Formatted string referred as `node` in ENS documentation

ens_address

```
Client.ens_address(domain_name: str, registry: str = None)
```

Resolves ENS domain name to what account that domain points to.

Arguments:

- `domain_name` - ENS supported domain. mydomain.ens, mydomain.xyz, etc
- `registry` - ENS registry contract address. i.e. 0x000000000000C2E074eC69A0dFb2997BA6C7d2e1e

Returns:

- `address str` - Ethereum address corresponding to what account that domain points to.

ens_owner

```
Client.ens_owner(domain_name: str, registry: str = None)
```

Resolves ENS domain name to Ethereum address of domain owner.

Arguments:

- `domain_name` - ENS supported domain. i.e mydomain.eth
- `registry` - ENS registry contract address. i.e. 0x000000000000C2E074eC69A0dFb2997BA6C7d2e1e

Returns:

- `owner_address str` - Ethereum address corresponding to domain owner.

ens_resolver

```
Client.ens_resolver(domain_name: str, registry: str = None)
```

Resolves ENS domain name to Smart-contract address of the resolver registered for that domain.

Arguments:

- `domain_name` - ENS supported domain. i.e mydomain.eth
- `registry` - ENS registry contract address. i.e. 0x000000000000C2E074eC69A0dFb2997BA6C7d2e1e

Returns:

- `resolver_contract_address str` - Smart-contract address of the resolver registered for that domain.

12.3.2 ClientConfig

```
ClientConfig(self,
chain_finality_threshold: int = None,
account_secret: str = None,
latest_block_stall: int = None,
node_signatures: int = None,
node_signature_consensus: int = None,
node_min_deposit: int = None,
debug: bool = None,
node_list_auto_update: bool = None,
node_limit: int = None,
request_timeout: int = None,
request_retries: int = None,
response_proof_level: str = None,
response_includes_code: bool = None,
response_keep_proof: bool = None,
transport_binary_format: bool = None,
transport_ignore_tls: bool = None,
boot_weights: bool = None,
experimental: bool = None,
in3_registry: dict = None)
```

Determines the behavior of the in3 client, which chain to connect to and how to manage information security policies.

Considering integrity is guaranteed and confidentiality is not available on public blockchains, these settings will provide a balance between availability, and financial stake in case of repudiation.

The newer the block is, higher are the chances it gets repudiated by a fork in the chain. In3 nodes will decide individually to sign on repudiable information, reducing the availability. If the application needs the very latest block, consider using a calculated value in `node_signature_consensus` and set `node_signatures` to zero. This setting is as secure as a light-client.

The older the block gets, the highest is its availability because of the close-to-zero repudiation risk, but blocks older than circa one year are stored in Archive Nodes, expensive computers, so, despite of the low risk, there are not many nodes available with such information, and they must search for the requested block in its database, lowering the availability as well. If the application needs access to *old* blocks, consider setting `request_timeout` and `request_retries` to accomodate the time the archive nodes take to fetch the information.

The verification policy enforces an extra step of security, adding a financial stake in case of repudiation or false/broken proof. For high security application, consider setting a calculated value in `node_min_deposit` and request as much signatures as necessary in `node_signatures`. Setting `chain_finality_threshold` high will guarantee non-repudiability.

All args are Optional. Defaults connect to Ethereum main network with regular security levels.

Arguments:

- `chain_finality_threshold int` - Behavior depends on the chain consensus algorithm: POA - percent of signers needed in order reach finality (% of the validators) i.e.: 60 %. POW - mined blocks on top of the requested, i.e. 8 blocks. Defaults are defined in `enum.Chain`.
- `latest_block_stall int` - Distance considered safe, consensus wise, from the very latest block. Higher values exponentially increases state finality, and therefore data security, as well guaranteed responses from `in3` nodes. example: 10 - will ask for the state from (`latestBlock-10`).
- `account_secret str` - Account SK to sign all `in3` requests. (Experimental use `set_account_sk`) example: `0x387a8233c96e1fc0ad5e284353276177af2186e7afa85296f106336e376669f7`
- `node_signatures int` - Node signatures attesting the response to your request. Will send a separate request for each. example: 3 nodes will have to sign the response.
- `node_signature_consensus int` - Useful when `node_signatures` \leq 1. The client will check for consensus in responses. example: 10 - will ask for 10 different nodes and compare results looking for a consensus in the responses.
- `node_min_deposit int` - Only nodes owning at least this amount will be chosen to sign responses to your requests. i.e. 100000000000000000 Wei
- `node_list_auto_update bool` - If true the nodelist will be automatically updated. False may compromise data security.
- `node_limit int` - Limit nodes stored in the client. example: 150 nodes
- `request_timeout int` - Milliseconds before a request times out. example: 100000 ms
- `request_retries int` - Maximum times the client will retry to contact a certain node. example: 10 retries
- `response_proof_level str` - 'none'|'standard'|'full' Full gets the whole block Patricia-Merkle-Tree, Standard only verifies the specific tree branch concerning the request, None only verifies the root hashes, like a light-client does.
- `response_includes_code bool` - If true, every request with the address field will include the data, if existent, that is stored in that wallet/smart-contract. If false, only the code digest is included.
- `response_keep_proof bool` - If true, proof data will be kept in every rpc response. False will remove this data after using it to verify the responses. Useful for debugging and manually verifying the proofs.
- `transport_binary_format` - If true, the client will communicate with the server using a binary payload instead of json.
- `transport_ignore_tls` - The client usually verify https tls certificates. To communicate over insecure http, turn this on.
- `boot_weights bool` - if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.
- `experimental bool` - if true the client allows features marked as experimental to be used.
- `in3_registry dict` - In3 Registry Smart Contract configuration data

12.3.3 In3Node

```
In3Node(self, url: str, address: Account, index: int, deposit: int,
props: int, timeout: int, registerTime: int, weight: int)
```

Registered remote verifier that attest, by signing the block hash, that the requested block and transaction were indeed mined are in the correct chain fork.

Arguments:

- `url str` - Endpoint to post to example: `https://in3.slock.it`
- `index int` - Index within the contract example: 13
- `address in3.Account` - Address of the node, which is the public address it is signing with. example: `0x6C1a01C2aB554930A937B0a2E8105fB47946c679`
- `deposit int` - Deposit of the node in wei example: 12350000
- `props int` - Properties of the node. example: 3
- `timeout int` - Time (in seconds) until an owner is able to receive his deposit back after he unregisters himself example: 3600
- `registerTime int` - When the node was registered in (unixtime?)
- `weight int` - Score based on qualitative metadata to base which nodes to ask signatures from.

12.3.4 NodeList

```
NodeList(self, nodes: [<class 'in3.model.In3Node'>], contract: Account,
registryId: str, lastBlockNumber: int, totalServers: int)
```

List of incubed nodes and its metadata, in3 registry contract from which the list was taken, network/registry id, and last block number in the selected chain.

Arguments:

- `nodes [In3Node]` - list of incubed nodes
- `contract Account` - incubed registry contract from which the list was taken
- `registryId str` - uuid of this incubed network. one chain could contain more than one incubed networks.
- `lastBlockNumber int` - last block signed by the network
- `totalServers int` - Total servers number (for integrity?)

12.3.5 EthAccountApi

```
EthAccountApi(self, runtime: In3Runtime, factory: EthObjectFactory)
```

Manages accounts and smart-contracts

create

```
EthAccountApi.create(qrng=False)
```

Creates a new Ethereum account and saves it in the wallet.

Arguments:

- `qrng bool` - True uses a Quantum Random Number Generator api for generating the private key.

Returns:

- `account Account` - Newly created Ethereum account.

recover

```
EthAccountApi.recover(secret: str)
```

Recovers an account from a secret.

Arguments:

- `secret str` - Account private key in hexadecimal string

Returns:

- `account Account` - Recovered Ethereum account.

parse_mnemonics

```
EthAccountApi.parse_mnemonics(mnemonics: str)
```

Recovers an account secret from mnemonics phrase

Arguments:

- `mnemonics str` - BIP39 mnemonics phrase.

Returns:

- `secret str` - Account secret. Use `recover_account` to create a new account with this secret.

sign

```
EthAccountApi.sign(private_key: str, message: str)
```

Use ECDSA to sign a message.

Arguments:

- `private_key str` - Must be either an address(20 byte) or an raw private key (32 byte)'''
- `message str` - Data to be hashed and signed. Dont input hashed data unless you know what you are doing.

Returns:

- `signed_message str` - ECDSA calculated r, s, and parity v, concatenated. $v = 27 + (r \% 2)$

balance

```
EthAccountApi.balance(address: str, at_block: int = 'latest')
```

Returns the balance of the account of given address.

Arguments:

- address *str* - address to check for balance
- at_block *int or str* - block number IN3BlockNumber or EnumBlockStatus

Returns:

- balance *int* - integer of the current balance in wei.

send_transaction

```
EthAccountApi.send_transaction(sender: Account,
transaction: NewTransaction)
```

Signs and sends the assigned transaction. Requires `account.secret` value set. Transactions change the state of an account, just the balance, or additionally, the storage and the code. Every transaction has a cost, gas, paid in Wei. The transaction gas is calculated over estimated gas times the gas cost, plus an additional miner fee, if the sender wants to be sure that the transaction will be mined in the latest block.

Arguments:

- sender *Account* - Sender Ethereum account. Senders generally pay the gas costs, so they must have enough balance to pay gas + amount sent, if any.
- transaction *NewTransaction* - All information needed to perform a transaction. Minimum is to and value. Client will add the other required fields, gas and chainId.

Returns:

- tx_hash *hex* - Transaction hash, used to get the receipt and check if the transaction was mined.

send_raw_transaction

```
EthAccountApi.send_raw_transaction(signed_transaction: str)
```

Sends a signed and encoded transaction.

Arguments:

- signed_transaction - Signed keccak hash of the serialized transaction Client will add the other required fields, gas and chainId.

Returns:

- tx_hash *hex* - Transaction hash, used to get the receipt and check if the transaction was mined.

estimate_gas

```
EthAccountApi.estimate_gas(transaction: NewTransaction)
```

Gas estimation for transaction. Used to fill transaction.gas field. Check RawTransaction docs for more on gas.

Arguments:

- `transaction` - Unsent transaction to be estimated. Important that the fields data or/and value are filled in.

Returns:

- `gas int` - Calculated gas in Wei.

transaction_count

```
EthAccountApi.transaction_count(address: str, at_block: int = 'latest')
```

Number of transactions mined from this address. Used to set transaction nonce. Nonce is a value that will make a transaction fail in case it is different from (transaction count + 1). It exists to mitigate replay attacks.

Arguments:

- `address str` - Ethereum account address
- `at_block int` - Block number

Returns:

- `tx_count int` - Number of transactions mined from this address.

checksum_address

```
EthAccountApi.checksum_address(address: str, add_chain_id: bool = True)
```

Will convert an upper or lowercase Ethereum address to a checksum address, that uses case to encode values. See [EIP55](#).

Arguments:

- `address` - Ethereum address string or object.
- `add_chain_id bool` - Will append the chain id of the address, for multi-chain support, canonical for Eth.

Returns:

- `checksum_address` - EIP-55 compliant, mixed-case address object.

12.3.6 EthContractApi

```
EthContractApi(self, runtime: In3Runtime, factory: EthObjectFactory)
```

Manages smart-contract data and transactions

call

```
EthContractApi.call(transaction: NewTransaction,  
block_number: int = 'latest')
```

Calls a smart-contract method. Will be executed locally by Incubed's EVM or signed and sent over to save the state changes. Check <https://ethereum.stackexchange.com/questions/3514/how-to-call-a-contract-method-using-the-eth-call-json-rpc-api> for more.

Arguments:

transaction (NewTransaction):

- `block_number` *int or str* - Desired block number integer or 'latest', 'earliest', 'pending'.

Returns:

- `method_returned_value` - A hexadecimal. For decoding use `in3.abi_decode`.

storage_at

```
EthContractApi.storage_at(address: str,
position: int = 0,
at_block: int = 'latest')
```

Stored value in designed position at a given address. Storage can be used to store a smart contract state, constructor or just any data. Each contract consists of a EVM bytecode handling the execution and a storage to save the state of the contract. The storage is essentially a key/value store. Use `get_code` to get the smart-contract code.

Arguments:

- `address` *str* - Ethereum account address
- `position` *int* - Position index, 0x0 up to 0x64
- `at_block` *int or str* - Block number

Returns:

- `storage_at` *str* - Stored value in designed position. Use `decode('hex')` to see ascii format of the hex data.

code

```
EthContractApi.code(address: str, at_block: int = 'latest')
```

Smart-Contract bytecode in hexadecimal. If the account is a simple wallet the function will return '0x'.

Arguments:

- `address` *str* - Ethereum account address
- `at_block` *int or str* - Block number

Returns:

- `bytecode` *str* - Smart-Contract bytecode in hexadecimal.

encode

```
EthContractApi.encode(fn_signature: str, *fn_args)
```

Smart-contract ABI encoder. Used to serialize a rpc to the EVM. Based on the [Solidity specification](#). Note: Parameters refers to the list of variables in a method declaration. Arguments are the actual values that are passed in when the

method is invoked. When you invoke a method, the arguments used must match the declaration's parameters in type and order.

Arguments:

- `fn_signature str` - Function name, with parameters. i.e. `getBalance(uint256):uint256`, can contain the return types but will be ignored.
- `fn_args tuple` - Function parameters, in the same order as in passed on to `method_name`.

Returns:

- `encoded_fn_call str` - i.e. "0xf8b2cb4f001234567890123456789012345678901234567890"

decode

```
EthContractApi.decode(fn_signature: str, encoded_value: str)
```

Smart-contract ABI decoder. Used to parse rpc responses from the EVM. Based on the [Solidity specification](#).

Arguments:

- `fn_signature` - Function signature. e.g. `(address,string,uint256)` or `getBalance(address):uint256`. In case of the latter, the function signature will be ignored and only the return types will be parsed.
- `encoded_value` - Abi encoded values. Usually the string returned from a rpc to the EVM.

Returns:

- `decoded_return_values tuple` - "0x12345678901234567890123456789012345678901234567890", "0x05"

12.3.7 EthereumApi

```
EthereumApi(self, runtime: In3Runtime)
```

Module based on Ethereum's api and web3.js

keccak256

```
EthereumApi.keccak256(message: str)
```

Keccak-256 digest of the given data. Compatible with Ethereum but not with SHA3-256.

Arguments:

- `message str` - Message to be hashed.

Returns:

- `digest str` - The message digest.

gas_price

```
EthereumApi.gas_price()
```

The current gas price in Wei (1 ETH equals 100000000000000000 Wei).

Returns:

- `price int` - minimum gas value for the transaction to be mined

block_number

```
EthereumApi.block_number()
```

Returns the number of the most recent block the in3 network can collect signatures to verify. Can be changed by `Client.Config.replaceLatestBlock`. If you need the very latest block, change `Client.Config.signatureCount` to zero.

Returns:

`block_number (int)` : Number of the most recent block

block_by_hash

```
EthereumApi.block_by_hash(block_hash: str, get_full_block: bool = False)
```

Blocks can be identified by root hash of the block merkle tree (this), or sequential number in which it was mined (`get_block_by_number`).

Arguments:

- `block_hash str` - Desired block hash
- `get_full_block bool` - If true, returns the full transaction objects, otherwise only its hashes.

Returns:

- `block Block` - Desired block, if exists.

block_by_number

```
EthereumApi.block_by_number(block_number: [<class 'int'>],
get_full_block: bool = False)
```

Blocks can be identified by sequential number in which it was mined, or root hash of the block merkle tree (this) (`get_block_by_hash`).

Arguments:

- `block_number int or str` - Desired block number integer or 'latest', 'earliest', 'pending'.
- `get_full_block bool` - If true, returns the full transaction objects, otherwise only its hashes.

Returns:

- `block Block` - Desired block, if exists.

transaction_by_hash

```
EthereumApi.transaction_by_hash(tx_hash: str)
```

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%.

Arguments:

- `tx_hash` - Transaction hash.

Returns:

- `transaction` - Desired transaction, if exists.

transaction_receipt

```
EthereumApi.transaction_receipt(tx_hash: str)
```

After a transaction is received the by the client, it returns the transaction hash. With it, it is possible to gather the receipt, once a miner has mined and it is part of an acknowledged block. Because how it is possible, in distributed systems, that data is asymmetric in different parts of the system, the transaction is only “final” once a certain number of blocks was mined after it, and still it can be possible that the transaction is discarded after some time. But, in general terms, it is accepted that after 6 to 8 blocks from latest, that it is very likely that the transaction will stay in the chain.

Arguments:

- `tx_hash` - Transaction hash.

Returns:

- `tx_receipt` - The mined Transaction data including event logs.

12.3.8 Ethereum Objects

DataTransferObject

```
DataTransferObject()
```

Maps marshalling objects transferred to, and from a remote facade, in this case, libin3 rpc api. For more on design-patterns see [Martin Fowler's Catalog of Patterns of Enterprise Application Architecture](#).

Transaction

```
Transaction(self, From: str, to: str, gas: int, gasPrice: int, hash: str,
nonce: int, transactionIndex: int, blockHash: str,
value: int, input: str, publicKey: str, standardV: int,
raw: str, creates: str, chainId: int, r: int, s: int,
v: int)
```

Arguments:

- `From hex str` - Address of the sender account.
- `to hex str` - Address of the receiver account. Left undefined for a contract creation transaction.
- `gas int` - Gas for the transaction miners and execution in wei. Will get multiplied by `gasPrice`. Use `in3.eth.account.estimate_gas` to get a calculated value. Set too low and the transaction will run out of gas.
- `value int` - Value transferred in wei. The endowment for a contract creation transaction.

- *data hex str* - Either a ABI byte string containing the data of the function call on a contract, or in the case of a contract-creation transaction the initialisation code.
- *gasPrice int* - Price of gas in wei, defaults to `in3.eth.gasPrice`. Also know as `tx fee price`. Set your gas price too low and your transaction may get stuck. Set too high on your own loss. `gasLimit (int)`; Maximum gas paid for this transaction. Set by the client using this rationale if left empty: `gasLimit = G(transaction) + G(txdataonzero) × dataByteLength`. Minimum is 21000.
- *nonce int* - Number of transactions mined from this address. Nonce is a value that will make a transaction fail in case it is different from (transaction count + 1). It exists to mitigate replay attacks. This allows to overwrite your own pending transactions by sending a new one with the same nonce. Use `in3.eth.account.get_transaction_count` to get the latest value.
- *hash hex str* - Keccak of the transaction bytes, not part of the transaction. Also known as receipt, because this field is filled after the transaction is sent, by `eth_sendTransaction`
- *blockHash hex str* - Block hash that this transaction was mined in. null when its pending.
- *blockHash int* - Block number that this transaction was mined in. null when its pending.
- *transactionIndex int* - Integer of the transactions index position in the block. null when its pending.
- *signature hex str* - ECDSA of `transaction.data`, calculated `r`, `s` and `v` concatenated. `V` is parity set by `v = 27 + (r % 2)`.

NewTransaction

```
NewTransaction(self,
From: str = None,
to: str = None,
nonce: int = None,
value: int = None,
data: str = None,
gasPrice: int = None,
gasLimit: int = None,
hash: str = None,
signature: str = None)
```

Unsent transaction. Use to send a new transaction.

Arguments:

- *From hex str* - Address of the sender account.
- *to hex str* - Address of the receiver account. Left undefined for a contract creation transaction.
- *value int* - (optional) Value transferred in wei. The endowment for a contract creation transaction.
- *data hex str* - (optional) Either a ABI byte string containing the data of the function call on a contract, or in the case of a contract-creation transaction the initialisation code.
- *gasPrice int* - (optional) Price of gas in wei, defaults to `in3.eth.gasPrice`. Also know as `tx fee price`. Set your gas price too low and your transaction may get stuck. Set too high on your own loss. `gasLimit (int)`; (optional) Maximum gas paid for this transaction. Set by the client using this rationale if left empty: `gasLimit = G(transaction) + G(txdataonzero) × dataByteLength`. Minimum is 21000.
- *nonce int* - (optional) Number of transactions mined from this address. Nonce is a value that will make a transaction fail in case it is different from (transaction count + 1). It exists to mitigate replay attacks. This allows to overwrite your own pending transactions by sending a new one with the same nonce. Use `in3.eth.account.get_transaction_count` to get the latest value.

- `hash` *hex str* - (optional) Keccak of the transaction bytes, not part of the transaction. Also known as receipt, because this field is filled after the transaction is sent.
- `signature` *hex str* - (optional) ECDSA of transaction, r, s and v concatenated. V is parity set by $v = 27 + (r \% 2)$.

Filter

```
Filter(self, fromBlock: int, toBlock: int, address: str, topics: list,
        blockhash: str)
```

Filters are event catchers running on the Ethereum Client. Incubed has a client-side implementation. An event will be stored in case it is within to and from blocks, or in the block of blockhash, contains a transaction to the designed address, and has a word listed on topics.

Log

```
Log(self, address: <built-in function hex>,
     blockHash: <built-in function hex>, blockNumber: int,
     data: <built-in function hex>, logIndex: int, removed: bool,
     topics: [<built-in function hex>],
     transactionHash: <built-in function hex>, transactionIndex: int,
     transactionLogIndex: int, Type: str)
```

Transaction Log for events and data returned from smart-contract method calls.

TransactionReceipt

```
TransactionReceipt(self,
                    blockHash: <built-in function hex>,
                    blockNumber: int,
                    cumulativeGasUsed: int,
                    From: str,
                    gasUsed: int,
                    logsBloom: <built-in function hex>,
                    status: int,
                    transactionHash: <built-in function hex>,
                    transactionIndex: int,
                    logs: [<class 'in3.eth.model.Log'>] = None,
                    to: str = None,
                    contractAddress: str = None)
```

Receipt from a mined transaction.

Arguments:

`blockHash`: `blockNumber`:

- `cumulativeGasUsed` - total amount of gas used by block `From`:
- `gasUsed` - amount of gas used by this specific transaction `logsBloom`:
- `status` - 1 if transaction succeeded, 0 otherwise. `transactionHash`: `transactionIndex`:
- `to` - Account to which this transaction was sent. If the transaction was a contract creation this value is set to `None`.

- `contractAddress` - Contract Account address created, if the transaction was a contract creation, or `None` otherwise.

Account

```
Account(self,
address: str,
chain_id: int,
secret: int = None,
domain: str = None)
```

An Ethereum account.

Arguments:

- `address` - Account address. Derived from public key.
- `chain_id` - ID of the chain the account is used in.
- `secret` - Account private key. A 256 bit number.
- `domain` - ENS Domain name. ie. niceguy.eth

12.4 Library Runtime

Shared Library Runtime module

Loads `libin3` according to host hardware architecture and OS. Maps symbols, methods and types from the library. Encapsulates low-level rpc calls into a comprehensive runtime.

12.4.1 In3Runtime

```
In3Runtime(self,
chain_id: int,
transport_fn,
cache_enabled: bool = True,
deterministic_node_sel: bool = False)
```

Instantiate `libin3` and frees it when garbage collected.

Arguments:

- `chain_id int` - Chain-id based on EIP-155. Default is 0x1 for Ethereum mainNet.
- `transport_fn` - Transport function to handle the HTTP Incubed Network requests.
- `cache_enabled bool` - False will disable local storage cache.
- `deterministic_node_sel bool` - True will make node selection deterministic.

12.4.2 in3.libin3.rpc_api

Load `libin3` shared library for the current system, map function ABI, sets in3 network transport functions.

libin3_new

```
libin3_new(chain_id: int,
transport_fn,
cache_enabled: bool = True,
deterministic_node_sel: bool = False)
```

Instantiate new In3 Client instance.

Arguments:

- `chain_id` *int* - Chain id as integer
- `transport_fn` - (c.CFUNCTYPE)Transport plugin function for the in3 network requests
- `cache_enabled` *bool* - False will disable local storage cache.
- `deterministic_node_sel` - (bool): True will enable in3 node selection to be deterministic

Returns:

- `instance` *int* - Memory address of the client instance, return value from `libin3_new`

libin3_free

```
libin3_free(instance: int)
```

Free In3 Client objects from memory.

Arguments:

- `instance` *int* - Memory address of the client instance, return value from `libin3_new`

libin3_call

```
libin3_call(instance: int, fn_name: bytes, fn_args: bytes)
```

Make Remote Procedure Call to an arbitrary method of a libin3 instance

Arguments:

- `instance` *int* - Memory address of the client instance, return value from `libin3_new`
- `fn_name` *bytes* - Name of function that will be called in the client rpc.
- `fn_args` - (bytes) Serialized list of arguments, matching the parameters order of this function. i.e. ['0x123']

Returns:

- `result` *int* - Function execution status.

libin3_set_pk

```
libin3_set_pk(instance: int, private_key: bytes)
```

Register the signer module in the In3 Client instance, with selected private key loaded in memory.

Arguments:

- `instance` *int* - Memory address of the client instance, return value from `libin3_new`

- `private_key` - 256 bit number.

`libin3_in3_req_add_response`

```
libin3_in3_req_add_response(*args)
```

Transport function that registers a response to a request.

Arguments:

`*args`:

`libin3_new_bytes_t`

```
libin3_new_bytes_t(value: bytes, length: int)
```

C Bytes struct

Arguments:

- `length` - byte array length
- `value` - byte array

Returns:

- `ptr_addr` - address of the instance of this struct

`libin3_register_plugin`

```
libin3_register_plugin(instance: int,
actions: PluginAction,
action_fn: <function CFUNCTYPE at 0x101bdcdc0>,
data=None,
replace_old=True)
```

Registers a plugin. Plugins are extension modules that can perform custom actions like sign transactions, transport it, select nodes from the in3 network, and more.

Arguments:

- `instance` - In3 instance
- `actions` - Bit mask of actions the plugin can perform
- `action_fn` - Function that will handle the plugin calls according to actions
- `data` - Context data the plugin needs to know to operate
- `replace_old` - Replace old registered action handlers for defined actions

Returns:

- `in3_rpc_error_code` - OK will return 0.

13.1 Installing

The Incubed Java client uses JNI in order to call native functions. But all the native-libraries are bundled inside the jar-file. This jar file has **no** dependencies and can even be used standalone:

like

```
java -cp in3.jar in3.IN3 eth_getBlockByNumber latest false
```

13.2 How to use IN3 in android project.

1. clone `in3` in your project (or use script to update it):

```
#!/usr/bin/env sh
if [ -f in3/CMakeLists.txt ]; then
    cd in3
    git pull
    cd ..
else
    git clone https://github.com/blockchainsllc/in3.git
fi
```

1. add the native-build section and the additional source-set in your `build.gradle` in the app-folder inside the android-section:

```
externalNativeBuild {
    cmake {
        path file('../in3/CMakeLists.txt')
    }
}
sourceSets {
```

(continues on next page)

(continued from previous page)

```
main.java.srcDirs += ['../in3/java/src']
}
```

if you want to configure which modules should be included, you can also specify the `externalNativeBuild` in the `defaultConfig`:

```
defaultConfig {
    externalNativeBuild {
        cmake {
            arguments "-DBTC=OFF", "-DZKSYNC=OFF"
        }
    }
}
```

For possible options, see <https://in3.readthedocs.io/en/develop/api-c.html#cmake-options>

Now you can use any Functions as defined here <https://in3.readthedocs.io/en/develop/api-java.html>

Here is example how to use it:

<https://github.com/blockchainsllc/in3-example-android>

13.2.1 Downloading

The jar file can be downloaded from the latest release. [here](#).

Alternatively, If you wish to download Incubed using the maven package manager, add this to your pom.xml

```
<dependency>
  <groupId>it.slock</groupId>
  <artifactId>in3</artifactId>
  <version>2.21</version>
</dependency>
```

After which, install in3 with `mvn install`.

13.2.2 Building

For building the shared library you need to enable java by using the `-DJAVA=true` flag:

```
git clone git@github.com:slockit/in3-c.git
mkdir -p in3-c/build
cd in3-c/build
cmake -DJAVA=true .. && make
```

You will find the `in3.jar` in the `build/lib` - folder.

13.2.3 Android

In order to use Incubed in android simply follow these steps:

13.3 Examples

13.3.1 CallFunction

source : in3-c/java/examples/CallFunction.java

Calling Functions of Contracts

```
// This Example shows how to call functions and use the decoded results. Here we get
↳ the struct from the registry.

import in3.*;
import in3.eth1.*;

public class CallFunction {
    //
    public static void main(String[] args) {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also dthe
↳ default)

        // call a contract, which uses eth_call to get the result.
        Object[] result = (Object[]) in3.getEth1API().call( // call
↳ a function of a contract
            "0x2736D225f85740f42D17987100dc8d58e9e16252", //
↳ address of the contract
            "servers(uint256):(string,address,uint256,uint256,uint256,address)", //
↳ function signature
            1); // first
↳ argument, which is the index of the node we are looking for.

        System.out.println("url      : " + result[0]);
        System.out.println("owner    : " + result[1]);
        System.out.println("deposit  : " + result[2]);
        System.out.println("props    : " + result[3]);
    }
}
```

13.3.2 Configure

source : in3-c/java/examples/Configure.java

Changing the default configuration

```
// In order to change the default configuration, just use the classes inside in3.
↳ config package.

package in3;

import in3.*;
import in3.config.*;
import in3.eth1.Block;

public class Configure {
    //
    public static void main(String[] args) {
```

(continues on next page)

(continued from previous page)

```

// create incubed client
IN3 in3 = IN3.forChain(Chain.GOERLI); // set it to goerli

// Setup a Configuration object for the client
ClientConfiguration clientConfig = in3.getConfig();
clientConfig.setReplaceLatestBlock(6); // define that latest will be -6
clientConfig.setAutoUpdateList(false); // prevents node automatic update
clientConfig.setMaxAttempts(1); // sets max attempts to 1 before giving up
clientConfig.setProof(Proof.none); // does not require proof (not recommended)

// Setup the ChainConfiguration object for the nodes on a certain chain
NodeRegistryConfiguration chainConfiguration = clientConfig.getNodeRegistry();
chainConfiguration.setNeedsUpdate(false);
chainConfiguration.setContract("0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f");
chainConfiguration.setRegistryId(
↪ "0x23d5345c5c13180a8080bd5ddb7cde64683755dcce6e734d95b7b573845facb");

Block block = in3.getEth1API().getBlockByNumber(Block.LATEST, true);
System.out.println(block.getHash());
}
}

```

13.3.3 GetBalance

source : in3-c/java/examples/GetBalance.java

getting the Balance with or without API

```

import in3.*;
import in3.eth1.*;
import java.math.BigInteger;
import java.util.*;

public class GetBalance {

    static String AC_ADDR = "0xc94770007dda54cF92009BFF0dE90c06F603a09f";

    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also the_
↪ default)

        System.out.println("Balance API" + getBalanceAPI(in3).longValue());

        System.out.println("Balance RPC " + getBalanceRPC(in3));
    }

    static BigInteger getBalanceAPI(IN3 in3) {
        return in3.getEth1API().getBalance(AC_ADDR, Block.LATEST);
    }

    static String getBalanceRPC(IN3 in3) {
        return in3.sendRPC("eth_getBalance", new Object[] {AC_ADDR, "latest"});
    }
}

```

13.3.4 GetBlockAPI

source : in3-c/java/examples/GetBlockAPI.java

getting a block with API

```
import in3.*;
import in3.eth1.*;
import java.math.BigInteger;
import java.util.*;

public class GetBlockAPI {
    //
    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also the_
        ↪default)

        // read the latest Block including all Transactions.
        Block latestBlock = in3.getEth1API().getBlockByNumber(Block.LATEST, true);

        // Use the getters to retrieve all containing data
        System.out.println("current BlockNumber : " + latestBlock.getNumber());
        System.out.println("mined at : " + new Date(latestBlock.getTimestamp()) + " by " +
        ↪ latestBlock.getAuthor());

        // get all Transaction of the Block
        Transaction[] transactions = latestBlock.getTransactions();

        BigInteger sum = BigInteger.valueOf(0);
        for (int i = 0; i < transactions.length; i++)
            sum = sum.add(transactions[i].getValue());

        System.out.println("total Value transfered in all Transactions : " + sum + " wei
        ↪");
    }
}
```

13.3.5 GetBlockRPC

source : in3-c/java/examples/GetBlockRPC.java

getting a block without API

```
import in3.*;
import in3.eth1.*;
import java.math.BigInteger;
import java.util.*;

public class GetBlockRPC {
    //
    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also the_
        ↪default)

        // read the latest Block without the Transactions.
```

(continues on next page)

(continued from previous page)

```
String result = in3.sendRPC("eth_getBlockByNumber", new Object[] {"latest", false}
↪);

// print the json-data
System.out.println("current Block : " + result);
}
}
```

13.3.6 GetTransaction

source : in3-c/java/examples/GetTransaction.java

getting a Transaction with or without API

```
import in3.*;
import in3.eth1.*;
import java.math.BigInteger;
import java.util.*;

public class GetTransaction {

    static String TXN_HASH =
↪ "0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e";

    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also dthe_
↪ default)

        Transaction txn = getTransactionAPI(in3);
        System.out.println("Transaction API #blockNumber: " + txn.getBlockNumber());

        System.out.println("Transaction RPC : " + getTransactionRPC(in3));
    }

    static Transaction getTransactionAPI(IN3 in3) {
        return in3.getEth1API().getTransactionByHash(TXN_HASH);
    }

    static String getTransactionRPC(IN3 in3) {
        return in3.sendRPC("eth_getTransactionByHash", new Object[] {TXN_HASH});
    }
}
```

13.3.7 GetTransactionReceipt

source : in3-c/java/examples/GetTransactionReceipt.java

getting a TransactionReceipt with or without API

```
import in3.*;
import in3.eth1.*;
import java.math.BigInteger;
import java.util.*;
```

(continues on next page)

(continued from previous page)

```

public class GetTransactionReceipt {
    static String TRANSACTION_HASH =
↳ "0xdd80249a0631cf0f1593c7a9c9f9b8545e6c88ab5252287c34bc5d12457eab0e";

    //
    public static void main(String[] args) throws Exception {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also the_
↳ default)

        TransactionReceipt txn = getTransactionReceiptAPI(in3);
        System.out.println("TransactionReceipt API : for txIndex " + txn.
↳ getTransactionIndex() + " Block num " + txn.getBlockNumber() + " Gas used " + txn.
↳ getGasUsed() + " status " + txn.getStatus());

        System.out.println("TransactionReceipt RPC : " + getTransactionReceiptRPC(in3));
    }

    static TransactionReceipt getTransactionReceiptAPI(IN3 in3) {
        return in3.getEth1API().getTransactionReceipt(TRANSACTION_HASH);
    }

    static String getTransactionReceiptRPC(IN3 in3) {
        return in3.sendRPC("eth_getTransactionReceipt", new Object[] {TRANSACTION_HASH});
    }
}

```

13.3.8 SendTransaction

source : in3-c/java/examples/SendTransaction.java

Sending Transactions

```

// In order to send, you need a Signer. The SimpleWallet class is a basic_
↳ implementation which can be used.

package in3;

import in3.*;
import in3.eth1.*;
import java.io.IOException;
import java.math.BigInteger;
import java.nio.charset.StandardCharsets;
import java.nio.file.Files;
import java.nio.file.Paths;

public class SendTransaction {
    //
    public static void main(String[] args) throws IOException {
        // create incubed
        IN3 in3 = IN3.forChain(Chain.MAINNET); // set it to mainnet (which is also dthe_
↳ default)

        // create a wallet managing the private keys

```

(continues on next page)

(continued from previous page)

```

SimpleWallet wallet = new SimpleWallet();

// add accounts by adding the private keys
String keyFile      = "myKey.json";
String myPassphrase = "<secret>";

// read the keyfile and decoded the private key
String account = wallet.addKeyStore(
    Files.readString(Paths.get(keyFile)),
    myPassphrase);

// use the wallet as signer
in3.setSigner(wallet);

String      receipt = "0x12345678901234567890123456789012345678901234567890";
BigInteger value    = BigInteger.valueOf(100000);

// create a Transaction
TransactionRequest tx = new TransactionRequest();
tx.setFrom(account);
tx.setTo("0x12345678901234567890123456789012345678901234567890");
tx.setFunction("transfer(address,uint256)");
tx.setParams(new Object[] {receipt, value});

String txHash = in3.getEth1API().sendTransaction(tx);

System.out.println("Transaction sent with hash = " + txHash);
}
}

```

13.3.9 Building

In order to run those examples, you only need a Java SDK installed.

```
./build.sh
```

will build all examples in this directory.

In order to run a example use

```
java -cp $IN3/build/lib/in3.jar:. GetBlockAPI
```

13.4 Package in3

13.4.1 class BlockID

fromHash

```
public static BlockID fromHash(String hash);
```

arguments:

String	hash
--------	------

fromNumber

```
public static BlockID fromNumber(long number);
```

arguments:

<i>long</i>	number
-------------	---------------

getNumber

```
public Long getNumber();
```

setNumber

```
public void setNumber(long block);
```

arguments:

<i>long</i>	block
-------------	--------------

getHash

```
public String getHash();
```

setHash

```
public void setHash(String hash);
```

arguments:

<i>String</i>	hash
---------------	-------------

toJSON

```
public String toJSON();
```

toString

```
public String toString();
```

13.4.2 class Chain

Constants for Chain-specs.

MAINNET

use mainnet

Type: static final *long*

TOBALABA

use tobalaba testnet

Type: `static final long`

GOERLI

use goerli testnet

Type: `static final long`

EWC

use ewf chain

Type: `static final long`

IPFS

use ipfs

Type: `static final long`

VOLTA

use volta test net

Type: `static final long`

LOCAL

use local client

Type: `static final long`

BTC

use bitcoin client

Type: `static final long`

13.4.3 class IN3

This is the main class creating the incubed client.

The client can then be configured.

IN3

creates a client with the default config.

```
public IN3();
```


getConfig

returns the current configuration.

any changes to the configuration will be applied with the next request.

```
public ClientConfiguration getConfig();
```

setSigner

sets the signer or wallet.

```
public void setSigner(Signer signer);
```

arguments:

<i>Signer</i>	signer
---------------	--------

getSigner

returns the signer or wallet.

```
public Signer getSigner();
```

getIpfs

gets the ipfs-api

```
public in3.ipfs.API getIpfs();
```

getZksync

gets the zksync-api

```
public in3.zksync.API getZksync();
```

getBtcAPI

gets the btc-api

```
public in3.btc.API getBtcAPI();
```

getEth1API

gets the ethereum-api

```
public in3.eth1.API getEth1API();
```

getCrypto

gets the utils/crypto-api

```
public Crypto getCrypto();
```

setStorageProvider

provides the ability to cache content like nodelists, contract codes and validatorlists

```
public void setStorageProvider(StorageProvider val);
```

arguments:

<i>StorageProvider</i>	val
------------------------	------------

getStorageProvider

provides the ability to cache content

```
public StorageProvider getStorageProvider();
```

setTransport

sets The transport interface.

This allows to fetch the result of the incubed in a different way.

```
public void setTransport(IN3Transport newTransport);
```

arguments:

<i>IN3Transport</i>	newTransport
---------------------	---------------------

getTransport

returns the current transport implementation.

```
public IN3Transport getTransport();
```

getChainId

servers to filter for the given chain.

The chain-id based on EIP-155.

```
public native long getChainId();
```

setChainId

sets the chain to be used.

The chain-id based on EIP-155.

```
public native void setChainId(long val);
```

arguments:

<i>long</i>	val
-------------	------------

send

send a request.

The request must a valid json-string with method and params

```
public String send(String request);
```

arguments:

<code>String</code>	request
---------------------	----------------

sendobject

send a request but returns a object like array or map with the parsed response.

The request must a valid json-string with method and params

```
public Object sendobject(String request);
```

arguments:

<code>String</code>	request
---------------------	----------------

sendRPC

send a RPC request by only passing the method and params.

It will create the raw request from it and return the result.

```
public String sendRPC(String method, Object[] params);
```

arguments:

<code>String</code>	method
<code>Object[]</code>	params

sendRPCasObject

```
public Object sendRPCasObject(String method, Object[] params, boolean useEnsResolver);
```

arguments:

<code>String</code>	method
<code>Object[]</code>	params
<code>boolean</code>	useEnsResolver

sendRPCasObject

send a RPC request by only passing the method and params.

It will create the raw request from it and return the result.

```
public Object sendRPCasObject(String method, Object[] params);
```

arguments:

String	method
Object []	params

cacheClear

clears the cache.

```
public boolean cacheClear();
```

nodeList

retrieves the node list

```
public IN3Node [] nodeList();
```

sign

request for a signature of an already verified hash.

```
public SignedBlockHash [] sign(BlockID [] blocks, String [] dataNodeAddresses);
```

arguments:

<i>BlockID</i> []	blocks
String []	dataNodeAddresses

forChain

create a Incubed client using the chain-config.

if chainId is Chain.MULTICHAIN, the client can later be switched between different chains, for all other chains, it will be initialized only with the chainspec for this one chain (safes memory)

```
public static IN3 forChain(long chainId);
```

arguments:

long	chainId
------	----------------

getVersion

returns the current incubed version.

```
public static native String getVersion();
```

main

```
public static void main(String[] args);
```

arguments:

<i>String</i> []	args
------------------	-------------

13.4.4 class IN3DefaultTransport

handle

```
public byte[][] handle(String method, String[] urls, byte[] payload, String[] headers);
```

arguments:

<i>String</i>	method
<i>String</i> []	urls
<i>byte</i> []	payload
<i>String</i> []	headers

13.4.5 class IN3Node

getUrl

```
public String getUrl();
```

getAddress

```
public String getAddress();
```

getIndex

```
public int getIndex();
```

getDeposit

```
public String getDeposit();
```

getProps

```
public long getProps();
```

getTimeout

```
public int getTimeout();
```

getRegisterTime

```
public int getRegisterTime();
```

getWeight

```
public int getWeight();
```

13.4.6 class IN3Props**IN3Props**

```
public IN3Props();
```

setDataNodes

```
public void setDataNodes(String[] addresses);
```

arguments:

<i>String</i> []	addresses
------------------	------------------

setSignerNodes

```
public void setSignerNodes(String[] addresses);
```

arguments:

<i>String</i> []	addresses
------------------	------------------

toString

```
public String toString();
```

toJSON

```
public String toJSON();
```

13.4.7 class Loader**loadLibrary**

```
public static void loadLibrary();
```

13.4.8 class NodeList

getNodes

returns an array of IN3Node

```
public IN3Node[] getNodes();
```

13.4.9 class NodeProps

NODE_PROP_PROOF

Type: static final long

NODE_PROP_MULTICHAIN

Type: static final long

NODE_PROP_ARCHIVE

Type: static final long

NODE_PROP_HTTP

Type: static final long

NODE_PROP_BINARY

Type: static final long

NODE_PROP_ONION

Type: static final long

NODE_PROP_STATS

Type: static final long

13.4.10 class SignedBlockHash

getBlockHash

```
public String getBlockHash();
```

getBlock

```
public long getBlock();
```

getR

```
public String getR();
```

getS

```
public String getS();
```

getV

```
public long getV();
```

getMsgHash

```
public String getMsgHash();
```

13.4.11 enum Proof

The Proof type indicating how much proof is required.

The enum type contains the following values:

none	0	No Verification.
standard	1	Standard Verification of the important properties.
full	2	Full Verification including even uncles wich leads to higher payload.

13.4.12 interface IN3Transport

handle

```
public byte[] [] handle(String method, String[] urls, byte[] payload, String[] headers);
```

arguments:

<i>String</i>	method
<i>String</i> []	urls
<i>byte</i> []	payload
<i>String</i> []	headers

13.5 Package in3.btc

13.5.1 class API

API for handling BitCoin data.

Use it when connected to Chain.BTC.

API

creates a btc.API using the given incubed instance.

```
public API(IN3 in3);
```

arguments:

<i>IN3</i>	in3
------------	------------

getTransaction

Retrieves the transaction and returns the data as json.

```
public Transaction getTransaction(String txid);
```

arguments:

String	txid
--------	-------------

getTransactionBytes

Retrieves the serialized transaction (bytes).

```
public byte[] getTransactionBytes(String txid);
```

arguments:

String	txid
--------	-------------

getBlockHeader

Retrieves the blockheader.

```
public BlockHeader getBlockHeader(String blockHash);
```

arguments:

String	blockHash
--------	------------------

getBlockHeaderBytes

Retrieves the byte array representing the serialized blockheader data.

```
public byte[] getBlockHeaderBytes(String blockHash);
```

arguments:

String	blockHash
--------	------------------

getBlockWithTxData

Retrieves the block including the full transaction data.

Use `Api::getBlockWithTxIds` for only the transaction ids.

```
public Block getBlockWithTxData(String blockHash);
```

arguments:

<code>String</code>	<code>blockHash</code>
---------------------	------------------------

getBlockWithTxIds

Retrieves the block including only transaction ids.

Use `Api::getBlockWithTxData` for the full transaction data.

```
public Block getBlockWithTxIds(String blockHash);
```

arguments:

<code>String</code>	<code>blockHash</code>
---------------------	------------------------

getBlockBytes

Retrieves the serialized block in bytes.

```
public byte[] getBlockBytes(String blockHash);
```

arguments:

<code>String</code>	<code>blockHash</code>
---------------------	------------------------

13.5.2 class Block

A Block.

getTransactions

Transactions or Transaction of a block.

```
public Transaction[] getTransactions();
```

getTransactionHashes

Transactions or Transaction ids of a block.

```
public String[] getTransactionHashes();
```

getSize

Size of this block in bytes.

```
public long getSize();
```

getWeight

Weight of this block in bytes.

```
public long getWeight();
```

13.5.3 class BlockHeader

A Block header.

getHash

The hash of the blockheader.

```
public String getHash();
```

getConfirmations

Number of confirmations or blocks mined on top of the containing block.

```
public long getConfirmations();
```

getHeight

Block number.

```
public long getHeight();
```

getVersion

Used version.

```
public long getVersion();
```

getVersionHex

Version as hex.

```
public String getVersionHex();
```

getMerkleroot

Merkle root of the trie of all transactions in the block.

```
public String getMerkleroot();
```

getTime

Unix timestamp in seconds since 1970.

```
public long getTime();
```

getMediantime

Unix timestamp in seconds since 1970.

```
public long getMediantime();
```

getNonce

Nonce-field of the block.

```
public long getNonce();
```

getBits

Bits (target) for the block as hex.

```
public String getBits();
```

getDifficulty

Difficulty of the block.

```
public float getDifficulty();
```

getChainwork

Total amount of work since genesis.

```
public String getChainwork();
```

getNTx

Number of transactions in the block.

```
public long getNTx();
```

getPreviousblockhash

Hash of the parent blockheader.

```
public String getPreviousblockhash();
```

getNextblockhash

Hash of the next blockheader.

```
public String getNextblockhash();
```

13.5.4 class ScriptPubKey

Script on a transaction output.

getAsm

The hash of the blockheader.

```
public String getAsm();
```

getHex

The raw hex data.

```
public String getHex();
```

getReqSigs

The required sigs.

```
public long getReqSigs();
```

getType

The type e.g.

: pubkeyhash.

```
public String getType();
```

getAddresses

List of addresses.

```
public String[] getAddresses();
```

13.5.5 class ScriptSig

Script on a transaction input.

ScriptSig

```
public ScriptSig(JSON data);
```

arguments:

<i>JSON</i>	data
-------------	------

getAsm

The asm data.

```
public String getAsm();
```

getHex

The raw hex data.

```
public String getHex();
```

13.5.6 class Transaction

A BitCoin Transaction.

asTransaction

```
public static Transaction asTransaction(Object o);
```

arguments:

Object	0
--------	---

asTransactions

```
public static Transaction[] asTransactions(Object o);
```

arguments:

Object	0
--------	---

getTxid

Transaction Id.

```
public String getTxid();
```

getHash

The transaction hash (differs from txid for witness transactions).

```
public String getHash();
```

getVersion

The version.

```
public long getVersion();
```

getSize

The serialized transaction size.

```
public long getSize();
```

getVsize

The virtual transaction size (differs from size for witness transactions).

```
public long getVsize();
```

getWeight

The transactions weight (between vsize4-3 and vsize4).

```
public long getWeight();
```

getLocktime

The locktime.

```
public long getLocktime();
```

getHex

The hex representation of raw data.

```
public String getHex();
```

getBlockhash

The block hash of the block containing this transaction.

```
public String getBlockhash();
```

getConfirmations

The confirmations.

```
public long getConfirmations();
```

getTime

The transaction time in seconds since epoch (Jan 1 1970 GMT).

```
public long getTime();
```

getBlocktime

The block time in seconds since epoch (Jan 1 1970 GMT).

```
public long getBlocktime();
```

getVin

The transaction inputs.

```
public TransactionInput[] getVin();
```

getVout

The transaction outputs.

```
public TransactionOutput[] getVout();
```

13.5.7 class TransactionInput

Input of a transaction.

getTxid

The transaction id.

```
public String getTxid();
```

getYout

The index of the transactionoutput.

```
public long getYout();
```

getScriptSig

The script.

```
public ScriptSig getScriptSig();
```

getTxinwitness

Hex-encoded witness data (if any).

```
public String[] getTxinwitness();
```

getSequence

The script sequence number.

```
public long getSequence();
```

13.5.8 class TransactionOutput

A BitCoin Transaction.

TransactionOutput

```
public TransactionOutput(JSON data);
```

arguments:

<i>JSON</i>	data
-------------	-------------

getValue

The value in bitcoins.

```
public float getValue();
```

getN

The index in the transaction.

```
public long getN();
```

getScriptPubKey

The script of the transaction.

```
public ScriptPubKey getScriptPubKey();
```

13.6 Package in3.config

13.6.1 class ClientConfiguration

Configuration Object for Incubed Client.

It holds the state for the root of the configuration tree. Should be retrieved from the client instance as IN3::getConfig()

ClientConfiguration

```
public ClientConfiguration(Object json);
```

arguments:

<i>Object</i>	json
---------------	-------------

getRequestCount

```
public Integer getRequestCount();
```

setRequestCount

sets the number of requests send when getting a first answer

```
public void setRequestCount(Integer requestCount);
```

arguments:

<i>Integer</i>	requestCount
----------------	---------------------

isAutoUpdateList

```
public Boolean isAutoUpdateList();
```

setAutoUpdateList

activates the auto update.if true the nodelist will be automatically updated if the lastBlock is newer

```
public void setAutoUpdateList(boolean autoUpdateList);
```

arguments:

<i>boolean</i>	autoUpdateList
----------------	-----------------------

getProof

```
public Proof getProof();
```

setProof

sets the type of proof used

```
public void setProof(Proof proof);
```

arguments:

<i>Proof</i>	proof
--------------	--------------

getMaxAttempts

```
public Integer getMaxAttempts();
```

setMaxAttempts

sets the max number of attempts before giving up

```
public void setMaxAttempts(int maxAttempts);
```

arguments:

<i>int</i>	maxAttempts
------------	--------------------

getSignatureCount

```
public Integer getSignatureCount();
```

setSignatureCount

sets the number of signatures used to proof the blockhash.

```
public void setSignatureCount(int signatureCount);
```

arguments:

<code>int</code>	<code>signatureCount</code>
------------------	-----------------------------

getFinality

```
public Integer getFinality();
```

setFinality

sets the number of signatures in percent required for the request

```
public void setFinality(int finality);
```

arguments:

<code>int</code>	<code>finality</code>
------------------	-----------------------

isIncludeCode

```
public Boolean isIncludeCode();
```

setIncludeCode

```
public void setIncludeCode(boolean includeCode);
```

arguments:

<code>boolean</code>	<code>includeCode</code>
----------------------	--------------------------

isBootWeights

```
public Boolean isBootWeights();
```

setBootWeights

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes.

This is used only if no nodelist is available from cache.

```
public void setBootWeights(boolean bootWeights);
```

arguments:

<code>boolean</code>	<code>bootWeights</code>
----------------------	--------------------------

isKeepIn3

```
public Boolean isKeepIn3();
```

setKeepIn3

```
public void setKeepIn3(boolean keepIn3);
```

arguments:

<code>boolean</code>	<code>keepIn3</code>
----------------------	----------------------

isUseHttp

```
public Boolean isUseHttp();
```

setUseHttp

```
public void setUseHttp(boolean useHttp);
```

arguments:

<code>boolean</code>	<code>useHttp</code>
----------------------	----------------------

isExperimental

```
public Boolean isExperimental();
```

setExperimental

```
public void setExperimental(boolean val);
```

arguments:

<code>boolean</code>	<code>val</code>
----------------------	------------------

getTimeout

```
public Long getTimeout();
```

setTimeout

specifies the number of milliseconds before the request times out.
increasing may be helpful if the device uses a slow connection.

```
public void setTimeout(long timeout);
```

arguments:

<code>long</code>	<code>timeout</code>
-------------------	----------------------

getMinDeposit

```
public Long getMinDeposit();
```

setMinDeposit

sets min stake of the server.

Only nodes owning at least this amount will be chosen.

```
public void setMinDeposit(long minDeposit);
```

arguments:

<code>long</code>	<code>minDeposit</code>
-------------------	-------------------------

getNodeProps

```
public Long getNodeProps();
```

setNodeProps

```
public void setNodeProps(long nodeProps);
```

arguments:

<code>long</code>	<code>nodeProps</code>
-------------------	------------------------

getNodeLimit

```
public Long getNodeLimit();
```

setNodeLimit

sets the limit of nodes to store in the client.

```
public void setNodeLimit(long nodeLimit);
```

arguments:

long	nodeLimit
------	------------------

getNodeRegistry

```
public NodeRegistryConfiguration getNodeRegistry();
```

getReplaceLatestBlock

```
public Integer getReplaceLatestBlock();
```

setReplaceLatestBlock

replaces the *latest* with blockNumber- specified value

```
public void setReplaceLatestBlock(int replaceLatestBlock);
```

arguments:

int	replaceLatestBlock
-----	---------------------------

getRpc

```
public String getRpc();
```

setRpc

setup an custom rpc source for requests by setting Chain to local and proof to none

```
public void setRpc(String rpc);
```

arguments:

String	rpc
--------	------------

isSynced

```
public boolean isSynced();
```

markAsSynced

```
public void markAsSynced();
```

toString

```
public String toString();
```

toJSON

generates a json-string based on the internal data.

```
public String toJSON();
```

13.6.2 class NodeConfiguration

Configuration Object for Incubed Client.

It represents the node of a nodelist.

NodeConfiguration

```
public NodeConfiguration(NodeRegistryConfiguration parent);
```

arguments:

<i>NodeRegistryConfiguration</i>	parent
----------------------------------	---------------

getUrl

```
public String getUrl();
```

setUrl

```
public void setUrl(String url);
```

arguments:

<i>String</i>	url
---------------	------------

getProps

```
public long getProps();
```

setProps

```
public void setProps(long props);
```

arguments:

<i>long</i>	props
-------------	--------------

getAddress

```
public String getAddress();
```

setAddress

```
public void setAddress(String address);
```

arguments:

String	address
--------	----------------

toString

```
public String toString();
```

toJSON

generates a json-string based on the internal data.

```
public String toJSON();
```

markAsSynced

```
public void markAsSynced();
```

isSynced

```
public boolean isSynced();
```

13.6.3 class NodeRegistryConfiguration

Part of the configuration hierarchy for IN3 Client.

Holds the configuration a node group in a particular Chain.

isNeedsUpdate

```
public Boolean isNeedsUpdate();
```

setNeedsUpdate

```
public void setNeedsUpdate(boolean needsUpdate);
```

arguments:

boolean	needsUpdate
---------	--------------------

getContract

```
public String getContract();
```

setContract

```
public void setContract(String contract);
```

arguments:

String	contract
--------	-----------------

getRegistryId

```
public String getRegistryId();
```

setRegistryId

```
public void setRegistryId(String registryId);
```

arguments:

String	registryId
--------	-------------------

getWhiteListContract

```
public String getWhiteListContract();
```

setWhiteListContract

```
public void setWhiteListContract(String whiteListContract);
```

arguments:

String	whiteListContract
--------	--------------------------

getWhiteList

```
public String[] getWhiteList();
```

setWhiteList

```
public void setWhiteList(String[] whiteList);
```

arguments:

String[]	whiteList
----------	------------------

toJSON

generates a json-string based on the internal data.

```
public String toJSON();
```

isSynced

```
public boolean isSynced();
```

markAsSynced

```
public void markAsSynced();
```

getNodesConfiguration

```
public NodeConfiguration[] getNodesConfiguration();
```

toString

```
public String toString();
```

13.6.4 interface Configuration

an Interface class, which is able to generate a JSON-String.

toJSON

generates a json-string based on the internal data.

```
public String toJSON();
```

markAsSynced

```
public void markAsSynced();
```

isSynced

```
public boolean isSynced();
```

13.7 Package in3.eth1

13.7.1 class API

a Wrapper for the incubed client offering Type-safe Access and additional helper functions.

API

creates an eth1.API using the given incubed instance.

```
public API(IN3 in3);
```

arguments:

<i>IN3</i>	in3
------------	------------

getBlockByNumber

finds the Block as specified by the number.

use `Block.LATEST` for getting the latest block.

```
public Block getBlockByNumber(long block, boolean includeTransactions);
```

arguments:

<i>long</i>	block	
<i>boolean</i>	includeTransactions	< the Blocknumber < if true all Transactions will be includes, if not only the transactionhashes

getBlockByHash

Returns information about a block by hash.

```
public Block getBlockByHash(String blockHash, boolean includeTransactions);
```

arguments:

<i>String</i>	blockHash	
<i>boolean</i>	includeTransactions	< the Blocknumber < if true all Transactions will be includes, if not only the transactionhashes

getBlockNumber

the current BlockNumber.

```
public long getBlockNumber();
```

getGasPrice

the current Gas Price.

```
public long getGasPrice();
```

getChainId

Returns the EIP155 chain ID used for transaction signing at the current best block.

Null is returned if not available.

```
public String getChainId();
```

call

calls a function of a smart contract and returns the result.

```
public Object call(TransactionRequest request, long block);
```

arguments:

<i>TransactionRequest</i>	request	
long	block	< the transaction to call. < the Block used to for the state.

returns: *Object* : the decoded result. if only one return value is expected the *Object* will be returned, if not an array of objects will be the result.

estimateGas

Makes a call or transaction, which won't be added to the blockchain and returns the used gas, which can be used for estimating the used gas.

```
public long estimateGas(TransactionRequest request, long block);
```

arguments:

<i>TransactionRequest</i>	request	
long	block	< the transaction to call. < the Block used to for the state.

returns: *long* : the gas required to call the function.

getBalance

Returns the balance of the account of given address in wei.

```
public BigInteger getBalance(String address, long block);
```

arguments:

<i>String</i>	address
long	block

getCode

Returns code at a given address.

```
public String getCode(String address, long block);
```

arguments:

String	address
long	block

getStorageAt

Returns the value from a storage position at a given address.

```
public String getStorageAt(String address, BigInteger position, long block);
```

arguments:

String	address
BigInteger	position
long	block

getBlockTransactionCountByHash

Returns the number of transactions in a block from a block matching the given block hash.

```
public long getBlockTransactionCountByHash(String blockHash);
```

arguments:

String	blockHash
--------	------------------

getBlockTransactionCountByNumber

Returns the number of transactions in a block from a block matching the given block number.

```
public long getBlockTransactionCountByNumber(long block);
```

arguments:

long	block
------	--------------

getFilterChangesFromLogs

Polling method for a filter, which returns an array of logs which occurred since last poll.

```
public Log[] getFilterChangesFromLogs(long id);
```

arguments:

long	id
------	-----------

getFilterChangesFromBlocks

Polling method for a filter, which returns an array of logs which occurred since last poll.

```
public String[] getFilterChangesFromBlocks(long id);
```

arguments:

long	id
------	-----------

getFilterLogs

Polling method for a filter, which returns an array of logs which occurred since last poll.

```
public Log[] getFilterLogs(long id);
```

arguments:

long	id
------	-----------

getLogs

Polling method for a filter, which returns an array of logs which occurred since last poll.

```
public Log[] getLogs(LogFilter filter);
```

arguments:

<i>LogFilter</i>	filter
------------------	---------------

getTransactionByBlockHashAndIndex

Returns information about a transaction by block hash and transaction index position.

```
public Transaction getTransactionByBlockHashAndIndex(String blockHash, int index);
```

arguments:

String	blockHash
int	index

getTransactionByBlockNumberAndIndex

Returns information about a transaction by block number and transaction index position.

```
public Transaction getTransactionByBlockNumberAndIndex(long block, int index);
```

arguments:

long	block
int	index

getTransactionByHash

Returns the information about a transaction requested by transaction hash.

```
public Transaction getTransactionByHash(String transactionHash);
```

arguments:

String	transactionHash
--------	------------------------

getTransactionCount

Returns the number of transactions sent from an address.

```
public BigInteger getTransactionCount(String address, long block);
```

arguments:

String	address
long	block

getTransactionReceipt

Returns the number of transactions sent from an address.

```
public TransactionReceipt getTransactionReceipt(String transactionHash);
```

arguments:

String	transactionHash
--------	------------------------

getUncleByBlockNumberAndIndex

Returns information about a uncle of a block number and uncle index position.

Note: An uncle doesn't contain individual transactions.

```
public Block getUncleByBlockNumberAndIndex(long block, int pos);
```

arguments:

long	block
int	pos

getUncleCountByBlockHash

Returns the number of uncles in a block from a block matching the given block hash.

```
public long getUncleCountByBlockHash(String block);
```

arguments:

String	block
--------	--------------

getUncleCountByBlockNumber

Returns the number of uncles in a block from a block matching the given block hash.

```
public long getUncleCountByBlockNumber(long block);
```

arguments:

<i>long</i>	block
-------------	--------------

newBlockFilter

Creates a filter in the node, to notify when a new block arrives.

To check if the state has changed, call `eth_getFilterChanges`.

```
public long newBlockFilter();
```

newLogFilter

Creates a filter object, based on filter options, to notify when the state changes (logs).

To check if the state has changed, call `eth_getFilterChanges`.

A note on specifying topic filters: Topics are order-dependent. A transaction with a log with topics [A, B] will be matched by the following topic filters:

[] “anything” [A] “A in first position (and anything after)” [null, B] “anything in first position AND B in second position (and anything after)” [A, B] “A in first position AND B in second position (and anything after)” [[A, B], [A, B]] “(A OR B) in first position AND (A OR B) in second position (and anything after)”

```
public long newLogFilter(LogFilter filter);
```

arguments:

<i>LogFilter</i>	filter
------------------	---------------

uninstallFilter

uninstall filter.

```
public boolean uninstallFilter(long filter);
```

arguments:

<i>long</i>	filter
-------------	---------------

sendRawTransaction

Creates new message call transaction or a contract creation for signed transactions.

```
public String sendRawTransaction(String data);
```


arguments:

String	data
--------	-------------

returns: String : transactionHash

abiEncode

encodes the arguments as described in the method signature using ABI-Encoding.

```
public String abiEncode(String signature, String[] params);
```

arguments:

String	signature
String[]	params

abiDecode

decodes the data based on the signature.

```
public String[] abiDecode(String signature, String encoded);
```

arguments:

String	signature
String	encoded

checksumAddress

converts the given address to a checksum address.

```
public String checksumAddress(String address);
```

arguments:

String	address
--------	----------------

checksumAddress

converts the given address to a checksum address.

Second parameter includes the chainId.

```
public String checksumAddress(String address, Boolean useChainId);
```

arguments:

String	address
Boolean	useChainId

ens

resolve ens-name.

```
public String ens(String name);
```

arguments:

String	name
--------	-------------

ens

resolve ens-name.

Second parameter specifies if it is an address, owner, resolver or hash.

```
public String ens(String name, ENSMMethod type);
```

arguments:

String	name
<i>ENSMMethod</i>	type

sendTransaction

sends a Transaction as described by the TransactionRequest.

This will require a signer to be set in order to sign the transaction.

```
public String sendTransaction(TransactionRequest tx);
```

arguments:

<i>TransactionRequest</i>	tx
---------------------------	-----------

call

the current Gas Price.

```
public Object call(String to, String function, Object... params);
```

arguments:

String	to
String	function
Object...	params

returns: *Object* : the decoded result. if only one return value is expected the *Object* will be returned, if not an array of objects will be the result.

13.7.2 class Block

represents a Block in ethereum.

LATEST

The latest Block Number.

Type: static long

EARLIEST

The Genesis Block.

Type: static long

getTotalDifficulty

returns the total Difficulty as a sum of all difficulties starting from genesis.

```
public BigInteger getTotalDifficulty();
```

getGasLimit

the gas limit of the block.

```
public BigInteger getGasLimit();
```

getExtraData

the extra data of the block.

```
public String getExtraData();
```

getDifficulty

the difficulty of the block.

```
public BigInteger getDifficulty();
```

getAuthor

the author or miner of the block.

```
public String getAuthor();
```

getTransactionsRoot

the roothash of the merkle tree containing all transaction of the block.

```
public String getTransactionsRoot();
```

getTransactionReceiptsRoot

the roothash of the merkle tree containing all transaction receipts of the block.

```
public String getTransactionReceiptsRoot();
```

getStateRoot

the roothash of the merkle tree containing the complete state.

```
public String getStateRoot();
```

getTransactionHashes

the transaction hashes of the transactions in the block.

```
public String[] getTransactionHashes();
```

getTransactions

the transactions of the block.

```
public Transaction[] getTransactions();
```

getTimeStamp

the unix timestamp in seconds since 1970.

```
public long getTimeStamp();
```

getSha3Uncles

the roothash of the merkle tree containing all uncles of the block.

```
public String getSha3Uncles();
```

getSize

the size of the block.

```
public long getSize();
```

getSealFields

the seal fields used for proof of authority.

```
public String[] getSealFields();
```

getHash

the block hash of the header.

```
public String getHash();
```

getLogsBloom

the bloom filter of the block.

```
public String getLogsBloom();
```

getMixHash

the mix hash of the block.

(only valid of proof of work)

```
public String getMixHash();
```

getNonce

the mix hash of the block.

(only valid of proof of work)

```
public String getNonce();
```

getNumber

the block number

```
public long getNumber();
```

getParentHash

the hash of the parent-block.

```
public String getParentHash();
```

getUncles

returns the blockhashes of all uncles-blocks.

```
public String[] getUncles();
```

hashCode

```
public int hashCode();
```

equals

```
public boolean equals(Object obj);
```

arguments:

Object	obj
--------	-----

13.7.3 class Log

a log entry of a transaction receipt.

isRemoved

true when the log was removed, due to a chain reorganization.

false if its a valid log.

```
public boolean isRemoved();
```

getLogIndex

integer of the log index position in the block.

null when its pending log.

```
public int getLogIndex();
```

getTansactionIndex

integer of the transactions index position log was created from.

null when its pending log.

```
public int getTansactionIndex();
```

getTransactionHash

Hash, 32 Bytes - hash of the transactions this log was created from.

null when its pending log.

```
public String getTransactionHash();
```

getBlockHash

Hash, 32 Bytes - hash of the block where this log was in.

null when its pending. null when its pending log.

```
public String getBlockHash();
```

getBlockNumber

the block number where this log was in.

null when its pending. null when its pending log.

```
public long getBlockNumber();
```

getAddress

20 Bytes - address from which this log originated.

```
public String getAddress();
```

getTopics

Array of 0 to 4 32 Bytes DATA of indexed log arguments.

(In solidity: The first topic is the hash of the signature of the event (e.g. Deposit(address,bytes32,uint256)), except you declared the event with the anonymous specifier.)

```
public String[] getTopics();
```

13.7.4 class LogFilter

Log configuration for search logs.

getFromBlock

```
public long getFromBlock();
```

setFromBlock

```
public void setFromBlock(long fromBlock);
```

arguments:

long	fromBlock
------	------------------

getToBlock

```
public long getToBlock();
```

setToBlock

```
public void setToBlock(long toBlock);
```

arguments:

long	toBlock
------	----------------

getAddress

```
public String getAddress();
```

setAddress

```
public void setAddress(String address);
```

arguments:

String	address
--------	----------------

getTopics

```
public Object [] getTopics();
```

setTopics

```
public void setTopics(Object [] topics);
```

arguments:

<i>Object []</i>	topics
------------------	---------------

getLimit

```
public int getLimit();
```

setLimit

```
public void setLimit(int limit);
```

arguments:

<i>int</i>	limit
------------	--------------

toString

creates a JSON-String.

```
public String toString();
```

13.7.5 class SimpleWallet

a simple Implementation for holding private keys to sing data or transactions.

getAccounts

returns the accounts supported by the wallet.

```
public String [] getAccounts();
```

addRawKey

adds a key to the wallet and returns its public address.

```
public String addRawKey(String data);
```

arguments:

<i>String</i>	data
---------------	-------------

addKeyStore

adds a key to the wallet and returns its public address.

```
public String addKeyStore(String jsonData, String passphrase);
```

arguments:

String	jsonData
String	passphrase

prepareTransaction

optional method which allows to change the transaction-data before sending it.

This can be used for redirecting it through a multisig.

```
public TransactionRequest prepareTransaction(IN3 in3, TransactionRequest tx);
```

arguments:

<i>IN3</i>	in3
<i>TransactionRequest</i>	tx

sign

signing of the raw data.

```
public byte[] sign(String data, String address, SignatureType signatureType,
    PayloadType j, JSON payload);
```

arguments:

String	data
String	address
<i>SignatureType</i>	signatureType
<i>PayloadType</i>	j
<i>JSON</i>	payload

13.7.6 class Transaction

represents a Transaction in ethereum.

asTransaction

```
public static Transaction asTransaction(Object o);
```

arguments:

Object	o
--------	----------

getBlockHash

the blockhash of the block containing this transaction.

```
public String getBlockHash();
```

getBlockNumber

the block number of the block containing this transaction.

```
public long getBlockNumber();
```

getChainId

the chainId of this transaction.

```
public String getChainId();
```

getCreatedContractAddress

the address of the deployed contract (if successfull)

```
public String getCreatedContractAddress();
```

getFrom

the address of the sender.

```
public String getFrom();
```

getHash

the Transaction hash.

```
public String getHash();
```

getData

the Transaction data or input data.

```
public String getData();
```

getNonce

the nonce used in the transaction.

```
public long getNonce();
```

getPublicKey

the public key of the sender.

```
public String getPublicKey();
```

getValue

the value send in wei.

```
public BigInteger getValue();
```

getRaw

the raw transaction as rlp encoded data.

```
public String getRaw();
```

getTo

the address of the receipient or contract.

```
public String getTo();
```

getSignature

the signature of the sender - a array of the [r, s, v]

```
public String[] getSignature();
```

getGasPrice

the gas price provided by the sender.

```
public long getGasPrice();
```

getGas

the gas provided by the sender.

```
public long getGas();
```

13.7.7 class TransactionReceipt

represents a Transaction receipt in ethereum.

getBlockHash

the blockhash of the block containing this transaction.

```
public String getBlockHash();
```

getBlockNumber

the block number of the block containing this transaction.

```
public long getBlockNumber();
```

getCreatedContractAddress

the address of the deployed contract (if successfull)

```
public String getCreatedContractAddress();
```

getFrom

the address of the sender.

```
public String getFrom();
```

getTransactionHash

the Transaction hash.

```
public String getTransactionHash();
```

getTransactionIndex

the Transaction index.

```
public int getTransactionIndex();
```

getTo

20 Bytes - The address of the receiver.

null when it's a contract creation transaction.

```
public String getTo();
```

getGasUsed

The amount of gas used by this specific transaction alone.

```
public long getGasUsed();
```

getLogs

Array of log objects, which this transaction generated.

```
public Log[] getLogs();
```

getLogsBloom

256 Bytes - A bloom filter of logs/events generated by contracts during transaction execution.

Used to efficiently rule out transactions without expected logs

```
public String getLogsBloom();
```

getRoot

32 Bytes - Merkle root of the state trie after the transaction has been executed (optional after Byzantium hard fork EIP609).

```
public String getRoot();
```

getStatus

success of a Transaction.

true indicates transaction failure , false indicates transaction success. Set for blocks mined after Byzantium hard fork EIP609, null before.

```
public boolean getStatus();
```

13.7.8 class TransactionRequest

represents a Transaction Request which should be send or called.

getFrom

```
public String getFrom();
```

setFrom

```
public void setFrom(String from);
```

arguments:

String	from
--------	------

getTo

```
public String getTo();
```

setTo

```
public void setTo(String to);
```

arguments:

String	to
--------	----

getValue

```
public BigInteger getValue();
```

setValue

```
public void setValue(BigInteger value);
```

arguments:

<i>BigInteger</i>	value
-------------------	--------------

getNonce

```
public long getNonce();
```

setNonce

```
public void setNonce(long nonce);
```

arguments:

<i>long</i>	nonce
-------------	--------------

getGas

```
public long getGas();
```

setGas

```
public void setGas(long gas);
```

arguments:

<i>long</i>	gas
-------------	------------

getGasPrice

```
public long getGasPrice();
```

setGasPrice

```
public void setGasPrice(long gasPrice);
```

arguments:

<i>long</i>	gasPrice
-------------	-----------------

getFunction

```
public String getFunction();
```

setFunction

```
public void setFunction(String function);
```

arguments:

<i>String</i>	function
---------------	-----------------

getParams

```
public Object [] getParams();
```

setParams

```
public void setParams(Object [] params);
```

arguments:

<i>Object</i> []	params
------------------	---------------

setData

```
public void setData(String data);
```

arguments:

<i>String</i>	data
---------------	-------------

getData

creates the data based on the function/params values.

```
public String getData();
```

getTransactionJson

```
public String getTransactionJson();
```

getResult

```
public Object getResult(String data);
```

arguments:

<i>String</i>	data
---------------	-------------

13.7.9 enum ENSMethod

The enum type contains the following values:

addr	0
resolver	1
hash	2
owner	3

13.8 Package in3.ipfs

13.8.1 class API

API for ipfs custom methods.

To be used along with “Chain.IPFS” on in3 instance.

API

creates a ipfs.API using the given incubed instance.

```
public API(IN3 in3);
```

arguments:

<i>IN3</i>	in3
------------	------------

get

Returns the content associated with specified multihash on success OR NULL on error.

```
public byte[] get(String multihash);
```

arguments:

<i>String</i>	multihash
---------------	------------------

put

Returns the IPFS multihash of stored content on success OR NULL on error.

```
public String put(String content);
```

arguments:

<i>String</i>	content
---------------	----------------

put

Returns the IPFS multihash of stored content on success OR NULL on error.

```
public String put(byte[] content);
```

arguments:

byte[]	content
--------	---------

13.9 Package in3.ipfs.API

13.9.1 enum Encoding

The enum type contains the following values:

base64	0
hex	1
utf8	2

13.10 Package in3.utils

13.10.1 class Account

Pojo that represents the result of an ecrecover operation (see: Crypto class).

getAddress

address from ecrecover operation.

```
public String getAddress();
```

getPublicKey

public key from ecrecover operation.

```
public String getPublicKey();
```

13.10.2 class Crypto

a Wrapper for crypto-related helper functions.

Crypto

```
public Crypto(IN3 in3);
```

arguments:

<i>IN3</i>	in3
------------	------------

signData

returns a signature given a message and a key.

```
public Signature signData(String msg, String key, SignatureType sigType);
```

arguments:

<i>String</i>	msg
<i>String</i>	key
<i>SignatureType</i>	sigType

decryptKey

```
public String decryptKey(String key, String passphrase);
```

arguments:

<i>String</i>	key
<i>String</i>	passphrase

pk2address

extracts the public address from a private key.

```
public String pk2address(String key);
```

arguments:

<i>String</i>	key
---------------	------------

pk2public

extracts the public key from a private key.

```
public String pk2public(String key);
```

arguments:

<i>String</i>	key
---------------	------------

ecrecover

extracts the address and public key from a signature.

```
public Account ecrecover(String msg, String sig);
```

arguments:

String	msg
String	sig

ecrecover

extracts the address and public key from a signature.

```
public Account ecrecover(String msg, String sig, SignatureType sigType);
```

arguments:

String	msg
String	sig
SignatureType	sigType

signData

returns a signature given a message and a key.

```
public Signature signData(String msg, String key);
```

arguments:

String	msg
String	key

13.10.3 class JSON

internal helper tool to represent a JSON-Object.

Since the internal representation of JSON in incubed uses hashes instead of name, the getter will creates these hashes.

JSON

```
public JSON();
```

get

gets the property

```
public Object get(String prop);
```

arguments:

String	prop	the name of the property.
--------	-------------	---------------------------

returns: Object : the raw object.

put

adds values.

This function will be called from the JNI-Interface.

Internal use only!

```
public void put(String key, Object val);
```

arguments:

<i>String</i>	key	the key
<i>Object</i>	val	the value object

put

adds values.

This function will be called from the JNI-Interface.

Internal use only!

```
public void put(int key, Object val);
```

arguments:

<i>int</i>	key	the hash of the key
<i>Object</i>	val	the value object

getBoolean

returns the property as boolean

```
public boolean getBoolean(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: `boolean` : the boolean value

getLong

returns the property as long

```
public long getLong(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: `long` : the long value

getDouble

returns the property as double

```
public double getDouble(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: *double* : the long value

getObject

returns the property as BigInteger

```
public Object getObject(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: *Object* : the BigInteger value

getInteger

returns the property as BigInteger

```
public Integer getInteger(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: *Integer* : the BigInteger value

getBigInteger

returns the property as BigInteger

```
public BigInteger getBigInteger(String key);
```

arguments:

<i>String</i>	key	the propertyName
---------------	------------	------------------

returns: *BigInteger* : the BigInteger value

getStringArray

returns the property as StringArray

```
public String[] getStringArray(String key);
```

arguments:

String	key	the propertyName
--------	------------	------------------

returns: `String[]` : the array or null

getString

returns the property as String or in case of a number as hexstring.

```
public String getString(String key);
```

arguments:

String	key	the propertyName
--------	------------	------------------

returns: `String` : the hexstring

toString

```
public String toString();
```

addProperty

```
public void addProperty(StringBuilder sb, String key);
```

arguments:

StringBuilder	sb
String	key

addPropertyJson

```
public void addPropertyJson(StringBuilder sb, String key, String json);
```

arguments:

StringBuilder	sb
String	key
String	json

hashCode

```
public int hashCode();
```

equals

```
public boolean equals(Object obj);
```

arguments:

Object	obj
--------	------------

asStringArray

casts the object to a String[]

```
public static String[] asStringArray(Object o);
```

arguments:

Object	o
--------	----------

asBigInteger

```
public static BigInteger asBigInteger(Object o);
```

arguments:

Object	o
--------	----------

asLong

```
public static long asLong(Object o);
```

arguments:

Object	o
--------	----------

asInt

```
public static int asInt(Object o);
```

arguments:

Object	o
--------	----------

asDouble

```
public static double asDouble(Object o);
```

arguments:

Object	o
--------	----------

asBoolean

```
public static boolean asBoolean(Object o);
```

arguments:

<i>Object</i>	o
---------------	----------

asString

```
public static String asString(Object o);
```

arguments:

<i>Object</i>	o
---------------	----------

toJson

```
public static String toJson(Object ob);
```

arguments:

<i>Object</i>	ob
---------------	-----------

appendKey

```
public static void appendKey(StringBuilder sb, String key, Object value);
```

arguments:

<i>StringBuilder</i>	sb
<i>String</i>	key
<i>Object</i>	value

parse

parses a *String* to a json-object.

If the json represents

- a object : JSON is returned
- a Array : a Array is returned
- other types the wrapped primitive typed (Boolean, Integer, Long or String) will be returned.

```
public static native Object parse(String json);
```

arguments:

<i>String</i>	json
---------------	-------------

13.10.4 class Signature

getMessage

```
public String getMessage();
```

getMessageHash

```
public String getMessageHash();
```

getSignature

```
public String getSignature();
```

getR

```
public String getR();
```

getS

```
public String getS();
```

getV

```
public long getV();
```

13.10.5 class Signer

a Interface responsible for signing data or transactions.

getAccounts

returns the accounts supported by the wallet

```
public abstract String[] getAccounts();
```

sign

signing of the raw data.

```
public abstract byte[] sign(String data, String address, SignatureType signtype,
    PayloadType payloadType, JSON meta);
```

arguments:

String	data
String	address
<i>SignatureType</i>	signtype
<i>PayloadType</i>	payloadType
<i>JSON</i>	meta

getAddressFromKey

```
public static native String getAddressFromKey(String key);
```

arguments:

String	key
--------	------------

signData

```
public static native byte[] signData(String key, String data, SignatureType signature-  
Type);
```

arguments:

String	key
String	data
<i>SignatureType</i>	signatureType

decodeKeystore

```
public static native String decodeKeystore(String keystore, String passwd);
```

arguments:

String	keystore
String	passwd

13.10.6 class TempStorageProvider

a simple Storage Provider storing the cache in the temp-folder.

getItem

returns a item from cache ()

```
public synchronized byte[] getItem(String key);
```

arguments:

String	key	the key for the item
--------	------------	----------------------

returns: synchronized byte[] : the bytes or null if not found.

setItem

stores a item in the cache.

```
public synchronized void setItem(String key, byte[] content);
```

arguments:

String	key	the key for the item
byte[]	content	the value to store

clear

clear the cache.

```
public boolean clear();
```

13.10.7 class TransportException

Exception to be thrown in case of failed request.

TransportException

constrcutor

```
public TransportException(String message, int status, int index);
```

arguments:

String	message
int	status
int	index

getIndex

```
public int getIndex();
```

getStatus

the http-status

```
public int getStatus();
```

returns: `int` :

13.10.8 enum PayloadType

The enum type contains the following values:

PL_SIGN_ANY	0.	custom data to be signed
PL_SIGN_ETHTX	1.	the payload is a ethereum-tx
PL_SIGN_BTCTX	2.	the payload is a BTC-Tx-Input
PL_SIGN_SAFETX	3.	The payload is a rlp-encoded data of a Gnosys Safe Tx.
val	4	

13.10.9 enum SignatureType

The enum type contains the following values:

eth_sign	2.	
raw	0.	< add Ethereum Signed Message- Proefix, hash and sign the data
hash	1.	< sign the data directly
val	3	< hash and sign the data

13.10.10 interface Converter

a Interface for converting values.

apply

Applies this function to the given argument.

```
public R apply(T t);
```

arguments:

<i>T</i>	<i>t</i>
----------	----------

returns: *R* : the function result

13.10.11 interface StorageProvider

Provider methods to cache data.

These data could be nodelists, contract codes or validator changes.

getItem

returns a item from cache ()

```
public byte[] getItem(String key);
```

arguments:

<i>String</i>	key	the key for the item
---------------	------------	----------------------

returns: *byte[]* : the bytes or null if not found.

setItem

stores a item in the cache.

```
public void setItem(String key, byte[] content);
```

arguments:

<i>String</i>	key	the key for the item
<i>byte[]</i>	content	the value to store

clear

clear the cache.

```
public boolean clear();
```

13.11 Package in3.zksync

13.11.1 class API

API for handling ZKSYNC transactions.

API

creates a zksync.API using the given incubed instance.

```
public API(IN3 in3);
```

arguments:

<i>IN3</i>	in3
------------	------------

getContractAddress

the address of the zksync contract.

```
public String getContractAddress();
```

getTokens

the available tokens.

```
public Token[] getTokens();
```

getAccountInfo

returns the current balance, nonce and key for the given account.

if address is null, the current configured Account will be used.

```
public Account getAccountInfo(String address);
```

arguments:

String	address
--------	----------------

getTransactionInfo

the Transaction State.

```
public Tx getTransactionInfo(String txid);
```

arguments:

String	txid
--------	-------------

getEthOpInfo

the EthOp State.

(State of a deposit or emergencyWithdraw - Transaction)

```
public EthOp getEthOpInfo(String txid);
```

arguments:

String	txid
--------	-------------

setKey

sets the sync keys and returns the confirmed pubkeyhash

```
public String setKey(String token);
```

arguments:

String	token
--------	--------------

getPubKeyHash

returns the pubkeyhash based on the current config.

```
public String getPubKeyHash();
```

getPubKey

returns the public key based on the current config.

```
public String getPubKey();
```

getSyncKey

returns the private key based on the current config.

```
public String getSyncKey();
```

getAccountAddress

returns the address of the account based on the current config.

```
public String getAccountAddress();
```

sign

signs the data and returns a musig schnorr signature.

```
public String sign(byte[] message);
```

arguments:

byte[]	message
--------	---------

verify

signs the data and returns a musig schnorr signature.

```
public boolean verify(byte[] message, String signature);
```

arguments:

byte[]	message
String	signature

getTxFee

calculates the current tx fees for the specified

```
public TxFee getTxFee(String txType, String toAddress, String token);
```

arguments:

String	txType
String	toAddress
String	token

deposit

sends the specified amount of tokens to the zksync contract as deposit for the specified amount (or null if this the same as send) returns the ethopId

```
public String deposit(BigInteger amount, String token, boolean approveDepositAmountFor-  
ERC20, String account);
```

arguments:

<i>BigInteger</i>	amount
<i>String</i>	token
<i>boolean</i>	approveDepositAmountForERC20
<i>String</i>	account

transfer

transfers the specified amount of tokens in L2 returns the txid

```
public String transfer(String toAddress, BigInteger amount, String token, String fromAc-  
count);
```

arguments:

String	toAddress
BigInteger	amount
String	token
String	fromAccount

withdraw

withdraw the specified amount of tokens to L1 returns the txid

```
public String withdraw(String toAddress, BigInteger amount, String token, String fro-  
mAccount);
```

arguments:

String	toAddress
BigInteger	amount
String	token
String	fromAccount

emergencyWithdraw

withdraw all tokens from L2 to L1.

returns the txId

```
public String emergencyWithdraw(String token);
```

arguments:

String	token
--------	-------

aggregatePubkey

aggregate the pubkey to one pubKeys for signing together as musig Schnorr signatures.

```
public String aggregatePubkey(String[] pubKeys);
```

arguments:

String[]	pubKeys
----------	---------

13.11.2 class Account

A ZKSync Account.

asAccount

```
public static Account asAccount(Object o);
```

arguments:

Object	o
--------	---

asAccounts

```
public static Account [] asAccounts(Object o);
```

arguments:

Object	o
--------	---

getAddress

The address of the Account.

```
public String getAddress();
```

getId

id or null if it is not assigned yet.

```
public Integer getId();
```

getCommitted

the committed state

```
public AccountState getCommitted();
```

getDepositing

the pending depositing state

```
public AccountState getDepositing();
```

getVerified

the verified state

```
public AccountState getVerified();
```

13.11.3 class AccountState

A ZKSync AccountState.

asAccountState

```
public static AccountState asAccountState(Object o);
```

arguments:

Object	o
--------	---

getNonce

The nonce or TransactionCount.

```
public Integer getNonce();
```

getPubKeyHash

the assigned pubkeyhash.

```
public String getPubKeyHash();
```

getBalance

the balance of the specified token (or null)

```
public BigInteger getBalance(String token);
```

arguments:

String	token
--------	--------------

13.11.4 class EthOp

A ZKSync EthOperation.

asEthOp

```
public static EthOp asEthOp(Object o);
```

arguments:

Object	o
--------	----------

isExecuted

returns true, if the operation was executed

```
public boolean isExecuted();
```

getBlockNumber

returns the BlockNumber or null if it was not executed.

```
public Long getBlockNumber();
```

isCommitted

returns true if the operation is committed in L2

```
public boolean isCommitted();
```

isVerified

returns true if the operation is verified in L1

```
public boolean isVerified();
```

13.11.5 class Token

A ZKSync Token.

asToken

```
public static Token asToken(Object o);
```

arguments:

Object	o
--------	----------

asTokens

```
public static Token[] asTokens(Object o);
```

arguments:

Object	o
--------	----------

getAddress

The token-address if the String.

```
public String getAddress();
```

getDecimals

The decimals or number of digits after the comma.

```
public int getDecimals();
```

getId

id

```
public int getId();
```

getSize

The Symbol.

```
public String getSize();
```

13.11.6 class Tx

A ZKSync Tx.

asTx

```
public static Tx asTx(Object o);
```

arguments:

Object	o
--------	----------

getBlock

The Block-number or null.

```
public Long getBlock();
```

isExecuted

true if the tx was executed.

```
public boolean isExecuted();
```

getId

the reason in case the tx failed.

```
public String getId();
```

isSuccess

if the transaction was executed, this will indicate the success.

(or null)

```
public Boolean isSuccess();
```

13.11.7 class TxFee

A ZKSync TxFee.

asTxFee

```
public static TxFee asTxFee(Object o);
```

arguments:

Object	o
--------	----------

getFeeType

the type of fee.

```
public String getFeeType();
```

getGasFee

The fee paid for gas costs.

```
public long getGasFee();
```

getGasPriceWei

The gas Price in Wei.

```
public long getGasPriceWei();
```

getGasTxAmount

The fee for the amount.

```
public long getGasTxAmount();
```

getTotalFee

The total amoiant of fee to be paid for the tx.

```
public long getTotalFee();
```

getZkpFee

The zkp fee.

```
public long getZkpFee();
```

Dotnet bindings and library for in3. Go to our [readthedocs](#) page for more on usage.

This library is based on the [C version of Incubed](#).

14.1 Runtimes

Since this is built on top of the native library, it is limited to the followin runtimes (RID)

- osx-x64
- linux-x86
- linux-x64
- win-x64
- linux-arm64

For more information, see [Rid Catalog](#).

14.2 Quickstart

14.2.1 Install with nuget

```
dotnet add package Blockchains.In3
```

14.3 Examples

14.3.1 CallSmartContractFunction

source : [in3-c/dotnet/Examples/CallSmartContractFunction//CallSmartContractFunction](#)

```
using System;
using System.Numerics;
using System.Threading.Tasks;
using In3;
using In3.Configuration;
using In3.Eth1;
using In3.Utills;

namespace CallSmartContractFunction
{
    public class Program
    {
        public static async Task Main()
        {
            // Set it to mainnet
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);
            ClientConfiguration cfg = mainnetClient.Configuration;
            cfg.Proof = Proof.Standard;

            string contractAddress = "0x2736D225f85740f42D17987100dc8d58e9e16252";

            // Create the query transaction
            TransactionRequest serverCountQuery = new TransactionRequest();
            serverCountQuery.To = contractAddress;

            // Define the function and the parameters to query the total in3 servers
            serverCountQuery.Function = "totalServers():uint256";
            serverCountQuery.Params = new object[0];

            string[] serverCountResult = (string[])await mainnetClient.Eth1.
↪Call(serverCountQuery, BlockParameter.Latest);
            BigInteger servers = DataTypeConverter.
↪HexStringToBigint(serverCountResult[0]);

            for (int i = 0; i < servers; i++)
            {
                TransactionRequest serverDetailQuery = new TransactionRequest();
                serverDetailQuery.To = contractAddress;

                // Define the function and the parameters to query the in3 servers_
↪detail
                serverDetailQuery.Function = "servers(uint256):(string,address,uint32,
↪uint256,uint256,address)";
                serverDetailQuery.Params = new object[] { i }; // index of the server_
↪(uint256) as per solidity function signature

                string[] serverDetailResult = (string[])await mainnetClient.Eth1.
↪Call(serverDetailQuery, BlockParameter.Latest);
                Console.Out.WriteLine($"Server url: {serverDetailResult[0]}");
            }
        }
    }
}
```

(continues on next page)

(continued from previous page)

```

    }
}

```

14.3.2 ConnectToEthereum

source : [in3-c/dotnet/Examples/ConnectToEthereum//ConnectToEthereum](#)

```

using System;
using System.Numerics;
using System.Threading.Tasks;
using In3;

namespace ConnectToEthereum
{
    class Program
    {
        static async Task Main()
        {
            Console.WriteLine("Ethereum Main Network");
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);
            BigInteger mainnetLatest = await mainnetClient.Eth1.BlockNumber();
            BigInteger mainnetCurrentGasPrice = await mainnetClient.Eth1.
↪GetGasPrice();
            Console.WriteLine($"Latest Block Number: {mainnetLatest}");
            Console.WriteLine($"Gas Price: {mainnetCurrentGasPrice} Wei");

            Console.WriteLine("Ethereum Goerli Test Network");
            IN3 goerliClient = IN3.ForChain(Chain.Goerli);
            BigInteger goerliLatest = await goerliClient.Eth1.BlockNumber();
            BigInteger clientCurrentGasPrice = await goerliClient.Eth1.GetGasPrice();
            Console.WriteLine($"Latest Block Number: {goerliLatest}");
            Console.WriteLine($"Gas Price: {clientCurrentGasPrice} Wei");
        }
    }
}

```

14.3.3 EnsResolver

source : [in3-c/dotnet/Examples/EnsResolver//EnsResolver](#)

```

using System;
using System.Threading.Tasks;
using In3;

namespace EnsResolver
{
    public class Program
    {
        static async Task Main()
        {
            IN3 in3 = IN3.ForChain(Chain.Mainnet);

            string cryptoKittiesDomain = "cryptokitties.eth";

```

(continues on next page)

(continued from previous page)

```
        string resolver = await in3.Eth1.Ens(cryptoKittiesDomain, ENSParameter.  
↪Resolver);  
        string owner = await in3.Eth1.Ens(cryptoKittiesDomain, ENSParameter.  
↪Owner);  
  
        Console.Out.WriteLine($"The owner of {cryptoKittiesDomain} is {owner},  
↪resolver is {resolver}.");  
    }  
}
```

14.3.4 Ipfs

source : [in3-c/dotnet/Examples/Ipfs/Ipfs](#)

```
using System;  
using System.Text;  
using System.Threading.Tasks;  
using In3;  
  
namespace Ipfs  
{  
    class Program  
    {  
        static async Task Main()  
        {  
            // Content to be stored  
            string toStore = "LOREM_IPSUM";  
  
            // Connect to ipfs.  
            IN3 ipfsClient = IN3.ForChain(Chain.Ipfs);  
  
            // Store the hash since it will be needed to fetch the content back.  
            string hash = await ipfsClient.Ipfs.Put(toStore);  
  
            //  
            byte[] storedBytes = await ipfsClient.Ipfs.Get(hash);  
            string storedStging = Encoding.UTF8.GetString(storedBytes, 0, storedBytes.  
↪Length);  
            Console.Out.WriteLine($"The stored string is: {storedStging}");  
        }  
    }  
}
```

14.3.5 Logs

source : [in3-c/dotnet/Examples/Logs/Logs](#)

```
using System;  
using System.Threading;  
using System.Threading.Tasks;  
using In3;  
using In3.Eth1;
```

(continues on next page)

(continued from previous page)

```

namespace Logs
{
    class Program
    {
        static async Task Main()
        {
            // Define an upper limit for poll since we dont want our application
            ↪potentially running forever.
            int maxIterations = 500;
            int oneSecond = 1000; // in ms

            // Connect to mainnet.
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);

            // Create a filter object pointing, in this case, to an "eventful"
            ↪contract address.
            LogFilter tetherUsFilter = new LogFilter {Address =
            ↪"0xdAC17F958D2ee523a2206206994597C13D831ec7"};

            // Create the filter to be polled for logs.
            long filterId = await mainnetClient.Eth1.NewLogFilter(tetherUsFilter);

            // Loop to initiate the poll for the logs.
            for (int i = 0; i < maxIterations; i++)
            {
                // Query for the log events since the creation of the filter or the
                ↪previous poll (this method is NOT idempotent as it retrieves a diff).
                Log[] tetherLogs = await mainnetClient.Eth1.
                ↪GetFilterChangesFromLogs(filterId);
                if (tetherLogs.Length > 0)
                {
                    Console.Out.WriteLine("Logs found: " + tetherLogs.Length);
                    break;
                }

                // Wait before next query.
                Thread.Sleep(oneSecond);
            }
        }
    }
}

```

14.3.6 SendTransaction

source : in3-c/dotnet/Examples/SendTransaction//SendTransaction

```

using System;
using System.Threading;
using System.Threading.Tasks;
using In3;
using In3.Crypto;
using In3.Eth1;

namespace SendTransaction

```

(continues on next page)

(continued from previous page)

```

{
    public class Program
    {
        static async Task Main()
        {
            IN3 goerliClient = IN3.ForChain(Chain.Goerli);

            string myPrivateKey =
↪ "0x0829B3C639A3A8F2226C8057F100128D4F7AE8102C92048BA6DE38CF4D3BC6F1";
            string receivingAddress = "0x6FA33809667A99A805b610C49EE2042863b1bb83";

            // Get the wallet, which is the default signer.
            SimpleWallet myAccountWallet = (SimpleWallet)goerliClient.Signer;

            string myAccount = myAccountWallet.AddRawKey(myPrivateKey);

            // Create the transaction request
            TransactionRequest transferWei = new TransactionRequest();
            transferWei.To = receivingAddress;
            transferWei.From = myAccount;
            transferWei.Value = 300;

            // Get the current gas prices
            long currentGasPrice = await goerliClient.Eth1.GetGasPrice();
            transferWei.GasPrice = currentGasPrice;

            long estimatedSpentGas = await goerliClient.Eth1.EstimateGas(transferWei, ↪
↪ BlockParameter.Latest);
            Console.Out.WriteLine($"Estimated gas to spend: {estimatedSpentGas}");

            string transactionHash = await goerliClient.Eth1.
↪ SendTransaction(transferWei);
            Console.Out.WriteLine($"Transaction {transactionHash} sent.");
            Thread.Sleep(30000);

            TransactionReceipt receipt = await goerliClient.Eth1.
↪ GetTransactionReceipt(transactionHash);
            Console.Out.WriteLine($"Transaction {transactionHash} mined on block
↪ {receipt.BlockNumber}.");
        }
    }
}

```

14.3.7 Build Examples

To setup and run the example projects, simply run on the respective project folder:

```
dotnet run
```

To build all of them, on the solution folder, run:

```
dotnet build
```

\n## Index\n

- *Account*

- *Address*
- *PublicKey*
- *Api*
- *Api*
- *Api*
- *Api*
 - *GetBlockBytes(blockHash)*
 - *GetBlockHeader(blockHash)*
 - *GetBlockHeaderBytes(blockHash)*
 - *GetBlockWithTxData(blockHash)*
 - *GetBlockWithTxIds(blockHash)*
 - *GetTransaction(txid)*
 - *GetTransactionBytes(txid)*
 - *DecryptKey(pk,passphrase)*
 - *EcRecover(signedData,signature,signatureType)*
 - *Pk2Address(pk)*
 - *Pk2Public(pk)*
 - *Sha3(data)*
 - *SignData(msg,pk,sigType)*
 - *AbiDecode(signature,encodedData)*
 - *AbiEncode(signature,args)*
 - *BlockNumber()*
 - *Call(request,blockNumber)*
 - *ChecksumAddress(address,shouldUseChainId)*
 - *Ens(name,type)*
 - *EstimateGas(request,blockNumber)*
 - *GetBalance(address,blockNumber)*
 - *GetBlockByHash(blockHash,shouldIncludeTransactions)*
 - *GetBlockByNumber(blockNumber,shouldIncludeTransactions)*
 - *GetBlockTransactionCountByHash(blockHash)*
 - *GetBlockTransactionCountByNumber(blockNumber)*
 - *GetChainId()*
 - *GetCode(address,blockNumber)*
 - *GetFilterChangesFromLogs(filterId)*
 - *GetFilterLogs(filterId)*
 - *GetGasPrice()*

- *GetLogs(filter)*
- *GetStorageAt(address,position,blockNumber)*
- *GetTransactionByBlockHashAndIndex(blockHash,index)*
- *GetTransactionByBlockNumberAndIndex(blockNumber,index)*
- *GetTransactionByHash(transactionHash)*
- *GetTransactionCount(address,blockNumber)*
- *GetTransactionReceipt(transactionHash)*
- *GetUncleByBlockNumberAndIndex(blockNumber,position)*
- *GetUncleCountByBlockHash(blockHash)*
- *GetUncleCountByBlockNumber(blockNumber)*
- *NewBlockFilter()*
- *NewLogFilter(filter)*
- *SendRawTransaction(transactionData)*
- *SendTransaction(tx)*
- *SendTransactionAndWait(tx)*
- *UninstallFilter(filterId)*
- *Get(multihash)*
- *Put(content)*
- *Put(content)*
- *BaseConfiguration*
- *Block*
 - *Author*
 - *Difficulty*
 - *ExtraData*
 - *GasLimit*
 - *Hash*
 - *LogsBloom*
 - *MixHash*
 - *Nonce*
 - *Number*
 - *ParentHash*
 - *ReceiptsRoot*
 - *Sha3Uncles*
 - *Size*
 - *StateRoot*
 - *Timestamp*

- *TotalDifficulty*
 - *TransactionsRoot*
 - *Uncles*
- *BlockHeader*
 - *Bits*
 - *Chainwork*
 - *Confirmations*
 - *Difficulty*
 - *Hash*
 - *Height*
 - *Mediantime*
 - *Merkleroot*
 - *NTx*
 - *Nextblockhash*
 - *Nonce*
 - *Previousblockhash*
 - *Time*
 - *Version*
 - *VersionHex*
- *BlockParameter*
 - *Earliest*
 - *Latest*
- *Block‘I*
 - *Size*
 - *Tx*
 - *Weight*
- *Chain*
 - *Btc*
 - *Evan*
 - *Ewc*
 - *Goerli*
 - *Ipfs*
 - *Local*
 - *Mainnet*
 - *Multichain*
 - *Tobalaba*

- *Volta*
- *ChainConfiguration*
 - *#ctor(chain,clientConfiguration)*
 - *Contract*
 - *NeedsUpdate*
 - *NodesConfiguration*
 - *RegistryId*
 - *WhiteList*
 - *WhiteListContract*
- *ClientConfiguration*
 - *AutoUpdateList*
 - *BootWeights*
 - *ChainsConfiguration*
 - *Finality*
 - *IncludeCode*
 - *KeepIn3*
 - *MaxAttempts*
 - *MinDeposit*
 - *NodeLimit*
 - *NodeProps*
 - *Proof*
 - *ReplaceLatestBlock*
 - *RequestCount*
 - *Rpc*
 - *SignatureCount*
 - *Timeout*
 - *UseHttp*
- *Context*
 - *#ctor(ctx,nativeClient)*
 - *CreateNativeCtx(nativeIn3Ptr,rpc)*
 - *Dispose()*
 - *Execute()*
 - *FromRpc(wrapper,rpc)*
 - *GetErrorMessage()*
 - *GetLastWaiting()*
 - *GetResponse()*

- *GetType()*
 - *HandleRequest()*
 - *HandleSign()*
 - *IsValid()*
 - *ReportError()*
- *ContextException*
- *DataTypeConverter*
 - *HexStringToBigint(source)*
- *DefaultTransport*
 - *#ctor()*
 - *Handle(url,payload)*
- *ENSParameter*
 - *Addr*
 - *Hash*
 - *Owner*
 - *Resolver*
- *IN3*
 - *#ctor(chainId)*
 - *Btc*
 - *Configuration*
 - *Crypto*
 - *Eth1*
 - *Ipfs*
 - *Signer*
 - *Storage*
 - *Transport*
 - *Finalize()*
 - *ForChain(chain)*
 - *SendRpc(method,args,in3)*
- *In3Exception*
- *InMemoryStorage*
 - *#ctor()*
 - *Clear()*
 - *GetItem(key)*
 - *SetItem(key,content)*
- *InvalidSignerException*

- *InvalidTransactionRequestException*
- *Log*
 - *Address*
 - *BlockHash*
 - *BlockNumber*
 - *Data*
 - *LogIndex*
 - *Removed*
 - *Topics*
 - *TransactionHash*
 - *TransactionIndex*
 - *Type*
- *LogFilter*
 - *#ctor()*
 - *Address*
 - *BlockHash*
 - *FromBlock*
 - *ToBlock*
 - *Topics*
- *NodeConfiguration*
 - *#ctor(config)*
 - *Address*
 - *Props*
 - *Url*
- *Proof*
 - *Full*
 - *None*
 - *Standard*
- *Props*
 - *NodePropArchive*
 - *NodePropBinary*
 - *NodePropData*
 - *NodePropHttp*
 - *NodePropMinblockheight*
 - *NodePropMultichain*
 - *NodePropOnion*

- *NodePropProof*
 - *NodePropSigner*
 - *NodePropStats*
- *RpcException*
 - *Code*
- *ScriptPubKey*
 - *Addresses*
 - *Asm*
 - *Hex*
 - *ReqSigs*
 - *Type*
- *ScriptSig*
 - *Asm*
 - *Hex*
- *SignatureType*
 - *EthSign*
 - *Hash*
 - *Raw*
- *SignedData*
 - *Message*
 - *MessageHash*
 - *R*
 - *S*
 - *Signature*
 - *V*
- *Signer*
 - *CanSign(account)*
 - *PrepareTransaction()*
 - *Sign(data,account)*
- *SimpleWallet*
 - *#ctor(in3)*
 - *AddRawKey(privateKey)*
 - *CanSign(address)*
 - *PrepareTransaction(tx)*
 - *Sign(data,address)*
- *Storage*

- *Clear()*
 - *GetItem(key)*
 - *SetItem(key,content)*
- *Transaction*
- *Transaction*
 - *Blockhash*
 - *Blocktime*
 - *Confirmations*
 - *Hash*
 - *Hex*
 - *Locktime*
 - *Size*
 - *Time*
 - *Txid*
 - *Version*
 - *Vin*
 - *Vout*
 - *Vsize*
 - *Weight*
 - *BlockHash*
 - *BlockNumber*
 - *ChainId*
 - *Creates*
 - *From*
 - *Gas*
 - *GasPrice*
 - *Hash*
 - *Input*
 - *Nonce*
 - *PublicKey*
 - *R*
 - *Raw*
 - *S*
 - *StandardV*
 - *To*
 - *TransactionIndex*

- *V*
 - *Value*
- *TransactionBlock*
 - *Transactions*
- *TransactionHashBlock*
 - *Transactions*
- *TransactionInput*
 - *ScriptSig*
 - *Sequence*
 - *Txid*
 - *Txinwitness*
 - *Yout*
- *TransactionOutput*
 - *N*
 - *ScriptPubKey*
 - *Value*
- *TransactionReceipt*
 - *BlockHash*
 - *BlockNumber*
 - *ContractAddress*
 - *From*
 - *GasUsed*
 - *Logs*
 - *LogsBloom*
 - *Root*
 - *Status*
 - *To*
 - *TransactionHash*
 - *TransactionIndex*
- *TransactionRequest*
 - *Data*
 - *From*
 - *Function*
 - *Gas*
 - *GasPrice*
 - *Nonce*

- *Params*
 - *To*
 - *Value*
- *Transport*
 - *Handle(url,payload)*

14.3.8 Account type

In3.Crypto

Composite entity that holds address and public key. It represents an Ethereum account. Entity returned from *EcRecover*.

Address property

The address.

PublicKey property

The public key.

14.3.9 Api type

In3.Btc

API for handling BitCoin data. Use it when connected to *Btc*.

14.3.10 Api type

In3.Crypto

Class that exposes utility methods for cryptographic utilities. Relies on *IN3* functionality.

14.3.11 Api type

In3.Eth1

Module based on Ethereum's api and web3. Works as a general parent for all Ethereum-specific operations.

14.3.12 Api type

In3.Ipfs

API for ipfs related methods. To be used along with *Ipfs* on *IN3*. Ipfs stands for and is a peer-to-peer hypermedia protocol designed to make the web faster, safer, and more open.

GetBlockBytes(blockHash) method

Retrieves the serialized block in bytes.

Returns

The bytes of the block.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
byte[] blockBytes = in3.Btc.GetBlockBytes(  
    ↪ "00000000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");
```

GetBlockHeader(blockHash) method

Retrieves the blockheader.

Returns

The Block header.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
BlockHeader header = in3.Btc.GetBlockHeader(  
    ↪ "000000000000000000000000cd3c5d7638014e78a5fba33be5fa5cb10ef9f03d99e60");
```

GetBlockHeaderBytes(blockHash) method

Retrieves the byte array representing the serialized blockheader data.

Returns

The Block header in bytes.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
byte[] header = in3.Btc.GetBlockHeaderBytes(  
    ↪ "0000000000000000000000cd3c5d7638014e78a5fba33be5fa5cb10ef9f03d99e60");
```

GetBlockWithTxData(blockHash) method

Retrieves the block including the full transaction data. Use *GetBlockWithTxIds* for only the transaction ids.

Returns

The block of type *Block*'1.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
Block{Transaction} block = in3.Btc.GetBlockWithTxData(  
    ↪ "000000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");  
Transaction t1 = block.Tx[0];
```

GetBlockWithTxIds(blockHash) method

Retrieves the block including only transaction ids. Use *GetBlockWithTxData* for the full transaction data.

Returns

The block of type *Block*'1.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
Block{string} block = in3.Btc.GetBlockWithTxIds(  
    ↪ "000000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");  
string t1 = block.Tx[0];
```


GetTransaction(txid) method

Retrieves the transaction and returns the data as json.

Returns

The transaction object.

Parameters

- `System.String txid` - The transaction Id.

Example

```
Transaction desiredTransaction = in3.Btc.GetTransaction(  
    ↪ "1427c7d1698e61afe061950226f1c149990b8c1e1b157320b0c4acf7d6b5605d");
```

GetTransactionBytes(txid) method

Retrieves the serialized transaction (bytes).

Returns

The byte array for the Transaction.

Parameters

- `System.String txid` - The transaction Id.

Example

```
byte[] serializedTransaction = in3.Btc.GetTransactionBytes(  
    ↪ "1427c7d1698e61afe061950226f1c149990b8c1e1b157320b0c4acf7d6b5605d");
```

DecryptKey(pk,passphrase) method

Decryot an encrypted private key.

Returns

Decrypted key.

Parameters

- `System.String pk` - Private key.
- `System.String passphrase` - Passphrase whose `pk`.

`EcRecover(signedData,signature,signatureType)` method

Recovers the account associated with the signed data.

Returns

The account.

Parameters

- `System.String signedData` - Data that was signed with.
- `System.String signature` - The signature.
- `In3.Crypto.SignatureType signatureType` - One of *SignatureType*.

`Pk2Address(pk)` method

Derives an address from the given private (`pk`) key using SHA-3 algorithm.

Returns

The address.

Parameters

- `System.String pk` - Private key.

`Pk2Public(pk)` method

Derives public key from the given private (`pk`) key using SHA-3 algorithm.

Returns

The public key.

Parameters

- `System.String pk` - Private key.

Sha3(data) method

Hash the input data using sha3 algorithm.

Returns

Hashed output.

Parameters

- `System.String data` - Content to be hashed.

SignData(msg,pk,sigType) method

Signs the data `msg` with a given private key. Refer to *SignedData* for more information.

Returns

The signed data.

Parameters

- `System.String msg` - Data to be signed.
- `System.String pk` - Private key.
- `In3.Crypto.SignatureType sigType` - Type of signature, one of *SignatureType*.

AbiDecode(signature,encodedData) method

ABI decoder. Used to parse rpc responses from the EVM. Based on the Solidity specification .

Returns

The decoded arguments for the function call given the encoded data.

Parameters

- `System.String signature` - Function signature i.e. `functionName(paramType1,paramType2,...)`. In case of the latter, the function signature will be ignored and only the return types will be parsed.
- `System.String encodedData` - Abi encoded values. Usually the string returned from a rpc to the EVM.

AbiEncode(signature,args) method

ABI encoder. Used to serialize a rpc to the EVM. Based on the Solidity specification . Note: Parameters refers to the list of variables in a method declaration. Arguments are the actual values that are passed in when the method is invoked. When you invoke a method, the arguments used must match the declaration's parameters in type and order.

Returns

The encoded data.

Parameters

- `System.String signature` - Function signature, with parameters. i.e. , can contain the return types but will be ignored.
- `System.Object[] args` - Function parameters, in the same order as in passed on to .

BlockNumber() method

Returns the number of the most recent block the in3 network can collect signatures to verify. Can be changed by *ReplaceLatestBlock*. If you need the very latest block, change *SignatureCount* to 0.

Returns

The number of the block.

Parameters

This method has no parameters.

Call(request,blockNumber) method

Calls a smart-contract method. Will be executed locally by Incubed's EVM or signed and sent over to save the state changes. Check <https://ethereum.stackexchange.com/questions/3514/how-to-call-a-contract-method-using-the-eth-call-json-rpc-api> for more.

Returns

Ddecoded result. If only one return value is expected the Object will be returned, if not an array of objects will be the result.

Parameters

- `In3.Eth1.TransactionRequest request` - The transaction request to be processed.
- `System.Numerics.BigInteger blockNumber` - Block number or *Latest* or *Earliest*.

ChecksumAddress(address,shouldUseChainId) method

Will convert an upper or lowercase Ethereum `address` to a checksum address, that uses case to encode values. See EIP55.

Returns

EIP-55 compliant, mixed-case address.

Parameters

- `System.String` **address** - Ethereum address.
- `System.Nullable{System.Boolean}` **shouldUseChainId** - If `true`, the chain id is integrated as well. Default being `false`.

Ens(name,type) method

Resolves ENS domain name.

Returns

The resolved entity for the domain.

Parameters

- `System.String` **name** - ENS domain name.
- `In3.ENSParameter` **type** - One of *ENSParameter*.

Remarks

The actual semantics of the returning value changes according to `type`.

EstimateGas(request,blockNumber) method

Gas estimation for transaction. Used to fill `transaction.gas` field. Check `RawTransaction` docs for more on gas.

Returns

Estimated gas in Wei.

Parameters

- `In3.Eth1.TransactionRequest` **request** - The transaction request whose cost will be estimated.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetBalance(address,blockNumber) method

Returns the balance of the account of given `address`.

Returns

The current balance in wei.

Parameters

- `System.String` **address** - Address to check for balance.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetBlockByHash(blockHash,shouldIncludeTransactions) method

Blocks can be identified by root hash of the block merkle tree (this), or sequential number in which it was mined *GetBlockByNumber*.

Returns

The *Block* of the requested (if exists).

Parameters

- `System.String` **blockHash** - Desired block hash.
- `System.Boolean` **shouldIncludeTransactions** - If true, returns the full transaction objects, otherwise only its hashes. The default value is `false`.

Remarks

Returning *Block* must be cast to *TransactionBlock* or *TransactionHashBlock* to access the transaction data.

GetBlockByNumber(blockNumber,shouldIncludeTransactions) method

Blocks can be identified by sequential number in which it was mined, or root hash of the block merkle tree *GetBlockByHash*.

Returns

The *Block* of the requested (if exists).

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Desired block number or *Latest* or *Earliest*.
- `System.Boolean` **shouldIncludeTransactions** - If `true`, returns the full transaction objects, otherwise only its hashes. The default value is `true`.

Example

```

TransactionBlock latest = (TransactionBlock) _client.Eth1.
↪GetBlockByNumber(BlockParameter.Latest, true);
TransactionHashBlock earliest = (TransactionHashBlock) _client.Eth1.
↪GetBlockByNumber(BlockParameter.Earliest, false);

```

Remarks

Returning *Block* must be cast to *TransactionBlock* or *TransactionHashBlock* to access the transaction data.

GetBlockTransactionCountByHash(blockHash) method

The total transactions on a block. See also *GetBlockTransactionCountByNumber*.

Returns

The number (count) of *Transaction*.

Parameters

- `System.String` **blockHash** - Desired block hash.

GetBlockTransactionCountByNumber(blockNumber) method

The total transactions on a block. See also *GetBlockTransactionCountByHash*.

Returns

The number (count) of *Transaction*.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetChainId() method

Get the *Chain* which the client is currently connected to.

Returns

The *Chain*.

Parameters

This method has no parameters.

`GetCode(address,blockNumber)` method

Smart-Contract bytecode in hexadecimal. If the account is a simple wallet the function will return '0x'.

Returns

Smart-Contract bytecode in hexadecimal.

Parameters

- `System.String` **address** - Ethereum address.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

`GetFilterChangesFromLogs(filterId)` method

Retrieve the logs for a certain filter. Logs marks changes of state on the chan for events. Equivalent to *GetFilterLogs*.

Returns

Array of logs which occurred since last poll.

Parameters

- `System.Int64` **filterId** - Id returned during the filter creation.

Remarks

Since the return is the since last poll, executing this multiple times changes the state making this a “non-idempotent” getter.

`GetFilterLogs(filterId)` method

Retrieve the logs for a certain filter. Logs marks changes of state on the blockchain for events. Equivalent to *GetFilterChangesFromLogs*.

Returns

Array of logs which occurred since last poll.

Parameters

- `System.Int64 filterId` - Id returned during the filter creation.

Remarks

Since the return is the `Log[]` since last poll, executing this multiple times changes the state making this a “non-idempotent” getter.

`GetGasPrice()` method

The current gas price in Wei (1 ETH equals 100000000000000000 Wei).

Returns

The gas price.

Parameters

This method has no parameters.

`GetLogs(filter)` method

Retrieve the logs for a certain filter. Logs marks changes of state on the blockchain for events. Unlike *GetFilterChangesFromLogs* or *GetFilterLogs* this is made to be used in a non-incremental manner (aka no poll) and will return the Logs that satisfy the filter condition.

Returns

Logs that satisfy the `filter`.

Parameters

- `In3.Eth1.LogFilter filter` - Filter conditions.

`GetStorageAt(address,position,blockNumber)` method

Stored value in designed position at a given `address`. Storage can be used to store a smart contract state, constructor or just any data. Each contract consists of a EVM bytecode handling the execution and a storage to save the state of the contract.

Returns

Stored value in designed position.

Parameters

- `System.String` **address** - Ethereum account address.
- `System.Numerics.BigInteger` **position** - Position index, 0x0 up to 100.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetTransactionByBlockHashAndIndex(blockHash,index) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%. See also *GetTransactionByBlockNumberAndIndex*.

Returns

The *Transaction* (if it exists).

Parameters

- `System.String` **blockHash** - Desired block hash.
- `System.Int32` **index** - The index of the *Transaction* in a *Block*

GetTransactionByBlockNumberAndIndex(blockNumber,index) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%.

Returns

The *Transaction* (if it exists).

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.
- `System.Int32` **index** - The index of the *Transaction* in a *Block*

GetTransactionByHash(transactionHash) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%.

Returns

The *Transaction* (if it exists).

Parameters

- `System.String transactionHash` - Desired transaction hash.

`GetTransactionCount(address,blockNumber)` method

Number of transactions mined from this `address`. Used to set transaction nonce. Nonce is a value that will make a transaction fail in case it is different from (transaction count + 1). It exists to mitigate replay attacks.

Returns

Number of transactions mined from this address.

Parameters

- `System.String address` - Ethereum account address.
- `System.Numerics.BigInteger blockNumber` - Block number or *Latest* or *Earliest*.

`GetTransactionReceipt(transactionHash)` method

After a transaction is received the by the client, it returns the transaction hash. With it, it is possible to gather the receipt, once a miner has mined and it is part of an acknowledged block. Because how it is possible, in distributed systems, that data is asymmetric in different parts of the system, the transaction is only “final” once a certain number of blocks was mined after it, and still it can be possible that the transaction is discarded after some time. But, in general terms, it is accepted that after 6 to 8 blocks from latest, that it is very likely that the transaction will stay in the chain.

Returns

The mined transaction data including event logs.

Parameters

- `System.String transactionHash` - Desired transaction hash.

`GetUncleByBlockNumberAndIndex(blockNumber,position)` method

Retrieve the of uncle of a block for the given `blockNumber` and a position. Uncle blocks are valid blocks and are mined in a genuine manner, but get rejected from the main blockchain.

Returns

The uncle block.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.
- `System.Int32` **position** - Position of the block.

GetUncleCountByBlockHash(blockHash) method

Retrieve the total of uncles of a block for the given `blockHash`. Uncle blocks are valid blocks and are mined in a genuine manner, but get rejected from the main blockchain. See *GetUncleCountByBlockNumber*.

Returns

The number of uncles in a block.

Parameters

- `System.String` **blockHash** - Desired block hash.

GetUncleCountByBlockNumber(blockNumber) method

Retrieve the total of uncles of a block for the given `blockNumber`. Uncle blocks are valid and are mined in a genuine manner, but get rejected from the main blockchain. See *GetUncleCountByBlockHash*.

Returns

The number of uncles in a block.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

NewBlockFilter() method

Creates a filter in the node, to notify when a new block arrives. To check if the state has changed, call *GetFilterChangesFromLogs*. Filters are event catchers running on the Ethereum Client. Incubed has a client-side implementation. An event will be stored in case it is within to and from blocks, or in the block of blockhash, contains a transaction to the designed address, and has a word listed on topics.

Returns

The filter id.

Parameters

This method has no parameters.

Remarks

Use the returned filter id to perform other filter operations.

NewLogFilter(filter) *method*

Creates a filter object, based on filter options, to notify when the state changes (logs). To check if the state has changed, call *GetFilterChangesFromLogs*. Filters are event catchers running on the Ethereum Client. Incubed has a client-side implementation. An event will be stored in case it is within to and from blocks, or in the block of blockhash, contains a transaction to the designed address, and has a word listed on topics.

Returns

The filter id.

Parameters

- *In3.Eth1.LogFilter* **filter** - Model that holds the data for the filter creation.

Remarks

Use the returned filter id to perform other filter operations.

SendRawTransaction(transactionData) *method*

Sends a signed and encoded transaction.

Returns

Transaction hash, used to get the receipt and check if the transaction was mined.

Parameters

- *System.String* **transactionData** - Signed keccak hash of the serialized transaction.

Remarks

Client will add the other required fields, gas and chainid id.

SendTransaction(tx) *method*

Signs and sends the assigned transaction. The *Signer* used to sign the transaction is the one set by *Signer*. Transactions change the state of an account, just the balance, or additionally, the storage and the code. Every transaction has a cost, gas, paid in Wei. The transaction gas is calculated over estimated gas times the gas cost, plus an additional miner fee, if the sender wants to be sure that the transaction will be mined in the latest block. See *SendTransactionAndWait* to wait for the *TransactionReceipt* in the same call.

Returns

Transaction hash, used to get the receipt and check if the transaction was mined.

Parameters

- *In3.Eth1.TransactionRequest tx* - All information needed to perform a transaction.

Example

```
SimpleWallet wallet = (SimpleWallet) client.Signer;
TransactionRequest tx = new TransactionRequest();
tx.From = wallet.AddRawKey(pk);
tx.To = "0x3940256B93c4BE0B1d5931A6A036608c25706B0c";
tx.Gas = 21000;
tx.Value = 100000000;
client.Eth1.SendTransaction(tx);
```

SendTransactionAndWait(tx) method

Signs and sends the assigned transaction. The *Signer* used to sign the transaction is the one set by *Signer*. Transactions change the state of an account, just the balance, or additionally, the storage and the code. Every transaction has a cost, gas, paid in Wei. The transaction gas is calculated over estimated gas times the gas cost, plus an additional miner fee, if the sender wants to be sure that the transaction will be mined in the latest block. In this particular case, the transaction will wait the receipt. See *SendTransaction* if that is not desirable.

Returns

The receipt associated with the performed transaction.

Parameters

- *In3.Eth1.TransactionRequest tx* - All information needed to perform a transaction.

Example

```
SimpleWallet wallet = (SimpleWallet) client.Signer;
TransactionRequest tx = new TransactionRequest();
tx.From = wallet.AddRawKey(pk);
tx.To = "0x3940256B93c4BE0B1d5931A6A036608c25706B0c";
tx.Gas = 21000;
tx.Value = 100000000;
client.Eth1.SendTransactionAndWait(tx);
```

UninstallFilter(filterId) method

Uninstalls a previously created filter.

Returns

The result of the operation, `true` on success or `false` on failure.

Parameters

- `System.Int64` **filterId** - The filter id returned by *NewBlockFilter*.

Get(multihash) method

Returns the content associated with specified multihash on success OR on error.

Returns

The content that was stored by *Put* or *Put*.

Parameters

- `System.String` **multihash** - The multihash.

Put(content) method

Stores content on ipfs.

Returns

The multihash.

Parameters

- `System.String` **content** - The content that will be stored via ipfs.

Put(content) method

Stores content on ipfs. The content is encoded as base64 before storing.

Returns

The multihash.

Parameters

- `System.Byte[]` **content** - The content that will be stored via ipfs.

14.3.13 BaseConfiguration type

In3.Configuration

Base class for all configuration classes.

14.3.14 Block type

In3.Eth1

Class that represents as Ethereum block.

Author property

The miner of the block.

Difficulty property

Difficulty of the block.

ExtraData property

Extra data.

GasLimit property

Gas limit.

Hash property

The block hash.

LogsBloom property

The logsBloom data of the block.

MixHash property

The mix hash of the block. (only valid of proof of work).

Nonce property

The nonce.

Number property

The index of the block.

ParentHash property

The parent block's hash.

ReceiptsRoot property

The roothash of the merkle tree containing all transaction receipts of the block.

Sha3Uncles property

The roothash of the merkle tree containing all uncles of the block.

Size property

Size of the block.

StateRoot property

The roothash of the merkle tree containing the complete state.

Timestamp property

Epoch timestamp when the block was created.

TotalDifficulty property

Total Difficulty as a sum of all difficulties starting from genesis.

TransactionsRoot property

The roothash of the merkle tree containing all transaction of the block.

Uncles property

List of uncle hashes.

14.3.15 BlockHeader type

In3.Btc

A Block header.

Bits property

Bits (target) for the block as hex.

Chainwork property

Total amount of work since genesis.

Confirmations property

Number of confirmations or blocks mined on top of the containing block.

Difficulty property

Difficulty of the block.

Hash property

The hash of the blockheader.

Height property

Block number.

Mediantime property

Unix timestamp in seconds since 1970.

Merkleroot property

Merkle root of the trie of all transactions in the block.

NTx property

Number of transactions in the block.

Nextblockhash property

Hash of the next blockheader.

Nonce property

Nonce-field of the block.

Previousblockhash property

Hash of the parent blockheader.

Time property

Unix timestamp in seconds since 1970.

Version property

Used version.

VersionHex property

Version as hex.

14.3.16 BlockParameter type

In3

Enum-like class that defines constants to be used with *Api*.

Earliest property

Genesis block.

Latest property

Constant associated with the latest mined block in the chain.

Remarks

While the parameter itself is constant the current “latest” block changes everytime a new block is mined. The result of the operations are also related to `ReplaceLatestBlock` on *ClientConfiguration*.

14.3.17 Block‘1 type

In3.Btc

A Block.

Size property

Size of this block in bytes.

Tx property

Transactions or Transaction ids of a block. *GetBlockWithTxData* or *GetBlockWithTxIds*.

Weight property

Weight of this block in bytes.

14.3.18 Chain type

In3

Represents the multiple chains supported by Incubed.

Btc constants

Bitcoin chain.

Evan constants

Evan testnet.

Ewc constants

Ewf chain.

Goerli constants

Goerli testnet.

Ipfs constants

Ipfs (InterPlanetary File System).

Local constants

Local client.

Mainnet constants

Ethereum mainnet.

Multichain constants

Support for multiple chains, a client can then switch between different chains (but consumes more memory).

Tobalaba constants

Tobalaba testnet.

Volta constants

Volta testnet.

14.3.19 ChainConfiguration type

In3.Configuration

Class that represents part of the configuration to be applied on the *IN3* (in particular to each chain). This is a child of *ClientConfiguration* and have many *NodeConfiguration*.

#ctor(chain,clientConfiguration) constructor

Constructor.

Parameters

- *In3.Chain* **chain** - One of *Chain*. The chain that this configuration is related to.
- *In3.Configuration.ClientConfiguration* **clientConfiguration** - The configuration for the client whose the chain configuration belongs to.

Example

```
ChainConfiguration goerliConfiguration = new ChainConfiguration(Chain.Goerli,
↳ in3Client.Configuration);
```

Contract property

Incubed registry contract from which the list was taken.

NeedsUpdate property

Preemptively update the node list.

NodesConfiguration property

Getter for the list of elements that represent the configuration for each node.

Remarks

This is a read-only property. To add configuration for nodes, Use *NodeConfiguration* constructor.

RegistryId property

Uuid of this incubed network. one chain could contain more than one incubed networks.

WhiteList property

Node addresses that constitute the white list of nodes.

WhiteListContract property

Address of whiteList contract.

14.3.20 ClientConfiguration type

In3.Configuration

Class that represents the configuration to be applied on *IN3*. Due to the 1-to-1 relationship with the client, this class should never be instantiated. To obtain a reference of the client configuration use *Configuration* instead.

Remarks

Use in conjunction with *ChainConfiguration* and *NodeConfiguration*.

AutoUpdateList property

If `true` the nodelist will be automatically updated. False may compromise data security.

BootWeights property

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.

ChainsConfiguration property

Configuration for the chains. Read-only attribute.

Finality property

Remarks

Beware that the semantics of the values change greatly from chain to chain. The value of 8 would mean 8 blocks mined on top of the requested one while with the POW algorithm while, for POA, it would mean 8% of validators.

IncludeCode property

Code is included when sending `eth_call`-requests.

KeepIn3 property

The `in3`-section (custom node on the RPC call) with the proof will also be returned.

MaxAttempts property

Maximum times the client will retry to contact a certain node.

MinDeposit property

Only nodes owning at least this amount will be chosen to sign responses to your requests.

NodeLimit property

Limit nodes stored in the client.

NodeProps property

Props define the capabilities of the nodes. Accepts a combination of values.

Example

```
clientConfiguration.NodeProps = Props.NodePropProof | Props.NodePropArchive;
```

Proof property

One of *Proof*. *Full* gets the whole block Patricia-Merkle-Tree, *Standard* only verifies the specific tree branch concerning the request, *None* only verifies the root hashes, like a light-client does.

ReplaceLatestBlock property

Distance considered safe, consensus wise, from the very latest block. Higher values exponentially increases state finality, and therefore data security, as well guaranteed responses from in3 nodes.

RequestCount property

Useful when *SignatureCount* is less than 1. The client will check for consensus in responses.

Rpc property

Setup an custom rpc source for requests by setting chain to *Local* and proof to *None*.

SignatureCount property

Node signatures attesting the response to your request. Will send a separate request for each.

Example

When set to 3, 3 nodes will have to sign the response.

Timeout property

Milliseconds before a request times out.

UseHttp property

Disable ssl on the Http connection.

14.3.21 Context type

In3.Context

Acts as the main orchestrator for the execution of an rpc. Holds a reference to the native context (ctx) and wraps behavior around it.

#ctor(ctx,nativeClient) constructor

Standard constructor, private so people use *FromRpc*.

Parameters

- `System.IntPtr ctx` - The native rpc context.
- `In3.Native.NativeClient nativeClient` - Object that encapsulates the native client.

CreateNativeCtx(nativeIn3Ptr,rpc) method

Method to manage the creation of the native ctx request.

Returns

Native rpc pointer

Parameters

- `System.IntPtr nativeIn3Ptr` - Native client pointer.
- `System.String rpc` - The rpc request

Exceptions

| Name | Description |

| *In3.Error.ContextException* ||

Dispose() method

Destructor method for the native ctx encapsulated by the *Context* object.

Parameters

This method has no parameters.

Execute() method

Proxy to `in3_req_execute`, every invocation generates a new state.

Returns

The state as computed by `in3_req_execute`.

Parameters

This method has no parameters.

FromRpc(wrapper, rpc) method

Factory-like method to build a Context object from an rpc request.

Returns

An instance of context.

Parameters

- *In3.Native.NativeClient* **wrapper** - The object that encapsulates the native client pointer.
- *System.String* **rpc** - The rpc request

GetErrorMessage() method

Retrieve the error result on the context.

Returns

A string describing the encountered error.

Parameters

This method has no parameters.

GetLastWaiting() method

Method responsible to fetch the pending context references in the current context.

Returns

A context object.

Parameters

This method has no parameters.

GetResponse() method

Method to get the consolidated response of a request.

Returns

The final result.

Parameters

This method has no parameters.

GetType() method

Method to get the consolidated response of a request.

Returns

The final result.

Parameters

This method has no parameters.

HandleRequest() method

Handle rpc request in an asynchronous manner.

Parameters

This method has no parameters.

HandleSign() method

Handle signing request in an asynchronous manner.

Parameters

This method has no parameters.

IsValid() method

Conditional to verify if the encapsulated pointer actually points to something.

Returns

if its valid, `false` if it is not.

Parameters

This method has no parameters.

ReportError() method

Setter for the error on the current context. Proxies it to the native context.

Parameters

This method has no parameters.

14.3.22 ContextException type

In3.Error

Exception thrown when there is an issue with the Context engine.

14.3.23 DataTypeConverter type

In3.Utils

General util class for conversion between blockchain types.

HexStringToBigint(source) method

Converts a zero-prefixed hex (e.g.: 0x05) to `BigInteger`

Returns

The number representation of `source`.

Parameters

- `System.String` **source** - The hex number string.

14.3.24 DefaultTransport type

In3.Transport

Basic implementation for synchronous http transport for Incubed client.

#ctor() constructor

Standard construction.

Parameters

This constructor has no parameters.

Handle(url,payload) method

Method that handles, synchronously the http requests.

Returns

The http json response.

Parameters

- `System.String url` - The url of the node.
- `System.String payload` - Json for the body of the POST request to the node.

14.3.25 ENSParameter type

In3

Defines the kind of entity associated with the ENS Resolved. Used along with *Ens*.

Addr property

Address.

Hash property

Hash.

Owner property

Owner.

Resolver property

Resolver.

14.3.26 IN3 type

In3

Incubed network client. Connect to the blockchain via a list of bootnodes, then gets the latest list of nodes in the network and ask a certain number of the to sign the block header of given list, putting their deposit at stake. Once with the latest list at hand, the client can request any other on-chain information using the same scheme.

#ctor(chainId) constructor

Standard constructor, use *ForChain* instead.

Parameters

- *In3.Chain* **chainId** - The chainId to connect to.

Btc property

Gets *Api* object.

Configuration property

Gets *ClientConfiguration* object. Any changes in the object will be automatically applied to the client before each method invocation.

Crypto property

Gets *Api* object.

Eth1 property

Gets *Api* object.

Ipfs property

Gets *Api* object.

Signer property

Get or Sets *Signer* object. If not set *SimpleWallet* will be used.

Storage property

Get or Sets *Storage* object. If not set *InMemoryStorage* will be used.

Transport property

Gets or sets *Transport* object. If not set *DefaultTransport* will be used.

Finalize() method

Finalizer for the client.

Parameters

This method has no parameters.

ForChain(chain) method

Creates a new instance of `IN3`.

Returns

An Incubed instance.

Parameters

- *In3.Chain* **chain** - *Chain* that Incubed will connect to.

Example

```
IN3 client = IN3.ForChain(Chain.Mainnet);
```

SendRpc(method,args,in3) method

Method used to communicate with the client. In general, its preferably to use the API.

Returns

The result of the Rpc operation as JSON.

Parameters

- `System.String method` - Rpc method.
- `System.Object[] args` - Arguments to the operation.
- `System.Collections.Generic.Dictionary{ System.String, System.Object} in3` - Internal parameters to be repassed to the server or to change the client behavior.

14.3.27 In3Exception type

`In3.Error`

General purpose, all-encompassing, Incubed specific Exception class.

14.3.28 InMemoryStorage type

`In3.Storage`

Default implementation of *Storage*. It caches all cacheable data in memory.

#ctor() constructor

Standard constructor.

Parameters

This constructor has no parameters.

Clear() method

Empty the in-memory cache.

Returns

Result for the clear operation.

Parameters

This method has no parameters.

GetItem(key) method

Fetches the data from memory.

Returns

The cached value as a `byte[]`.

Parameters

- `System.String` **key** - Key

SetItem(key,content) method

Stores a value in memory for a given key.

Parameters

- `System.String` **key** - A unique identifier for the data that is being cached.
- `System.Byte[]` **content** - The value that is being cached.

14.3.29 InvalidSignerException type

`In3.Error`

Exception thrown when there is no available *Signer* to sign.

14.3.30 InvalidTransactionRequestException type

`In3.Error`

Exception thrown when the state of *TransactionRequest* is invalid.

14.3.31 Log type

`In3.Eth1`

Logs marks changes of state on the blockchain for events. The *Log* is a data object with information from logs.

Address property

Address from which this log originated.

BlockHash property

Hash of the block this log was in. null when its pending log.

BlockNumber property

Number of the block this log was in.

Data property

Data associated with the log.

LogIndex property

Index position in the block.

Removed property

Flags log removal (due to chain reorganization).

Topics property

Array of 0 to 4 32 Bytes DATA of indexed log arguments. (In solidity: The first topic is the hash of the signature of the event (e.g. Deposit(address,bytes32,uint256)), except you declared the event with the anonymous specifier).

TransactionHash property

Hash of the transactions this log was created from. null when its pending log.

TransactionIndex property

index position log was created from.

Type property

Address from which this log originated.

14.3.32 LogFilter type

In3.Eth1

Filter configuration for search logs. To be used along with the *Api* filter and methods.

#ctor() constructor

Standard constructor.

Parameters

This constructor has no parameters.

Address property

Address for the filter.

BlockHash property

Block hash of the filtered blocks.

Remarks

If present, *FromBlock* and *ToBlock* will be ignored.

FromBlock property

Starting block for the filter.

ToBlock property

End block for the filter.

Topics property

Array of 32 Bytes Data topics. Topics are order-dependent. It's possible to pass in null to match any topic, or a subarray of multiple topics of which one should be matching.

14.3.33 NodeConfiguration type

In3.Configuration

Class that represents part of the configuration to be applied on the *IN3* (in particular to each boot node). This is a child of *ChainConfiguration*.

#ctor(config) constructor

Constructor for the node configuration.

Parameters

- *In3.Configuration.ChainConfiguration* **config** - The *ChainConfiguration* of which this node belongs to.

Example

```
NodeConfiguration myDeployedNode = new NodeConfiguration(mainnetChainConfiguration);
```

Address property

Address of the node, which is the public address it is signing with.

Props property

Props define the capabilities of the node. Accepts a combination of values.

Example

```
nodeConfiguration.Props = Props.NodePropProof | Props.NodePropArchive;
```

Url property

Url of the bootnode which the client can connect to.

14.3.34 Proof type

In3.Configuration

Alias for verification levels. Verification is done by calculating Ethereum Trie states requested by the Incubed network and signed as proofs of a certain state.

Full property

All fields will be validated (including uncles).

None property

No Verification.

Standard property

Standard Verification of the important properties.

14.3.35 Props type

In3.Configuration

Enum that defines the capabilities an incubed node.

NodePropArchive constants

filter out non-archive supporting nodes.

NodePropBinary constants

filter out nodes that don't support binary encoding.

NodePropData constants

filter out non-data provider nodes.

NodePropHttp constants

filter out non-http nodes.

NodePropMinblockheight constants

filter out nodes that will sign blocks with lower min block height than specified.

NodePropMultichain constants

filter out nodes other than which have capability of the same RPC endpoint may also accept requests for different chains.

NodePropOnion constants

filter out non-onion nodes.

NodePropProof constants

filter out nodes which are providing no proof.

NodePropSigner constants

filter out non-signer nodes.

NodePropStats constants

filter out nodes that do not provide stats.

14.3.36 RpcException type

In3.Error

Custom Exception to be thrown in case of Rpc errors.

Code property

Json-rpc code for the error.

14.3.37 ScriptPubKey type

In3.Btc

Script on a transaction output.

Addresses property

List of addresses.

Asm property

The asm data,

Hex property

The raw hex data.

ReqSigs property

The required sigs.

Type property

The type.

Example

pubkeyhash

14.3.38 ScriptSig type

In3.Btc

Script on a transaction input.

Asm property

The asm data.

Hex property

The raw hex data.

14.3.39 SignatureType type

In3.Crypto

Group of constants to be used along with the methods of *Api*.

EthSign property

For hashes of the RLP prefixed.

Hash property

For data that was hashed and then signed.

Raw property

For data that was signed directly.

14.3.40 SignedData type

In3.Crypto

Output of *SignData*.

Message property

Signed message.

MessageHash property

Hash of (*Message*.

R property

Part of the ECDSA signature.

S property

Part of the ECDSA signature.

Signature property

ECDSA calculated r, s, and parity v, concatenated.

V property

$27 + (R \% 2)$.

14.3.41 Signer type

In3.Crypto

Minimum interface to be implemented by a kind of signer. Used by *SendTransaction*. Set it with *Signer*.

CanSign(account) method

Queries the Signer if it can sign for a certain key.

Returns

true if it can sign, false if it cant.

Parameters

- `System.String` **account** - The account derived from the private key used to sign transactions.

Remarks

This method is invoked internally by *SendTransaction* using *From* and will throw a `SystemException` in case `false` is returned.

PrepareTransaction() method

Optional method which allows to change the transaction-data before sending it. This can be used for redirecting it through a multisig. Invoked just before sending a transaction through *SendTransaction*.

Returns

Modified transaction request.

Parameters

This method has no parameters.

Sign(data,account) method

Signs the transaction data with the private key associated with the invoked account. Both arguments are automatically passed by Incubed client base on *TransactionRequest* data during a *SendTransaction*.

Returns

The signed transaction data.

Parameters

- `System.String` **data** - Data to be signed.
- `System.String` **account** - The account that will sign the transaction.

14.3.42 SimpleWallet type

In3.Crypto

Default implementation of the *Signer*. Works as an orchestration of the in order to manage multiple accounts.

#ctor(in3) constructor

Basic constructor.

Parameters

- *In3.IN3* **in3** - A client instance.

AddRawKey(privateKey) method

Adds a private key to be managed by the wallet and sign transactions.

Returns

The address derived from the `privateKey`

Parameters

- *System.String* **privateKey** - The private key to be stored by the wallet.

CanSign(address) method

Check if this address is managed by this wallet.

Returns

`true` if the address is managed by this wallet, `false` if not.

Parameters

- *System.String* **address** - The address. Value returned by *AddRawKey*.

PrepareTransaction(tx) method

Identity function-like method.

Returns

`tx`

Parameters

- *In3.Eth1.TransactionRequest* **tx** - A transaction object.

Sign(data,address) method

Signs the transaction data by invoking *SignData*.

Returns

Signed transaction data.

Parameters

- `System.String data` - Data to be signed.
- `System.String address` - Address managed by the wallet, see *AddRawKey*

14.3.43 Storage type

`In3.Storage`

Provider methods to cache data. These data could be nodelists, contract codes or validator changes. Any form of cache should implement *Storage* and be set with *Storage*.

Clear() method

Clear the cache.

Returns

The result of the operation: `true` for success and `false` for failure.

Parameters

This method has no parameters.

GetItem(key) method

returns a item from cache.

Returns

The bytes or `null` if not found.

Parameters

- `System.String key` - The key for the item.

SetItem(key,content) method

Stores an item to cache.

Parameters

- `System.String` **key** - The key for the item.
- `System.Byte[]` **content** - The value to store.

14.3.44 Transaction type

`In3.Btc`

A BitCoin Transaction.

14.3.45 Transaction type

`In3.Eth1`

Class representing a transaction that was accepted by the Ethereum chain.

Blockhash property

The block hash of the block containing this transaction.

Blocktime property

The block time in seconds since epoch (Jan 1 1970 GMT).

Confirmations property

The confirmations.

Hash property

The transaction hash (differs from txid for witness transactions).

Hex property

The hex representation of raw data.

Locktime property

The locktime.

Size property

The serialized transaction size.

Time property

The transaction time in seconds since epoch (Jan 1 1970 GMT).

Txid property

Transaction Id.

Version property

The version.

Vin property

The transaction inputs.

Vout property

The transaction outputs.

Vsize property

The virtual transaction size (differs from size for witness transactions).

Weight property

The transaction's weight (between vsize4-3 and vsize4).

BlockHash property

Hash of the block that this transaction belongs to.

BlockNumber property

Number of the block that this transaction belongs to.

ChainId property

Chain id that this transaction belongs to.

Creates property

Address of the deployed contract (if successfull).

From property

Address whose private key signed this transaction with.

Gas property

Gas for the transaction.

GasPrice property

Gas price (in wei) for each unit of gas.

Hash property

Transaction hash.

Input property

Transaction data.

Nonce property

Nonce for this transaction.

PublicKey property

Public key.

R property

Part of the transaction signature.

Raw property

Transaction as rlp encoded data.

S property

Part of the transaction signature.

StandardV property

Part of the transaction signature. V is parity set by $v = 27 + (r \% 2)$.

To property

To address of the transaction.

TransactionIndex property

Transaction index.

V property

The *StandardV* plus the chain.

Value property

Value of the transaction.

14.3.46 TransactionBlock type

In3.Eth1

Class that holds a block with its full transaction array: *Transaction*.

Transactions property

Array with the full transactions containing on this block.

Remarks

Returned when `shouldIncludeTransactions` on *Api* get block methods are set to `true`.

14.3.47 TransactionHashBlock type

In3.Eth1

Class that holds a block with its transaction hash array.

Transactions property

Array with the full transactions containing on this block.

Remarks

Returned when `shouldIncludeTransactions` on *Api* get block methods are set to `false`.

14.3.48 TransactionInput type

In3.Btc

Input of a transaction.

ScriptSig property

The script.

Sequence property

The script sequence number.

Txid property

The transaction id.

Txinwitness property

Hex-encoded witness data (if any).

Yout property

The index of the transactionoutput.

14.3.49 TransactionOutput type

In3.Btc

Output of a transaction.

N property

The index in the transaction.

ScriptPubKey property

The script of the transaction.

Value property

The value in bitcoins.

14.3.50 TransactionReceipt type

In3.Eth1

Class that represents a transaction receipt. See *GetTransactionReceipt*.

BlockHash property

Hash of the block with the transaction which this receipt is associated with.

BlockNumber property

Number of the block with the transaction which this receipt is associated with.

ContractAddress property

Address of the smart contract invoked in the transaction (if any).

From property

Address of the account that signed the transaction.

GasUsed property

Gas used on this transaction.

Logs property

Logs/events for this transaction.

LogsBloom property

A bloom filter of logs/events generated by contracts during transaction execution. Used to efficiently rule out transactions without expected logs.

Root property

Merkle root of the state trie after the transaction has been executed (optional after Byzantium hard fork EIP609).

Status property

Status of the transaction.

To property

Address whose value will be transferred to.

TransactionHash property

Hash of the transaction.

TransactionIndex property

Number of the transaction on the block.

14.3.51 TransactionRequest type

In3.Eth1

Class that holds the state for the transaction request to be submitted via *SendTransaction*.

Data property

Data of the transaction (in the case of a smart contract deployment for exemple).

From property

Address derivated from the private key that will sign the transaction. See *Signer*.

Function property

Function of the smart contract to be invoked.

Gas property

Gas cost for the transaction. Can be estimated via *EstimateGas*.

GasPrice property

Gas price (in wei). Can be obtained via *GetGasPrice*.

Nonce property

Nonce of the transaction.

Params property

Array of parameters for the function (in the same order of its signature), see *Function*

To property

Address to whom the transaction value will be transfered to or the smart contract address whose function will be invoked.

Value property

Value of the transaction.

14.3.52 Transport type

In3.Transport

Minimum interface for a custom transport. Transport is a mean of communication with the Incubed server.

Handle(url,payload) method

Method to be implemented that will handle the requests to the server. This method may be called once for each url on each batch of requests.

Returns

The rpc response.

Parameters

- `System.String url` - Url of the node.
- `System.String payload` - Content for the RPC request.

14.4 Examples

14.4.1 CallSmartContractFunction

source : `in3-c/dotnet/Examples/CallSmartContractFunction//CallSmartContractFunction`

```
using System;
using System.Numerics;
using System.Threading.Tasks;
using In3;
using In3.Configuration;
using In3.Eth1;
using In3.Utills;

namespace CallSmartContractFunction
{
    public class Program
    {
        public static async Task Main()
        {
            // Set it to mainnet
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);
            ClientConfiguration cfg = mainnetClient.Configuration;
            cfg.Proof = Proof.Standard;

            string contractAddress = "0x2736D225f85740f42D17987100dc8d58e9e16252";

            // Create the query transaction
            TransactionRequest serverCountQuery = new TransactionRequest();
            serverCountQuery.To = contractAddress;

            // Define the function and the parameters to query the total in3 servers
            serverCountQuery.Function = "totalServers():uint256";
            serverCountQuery.Params = new object[0];

            string[] serverCountResult = (string[])await mainnetClient.Eth1.
↪Call(serverCountQuery, BlockParameter.Latest);
            BigInteger servers = DataTypeConverter.
↪HexStringToBigint(serverCountResult[0]);

            for (int i = 0; i < servers; i++)
            {
                TransactionRequest serverDetailQuery = new TransactionRequest();
                serverDetailQuery.To = contractAddress;
            }
        }
    }
}
```

(continues on next page)

(continued from previous page)

```

        // Define the function and the parameters to query the in3 servers
↪detail
        serverDetailQuery.Function = "servers(uint256):(string,address,uint32,
↪uint256,uint256,address)";
        serverDetailQuery.Params = new object[] { i }; // index of the server
↪(uint256) as per solidity function signature

        string[] serverDetailResult = (string[])await mainnetClient.Eth1.
↪Call(serverDetailQuery, BlockParameter.Latest);
        Console.Out.WriteLine($"Server url: {serverDetailResult[0]}");
    }
}
}

```

14.4.2 ConnectToEthereum

source : [in3-c/dotnet/Examples/ConnectToEthereum//ConnectToEthereum](#)

```

using System;
using System.Numerics;
using System.Threading.Tasks;
using In3;

namespace ConnectToEthereum
{
    class Program
    {
        static async Task Main()
        {
            Console.Out.WriteLine("Ethereum Main Network");
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);
            BigInteger mainnetLatest = await mainnetClient.Eth1.BlockNumber();
            BigInteger mainnetCurrentGasPrice = await mainnetClient.Eth1.
↪GetGasPrice();
            Console.Out.WriteLine($"Latest Block Number: {mainnetLatest}");
            Console.Out.WriteLine($"Gas Price: {mainnetCurrentGasPrice} Wei");

            Console.Out.WriteLine("Ethereum EWC Network");
            IN3 ewcClient = IN3.ForChain(Chain.Ewc);
            BigInteger ewcLatest = await ewcClient.Eth1.BlockNumber();
            BigInteger ewcCurrentGasPrice = await ewcClient.Eth1.GetGasPrice();
            Console.Out.WriteLine($"Latest Block Number: {ewcLatest}");
            Console.Out.WriteLine($"Gas Price: {ewcCurrentGasPrice} Wei");

            Console.Out.WriteLine("Ethereum Goerli Test Network");
            IN3 goerliClient = IN3.ForChain(Chain.Goerli);
            BigInteger goerliLatest = await goerliClient.Eth1.BlockNumber();
            BigInteger clientCurrentGasPrice = await goerliClient.Eth1.GetGasPrice();
            Console.Out.WriteLine($"Latest Block Number: {goerliLatest}");
            Console.Out.WriteLine($"Gas Price: {clientCurrentGasPrice} Wei");
        }
    }
}

```

14.4.3 EnsResolver

source : [in3-c/dotnet/Examples/EnsResolver/EnsResolver](#)

```
using System;
using System.Threading.Tasks;
using In3;

namespace EnsResolver
{
    public class Program
    {
        static async Task Main()
        {
            IN3 in3 = IN3.ForChain(Chain.Mainnet);

            string cryptoKittiesDomain = "cryptokitties.eth";
            string resolver = await in3.Eth1.Ens(cryptoKittiesDomain, ENSParameter.
↪Resolver);
            string owner = await in3.Eth1.Ens(cryptoKittiesDomain, ENSParameter.
↪Owner);

            Console.Out.WriteLine($"The owner of {cryptoKittiesDomain} is {owner}, ↪
↪resolver is {resolver}.");
        }
    }
}
```

14.4.4 Ipfs

source : [in3-c/dotnet/Examples/Ipfs/Ipfs](#)

```
using System;
using System.Text;
using System.Threading.Tasks;
using In3;

namespace Ipfs
{
    class Program
    {
        static async Task Main()
        {
            // Content to be stored
            string toStore = "LOREM_IPSUM";

            // Connect to ipfs.
            IN3 ipfsClient = IN3.ForChain(Chain.Ipfs);

            // Store the hash since it will be needed to fetch the content back.
            string hash = await ipfsClient.Ipfs.Put(toStore);

            //
            byte[] storedBytes = await ipfsClient.Ipfs.Get(hash);
            string storedStging = Encoding.UTF8.GetString(storedBytes, 0, storedBytes.
↪Length);
        }
    }
}
```

(continues on next page)

(continued from previous page)

```

        Console.Out.WriteLine($"The stored string is: {storedStging}");
    }
}

```

14.4.5 Logs

source : in3-c/dotnet/Examples/Logs//Logs

```

using System;
using System.Threading;
using System.Threading.Tasks;
using In3;
using In3.Eth1;

namespace Logs
{
    class Program
    {
        static async Task Main()
        {
            // Define an upper limit for poll since we dont want our application
            ↪potentially running forever.
            int maxIterations = 500;
            int oneSecond = 1000; // in ms

            // Connect to mainnet.
            IN3 mainnetClient = IN3.ForChain(Chain.Mainnet);

            // Create a filter object pointing, in this case, to an "eventful"
            ↪contract address.
            LogFilter tetherUsFilter = new LogFilter {Address =
            ↪"0xdAC17F958D2ee523a2206206994597C13D831ec7"};

            // Create the filter to be polled for logs.
            long filterId = await mainnetClient.Eth1.NewLogFilter(tetherUsFilter);

            // Loop to initiate the poll for the logs.
            for (int i = 0; i < maxIterations; i++)
            {
                // Query for the log events since the creation of the filter or the
                ↪previous poll (this method is NOT idempotent as it retrieves a diff).
                Log[] tetherLogs = await mainnetClient.Eth1.
                ↪GetFilterChangesFromLogs(filterId);
                if (tetherLogs.Length > 0)
                {
                    Console.Out.WriteLine("Logs found: " + tetherLogs.Length);
                    break;
                }

                // Wait before next query.
                Thread.Sleep(oneSecond);
            }
        }
    }
}

```

(continues on next page)

(continued from previous page)

}

14.4.6 SendTransaction

source : `in3-c/dotnet/Examples/SendTransaction//SendTransaction`

```
using System;
using System.Threading;
using System.Threading.Tasks;
using In3;
using In3.Crypto;
using In3.Eth1;

namespace SendTransaction
{
    public class Program
    {
        static async Task Main()
        {
            IN3 goerliClient = IN3.ForChain(Chain.Goerli);

            string myPrivateKey =
↪ "0x0829B3C639A3A8F2226C8057F100128D4F7AE8102C92048BA6DE38CF4D3BC6F1";
            string receivingAddress = "0x6FA33809667A99A805b610C49EE2042863b1bb83";

            // Get the wallet, which is the default signer.
            SimpleWallet myAccountWallet = (SimpleWallet)goerliClient.Signer;

            string myAccount = myAccountWallet.AddRawKey(myPrivateKey);

            // Create the transaction request
            TransactionRequest transferWei = new TransactionRequest();
            transferWei.To = receivingAddress;
            transferWei.From = myAccount;
            transferWei.Value = 300;

            // Get the current gas prices
            long currentGasPrice = await goerliClient.Eth1.GetGasPrice();
            transferWei.GasPrice = currentGasPrice;

            long estimatedSpentGas = await goerliClient.Eth1.EstimateGas(transferWei,
↪ BlockParameter.Latest);
            Console.Out.WriteLine($"Estimated gas to spend: {estimatedSpentGas}");

            string transactionHash = await goerliClient.Eth1.
↪ SendTransaction(transferWei);
            Console.Out.WriteLine($"Transaction {transactionHash} sent.");
            Thread.Sleep(30000);

            TransactionReceipt receipt = await goerliClient.Eth1.
↪ GetTransactionReceipt(transactionHash);
            Console.Out.WriteLine($"Transaction {transactionHash} mined on block
↪ {receipt.BlockNumber}.");
        }
    }
}
```

(continues on next page)

(continued from previous page)

```
}
```

14.4.7 Build Examples

To setup and run the example projects, simply run on the respective project folder:

```
dotnet run
```

To build all of them, on the solution folder, run:

```
dotnet build
```

14.5 Index

- *Account*
 - *Address*
 - *PublicKey*
- *Api*
- *Api*
- *Api*
- *Api*
 - *GetBlockBytes(blockHash)*
 - *GetBlockHeader(blockHash)*
 - *GetBlockHeaderBytes(blockHash)*
 - *GetBlockWithTxData(blockHash)*
 - *GetBlockWithTxIds(blockHash)*
 - *GetTransaction(txid)*
 - *GetTransactionBytes(txid)*
 - *DecryptKey(pk,passphrase)*
 - *EcRecover(signedData,signature,signatureType)*
 - *Pk2Address(pk)*
 - *Pk2Public(pk)*
 - *Sha3(data)*
 - *SignData(msg,pk,sigType)*
 - *AbiDecode(signature,encodedData)*
 - *AbiEncode(signature,args)*
 - *BlockNumber()*
 - *Call(request,blockNumber)*

- *ChecksumAddress(address,shouldUseChainId)*
- *Ens(name,type)*
- *EstimateGas(request,blockNumber)*
- *GetBalance(address,blockNumber)*
- *GetBlockByHash(blockHash,shouldIncludeTransactions)*
- *GetBlockByNumber(blockNumber,shouldIncludeTransactions)*
- *GetBlockTransactionCountByHash(blockHash)*
- *GetBlockTransactionCountByNumber(blockNumber)*
- *GetChainId()*
- *GetCode(address,blockNumber)*
- *GetFilterChangesFromLogs(filterId)*
- *GetFilterLogs(filterId)*
- *GetGasPrice()*
- *GetLogs(filter)*
- *GetStorageAt(address,position,blockNumber)*
- *GetTransactionByBlockHashAndIndex(blockHash,index)*
- *GetTransactionByBlockNumberAndIndex(blockNumber,index)*
- *GetTransactionByHash(transactionHash)*
- *GetTransactionCount(address,blockNumber)*
- *GetTransactionReceipt(transactionHash)*
- *GetUncleByBlockNumberAndIndex(blockNumber,position)*
- *GetUncleCountByBlockHash(blockHash)*
- *GetUncleCountByBlockNumber(blockNumber)*
- *NewBlockFilter()*
- *NewLogFilter(filter)*
- *SendRawTransaction(transactionData)*
- *SendTransaction(tx)*
- *SendTransactionAndWait(tx)*
- *UninstallFilter(filterId)*
- *Get(multihash)*
- *Put(content)*
- *Put(content)*
- *BaseConfiguration*
- *Block*
 - *Author*
 - *Difficulty*

- *ExtraData*
 - *GasLimit*
 - *Hash*
 - *LogsBloom*
 - *MixHash*
 - *Nonce*
 - *Number*
 - *ParentHash*
 - *ReceiptsRoot*
 - *Sha3Uncles*
 - *Size*
 - *StateRoot*
 - *Timestamp*
 - *TotalDifficulty*
 - *TransactionsRoot*
 - *Uncles*
- *BlockHeader*
 - *Bits*
 - *Chainwork*
 - *Confirmations*
 - *Difficulty*
 - *Hash*
 - *Height*
 - *Mediantime*
 - *Merkleroot*
 - *NTx*
 - *Nextblockhash*
 - *Nonce*
 - *Previousblockhash*
 - *Time*
 - *Version*
 - *VersionHex*
- *BlockParameter*
 - *Earliest*
 - *Latest*
- *Block'I*

- *Size*
 - *Tx*
 - *Weight*
- *Chain*
 - *Btc*
 - *Ewc*
 - *Goerli*
 - *Ipfs*
 - *Local*
 - *Mainnet*
 - *Tobalaba*
 - *Volta*
- *ClientConfiguration*
 - *AutoUpdateList*
 - *BootWeights*
 - *Experimental*
 - *Finality*
 - *IncludeCode*
 - *KeepIn3*
 - *MaxAttempts*
 - *MinDeposit*
 - *NodeLimit*
 - *NodeProps*
 - *NodeRegistry*
 - *Proof*
 - *ReplaceLatestBlock*
 - *RequestCount*
 - *Rpc*
 - *SignatureCount*
 - *Timeout*
 - *UseHttp*
- *Context*
 - *#ctor(ctx,nativeClient)*
 - *CreateNativeCtx(nativeIn3Ptr,rpc)*
 - *Dispose()*
 - *Execute()*

- *FromRpc(wrapper, rpc)*
- *GetErrorMessage()*
- *GetLastWaiting()*
- *GetResponse()*
- *GetType()*
- *HandleRequest()*
- *HandleSign()*
- *IsValid()*
- *ReportError()*
- *ContextException*
- *DataTypeConverter*
 - *HexStringToBigint(source)*
- *DefaultTransport*
 - *#ctor()*
 - *Handle(url, payload)*
- *ENSParameter*
 - *Addr*
 - *Hash*
 - *Owner*
 - *Resolver*
- *IN3*
 - *#ctor(chainId)*
 - *Btc*
 - *Configuration*
 - *Crypto*
 - *Eth1*
 - *Ipfs*
 - *Signer*
 - *Storage*
 - *Transport*
 - *Finalize()*
 - *ForChain(chain)*
 - *SendRpc(method, args, in3)*
- *In3Exception*
- *InMemoryStorage*
 - *#ctor()*

- *Clear()*
 - *GetItem(key)*
 - *SetItem(key,content)*
- *InvalidSignerException*
- *InvalidTransactionRequestException*
- *Log*
 - *Address*
 - *BlockHash*
 - *BlockNumber*
 - *Data*
 - *LogIndex*
 - *Removed*
 - *Topics*
 - *TransactionHash*
 - *TransactionIndex*
 - *Type*
- *LogFilter*
 - *#ctor()*
 - *Address*
 - *BlockHash*
 - *FromBlock*
 - *ToBlock*
 - *Topics*
- *NodeConfiguration*
 - *#ctor(config)*
 - *Address*
 - *Props*
 - *Url*
- *NodeRegistryConfiguration*
 - *Contract*
 - *NeedsUpdate*
 - *NodesConfiguration*
 - *RegistryId*
 - *WhiteList*
 - *WhiteListContract*
- *Proof*

- *Full*
 - *None*
 - *Standard*
- *Props*
 - *NodePropArchive*
 - *NodePropBinary*
 - *NodePropData*
 - *NodePropHttp*
 - *NodePropMinblockheight*
 - *NodePropMultichain*
 - *NodePropOnion*
 - *NodePropProof*
 - *NodePropSigner*
 - *NodePropStats*
- *RpcException*
 - *Code*
- *ScriptPubKey*
 - *Addresses*
 - *Asm*
 - *Hex*
 - *ReqSigs*
 - *Type*
- *ScriptSig*
 - *Asm*
 - *Hex*
- *SignatureType*
 - *Btc*
 - *EthSign*
 - *Hash*
 - *Raw*
- *SignedData*
 - *Message*
 - *MessageHash*
 - *R*
 - *S*
 - *Signature*

- *V*
- *Signer*
 - *CanSign(account)*
 - *PrepareTransaction()*
 - *Sign(data,account)*
- *SimpleWallet*
 - *#ctor(in3)*
 - *AddRawKey(privateKey)*
 - *CanSign(address)*
 - *PrepareTransaction(tx)*
 - *Sign(data,address)*
- *Storage*
 - *Clear()*
 - *GetItem(key)*
 - *SetItem(key,content)*
- *Transaction*
- *Transaction*
 - *Blockhash*
 - *Blocktime*
 - *Confirmations*
 - *Hash*
 - *Hex*
 - *Locktime*
 - *Size*
 - *Time*
 - *Txid*
 - *Version*
 - *Vin*
 - *Vout*
 - *Vsize*
 - *Weight*
 - *BlockHash*
 - *BlockNumber*
 - *ChainId*
 - *Creates*
 - *From*

- *Gas*
 - *GasPrice*
 - *Hash*
 - *Input*
 - *Nonce*
 - *PublicKey*
 - *R*
 - *Raw*
 - *S*
 - *StandardV*
 - *To*
 - *TransactionIndex*
 - *V*
 - *Value*
- *TransactionBlock*
 - *Transactions*
- *TransactionHashBlock*
 - *Transactions*
- *TransactionInput*
 - *ScriptSig*
 - *Sequence*
 - *Txid*
 - *Txinwitness*
 - *Yout*
- *TransactionOutput*
 - *N*
 - *ScriptPubKey*
 - *Value*
- *TransactionReceipt*
 - *BlockHash*
 - *BlockNumber*
 - *ContractAddress*
 - *From*
 - *GasUsed*
 - *Logs*
 - *LogsBloom*

- *Root*
- *Status*
- *To*
- *TransactionHash*
- *TransactionIndex*
- *TransactionRequest*
 - *Data*
 - *From*
 - *Function*
 - *Gas*
 - *GasPrice*
 - *Nonce*
 - *Params*
 - *To*
 - *Value*
- *Transport*
 - *Handle(url,payload)*

14.5.1 Account type

In3.Crypto

Composite entity that holds address and public key. It represents an Ethereum account. Entity returned from *EcRecover*.

Address property

The address.

PublicKey property

The public key.

14.5.2 Api type

In3.Btc

API for handling BitCoin data. Use it when connected to *Btc*.

14.5.3 Api type

In3.Crypto

Class that exposes utility methods for cryptographic utilities. Relies on *IN3* functionality.

14.5.4 Api type

In3.Eth1

Module based on Ethereum's api and web3. Works as a general parent for all Ethereum-specific operations.

14.5.5 Api type

In3.Ipfs

API for ipfs related methods. To be used along with *Ipfs* on *IN3*. Ipfs stands for and is a peer-to-peer hypermedia protocol designed to make the web faster, safer, and more open.

GetBlockBytes(blockHash) method

Retrieves the serialized block in bytes.

Returns

The bytes of the block.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
byte[] blockBytes = in3.Btc.GetBlockBytes(  
    ↪ "000000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");
```

GetBlockHeader(blockHash) method

Retrieves the blockheader.

Returns

The Block header.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
BlockHeader header = in3.Btc.GetBlockHeader(  
    ↪ "0000000000000000000000cd3c5d7638014e78a5fba33be5fa5cb10ef9f03d99e60");
```


GetBlockHeaderBytes(blockHash) method

Retrieves the byte array representing the serialized blockheader data.

Returns

The Block header in bytes.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
byte[] header = in3.Btc.GetBlockHeaderBytes(
    ↪ "00000000000000000000cd3c5d7638014e78a5fba33be5fa5cb10ef9f03d99e60");
```

GetBlockWithTxData(blockHash) method

Retrieves the block including the full transaction data. Use *GetBlockWithTxIds* for only the transaction ids.

Returns

The block of type *Block*'1.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
Block{Transaction} block = in3.Btc.GetBlockWithTxData(
    ↪ "00000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");
Transaction t1 = block.Tx[0];
```

GetBlockWithTxIds(blockHash) method

Retrieves the block including only transaction ids. Use *GetBlockWithTxData* for the full transaction data.

Returns

The block of type *Block*'1.

Parameters

- `System.String` **blockHash** - The hash of the Block.

Example

```
Block{string} block = in3.Btc.GetBlockWithTxIds(  
    ↪ "00000000000000000000000064ba7512ecc70cabd7ed17e31c06f2205d5ecdadd6d22");  
string t1 = block.Tx[0];
```

GetTransaction(txid) method

Retrieves the transaction and returns the data as json.

Returns

The transaction object.

Parameters

- `System.String` **txid** - The transaction Id.

Example

```
Transaction desiredTransaction = in3.Btc.GetTransaction(  
    ↪ "1427c7d1698e61afe061950226f1c149990b8c1e1b157320b0c4acf7d6b5605d");
```

GetTransactionBytes(txid) method

Retrieves the serialized transaction (bytes).

Returns

The byte array for the Transaction.

Parameters

- `System.String` **txid** - The transaction Id.

Example

```
byte[] serializedTransaction = in3.Btc.GetTransactionBytes(  
    ↪ "1427c7d1698e61afe061950226f1c149990b8c1e1b157320b0c4acf7d6b5605d");
```

DecryptKey(pk,passphrase) method

Decrypt an encrypted private key.

Returns

Decrypted key.

Parameters

- `System.String` **pk** - Private key.
- `System.String` **passphrase** - Passphrase whose pk.

EcRecover(signedData,signature,signatureType) method

Recovers the account associated with the signed data.

Returns

The account.

Parameters

- `System.String` **signedData** - Data that was signed with.
- `System.String` **signature** - The signature.
- `In3.Crypto.SignatureType` **signatureType** - One of *SignatureType*.

Pk2Address(pk) method

Derives an address from the given private (pk) key using SHA-3 algorithm.

Returns

The address.

Parameters

- `System.String` **pk** - Private key.

Pk2Public(pk) method

Derives public key from the given private (pk) key using SHA-3 algorithm.

Returns

The public key.

Parameters

- `System.String pk` - Private key.

Sha3(data) method

Hash the input data using sha3 algorithm.

Returns

Hashed output.

Parameters

- `System.String data` - Content to be hashed.

SignData(msg,pk,sigType) method

Signs the data `msg` with a given private key. Refer to *SignedData* for more information.

Returns

The signed data.

Parameters

- `System.String msg` - Data to be signed.
- `System.String pk` - Private key.
- `In3.Crypto.SignatureType sigType` - Type of signature, one of *SignatureType*.

AbiDecode(signature,encodedData) method

ABI decoder. Used to parse rpc responses from the EVM. Based on the Solidity specification .

Returns

The decoded arguments for the function call given the encoded data.

Parameters

- `System.String signature` - Function signature i.e. `functionName(parameters)`. In case of the latter, the function signature will be ignored and only the return types will be parsed.
- `System.String encodedData` - Abi encoded values. Usually the string returned from a rpc to the EVM.

`AbiEncode(signature,args)` method

ABI encoder. Used to serialize a rpc to the EVM. Based on the Solidity specification [. Note: Parameters](#) refers to the list of variables in a method declaration. [Arguments](#) are the actual values that are passed in when the method is invoked. When you invoke a method, the arguments used must match the declaration's parameters in type and order.

Returns

The encoded data.

Parameters

- `System.String signature` - Function signature, with parameters. i.e. `functionName(parameters)`, can contain the return types but will be ignored.
- `System.Object[] args` - Function parameters, in the same order as in passed on to `AbiEncode`.

`BlockNumber()` method

Returns the number of the most recent block the in3 network can collect signatures to verify. Can be changed by `ReplaceLatestBlock`. If you need the very latest block, change `SignatureCount` to 0.

Returns

The number of the block.

Parameters

This method has no parameters.

`Call(request,blockNumber)` method

Calls a smart-contract method. Will be executed locally by Incubed's EVM or signed and sent over to save the state changes. Check <https://ethereum.stackexchange.com/questions/3514/how-to-call-a-contract-method-using-the-eth-call-json-rpc-api> for more.

Returns

Ddecoded result. If only one return value is expected the Object will be returned, if not an array of objects will be the result.

Parameters

- *In3.Eth1.TransactionRequest* **request** - The transaction request to be processed.
- *System.Numerics.BigInteger* **blockNumber** - Block number or *Latest* or *Earliest*.

ChecksumAddress(address,shouldUseChainId) method

Will convert an upper or lowercase Ethereum `address` to a checksum address, that uses case to encode values. See [EIP55](#).

Returns

EIP-55 compliant, mixed-case address.

Parameters

- *System.String* **address** - Ethereum address.
- *System.Nullable{System.Boolean}* **shouldUseChainId** - If `true`, the chain id is integrated as well. Default being `false`.

Ens(name,type) method

Resolves ENS domain name.

Returns

The resolved entity for the domain.

Parameters

- *System.String* **name** - ENS domain name.
- *In3.ENSPParameter* **type** - One of *ENSPParameter*.

Remarks

The actual semantics of the returning value changes according to `type`.

EstimateGas(request,blockNumber) method

Gas estimation for transaction. Used to fill `transaction.gas` field. Check `RawTransaction` docs for more on gas.

Returns

Estimated gas in Wei.

Parameters

- *In3.Eth1.TransactionRequest* **request** - The transaction request whose cost will be estimated.
- *System.Numerics.BigInteger* **blockNumber** - Block number or *Latest* or *Earliest*.

GetBalance(address,blockNumber) method

Returns the balance of the account of given *address*.

Returns

The current balance in wei.

Parameters

- *System.String* **address** - Address to check for balance.
- *System.Numerics.BigInteger* **blockNumber** - Block number or *Latest* or *Earliest*.

GetBlockByHash(blockHash,shouldIncludeTransactions) method

Blocks can be identified by root hash of the block merkle tree (this), or sequential number in which it was mined *GetBlockByNumber*.

Returns

The *Block* of the requested (if exists).

Parameters

- *System.String* **blockHash** - Desired block hash.
- *System.Boolean* **shouldIncludeTransactions** - If true, returns the full transaction objects, otherwise only its hashes. The default value is *false*.

Remarks

Returning *Block* must be cast to *TransactionBlock* or *TransactionHashBlock* to access the transaction data.

GetBlockByNumber(blockNumber,shouldIncludeTransactions) method

Blocks can be identified by sequential number in which it was mined, or root hash of the block merkle tree *GetBlockByHash*.

Returns

The *Block* of the requested (if exists).

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Desired block number or *Latest* or *Earliest*.
- `System.Boolean` **shouldIncludeTransactions** - If `true`, returns the full transaction objects, otherwise only its hashes. The default value is `true`.

Example

```
TransactionBlock latest = (TransactionBlock) _client.Eth1.  
↪GetBlockByNumber(BlockParameter.Latest, true);  
TransactionHashBlock earliest = (TransactionHashBlock) _client.Eth1.  
↪GetBlockByNumber(BlockParameter.Earliest, false);
```

Remarks

Returning *Block* must be cast to *TransactionBlock* or *TransactionHashBlock* to access the transaction data.

GetBlockTransactionCountByHash(blockHash) method

The total transactions on a block. See also *GetBlockTransactionCountByNumber*.

Returns

The number (count) of *Transaction*.

Parameters

- `System.String` **blockHash** - Desired block hash.

GetBlockTransactionCountByNumber(blockNumber) method

The total transactions on a block. See also *GetBlockTransactionCountByHash*.

Returns

The number (count) of *Transaction*.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetChainId() method

Get the *Chain* which the client is currently connected to.

Returns

The *Chain*.

Parameters

This method has no parameters.

GetCode(address,blockNumber) method

Smart-Contract bytecode in hexadecimal. If the account is a simple wallet the function will return '0x'.

Returns

Smart-Contract bytecode in hexadecimal.

Parameters

- `System.String` **address** - Ethereum address.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetFilterChangesFromLogs(filterId) method

Retrieve the logs for a certain filter. Logs marks changes of state on the chan for events. Equivalent to *GetFilterLogs*.

Returns

Array of logs which occurred since last poll.

Parameters

- `System.Int64` **filterId** - Id returned during the filter creation.

Remarks

Since the return is the since last poll, executing this multiple times changes the state making this a “non-idempotent” getter.

GetFilterLogs(filterId) method

Retrieve the logs for a certain filter. Logs marks changes of state on the blockchain for events. Equivalent to *GetFilterChangesFromLogs*.

Returns

Array of logs which occurred since last poll.

Parameters

- `System.Int64 filterId` - Id returned during the filter creation.

Remarks

Since the return is the `Log[]` since last poll, executing this multiple times changes the state making this a “non-idempotent” getter.

GetGasPrice() method

The current gas price in Wei (1 ETH equals 100000000000000000 Wei).

Returns

The gas price.

Parameters

This method has no parameters.

GetLogs(filter) method

Retrieve the logs for a certain filter. Logs marks changes of state on the blockchain for events. Unlike *GetFilterChangesFromLogs* or *GetFilterLogs* this is made to be used in a non-incremental manner (aka no poll) and will return the Logs that satisfy the filter condition.

Returns

Logs that satisfy the `filter`.

Parameters

- `In3.Eth1.LogFilter filter` - Filter conditions.

GetStorageAt(address,position,blockNumber) method

Stored value in designed position at a given *address*. Storage can be used to store a smart contract state, constructor or just any data. Each contract consists of a EVM bytecode handling the execution and a storage to save the state of the contract.

Returns

Stored value in designed position.

Parameters

- `System.String` **address** - Ethereum account address.
- `System.Numerics.BigInteger` **position** - Position index, 0x0 up to 100.
- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

GetTransactionByBlockHashAndIndex(blockHash,index) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%. See also *GetTransactionByBlockNumberAndIndex*.

Returns

The *Transaction* (if it exists).

Parameters

- `System.String` **blockHash** - Desired block hash.
- `System.Int32` **index** - The index of the *Transaction* in a *Block*

GetTransactionByBlockNumberAndIndex(blockNumber,index) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%.

Returns

The *Transaction* (if it exists).

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.
- `System.Int32` **index** - The index of the *Transaction* in a *Block*

GetTransactionByHash(transactionHash) method

Transactions can be identified by root hash of the transaction merkle tree (this) or by its position in the block transactions merkle tree. Every transaction hash is unique for the whole chain. Collision could in theory happen, chances are 67148E-63%.

Returns

The *Transaction* (if it exists).

Parameters

- `System.String transactionHash` - Desired transaction hash.

GetTransactionCount(address,blockNumber) method

Number of transactions mined from this `address`. Used to set transaction nonce. Nonce is a value that will make a transaction fail in case it is different from (transaction count + 1). It exists to mitigate replay attacks.

Returns

Number of transactions mined from this address.

Parameters

- `System.String address` - Ethereum account address.
- `System.Numerics.BigInteger blockNumber` - Block number or *Latest* or *Earliest*.

GetTransactionReceipt(transactionHash) method

After a transaction is received by the client, it returns the transaction hash. With it, it is possible to gather the receipt, once a miner has mined and it is part of an acknowledged block. Because how it is possible, in distributed systems, that data is asymmetric in different parts of the system, the transaction is only “final” once a certain number of blocks was mined after it, and still it can be possible that the transaction is discarded after some time. But, in general terms, it is accepted that after 6 to 8 blocks from latest, that it is very likely that the transaction will stay in the chain.

Returns

The mined transaction data including event logs.

Parameters

- `System.String transactionHash` - Desired transaction hash.

GetUncleByBlockNumberAndIndex(blockNumber,position) method

Retrieve the of uncle of a block for the given `blockNumber` and a position. Uncle blocks are valid blocks and are mined in a genuine manner, but get rejected from the main blockchain.

Returns

The uncle block.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.
- `System.Int32` **position** - Position of the block.

GetUncleCountByBlockHash(blockHash) method

Retrieve the total of uncles of a block for the given `blockHash`. Uncle blocks are valid blocks and are mined in a genuine manner, but get rejected from the main blockchain. See *GetUncleCountByBlockNumber*.

Returns

The number of uncles in a block.

Parameters

- `System.String` **blockHash** - Desired block hash.

GetUncleCountByBlockNumber(blockNumber) method

Retrieve the total of uncles of a block for the given `blockNumber`. Uncle blocks are valid and are mined in a genuine manner, but get rejected from the main blockchain. See *GetUncleCountByBlockHash*.

Returns

The number of uncles in a block.

Parameters

- `System.Numerics.BigInteger` **blockNumber** - Block number or *Latest* or *Earliest*.

NewBlockFilter() method

Creates a filter in the node, to notify when a new block arrives. To check if the state has changed, call *GetFilterChangesFromLogs*. Filters are event catchers running on the Ethereum Client. Incubed has a client-side implementation. An event will be stored in case it is within to and from blocks, or in the block of blockhash, contains a transaction to the designed address, and has a word listed on topics.

Returns

The filter id.

Parameters

This method has no parameters.

Remarks

Use the returned filter id to perform other filter operations.

NewLogFilter(filter) method

Creates a filter object, based on filter options, to notify when the state changes (logs). To check if the state has changed, call *GetFilterChangesFromLogs*. Filters are event catchers running on the Ethereum Client. Incubed has a client-side implementation. An event will be stored in case it is within to and from blocks, or in the block of blockhash, contains a transaction to the designed address, and has a word listed on topics.

Returns

The filter id.

Parameters

- *In3.Eth1.LogFilter* **filter** - Model that holds the data for the filter creation.

Remarks

Use the returned filter id to perform other filter operations.

SendRawTransaction(transactionData) method

Sends a signed and encoded transaction.

Returns

Transaction hash, used to get the receipt and check if the transaction was mined.

Parameters

- *System.String* **transactionData** - Signed keccak hash of the serialized transaction.

Remarks

Client will add the other required fields, gas and chainid id.

SendTransaction(tx) method

Signs and sends the assigned transaction. The *Signer* used to sign the transaction is the one set by *Signer*. Transactions change the state of an account, just the balance, or additionally, the storage and the code. Every transaction has a cost, gas, paid in Wei. The transaction gas is calculated over estimated gas times the gas cost, plus an additional miner fee, if the sender wants to be sure that the transaction will be mined in the latest block. See *SendTransactionAndWait* to wait for the *TransactionReceipt* in the same call.

Returns

Transaction hash, used to get the receipt and check if the transaction was mined.

Parameters

- *In3.Eth1.TransactionRequest tx* - All information needed to perform a transaction.

Example

```
SimpleWallet wallet = (SimpleWallet) client.Signer;
TransactionRequest tx = new TransactionRequest();
tx.From = wallet.AddRawKey(pk);
tx.To = "0x3940256B93c4BE0B1d5931A6A036608c25706B0c";
tx.Gas = 21000;
tx.Value = 100000000;
client.Eth1.SendTransaction(tx);
```

SendTransactionAndWait(tx) method

Signs and sends the assigned transaction. The *Signer* used to sign the transaction is the one set by *Signer*. Transactions change the state of an account, just the balance, or additionally, the storage and the code. Every transaction has a cost, gas, paid in Wei. The transaction gas is calculated over estimated gas times the gas cost, plus an additional miner fee, if the sender wants to be sure that the transaction will be mined in the latest block. In this particular case, the transaction will wait the receipt. See *SendTransaction* if that is not desirable.

Returns

The receipt associated with the performed transaction.

Parameters

- *In3.Eth1.TransactionRequest tx* - All information needed to perform a transaction.

Example

```
SimpleWallet wallet = (SimpleWallet) client.Signer;
TransactionRequest tx = new TransactionRequest();
tx.From = wallet.AddRawKey(pk);
tx.To = "0x3940256B93c4BE0B1d5931A6A036608c25706B0c";
tx.Gas = 21000;
tx.Value = 100000000;
client.Eth1.SendTransactionAndWait(tx);
```

UninstallFilter(filterId) method

Uninstalls a previously created filter.

Returns

The result of the operation, `true` on success or `false` on failure.

Parameters

- `System.Int64 filterId` - The filter id returned by *NewBlockFilter*.

Get(multihash) method

Returns the content associated with specified multihash on success OR on error.

Returns

The content that was stored by *Put* or *Put*.

Parameters

- `System.String multihash` - The multihash.

Put(content) method

Stores content on ipfs.

Returns

The multihash.

Parameters

- `System.String content` - The content that will be stored via ipfs.

Put(content) method

Stores content on ipfs. The content is encoded as base64 before storing.

Returns

The multihash.

Parameters

- `System.Byte[] content` - The content that will be stored via ipfs.

14.5.6 BaseConfiguration type

In3.Configuration

Base class for all configuration classes.

14.5.7 Block type

In3.Eth1

Class that represents as Ethereum block.

Author property

The miner of the block.

Difficulty property

Difficulty of the block.

ExtraData property

Extra data.

GasLimit property

Gas limit.

Hash property

The block hash.

LogsBloom property

The logsBloom data of the block.

MixHash property

The mix hash of the block. (only valid of proof of work).

Nonce property

The nonce.

Number property

The index of the block.

ParentHash property

The parent block's hash.

ReceiptsRoot property

The roothash of the merkle tree containing all transaction receipts of the block.

Sha3Uncles property

The roothash of the merkle tree containing all uncles of the block.

Size property

Size of the block.

StateRoot property

The roothash of the merkle tree containing the complete state.

Timestamp property

Epoch timestamp when the block was created.

TotalDifficulty property

Total Difficulty as a sum of all difficulties starting from genesis.

TransactionsRoot property

The roothash of the merkle tree containing all transaction of the block.

Uncles property

List of uncle hashes.

14.5.8 BlockHeader type

In3.Btc

A Block header.

Bits property

Bits (target) for the block as hex.

Chainwork property

Total amount of work since genesis.

Confirmations property

Number of confirmations or blocks mined on top of the containing block.

Difficulty property

Difficulty of the block.

Hash property

The hash of the blockheader.

Height property

Block number.

Mediantime property

Unix timestamp in seconds since 1970.

Merkleroot property

Merkle root of the trie of all transactions in the block.

NTx property

Number of transactions in the block.

Nextblockhash property

Hash of the next blockheader.

Nonce property

Nonce-field of the block.

Previousblockhash property

Hash of the parent blockheader.

Time property

Unix timestamp in seconds since 1970.

Version property

Used version.

VersionHex property

Version as hex.

14.5.9 BlockParameter type

In3

Enum-like class that defines constants to be used with *Api*.

Earliest property

Genesis block.

Latest property

Constant associated with the latest mined block in the chain.

Remarks

While the parameter itself is constant the current “latest” block changes everytime a new block is mined. The result of the operations are also related to `ReplaceLatestBlock` on *ClientConfiguration*.

14.5.10 Block‘1 type

In3.Btc

A Block.

Size property

Size of this block in bytes.

Tx property

Transactions or Transaction ids of a block. *GetBlockWithTxData* or *GetBlockWithTxIds*.

Weight property

Weight of this block in bytes.

14.5.11 Chain type

In3

Represents the multiple chains supported by Incubed.

Btc constants

Bitcoin chain.

Ewc constants

Ewf chain.

Goerli constants

Goerli testnet.

Ipfs constants

Ipfs (InterPlanetary File System).

Local constants

Local client.

Mainnet constants

Ethereum mainnet.

Tobalaba constants

Tobalaba testnet.

Volta constants

Volta testnet.

14.5.12 ClientConfiguration type

In3.Configuration

Class that represents the configuration to be applied on *IN3*. Due to the 1-to-1 relationship with the client, this class should never be instantiated. To obtain a reference of the client configuration use *Configuration* instead.

Remarks

Use in conjunction with *NodeRegistryConfiguration* and *NodeConfiguration*.

AutoUpdateList property

If `true` the nodelist will be automatically updated. False may compromise data security.

BootWeights property

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.

Experimental property

allow experimental features to be used.

Finality property

Remarks

Beware that the semantics of the values change greatly from chain to chain. The value of 8 would mean 8 blocks mined on top of the requested one while with the POW algorithm while, for POA, it would mean 8% of validators.

IncludeCode property

Code is included when sending `eth_call`-requests.

KeepIn3 property

The `in3`-section (custom node on the RPC call) with the proof will also be returned.

MaxAttempts property

Maximum times the client will retry to contact a certain node.

MinDeposit property

Only nodes owning at least this amount will be chosen to sign responses to your requests.

NodeLimit property

Limit nodes stored in the client.

NodeProps property

Props define the capabilities of the nodes. Accepts a combination of values.

Example

```
clientConfiguration.NodeProps = Props.NodePropProof | Props.NodePropArchive;
```

NodeRegistry property

NodeRegistry for the chain passed to the client constructor.

Proof property

One of *Proof*. *Full* gets the whole block Patricia-Merkle-Tree, *Standard* only verifies the specific tree branch concerning the request, *None* only verifies the root hashes, like a light-client does.

ReplaceLatestBlock property

Distance considered safe, consensus wise, from the very latest block. Higher values exponentially increases state finality, and therefore data security, as well guaranteed responses from in3 nodes.

RequestCount property

Useful when *SignatureCount* is less then 1. The client will check for consensus in responses.

Rpc property

Setup an custom rpc source for requests by setting chain to *Local* and proof to *None*.

SignatureCount property

Node signatures attesting the response to your request. Will send a separate request for each.

Example

When set to 3, 3 nodes will have to sign the response.

Timeout property

Milliseconds before a request times out.

UseHttp property

Disable ssl on the Http connection.

14.5.13 Context type

In3.Context

Acts as the main orchestrator for the execution of an rpc. Holds a reference to the native context (ctx) and wraps behavior around it.

#ctor(ctx,nativeClient) constructor

Standard constructor, private so people use *FromRpc*.

Parameters

- `System.IntPtr ctx` - The native rpc context.
- `In3.Native.NativeClient nativeClient` - Object that encapsulates the native client.

CreateNativeCtx(nativeIn3Ptr,rpc) method

Method to manage the creation of the native ctx request.

Returns

Native rpc pointer

Parameters

- `System.IntPtr nativeIn3Ptr` - Native client pointer.
- `System.String rpc` - The rpc request

Exceptions

| Name | Description |

| *In3.Error.ContextException* ||

Dispose() method

Destructor method for the native ctx encapsulated by the *Context* object.

Parameters

This method has no parameters.

Execute() method

Proxy to `in3_req_execute`, every invocation generates a new state.

Returns

The state as computed by `in3_req_execute`.

Parameters

This method has no parameters.

FromRpc(wrapper, rpc) method

Factory-like method to build a Context object from an rpc request.

Returns

An instance of context.

Parameters

- *In3.Native.NativeClient* **wrapper** - The object that encapsulates the native client pointer.
- *System.String* **rpc** - The rpc request

GetErrorMessage() method

Retrieve the error result on the context.

Returns

A string describing the encountered error.

Parameters

This method has no parameters.

GetLastWaiting() method

Method responsible to fetch the pending context references in the current context.

Returns

A context object.

Parameters

This method has no parameters.

GetResponse() method

Method to get the consolidated response of a request.

Returns

The final result.

Parameters

This method has no parameters.

GetType() method

Method to get the consolidated response of a request.

Returns

The final result.

Parameters

This method has no parameters.

HandleRequest() method

Handle rpc request in an asynchronous manner.

Parameters

This method has no parameters.

HandleSign() method

Handle signing request in an asynchronous manner.

Parameters

This method has no parameters.

IsValid() method

Conditional to verify if the encapsulated pointer actually points to something.

Returns

if its valid, `false` if it is not.

Parameters

This method has no parameters.

ReportError() method

Setter for the error on the current context. Proxies it to the native context.

Parameters

This method has no parameters.

14.5.14 ContextException type

In3.Error

Exception thrown when there is an issue with the Context engine.

14.5.15 DataTypeConverter type

In3.Utils

General util class for conversion between blockchain types.

HexStringToBigint(source) method

Converts a zero-prefixed hex (e.g.: 0x05) to `BigInteger`

Returns

The number representation of `source`.

Parameters

- `System.String source` - The hex number string.

14.5.16 DefaultTransport type

In3.Transport

Basic implementation for synchronous http transport for Incubed client.

#ctor() constructor

Standard construction.

Parameters

This constructor has no parameters.

Handle(url,payload) method

Method that handles, synchronously the http requests.

Returns

The http json response.

Parameters

- `System.String url` - The url of the node.
- `System.String payload` - Json for the body of the POST request to the node.

14.5.17 ENSParameter type

In3

Defines the kind of entity associated with the ENS Resolved. Used along with *Ens*.

Addr property

Address.

Hash property

Hash.

Owner property

Owner.

Resolver property

Resolver.

14.5.18 IN3 type

In3

Incubed network client. Connect to the blockchain via a list of bootnodes, then gets the latest list of nodes in the network and ask a certain number of the to sign the block header of given list, putting their deposit at stake. Once with the latest list at hand, the client can request any other on-chain information using the same scheme.

#ctor(chainId) constructor

Standard constructor, use *ForChain* instead.

Parameters

- *In3.Chain* **chainId** - The chainId to connect to.

Btc property

Gets *Api* object.

Configuration property

Gets *ClientConfiguration* object. Any changes in the object will be automatically applied to the client before each method invocation.

Crypto property

Gets *Api* object.

Eth1 property

Gets *Api* object.

Ipfs property

Gets *Api* object.

Signer property

Get or Sets *Signer* object. If not set *SimpleWallet* will be used.

Storage property

Get or Sets *Storage* object. If not set *InMemoryStorage* will be used.

Transport property

Gets or sets *Transport* object. If not set *DefaultTransport* will be used.

Finalize() method

Finalizer for the client.

Parameters

This method has no parameters.

ForChain(chain) method

Creates a new instance of `IN3`.

Returns

An Incubed instance.

Parameters

- *In3.Chain* **chain** - *Chain* that Incubed will connect to.

Example

```
IN3 client = IN3.ForChain(Chain.Mainnet);
```

SendRpc(method,args,in3) method

Method used to communicate with the client. In general, its preferably to use the API.

Returns

The result of the Rpc operation as JSON.

Parameters

- `System.String` **method** - Rpc method.
- `System.Object[]` **args** - Arguments to the operation.
- `System.Collections.Generic.Dictionary{ System.String, System.Object }` **in3** - Internal parameters to be repassed to the server or to change the client behavior.

14.5.19 In3Exception type

`In3.Error`

General purpose, all-encompassing, Incubed specific Exception class.

14.5.20 InMemoryStorage type

`In3.Storage`

Default implementation of *Storage*. It caches all cacheable data in memory.

#ctor() constructor

Standard constructor.

Parameters

This constructor has no parameters.

Clear() method

Empty the in-memory cache.

Returns

Result for the clear operation.

Parameters

This method has no parameters.

GetItem(key) method

Fetches the data from memory.

Returns

The cached value as a `byte[]`.

Parameters

- `System.String key` - Key

SetItem(key,content) method

Stores a value in memory for a given key.

Parameters

- `System.String key` - A unique identifier for the data that is being cached.
- `System.Byte[] content` - The value that is being cached.

14.5.21 InvalidSignerException type

In3.Error

Exception thrown when there is no available *Signer* to sign.

14.5.22 InvalidTransactionRequestException type

In3.Error

Exception thrown when the state of *TransactionRequest* is invalid.

14.5.23 Log type

In3.Eth1

Logs marks changes of state on the blockchain for events. The *Log* is a data object with information from logs.

Address property

Address from which this log originated.

BlockHash property

Hash of the block this log was in. null when its pending log.

BlockNumber property

Number of the block this log was in.

Data property

Data associated with the log.

LogIndex property

Index position in the block.

Removed property

Flags log removal (due to chain reorganization).

Topics property

Array of 0 to 4 32 Bytes DATA of indexed log arguments. (In solidity: The first topic is the hash of the signature of the event (e.g. Deposit(address,bytes32,uint256)), except you declared the event with the anonymous specifier).

TransactionHash property

Hash of the transactions this log was created from. null when its pending log.

TransactionIndex property

index position log was created from.

Type property

Address from which this log originated.

14.5.24 LogFilter type

In3.Eth1

Filter configuration for search logs. To be used along with the *Api* filter and methods.

#ctor() constructor

Standard constructor.

Parameters

This constructor has no parameters.

Address property

Address for the filter.

BlockHash property

Block hash of the filtered blocks.

Remarks

If present, *FromBlock* and *ToBlock* will be ignored.

FromBlock property

Starting block for the filter.

ToBlock property

End block for the filter.

Topics property

Array of 32 Bytes Data topics. Topics are order-dependent. It's possible to pass in null to match any topic, or a subarray of multiple topics of which one should be matching.

14.5.25 NodeConfiguration type

In3.Configuration

Class that represents part of the configuration to be applied on the *IN3* (in particular to each boot node). This is a child of *NodeRegistryConfiguration*.

#ctor(config) constructor

Constructor for the node configuration.

Parameters

- *In3.Configuration.NodeRegistryConfiguration* **config** - The *NodeRegistryConfiguration* of which this node belongs to.

Example

```
NodeConfiguration myDeployedNode = new NodeConfiguration(mainnetChainConfiguration);
```

Address property

Address of the node, which is the public address it is signing with.

Props property

Props define the capabilities of the node. Accepts a combination of values.

Example

```
nodeConfiguration.Props = Props.NodePropProof | Props.NodePropArchive;
```

Url property

Url of the bootnode which the client can connect to.

14.5.26 NodeRegistryConfiguration type

In3.Configuration

Class that represents part of the configuration to be applied on the *IN3* (in particular to each chain). This is a child of *ClientConfiguration* and have many *NodeConfiguration*.

Contract property

Incubed registry contract from which the list was taken.

NeedsUpdate property

Preemptively update the node list.

NodesConfiguration property

Getter for the list of elements that represent the configuration for each node.

Remarks

This is a read-only property. To add configuration for nodes, Use *NodeConfiguration* constructor.

RegistryId property

Uuid of this incubed network. one chain could contain more than one incubed networks.

WhiteList property

Node addresses that constitute the white list of nodes.

WhiteListContract property

Address of whiteList contract.

14.5.27 Proof type

In3.Configuration

Alias for verification levels. Verification is done by calculating Ethereum Trie states requested by the Incubed network and signed as proofs of a certain state.

Full property

All fields will be validated (including uncles).

None property

No Verification.

Standard property

Standard Verification of the important properties.

14.5.28 Props type

In3.Configuration

Enum that defines the capabilities an incubed node.

NodePropArchive constants

filter out non-archive supporting nodes.

NodePropBinary constants

filter out nodes that don't support binary encoding.

NodePropData constants

filter out non-data provider nodes.

NodePropHttp constants

filter out non-http nodes.

NodePropMinblockheight constants

filter out nodes that will sign blocks with lower min block height than specified.

NodePropMultichain constants

filter out nodes other than which have capability of the same RPC endpoint may also accept requests for different chains.

NodePropOnion constants

filter out non-onion nodes.

NodePropProof constants

filter out nodes which are providing no proof.

NodePropSigner constants

filter out non-signer nodes.

NodePropStats constants

filter out nodes that do not provide stats.

14.5.29 RpcException type

In3.Error

Custom Exception to be thrown in case of Rpc errors.

Code property

Json-rpc code for the error.

14.5.30 ScriptPubKey type

In3.Btc

Script on a transaction output.

Addresses property

List of addresses.

Asm property

The asm data,

Hex property

The raw hex data.

ReqSigs property

The required sigs.

Type property

The type.

Example

pubkeyhash

14.5.31 ScriptSig type

In3.Btc

Script on a transaction input.

Asm property

The asm data.

Hex property

The raw hex data.

14.5.32 SignatureType type

In3.Crypto

Group of constants to be used along with the methods of *Api*.

Btc property

For data hashed twice with sha256 and signed.

EthSign property

For hashes of the RLP prefixed.

Hash property

For data that was hashed and then signed.

Raw property

For data that was signed directly.

14.5.33 SignedData type

In3.Crypto

Output of *SignData*.

Message property

Signed message.

MessageHash property

Hash of (*Message*).

R property

Part of the ECDSA signature.

S property

Part of the ECDSA signature.

Signature property

ECDSA calculated r, s, and parity v, concatenated.

V property

$27 + (R \% 2)$.

14.5.34 Signer type

In3.Crypto

Minimum interface to be implemented by a kind of signer. Used by *SendTransaction*. Set it with *Signer*.

CanSign(account) method

Queries the Signer if it can sign for a certain key.

Returns

true if it can sign, false if it cant.

Parameters

- `System.String account` - The account derived from the private key used to sign transactions.

Remarks

This method is invoked internally by *SendTransaction* using *From* and will throw a *SystemException* in case *false* is returned.

PrepareTransaction() method

Optional method which allows to change the transaction-data before sending it. This can be used for redirecting it through a multisig. Invoked just before sending a transaction through *SendTransaction*.

Returns

Modified transaction request.

Parameters

This method has no parameters.

Sign(data,account) method

Signs the transaction data with the private key associated with the invoked account. Both arguments are automatically passed by Incubed client base on *TransactionRequest* data during a *SendTransaction*.

Returns

The signed transaction data.

Parameters

- *System.String* **data** - Data to be signed.
- *System.String* **account** - The account that will sign the transaction.

14.5.35 SimpleWallet type

In3.Crypto

Default implementation of the *Signer*. Works as an orchestration of the in order to manage multiple accounts.

#ctor(in3) constructor

Basic constructor.

Parameters

- *In3.IN3* **in3** - A client instance.

AddRawKey(privateKey) method

Adds a private key to be managed by the wallet and sign transactions.

Returns

The address derived from the `privateKey`

Parameters

- `System.String privateKey` - The private key to be stored by the wallet.

CanSign(address) method

Check if this address is managed by this wallet.

Returns

`true` if the address is managed by this wallet, `false` if not.

Parameters

- `System.String address` - The address. Value returned by *AddRawKey*.

PrepareTransaction(tx) method

Identity function-like method.

Returns

`tx`

Parameters

- *In3.Eth1.TransactionRequest tx* - A transaction object.

Sign(data,address) method

Signs the transaction data by invoking *SignData*.

Returns

Signed transaction data.

Parameters

- `System.String data` - Data to be signed.
- `System.String address` - Address managed by the wallet, see *AddRawKey*

14.5.36 Storage type

In3.Storage

Provider methods to cache data. These data could be nodelists, contract codes or validator changes. Any form of cache should implement *Storage* and be set with *Storage*.

Clear() method

Clear the cache.

Returns

The result of the operation: `true` for success and `false` for failure.

Parameters

This method has no parameters.

GetItem(key) method

returns a item from cache.

Returns

The bytes or `null` if not found.

Parameters

- `System.String key` - The key for the item.

SetItem(key,content) method

Stores an item to cache.

Parameters

- `System.String key` - The key for the item.
- `System.Byte[] content` - The value to store.

14.5.37 Transaction type

In3.Btc

A BitCoin Transaction.

14.5.38 Transaction type

In3.Eth1

Class representing a transaction that was accepted by the Ethereum chain.

Blockhash property

The block hash of the block containing this transaction.

Blocktime property

The block time in seconds since epoch (Jan 1 1970 GMT).

Confirmations property

The confirmations.

Hash property

The transaction hash (differs from txid for witness transactions).

Hex property

The hex representation of raw data.

Locktime property

The locktime.

Size property

The serialized transaction size.

Time property

The transaction time in seconds since epoch (Jan 1 1970 GMT).

Txid property

Transaction Id.

Version property

The version.

Vin property

The transaction inputs.

Vout property

The transaction outputs.

Vsize property

The virtual transaction size (differs from size for witness transactions).

Weight property

The transaction's weight (between vsize4-3 and vsize4).

BlockHash property

Hash of the block that this transaction belongs to.

BlockNumber property

Number of the block that this transaction belongs to.

ChainId property

Chain id that this transaction belongs to.

Creates property

Address of the deployed contract (if successfull).

From property

Address whose private key signed this transaction with.

Gas property

Gas for the transaction.

GasPrice property

Gas price (in wei) for each unit of gas.

Hash property

Transaction hash.

Input property

Transaction data.

Nonce property

Nonce for this transaction.

PublicKey property

Public key.

R property

Part of the transaction signature.

Raw property

Transaction as rlp encoded data.

S property

Part of the transaction signature.

StandardV property

Part of the transaction signature. V is parity set by $v = 27 + (r \% 2)$.

To property

To address of the transaction.

TransactionIndex property

Transaction index.

V property

The *StandardV* plus the chain.

Value property

Value of the transaction.

14.5.39 TransactionBlock type

In3.Eth1

Class that holds a block with its full transaction array: *Transaction*.

Transactions property

Array with the full transactions containing on this block.

Remarks

Returned when `shouldIncludeTransactions` on *Api* get block methods are set to `true`.

14.5.40 TransactionHashBlock type

In3.Eth1

Class that holds a block with its transaction hash array.

Transactions property

Array with the full transactions containing on this block.

Remarks

Returned when `shouldIncludeTransactions` on *Api* get block methods are set to `false`.

14.5.41 TransactionInput type

In3.Btc

Input of a transaction.

ScriptSig property

The script.

Sequence property

The script sequence number.

Txid property

The transaction id.

Txinwitness property

Hex-encoded witness data (if any).

Yout property

The index of the transactionoutput.

14.5.42 TransactionOutput type

In3.Btc

Output of a transaction.

N property

The index in the transaction.

ScriptPubKey property

The script of the transaction.

Value property

The value in bitcoins.

14.5.43 TransactionReceipt type

In3.Eth1

Class that represents a transaction receipt. See *GetTransactionReceipt*.

BlockHash property

Hash of the block with the transaction which this receipt is associated with.

BlockNumber property

Number of the block with the transaction which this receipt is associated with.

ContractAddress property

Address of the smart contract invoked in the transaction (if any).

From property

Address of the account that signed the transaction.

GasUsed property

Gas used on this transaction.

Logs property

Logs/events for this transaction.

LogsBloom property

A bloom filter of logs/events generated by contracts during transaction execution. Used to efficiently rule out transactions without expected logs.

Root property

Merkle root of the state trie after the transaction has been executed (optional after Byzantium hard fork EIP609).

Status property

Status of the transaction.

To property

Address whose value will be transferred to.

TransactionHash property

Hash of the transaction.

TransactionIndex property

Number of the transaction on the block.

14.5.44 TransactionRequest type

In3.Eth1

Class that holds the state for the transaction request to be submitted via *SendTransaction*.

Data property

Data of the transaction (in the case of a smart contract deployment for example).

From property

Address derived from the private key that will sign the transaction. See *Signer*.

Function property

Function of the smart contract to be invoked.

Gas property

Gas cost for the transaction. Can be estimated via *EstimateGas*.

GasPrice property

Gas price (in wei). Can be obtained via *GetGasPrice*.

Nonce property

Nonce of the transaction.

Params property

Array of parameters for the function (in the same order of its signature), see *Function*

To property

Address to whom the transaction value will be transfered to or the smart contract address whose function will be invoked.

Value property

Value of the transaction.

14.5.45 Transport type

In3.Transport

Minimum interface for a custom transport. Transport is a mean of communication with the Incubed server.

Handle(url,payload) method

Method to be implemented that will handle the requests to the server. This method may be called once for each url on each batch of requests.

Returns

The rpc response.

Parameters

- `System.String url` - Url of the node.
- `System.String payload` - Content for the RPC request.

15.1 IN3 Rust API features:

- Cross-platform support tested with cross-rs.
- Unsafe code is isolated to a small subset of the API and should not be required for most use cases.
- The C sources are bundled with the crate and we leverage the rust-bindgen and cmake-rs projects to auto-generate bindings.
- Leak-free verified with Valgrind-memcheck.
- Well-documented API support for Ethereum, Bitcoin, and IPFS.
- Customizable storage, transport, and signing.
- All of IN3's verification capabilities with examples and much more!

15.2 Quickstart

15.2.1 Add in3 to Cargo manifest

Add IN3 and `futures_executor` (or just any executor of your choice) to your cargo manifest. The `in3-rs` API is asynchronous and Rust doesn't have any built-in executors so we need to choose one, and we decided `futures_executor` is a very good option as it is lightweight and practical to use.

```
[package]
name = "in3-tutorial"
version = "0.0.1"
authors = ["reader@medium.com"]
edition = "2018"

[dependencies]
```

(continues on next page)

(continued from previous page)

```
in3 = "0.1.8"
futures-executor = "0.3.5"
async-std = "1.5.0"
serde_json = "1.0"
```

Let's begin with the 'hello-world' equivalent of the Ethereum JSON-RPC API - `eth_blockNumber`. This call returns the number of the most recent block in the blockchain. Here's the complete program:

```
use in3::eth1;
use in3::prelude::*;

fn main() -> In3Result<()> {
    let client = Client::new(chain::MAINNET);
    let mut eth_api = eth1::Api::new(client);
    let number = futures_executor::block_on(eth_api.block_number())?;
    println!("Latest block number => {:?}", number);
    Ok(())
}
```

Now, let's go through this program line-by-line. We start by creating a JSON-RPC capable Incubed Client instance for the Ethereum mainnet chain.

```
let client = Client::new(chain::MAINNET);
```

This client is then used to instantiate an Ethereum Api instance which implements the Ethereum JSON-RPC API spec.

```
let mut eth_api = eth1::Api::new(client);
```

From here, getting the latest block number is as simple as calling the `block_number()` function on the Ethereum Api instance. As specified before, we need to use `futures_executor::block_on` to run the future returned by `block_number()` to completion on the current thread.

```
let number = futures_executor::block_on(eth_api.block_number())?;
```

A complete list of supported functions can be found on the `in3-rs` crate documentation page at docs.rs.

15.2.2 Get an Ethereum block by number

```
use async_std::task;
use in3::prelude::*;
use in3::eth1::*;

fn main() {
    // configure client and API
    let mut eth_api = Api::new(Client::new(chain::MAINNET));
    // get latest block
    let block: Block = task::block_on(eth_api.get_block_by_number(BlockNumber::Latest,
    ↪ false)).unwrap();
    println!("Block => {:?}", block);
}
```

15.2.3 An Ethereum contract call

In this case, we are reading the number of nodes that are registered in the IN3 network deployed on the Ethereum Mainnet at 0x2736D225f85740f42D17987100dc8d58e9e16252

```
use async_std::task;
use in3::prelude::*;
use in3::eth1::*;

fn main() {
    // configure client and API
    let mut eth_api = Api::new(Client::new(chain::MAINNET));
    // Setup Incubed contract address
    let contract: Address =
        serde_json::from_str(r#"0x2736D225f85740f42D17987100dc8d58e9e16252"#).
↳unwrap(); // cannot fail
    // Instantiate an abi encoder for the contract call
    let mut abi = abi::In3EthAbi::new();
    // Setup the signature to call in this case we are calling totalServers():uint256_
↳from in3-nodes contract
    let params = task::block_on(abi.encode("totalServers():uint256", serde_json::json!
↳([])))
        .expect("failed to ABI encode params");
    // Setup the transaction with contract and signature data
    let txn = CallTransaction {
        to: Some(contract),
        data: Some(params),
        ..Default::default()
    };
    // Execute asynchronous api call.
    let output: Bytes =
        task::block_on(eth_api.call(txn, BlockNumber::Latest)).expect("ETH call failed
↳");
    // Decode the Bytes output and get the result
    let output =
        task::block_on(abi.decode("uint256", output)).expect("failed to ABI decode_
↳output");
    let total_servers: U256 = serde_json::from_value(output).unwrap(); // cannot fail_
↳if ABI decode succeeds
    println!("{:?}", total_servers);
}
```

15.2.4 Store a string in IPFS

IPFS is a protocol and peer-to-peer network for storing and sharing data in a distributed file system.

```
use async_std::task;
use in3::ipfs::*;
use in3::prelude::*;

fn main() {
    let mut ipfs_api = Api::new(Client::new(chain::IPFS));
    // `put` is an asynchronous request (due to the internal C library). Therefore to_
↳block execution
    //we use async_std's block_on function
```

(continues on next page)

(continued from previous page)

```
match task::block_on(ipfs_api.put("incubed meets rust".as_bytes().into())) {
    Ok(res) => println!("The hash is {:?}", res),
    Err(err) => println!("Failed with error: {:?}", err),
}
```

15.2.5 Ready-To-Run Example

Head over to our sample project on GitHub or simply run:

```
$ git clone https://github.com/hu55a1n1/in3-examples.rs
$ cd in3-examples.rs
$ cargo run
```

15.3 Crate

In3 crate can be found in crates.io/crates/in3

15.4 Api Documentation

Api reference information can be found in [\[docs.rs/in3/\]](https://docs.rs/in3/)(<https://docs.rs/in3/>)

16.1 Classes

16.1.1 Account

Account Handling includes handling signers and preparing and signing transaction and data.

```
public class Account
```

Signers are Plugins able to create signatures. Those functions will use the registered plugins.

createKey(seed:)

Generates 32 random bytes. If /dev/urandom is available it will be used and should generate a secure random number. If not the number should not be considered secure or used in production.

```
public func createKey(seed: String? = nil) throws -> String
```

Example

```
let result = try in3.account.createKey()  
// result = "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
```

Parameters

- seed: the seed. If given the result will be deterministic.

Returns

the 32byte random data

pk2address(pk:)

extracts the address from a private key.

```
public func pk2address(pk: String) throws -> String
```

Example

```
let result = try in3.account.pk2address(pk:
↳ "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a")
// result = "0xdc5c4280d8a286f0f9c8f7f55a5a0c67125efcfd"
```

Parameters

- pk: the 32 bytes private key as hex.

Returns

the address

pk2public(pk:)

extracts the public key from a private key.

```
public func pk2public(pk: String) throws -> String
```

Example

```
let result = try in3.account.pk2public(pk:
↳ "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a")
// result =
↳ "0x0903329708d9380aca47b02f3955800179e18bffbb29be3a644593c5f87e4c7fa960983f7818\
// 6577eccc909cec71cb5763acd92ef4c74e5fa3c43f3a172c6de1"
```

Parameters

- pk: the 32 bytes private key as hex.

Returns

the public key as 64 bytes

ecrecover(msg:sig:sigtype:)

extracts the public key and address from signature.

```
public func ecrecover(msg: String, sig: String, sigtype: String? = "raw") throws ->
↳ ECRrecoverResult
```

Example

```
let result = try in3.account.ecrecover(msg:
↳ "0x487b2cbb7997e45b4e9771d14c336b47c87dc2424b11590e32b3a8b9ab327999", sig:
↳ "0x0f804ff891e97e8a1c35a2ebafc5e7f129a630a70787fb86ad5aec0758d98c7b454dee5564310d497ddfe814839c8ba\
↳ ", sigtype: "hash")
// result =
//      publicKey:
↳ "0x94b26bafa6406d7b636fbb4de4edd62a2654eeecda9505e9a478a66c4f42e504c\
```

(continues on next page)

(continued from previous page)

```
//          4481bad171e5ba6f15a5f11c26acfc620f802c6768b603dbcbe5151355bbffb"
//          address: "0xf68a4703314e9a9cf65be688bd6d9b3b34594ab4"
```

Parameters

- msg: the message the signature is based on.
- sig: the 65 bytes signature as hex.
- sigtype: the type of the signature data : `eth_sign` (use the prefix and hash it), `raw` (hash the raw data), `hash` (use the already hashed data). Default: `raw`

Returns

the extracted public key and address

prepareTx(tx:)

prepares a Transaction by filling the unspecified values and returns the unsigned raw Transaction.

```
public func prepareTx(tx: AccountEthTransaction) -> Future<String>
```

Example

```
in3.account.prepareTx(tx: AccountEthTransaction(to:
→ "0x63f666a23cbd135a91187499b5cc51d589c302a0", value: "0x100000000", from:
→ "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f")) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //          result =
    → "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a0850100000000\
    //          80018080"
})
```

Parameters

- tx: the tx-object, which is the same as specified in `eth_sendTransaction`.

Returns

the unsigned raw transaction as hex.

signTx(tx:from:)

signs the given raw Tx (as prepared by `in3_prepareTx`). The resulting data can be used in `eth_sendRawTransaction` to publish and broadcast the transaction.

```
public func signTx(tx: String, from: String) -> Future<String>
```

Example

```
in3.account.signTx(tx:
↳ "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000080018080
↳ ", from: "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
↳ "0xf86980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000\
//
↳ 008026a03c5b094078383f3da3f65773ab1314e89ee76bc41f827f2ef211b2d3449e4435a077755\
//            f8d9b32966e1ad8f6c0e8c9376a4387ed237bdf2db6e6b94016407e276"
    }
}
```

Parameters

- tx: the raw unsigned transactiondata
- from: the account to sign

Returns

the raw transaction with signature.

signData(msg:account:msgType:)

signs the given data.

```
public func signData(msg: String, account: String, msgType: String? = "raw") -> Future
↳ <SignResult>
```

Example

```
in3.account.signData(msg: "0x0102030405060708090a0b0c0d0e0f", account:
↳ "0xa8b8759ec8b59d7c13ef3630e8530f47ddb47eba12f00f9024d3d48247b62852", msgType: "raw
↳ ") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            message: "0x0102030405060708090a0b0c0d0e0f"
//            messageHash:
↳ "0x1d4f6fccf1e27711667605e29b6f15adfd262e5aedfc5db904f2baa75e67"
//            signature:
↳ "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e95792\
//            264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e1521b"
//            r: "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e9579"
//            s: "0x2264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e152"
//            v: 27
    }
}
```

Parameters

- msg: the message to sign.
- account: the account to sign if the account is a bytes32 it will be used as private key
- msgType: the type of the signature data : eth_sign (use the prefix and hash it), raw (hash the raw data), hash (use the already hashed data)

Returns

the signature

decryptKey(key:passphrase:)

decrypts a JSON Keystore file as defined in the [Web3 Secret Storage Definition](#). The result is the raw private key.

```
public func decryptKey(key: AccountKeyparams, passphrase: String) throws -> String
```

Example

```
let result = try in3.account.decryptKey(key: AccountKeyparams(version: "3", id:
↳ "f6b5c0b1-ba7a-4b67-9086-a01ea54ec638", address:
↳ "08aa30739030f362a8dd597fd3fcde283e36f4a1", crypto: {"ciphertext":
↳ "d5c5aafdee81d25bb5ac4048c8c6954dd50c595ee918f120f5a2066951ef992d", "cipherparams":{
↳ "iv": "415440d2b1d6811d5c8a3f4c92c73f49"}, "cipher": "aes-128-ctr", "kdf": "pbkdf2",
↳ "kdfparams": {"dklen": 32, "salt":
↳ "691e9ad0da2b44404f65e0a60cf6aabe3e92d2c23b7410fd187eeeb2c1de4a0d", "c": "16384", "prf":
↳ "hmac-sha256"}, "mac":
↳ "de651c04fc67fd552002b4235fa23ab2178d3a500caa7070b554168e73359610"}), passphrase:
↳ "test")
// result = "0x1ff25594a5e12c1e31ebd8112bdf107d217c1393da8dc7fc9d57696263457546"
```

Parameters

- key: the keyparams
- passphrase: the password to decrypt it.

Returns

a raw private key (32 bytes)

sign(account:message:)

The sign method calculates an Ethereum specific signature with:

```
public func sign(account: String, message: String) -> Future<String>
```

```
sign(keccak256("\x19Ethereum Signed Message:\n" + len(message) + message)).
```

By adding a prefix to the message makes the calculated signature recognisable as an Ethereum specific signature. This prevents misuse where a malicious DApp can sign arbitrary data (e.g. transaction) and use the signature to impersonate the victim.

For the address to sign a signer must be registered.

Example

```
in3.account.sign(account: "0x9b2055d370f73ec7d8a03e965129118dc8f5bf83", message:
↳ "0xdeadbeaf") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result =
    ↳ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17b\
    // fdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
})
```

Parameters

- account: the account to sign with
- message: the message to sign

Returns

the signature (65 bytes) for the given message.

signTransaction(tx:)

Signs a transaction that can be submitted to the network at a later time using with `eth_sendRawTransaction`.

```
public func signTransaction(tx: AccountEthTransaction) -> Future<String>
```

Example

```
in3.account.signTransaction(tx: AccountEthTransaction(data:
↳ "0xd46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb970870f072445675
↳ ", from: "0xb60e8dd61c5d32be8058bb8eb970870f07233155", gas: "0x76c0", gasPrice:
↳ "0x9184e72a000", to: "0xd46e8dd67c5d32be8058bb8eb970870f07244567", value:
↳ "0x9184e72a")) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result =
    ↳ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17b\
    // fdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
})
```

Parameters

- tx: transaction to sign

Returns

the raw signed transaction

addRawKey(pk:)

adds a raw private key as signer, which allows signing transactions.

```
public func addRawKey(pk: String) throws -> String
```

Example

```
let result = try in3.account.addRawKey(pk:
↳ "0x1234567890123456789012345678901234567890123456789012345678901234")
// result = "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
```

Parameters

- pk: the 32byte long private key as hex string.

Returns

the address of given key.

accounts()

returns a array of account-addresss the incubed client is able to sign with.

```
public func accounts() throws -> [String]
```

In order to add keys, you can use *in3_addRawKey* or configure them in the config. The result also contains the addresses of any signer signer-supporting the `PLGN_ACT_SIGN_ACCOUNT` action.

Example

```
let result = try in3.account.accounts()
// result =
//      - "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
//      - "0x93793c6a5af6b54dfaabfb2e988a386a799f5066"
```

Returns

the array of addresses of all registered signers.

createKey(seed:)

Generates 32 random bytes. If `/dev/urandom` is available it will be used and should generate a secure random number. If not the number should not be considered sceure or used in production.

```
public func createKey(seed: String? = nil) throws -> String
```

Example

```
let result = try in3.account.createKey()
// result = "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
```

Parameters

- seed: the seed. If given the result will be deterministic.

Returns

the 32byte random data

pk2address(pk:)

extracts the address from a private key.

```
public func pk2address(pk: String) throws -> String
```

Example

```
let result = try in3.account.pk2address(pk:
↳ "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a")
// result = "0xdc5c4280d8a286f0f9c8f7f55a5a0c67125efcfd"
```

Parameters

- pk: the 32 bytes private key as hex.

Returns

the address

pk2public(pk:)

extracts the public key from a private key.

```
public func pk2public(pk: String) throws -> String
```

Example

```
let result = try in3.account.pk2public(pk:
↳ "0x0fd65f7da55d811634495754f27ab318a3309e8b4b8a978a50c20a661117435a")
// result =
↳ "0x0903329708d9380aca47b02f3955800179e18bffbb29be3a644593c5f87e4c7fa960983f7818\
// 6577eccc909cec71cb5763acd92ef4c74e5fa3c43f3a172c6de1"
```

Parameters

- pk: the 32 bytes private key as hex.

Returns

the public key as 64 bytes

ecrecover(msg:sig:sigtype:)

extracts the public key and address from signature.

```
public func ecrecover(msg: String, sig: String, sigtype: String? = "raw") throws ->
↳ ECRrecoverResult
```

Example

```
let result = try in3.account.ecrecover(msg:
↳ "0x487b2cbb7997e45b4e9771d14c336b47c87dc2424b11590e32b3a8b9ab327999", sig:
↳ "0x0f804ff891e97e8a1c35a2ebafc5e7f129a630a70787fb86ad5aec0758d98c7b454dee5564310d497ddfe814839c8ba\
↳ ", sigtype: "hash")
// result =
//      publicKey:
↳ "0x94b26bafa6406d7b636fbb4de4edd62a2654eeecda9505e9a478a66c4f42e504c\
```

(continues on next page)

(continued from previous page)

```
//          4481bad171e5ba6f15a5f11c26acfc620f802c6768b603dbcbe5151355bbffb"
//          address: "0xf68a4703314e9a9cf65be688bd6d9b3b34594ab4"
```

Parameters

- msg: the message the signature is based on.
- sig: the 65 bytes signature as hex.
- sigtype: the type of the signature data : `eth_sign` (use the prefix and hash it), `raw` (hash the raw data), `hash` (use the already hashed data). Default: `raw`

Returns

the extracted public key and address

prepareTx(tx:)

prepares a Transaction by filling the unspecified values and returns the unsigned raw Transaction.

```
public func prepareTx(tx: EthTransaction) -> Future<String>
```

Example

```
in3.account.prepareTx(tx: EthTransaction(to:
↳ "0x63f666a23cbd135a91187499b5cc51d589c302a0", value: "0x100000000", from:
↳ "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f")) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //          result =
    ↳ "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a0850100000000\
    //          80018080"
})
```

Parameters

- tx: the tx-object, which is the same as specified in `eth_sendTransaction`.

Returns

the unsigned raw transaction as hex.

signTx(tx:from:)

signs the given raw Tx (as prepared by `in3_prepareTx`). The resulting data can be used in `eth_sendRawTransaction` to publish and broadcast the transaction.

```
public func signTx(tx: String, from: String) -> Future<String>
```

Example

```
in3.account.signTx(tx:
↳ "0xe980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000080018080
↳ ", from: "0xc2b2f4ad0d234b8c135c39eea8409b448e5e496f") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//                result =
↳ "0xf86980851a13b865b38252089463f666a23cbd135a91187499b5cc51d589c302a08501000000\
//                \
↳ 008026a03c5b094078383f3da3f65773ab1314e89ee76bc41f827f2ef211b2d3449e4435a077755\
//                f8d9b32966e1ad8f6c0e8c9376a4387ed237bdf2db6e6b94016407e276"
    }
}
```

Parameters

- tx: the raw unsigned transactiondata
- from: the account to sign

Returns

the raw transaction with signature.

signData(msg:account:msgType:)

signs the given data.

```
public func signData(msg: String, account: String, msgType: String? = "raw") -> Future
↳ <SignResult>
```

Example

```
in3.account.signData(msg: "0x0102030405060708090a0b0c0d0e0f", account:
↳ "0xa8b8759ec8b59d7c13ef3630e8530f47ddb47eba12f00f9024d3d48247b62852", msgType: "raw
↳ ") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//                result =
//                message: "0x0102030405060708090a0b0c0d0e0f"
//                messageHash:
↳ "0x1d4f6fccf1e27711667605e29b6f15adfd262e5aedfc5db904f2baa75e67"
//                signature:
↳ "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e95792\
//                264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e1521b"
//                r: "0xa5dea9537d27e4e20b6dfc89fa4b3bc4babe9a2375d64fb32a2eab04559e9579"
//                s: "0x2264ad1fb83be70c145aec69045da7986b95ee957fb9c5b6d315daa5c0c3e152"
//                v: 27
    }
}
```


Parameters

- msg: the message to sign.
- account: the account to sign if the account is a bytes32 it will be used as private key
- msgType: the type of the signature data : eth_sign (use the prefix and hash it), raw (hash the raw data), hash (use the already hashed data)

Returns

the signature

decryptKey(key:passphrase:)

decrypts a JSON Keystore file as defined in the [Web3 Secret Storage Definition](#). The result is the raw private key.

```
public func decryptKey(key: Keyparams, passphrase: String) throws -> String
```

Example

```
let result = try in3.account.decryptKey(key: Keyparams(version: "3,", id: "f6b5c0b1-
↳ ba7a-4b67-9086-a01ea54ec638", address: "08aa30739030f362a8dd597fd3fcde283e36f4a1",
↳ crypto: {"ciphertext":
↳ "d5c5aafdee81d25bb5ac4048c8c6954dd50c595ee918f120f5a2066951ef992d", "cipherparams": {
↳ "iv": "415440d2b1d6811d5c8a3f4c92c73f49"}, "cipher": "aes-128-ctr", "kdf": "pbkdf2",
↳ "kdfparams": {"dklen": 32, "salt":
↳ "691e9ad0da2b44404f65e0a60cf6aabe3e92d2c23b7410fd187eeeb2c1de4a0d", "c": "16384", "prf":
↳ "hmac-sha256"}, "mac":
↳ "de651c04fc67fd552002b4235fa23ab2178d3a500caa7070b554168e73359610"}), passphrase:
↳ "test")
// result = "0x1ff25594a5e12c1e31ebd8112bdf107d217c1393da8dc7fc9d57696263457546"
```

Parameters

- key: the keyparams
- passphrase: the password to decrypt it.

Returns

a raw private key (32 bytes)

sign(account:message:)

The sign method calculates an Ethereum specific signature with:

```
public func sign(account: String, message: String) -> Future<String>
```

```
sign(keccak256("\x19Ethereum Signed Message:\n" + len(message) + message)).
```

By adding a prefix to the message makes the calculated signature recognisable as an Ethereum specific signature. This prevents misuse where a malicious DApp can sign arbitrary data (e.g. transaction) and use the signature to impersonate the victim.

For the address to sign a signer must be registered.

Example

```
in3.account.sign(account: "0x9b2055d370f73ec7d8a03e965129118dc8f5bf83", message:
↳ "0xdeadbeaf") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result =
    ↳ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17b\
    // fdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
})
```

Parameters

- account: the account to sign with
- message: the message to sign

Returns

the signature (65 bytes) for the given message.

signTransaction(tx:)

Signs a transaction that can be submitted to the network at a later time using with eth_sendRawTransaction.

```
public func signTransaction(tx: EthTransaction) -> Future<String>
```

Example

```
in3.account.signTransaction(tx: EthTransaction(data:
↳ "0xd46e8dd67c5d32be8d46e8dd67c5d32be8058bb8eb970870f072445675058bb8eb970870f072445675
↳ ", from: "0xb60e8dd61c5d32be8058bb8eb970870f07233155", gas: "0x76c0", gasPrice:
↳ "0x9184e72a000", to: "0xd46e8dd67c5d32be8058bb8eb970870f07244567", value:
↳ "0x9184e72a")) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result =
    ↳ "0xa3f20717a250c2b0b729b7e5becbfff67fdaef7e0699da4de7ca5895b02a170a12d887fd3b17b\
    // fdce3481f10bea41f45ba9f709d39ce8325427b57afcfc994cee1b"
})
```

Parameters

- tx: transaction to sign

Returns

the raw signed transaction

addRawKey(pk:)

adds a raw private key as signer, which allows signing transactions.

```
public func addRawKey(pk: String) throws -> String
```

Example

```
let result = try in3.account.addRawKey(pk:
↳ "0x1234567890123456789012345678901234567890123456789012345678901234")
// result = "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
```

Parameters

- pk: the 32byte long private key as hex string.

Returns

the address of given key.

accounts()

returns a array of account-addresss the incubed client is able to sign with.

```
public func accounts() throws -> [String]
```

In order to add keys, you can use `in3_addRawKey` or configure them in the config. The result also contains the addresses of any signer signer-supporting the `PLGN_ACT_SIGN_ACCOUNT` action.

Example

```
let result = try in3.account.accounts()
// result =
//      - "0x2e988a386a799f506693793c6a5af6b54dfaabfb"
//      - "0x93793c6a5af6b54dfaabfb2e988a386a799f5066"
```

Returns

the array of addresses of all registered signers.

16.1.2 Btc

Important: This feature is still experimental and not considered stable yet. In order to use it, you need to set the experimental-flag (-x on the comandline or "experimental":true!

```
public class Btc
```

For bitcoin incubed follows the specification as defined in <https://bitcoincore.org/en/doc/0.18.0/>. Internally the in3-server will add proofs as part of the responses. The proof data differs between the methods. You will read which proof data will be provided and how the data can be used to prove the result for each method.

Proofs will add a special in3-section to the response containing a `proof`- object. This object will contain parts or all of the following properties:

- block
- final
- txIndex

- `merkleProof`
- `cctx`
- `cctxMerkleProof`

`getBlockheaderAsHex(hash:)`

returns a hex representation of the blockheader

```
public func getBlockheaderAsHex(hash: String) -> Future<String?>
```

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```
in3.btc.getBlockheaderAsHex(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result = 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...
↳ f3255d
    }
})
```

Parameters

- `hash`: The block hash

Returns

the blockheader.

`getBlockheader(hash:)`

returns the blockheader

```
public func getBlockheader(hash: String) -> Future<Btcblockheader?>
```

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```
in3.btc.getBlockheader(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
```

(continues on next page)

(continued from previous page)

```

    print("result : \(val)")
//      result =
//      hash: 00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//      confirmations: 8268
//      height: 624958
//      version: 536928256
//      versionHex: 2000
//      merkleroot:
→ d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb
//      time: 1586333924
//      mediantime: 1586332639
//      nonce: 1985217615
//      bits: 17143b41
//      difficulty: 13912524048945.91
//      chainwork:
→ 000000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494
//      nTx: 33
//      previousblockhash:
→ 0000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//      nextblockhash:
→ 000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    }
}

```

Parameters

- hash: The block hash

Returns

the blockheader.

getBlockAsHex(hash:)

returns a hex representation of the block

```
public func getBlockAsHex(hash: String) -> Future<String?>
```

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

Example

```

in3.btc.getBlockAsHex(hash:
→ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
→ {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//      result = 3045022100ae5bd019a63aed404b743c9ebcc77fbba657e481f745e4...
→ f3255d
    }
}

```

Parameters

- hash: The block hash

Returns

the block.

getBlock(hash:)

returns the block with transactionhashes

```
public func getBlock(hash: String) -> Future<Btcblock?>
```

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```
in3.btc.getBlock(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")

//            result =
//            hash: 00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//            confirmations: 8268
//            height: 624958
//            version: 536928256
//            versionHex: 2000
//            merkleroot:↳
↳ d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb
//            time: 1586333924
//            mediantime: 1586332639
//            nonce: 1985217615
//            bits: 17143b41
//            difficulty: 13912524048945.91
//            chainwork:↳
↳ 00000000000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494
//            tx:
//            - d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290
//            - ...
//            - 6456819bf019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919
//            nTx: 33
//            previousblockhash:↳
↳ 0000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//            nextblockhash:↳
↳ 000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    }
}
```

Parameters

- hash: The block hash

Returns

the block.

getBlockWithTx(hash:)

returns the block with full transactions

```
public func getBlockWithTx(hash: String) -> Future<BtcblockWithTx?>
```

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

Example

```
in3.btc.getBlockWithTx(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          hash: 00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//          confirmations: 8268
//          height: 624958
//          version: 536928256
//          versionHex: 2000
//          merkleroot: ↳
↳ d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb
//          time: 1586333924
//          mediantime: 1586332639
//          nonce: 1985217615
//          bits: 17143b41
//          difficulty: 13912524048945.91
//          chainwork: ↳
↳ 000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494
//          tx:
//          - d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290
//          - ...
//          - 6456819bfa019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919
//          nTx: 33
//          previousblockhash: ↳
↳ 0000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//          nextblockhash: ↳
↳ 000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    }
}
```

Parameters

- hash: The block hash

Returns

the block.

getRawTransactionAsHex(txid:blockhash:)

returns a hex representation of the tx

```
public func getRawTransactionAsHex(txid: String, blockhash: String? = nil) -> Future
↳<String?>
```

- verbose 1 or false: an object representing the transaction.

Example

```
in3.btc.getRawTransactionAsHex(txid:
↳"f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf") .observe(using:
↳{
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result = 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...
↳f3255d
    }
})
```

Parameters

- txid: The transaction id
- blockhash: The block in which to look for the transaction

Returns

- verbose 0 or false: a string that is serialized, hex-encoded data for txid

getRawTransaction(txid:blockhash:)

returns the raw transaction

```
public func getRawTransaction(txid: String, blockhash: String? = nil) -> Future
↳<Btctransaction?>
```

- verbose 1 or false: an object representing the transaction.

Example

```
in3.btc.getRawTransaction(txid:
↳"f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf") .observe(using:
↳{
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result =
//              in_active_chain: true
//              txid: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
//              hash: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
//              version: 1
    }
})
```

(continues on next page)

(continued from previous page)

```

//      size: 518
//      vsize: 518
//      weight: 2072
//      locktime: 0
//      vin:
//      - txid:
→0a74f6e5f99bc69af80da9f0d9878ea6afbfb5fbb2d43f1ff899bcdd641a098c
//      vout: 0
//      scriptSig:
//      asm: 30440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228cc...
→254874
//      hex: 4730440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228...
→254874
//      sequence: 4294967295
//      - txid: 869c5e82d4dfc3139c8a153d2ee126e30a467cf791718e6ea64120e5b19e5044
//      vout: 0
//      scriptSig:
//      asm: 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...
→f3255d
//      hex: 483045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745...
→f3255d
//      sequence: 4294967295
//      - txid:
→8a03d29a1b8ae408c94a2ae15bef8329bc3d6b04c063d36b2e8c997273fa8eff
//      vout: 1
//      scriptSig:
//      asm: 304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d1284...
→0045da
//      hex: 47304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d12...
→0045da
//      sequence: 4294967295
//      vout:
//      - value: 0.00017571
//      n: 0
//      scriptPubKey:
//      asm: OP_DUP OP_HASH160 53196749b85367db9443ef9a5aec25cf0bdceedf OP_
→EQUALVERIFY
//      OP_CHECKSIG
//      hex: 76a91453196749b85367db9443ef9a5aec25cf0bdceedf88ac
//      reqSigs: 1
//      type: pubkeyhash
//      addresses:
//      - 18aPWzBTq1nzs9o86oC9m3BQbxZWmV82UU
//      - value: 0.00915732
//      n: 1
//      scriptPubKey:
//      asm: OP_HASH160 8bb2b4b848d0b6336cc64ea57ae989630f447cba OP_EQUAL
//      hex: a9148bb2b4b848d0b6336cc64ea57ae989630f447cba87
//      reqSigs: 1
//      type: scripthash
//      addresses:
//      - 3ERfvuzAYPPpACivh1JnwYbBdrAjuPTzbw
//      hex: 01000000038c091a64ddbcb99f81f3fd4b2fbb5bfafa68e8...000000
//      blockhash:
→00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//      confirmations: 15307
//      time: 1586333924

```

(continues on next page)

(continued from previous page)

```
//           blocktime: 1586333924
    }
}
```

Parameters

- txid: The transaction id
- blockhash: The block in which to look for the transaction

Returns

- verbose 0 or false: a string that is serialized, hex-encoded data for txid

getblockcount()

Returns the number of blocks in the longest blockchain.

```
public func getblockcount() -> Future<UInt64>
```

Example

```
in3.btc.getblockcount().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //           result = 640387
    }
})
```

Returns

the current blockheight

getdifficulty()

Returns the proof-of-work difficulty as a multiple of the minimum difficulty.

```
public func getdifficulty() -> Future<Double>
```

- blocknumber is latest, earliest, pending or empty: the difficulty of the latest block (actual latest block minus in3.finality)

Example

```
in3.btc.getdifficulty().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //           result = 15138043247082.88
    }
})
```

(continues on next page)

(continued from previous page)

```

    }
}

```

Returns

- blocknumber is a certain number: the difficulty of this block

proofTarget(target_dap:verified_dap:max_diff:max_dap:limit:)

Whenever the client is not able to trust the changes of the target (which is the case if a block can't be found in the verified target cache *and* the value of the target changed more than the client's limit max_diff) he will call this method. It will return additional proof data to verify the changes of the target on the side of the client. This is not a standard Bitcoin rpc-method like the other ones, but more like an internal method.

```

public func proofTarget(target_dap: UInt64, verified_dap: UInt64, max_diff: Int? = 5,
↳max_dap: Int? = 5, limit: Int? = 0) -> Future<[BtcProofTargetResult]>

```

- Parameter target_dap : the number of the difficulty adjustment period (dap) we are looking for
- Parameter verified_dap : the number of the closest already verified dap
- Parameter max_diff : the maximum target difference between 2 verified daps
- Parameter max_dap : the maximum amount of daps between 2 verified daps

Example

```

in3.btc.proofTarget(target_dap: 230, verified_dap: 200, max_diff: 5, max_dap: 5,
↳limit: 15) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      - dap: 205
    //      block: 0x04000000e62ef28cb9793f4f9cd2a67a58c1e7b593129b9b...0ab284
    //      final: 0x04000000cc69b68b702321adf4b0c485fdb1f3d6c1ddd140...090a5b
    //      cbtx: 0x01000000...1485ce370573be63d7cc1b9efbad3489eb57c8...000000
    //      cbtxMerkleProof: 0xc72dffc1cb4cbeab960d0d2bdb80012acf7f9c...affcf4
    //      - dap: 210
    //      block: 0x0000003021622c26a4e62cafa8e434c7e083f540bccc8392...b374ce
    //      final: 0x00000020858f8e5124cd516f4d5e6a078f7083c12c48e8cd...308c3d
    //      cbtx: 0x01000000...c075061b4b6e434d696e657242332d50314861...000000
    //      cbtxMerkleProof: 0xf2885d0bac15fca7e1644c1162899ecd43d52b...93761d
    //      - dap: 215
    //      block: 0x000000202509b3b8e4f98290c7c9551d180eb2a463f0b978...f97b64
    //      final: 0x0000002014c7c0ed7c33c59259b7b508bebf3974e1c99a5...eb554e
    //      cbtx: 0x01000000...90133cf94b1b1c40fae077a7833c0fe0ccc474...000000
    //      cbtxMerkleProof: 0x628c8d961adb157f800be7cfeb03ffa1b53d3ad...ca5a61
    //      - dap: 220
    //      block: 0x00000020ff45c783d09706e359dcc76083e15e51839e4ed5...ddfe0e
    //      final: 0x0000002039d2f8a1230dd0bee50034e8c63951ab812c0b89...5670c5
    //      cbtx: 0x01000000...b98e79fb3e4b88aefbc8ce59e82e99293e5b08...000000
    //      cbtxMerkleProof: 0x16adb7aeecc2cf254db0bab0f4a5083fb0e0a3f...63a4f4
    //      - dap: 225

```

(continues on next page)

(continued from previous page)

```
//      block: 0x02000020170fad0b6b1ccbd4401d7b1c8ee868c6977d6ce...1e7f8f
//      final: 0x0400000092945abbd7b9f0d407fccbf418e4fc20570040c...a9b240
//      cbtx: 0x01000000...cf6e8f930acb8f38b588d76cd8c3da3258d5a7...000000
//      cbtxMerkleProof: 0x25575bc3e11970ccf835e88d6f97bedd6b85...bdfdf46
    }
}
```

Parameters

- limit: the maximum amount of daps to return (0 = no limit) - this is important for embedded devices since returning all daps might be too much for limited memory

Returns

A path of daps from the `verified_dap` to the `target_dap` which fulfils the conditions of `max_diff`, `max_dap` and `limit`. Each dap of the path is a dap-object with corresponding proof data.

getbestblockhash()

Returns the hash of the best (tip) block in the longest blockchain.

```
public func getbestblockhash() -> Future<String>
```

Example

```
in3.btc.getbestblockhash().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //      result =
    ↪ 000000000000000000000039cbb4e842de0de9651852122b117d7ae6d7ac4fc1df6
    }
})
```

Returns

the hash of the best block

sendtransaction(from:outputs:utxo:)

sends a transaction to a btc node

```
public func sendtransaction(from: String, outputs: [BtcOutput], utxo: [BtcUtxo]) ->
    ↪ Future<String>
```

Parameters

- from: the public key derived from the private key used to sign
- outputs: the desired outputs of the transaction
- utxo: the utxo used to proove liquidity for the transaction

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```

in3.btc.getblockheader(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          hash: 00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//          confirmations: 8268
//          height: 624958
//          version: 536928256
//          versionHex: 2000
//          merkleroot:
↳ d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb
//          time: 1586333924
//          mediantime: 1586332639
//          nonce: 1985217615
//          bits: 17143b41
//          difficulty: 13912524048945.91
//          chainwork:
↳ 000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494
//          nTx: 33
//          previousblockhash:
↳ 0000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//          nextblockhash:
↳ 000000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    }
}

```

Parameters

- hash: The block hash

Returns

the blockheader.

getBlockAsHex(hash:)

returns a hex representation of the block

```
public func getBlockAsHex(hash: String) -> Future<String?>
```

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```
public func getBlock(hash: String) -> Future<Btcblock?>
```

[illegible]

(continued from previous page)

```
//      - d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290
//      - ...
//      - 6456819bfa019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919
//      nTx: 33
//      previousblockhash: 000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//      nextblockhash: 00000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
//  }
}
```

Parameters

- hash: The block hash

Returns

the block.

getBlockWithTx(hash:)

returns the block with full transactions

```
public func getBlockWithTx(hash: String) -> Future<BtcblockWithTx?>
```

- `verbose 0` or `false`: a hex string with 80 bytes representing the blockheader
- `verbose 1` or `true`: an object representing the blockheader.

Example

```
in3.btc.getBlockWithTx(hash:
↳ "00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220") .observe(using:
↳ {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//
//         result =
//             hash: 00000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//             confirmations: 8268
//             height: 624958
//             version: 536928256
//             versionHex: 2000
//             merkleroot:↳
↳ d786a334ea8c65f39272d5b9be505ac3170f3904842bd52525538a9377b359cb
//             time: 1586333924
//             mediantime: 1586332639
//             nonce: 1985217615
//             bits: 17143b41
//             difficulty: 13912524048945.91
//             chainwork:↳
↳ 000000000000000000000000000000000000000000000000000e4c88b66c5ee78deff0d494
//             tx:
//             - d79ffc80e07fe9e0083319600c59d47afe69995b1357be6e5dba035675780290
```

(continues on next page)

(continued from previous page)

```
//      - ...
//      - 6456819bfa019ba30788620153ea9a361083cb888b3662e2ff39c0f7adf16919
//      nTx: 33
//      previousblockhash:
→0000000000000000013cba040837778744ce66961cfcf2e7c34bb3d194c7f49
//      nextblockhash:
→00000000000000000c799dc0e36302db7fbb471711f140dc308508ef19e343
    }
}
```

Parameters

- hash: The block hash

Returns

the block.

getRawTransactionAsHex(txid:blockhash:)

returns a hex representation of the tx

```
public func getRawTransactionAsHex(txid: String, blockhash: String? = nil) -> Future
→<String?>
```

- verbose 1 or false: an object representing the transaction.

Example

```
in3.btc.getRawTransactionAsHex(txid:
→"f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf") .observe(using:
→{
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//      result = 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...
→f3255d
    }
})
```

Parameters

- txid: The transaction id
- blockhash: The block in which to look for the transaction

Returns

- verbose 0 or false: a string that is serialized, hex-encoded data for txid

getRawTransaction(txid:blockhash:)

returns the raw transaction

```
public func getRawTransaction(txid: String, blockhash: String? = nil) -> Future
↳ <Btcctransaction?>
```

- verbose 1 or false: an object representing the transaction.

Example

```
in3.btc.getRawTransaction(txid:
↳ "f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf") .observe(using:
↳ {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result =
//              in_active_chain: true
//              txid: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
//              hash: f3c06e17b04ef748ce6604ad68e5b9f68ca96914b57c2118a1bb9a09a194ddaf
//              version: 1
//              size: 518
//              vsize: 518
//              weight: 2072
//              locktime: 0
//              vin:
//              - txid:↳
↳ 0a74f6e5f99bc69af80da9f0d9878ea6afbfb5fbb2d43f1ff899bcdd641a098c
//              vout: 0
//              scriptSig:
//              asm: 30440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228cc...
↳ 254874
//              hex: 4730440220481f2b3a49b202e26c73ac1b7bce022e4a74aff08473228...
↳ 254874
//              sequence: 4294967295
//              - txid: 869c5e82d4dfc3139c8a153d2ee126e30a467cf791718e6ea64120e5b19e5044
//              vout: 0
//              scriptSig:
//              asm: 3045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745e4...
↳ f3255d
//              hex: 483045022100ae5bd019a63aed404b743c9ebcc77fbaa657e481f745...
↳ f3255d
//              sequence: 4294967295
//              - txid:↳
↳ 8a03d29a1b8ae408c94a2ae15bef8329bc3d6b04c063d36b2e8c997273fa8eff
//              vout: 1
//              scriptSig:
//              asm: 304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d1284...
↳ 0045da
//              hex: 47304402200bf7c5c7caec478bf6d7e9c5127c71505034302056d12...
↳ 0045da
//              sequence: 4294967295
//              vout:
//              - value: 0.00017571
//              n: 0
//              scriptPubKey:
//              asm: OP_DUP OP_HASH160 53196749b85367db9443ef9a5aec25cf0bdceedf OP_
↳ EQUALVERIFY
//              OP_CHECKSIG
```

(continues on next page)

(continued from previous page)

```
//          hex: 76a91453196749b85367db9443ef9a5aec25cf0bdceedf88ac
//          reqSigs: 1
//          type: pubkeyhash
//          addresses:
//            - 18aPWzBTq1nzs9o86oC9m3BQbxZWmV82UU
//      - value: 0.00915732
//        n: 1
//        scriptPubKey:
//          asm: OP_HASH160 8bb2b4b848d0b6336cc64ea57ae989630f447cba OP_EQUAL
//          hex: a9148bb2b4b848d0b6336cc64ea57ae989630f447cba87
//          reqSigs: 1
//          type: scripthash
//          addresses:
//            - 3ERfvuzAYPPpACivh1JnwYbBdrAjuPTzbw
//      hex: 01000000038c091a64ddbc99f81f3fd4b2fbb5bfafa68e8...000000
//      blockhash: 0000000000000000103b2395f6cd94221b10d02eb9be5850303c0534307220
//      confirmations: 15307
//      time: 1586333924
//      blocktime: 1586333924
    }
}
```

Parameters

- txid: The transaction id
- blockhash: The block in which to look for the transaction

Returns

- verbose 0 or false: a string that is serialized, hex-encoded data for txid

getblockcount()

Returns the number of blocks in the longest blockchain.

```
public func getblockcount() -> Future<UInt64>
```

Example

```
in3.btc.getblockcount().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
})
//      result = 640387
}
```

Returns

the current blockheight

getdifficulty()

Returns the proof-of-work difficulty as a multiple of the minimum difficulty.

```
public func getdifficulty() -> Future<Double>
```

- blocknumber is latest, earliest, pending or empty: the difficulty of the latest block (actual latest block minus in3.finality)

Example

```
in3.btc.getdifficulty() .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = 15138043247082.88
    }
})
```

Returns

- blocknumber is a certain number: the difficulty of this block

proofTarget(target_dap:verified_dap:max_diff:max_dap:limit:)

Whenever the client is not able to trust the changes of the target (which is the case if a block can't be found in the verified target cache *and* the value of the target changed more than the client's limit max_diff) he will call this method. It will return additional proof data to verify the changes of the target on the side of the client. This is not a standard Bitcoin rpc-method like the other ones, but more like an internal method.

```
public func proofTarget(target_dap: UInt64, verified_dap: UInt64, max_diff: Int? = 5,
↳max_dap: Int? = 5, limit: Int? = 0) -> Future<[BtcProofTargetResult]>
```

- Parameter target_dap : the number of the difficulty adjustment period (dap) we are looking for
- Parameter verified_dap : the number of the closest already verified dap
- Parameter max_diff : the maximum target difference between 2 verified daps
- Parameter max_dap : the maximum amount of daps between 2 verified daps

Example

```
in3.btc.proofTarget(target_dap: 230, verified_dap: 200, max_diff: 5, max_dap: 5,
↳limit: 15) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result =
    //          - dap: 205
    //          block: 0x04000000e62ef28cb9793f4f9cd2a67a58c1e7b593129b9b...0ab284
    //          final: 0x04000000cc69b68b702321adf4b0c485fdb1f3d6c1ddd140...090a5b
    //          cbtx: 0x01000000...1485ce370573be63d7cc1b9efbad3489eb57c8...000000
```

(continues on next page)

(continued from previous page)

```
//      cbtxMerkleProof: 0xc72dffclcb4cbeab960d0d2bdb80012acf7f9c...affcf4
//      - dap: 210
//      block: 0x0000003021622c26a4e62cfa8e434c7e083f540bccc8392...b374ce
//      final: 0x00000020858f8e5124cd516f4d5e6a078f7083c12c48e8cd...308c3d
//      cbtx: 0x01000000...c075061b4b6e434d696e657242332d50314861...000000
//      cbtxMerkleProof: 0xf2885d0bac15fca7e1644c1162899ecd43d52b...93761d
//      - dap: 215
//      block: 0x000000202509b3b8e4f98290c7c9551d180eb2a463f0b978...f97b64
//      final: 0x0000002014c7c0ed7c33c59259b7b508bebf3974e1c99a5...eb554e
//      cbtx: 0x01000000...90133cf94b1b1c40fae077a7833c0fe0ccc474...000000
//      cbtxMerkleProof: 0x628c8d961adb157f800be7cfb03ffa1b53d3ad...ca5a61
//      - dap: 220
//      block: 0x00000020ff45c783d09706e359dcc76083e15e51839e4ed5...ddfe0e
//      final: 0x0000002039d2f8a1230dd0bee50034e8c63951ab812c0b89...5670c5
//      cbtx: 0x01000000...b98e79fb3e4b88aefbc8ce59e82e99293e5b08...000000
//      cbtxMerkleProof: 0x16adb7aee2cf254db0bab0f4a5083fb0e0a3f...63a4f4
//      - dap: 225
//      block: 0x02000020170fad0b6b1ccbdcc4401d7b1c8ee868c6977d6ce...1e7f8f
//      final: 0x0400000092945abbd7b9f0d407fccbf418e4fc20570040c...a9b240
//      cbtx: 0x01000000...cf6e8f930acb8f38b588d76cd8c3da3258d5a7...000000
//      cbtxMerkleProof: 0x25575bcdf3e11970ccf835e88d6f97bedd6b85...bdfdf46
    }
}
```

Parameters

- limit: the maximum amount of daps to return (0 = no limit) - this is important for embedded devices since returning all daps might be too much for limited memory

Returns

A path of daps from the verified_dap to the target_dap which fulfils the conditions of max_diff, max_dap and limit. Each dap of the path is a dap-object with corresponding proof data.

getbestblockhash()

Returns the hash of the best (tip) block in the longest blockchain.

```
public func getbestblockhash() -> Future<String>
```

Example

```
in3.btc.getbestblockhash().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    result =
    ↪ 00000000000000000000000039cbb4e842de0de9651852122b117d7ae6d7ac4fc1df6
})
```

Returns

the hash of the best block

16.1.3 Contract

represents a contract with a defined ABI for the ABI-spec see <https://docs.soliditylang.org/en/v0.7.4/abi-spec.html?highlight=JSON#json>

```
public class Contract
```

init(in3:abi:abiJSON:at:)

creates a new Contract-Instance you need to specify either the abi or the abiJson-Property.

```
public init(in3:In3, abi:[ABI]? = nil, abiJSON:String? = nil, at: String?=nil) throws
```

Parameters

- in3: the Incubed instance
- abi: the parsed structured ABI-Definitions
- abiJSON: the ABI as JSON-String
- at: address of the deployed contract

init(in3:abi:at:)

```
public init(in3:In3, abi:[ABI], at:String?=nil) throws
```

init(in3:abiJSON:at:)

```
public init(in3:In3, abiJSON:String, at:String?=nil) throws
```

init(in3:abi:abiJSON:at:)

creates a new Contract-Instance you need to specify either the abi or the abiJson-Property.

```
public init(in3:In3, abi:[ABI]? = nil, abiJSON:String? = nil, at: String?=nil) throws
```

Parameters

- in3: the Incubed instance
- abi: the parsed structured ABI-Definitions
- abiJSON: the ABI as JSON-String
- at: address of the deployed contract

init(in3:abi:at:)

```
public init(in3:In3, abi:[ABI], at:String?=nil) throws
```

init(in3:abiJSON:at:)

```
public init(in3:In3, abiJSON:String, at:String?=nil) throws
```

deploy(data:args:account:gas:gasPrice:)

deploys the contract and returns the transactionhash

```
public func deploy(data: String, args: [AnyObject]?=nil, account:String?=nil, gas:UInt64?=nil, gasPrice: UInt64?=nil) -> Future<String>
```

Parameters

- data: the bytes as hex of the code to deploy
- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The TransactionHash

deployAndWait(data:args:account:gas:gasPrice:)

deploys the contract and wait until the receipt is available.

```
public func deployAndWait(data: String, args: [AnyObject]?=nil, account:String?=nil, gas: UInt64?=nil, gasPrice: UInt64?=nil) -> Future<EthTransactionReceipt>
```

Parameters

- data: the bytes as hex of the code to deploy
- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The TransactionReceipt

createDeployTx(data:args:account:gas:gasPrice:)

create a TransactionDefinition which can be used to deploy the contract

```
public func createDeployTx(data: String, args: [AnyObject]?=nil, account:String?=nil, gas: UInt64?=nil, gasPrice: UInt64?=nil) throws -> EthTransaction
```

Parameters

- data: the bytes as hex of the code to deploy

- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The Transaction Definition

call(name:args:block:account:gas:)

calls a function of the contract by running the code in a local evm.

```
public func call(name: String, args: [AnyObject], block: UInt64? = nil,
↳account:String?=nil, gas: UInt64?=nil) -> Future<[Any]>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit

Returns

a array witht the return values of the function

estimateGas(name:args:account:)

estimates the gas used to send a transaction to the specified function of the contract.

```
public func estimateGas(name: String, args: [AnyObject], account:String?=nil) ->
↳Future<UInt64>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender

Returns

the gas needed to run a tx

sendTx(name:args:account:gas:gasPrice:)

sends a transaction to a function of the contract and returns the transactionHash

```
public func sendTx(name: String, args: [AnyObject], account:String?=nil, gas:
↳UInt64?=nil, gasPrice: UInt64?=nil) -> Future<String>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the TransactionHash

sendTxAndWait(name:args:account:gas:gasPrice:)

sends a transaction to a function of the contract and waits for the receipt.

```
public func sendTxAndWait(name: String, args: [AnyObject], account:String?=nil,
↳ gas: UInt64?=nil, gasPrice: UInt64?=nil) -> Future<EthTransactionReceipt>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the TransactionReceipt

encodeCall(name:args:)

returns the abi encoded arguments as hex string

```
public func encodeCall(name: String, args: [AnyObject]) throws -> String
```

Parameters

- name: the name of the function
- args: the arguments.

Returns

the abi encoded arguments as hex string

createTx(name:args:account:gas:gasPrice:)

creates the transaction parameter for a tx to the given function.

```
public func createTx(name: String, args: [AnyObject], account:String?=nil, gas:
↳ UInt64?=nil, gasPrice: UInt64?=nil) throws -> EthTransaction
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the EthTransaction with the set parameters

getEvents(eventName:filter:fromBlock:toBlock:topics:)

reads events for the given contract if the eventName is omitted all events will be returned. (in this case filter must be nil !)

```
public func getEvents(eventName:String? = nil, filter: [String:AnyObject]? = nil,
↳fromBlock: UInt64? = nil, toBlock: UInt64? = nil, topics: [String?]?) -> Future
↳<[EthEvent]>
```

Parameters

- eventName: the name of the event or null if all events should be fetched
- filter: the dictionary with values to search for. Only valid if the eventName is set and the all values must be indexed arguments!
- fromBlock: the BlockNumber to start searching for events. If nil the latest block is used.
- toBlock: the BlockNumber to end searching for events. If nil the latest block is used.
- topics: the topics of the block as search criteria.

deploy(data:args:account:gas:gasPrice:)

deploys the contract and returns the transactionhash

```
public func deploy(data: String, args: [AnyObject]?=nil, account:String?=nil, gas:
↳UInt64?=nil, gasPrice: UInt64?=nil) -> Future<String>
```

Parameters

- data: the bytes as hex of the code to deploy
- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The TransactionHash

deployAndWait(data:args:account:gas:gasPrice:)

deploys the contract and wait until the receipt is available.

```
public func deployAndWait(data: String, args: [AnyObject]?=nil, account:String?=nil,
↳ gas: UInt64?=nil, gasPrice: UInt64?=nil) -> Future<EthTransactionReceipt>
```

Parameters

- data: the bytes as hex of the code to deploy
- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The TransactionReceipt

createDeployTx(data:args:account:gas:gasPrice:)

create a TransactionDefinition which cqa be used to deploy the contract

```
public func createDeployTx(data: String, args: [AnyObject]?=nil, account:String?=nil,
↳ gas: UInt64?=nil, gasPrice: UInt64?=nil) throws -> EthTransaction
```

Parameters

- data: the bytes as hex of the code to deploy
- args: the optional arguments of the constructor
- account: the account to send the transaction from
- gas: the amount of gas to be used
- gasPrice: the gasPrice. If not given the current gasPrice will be used.

Returns

The Transaction Definition

call(name:args:block:account:gas:)

calls a function of the contract by running the code in a local evm.

```
public func call(name: String, args: [AnyObject], block: UInt64? = nil,
↳ account:String?=nil, gas: UInt64?=nil) -> Future<[Any]>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit

Returns

a array witht the return values of the function

estimateGas(name:args:account:)

estimates the gas used to send a transaction to the specified function of the contract.

```
public func estimateGas(name: String, args: [AnyObject], account:String?=nil) ->
↳Future<UInt64>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender

Returns

the gas needed to run a tx

sendTx(name:args:account:gas:gasPrice:)

sends a transaction to a function of the contract and returns the transactionHash

```
public func sendTx(name: String, args: [AnyObject], account:String?=nil, gas:
↳UInt64?=nil, gasPrice: UInt64?=nil) -> Future<String>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the TransactionHash

sendTxAndWait(name:args:account:gas:gasPrice:)

sends a transaction to a function of the contract and waits for the receipt.

```
public func sendTxAndWait(name: String, args: [AnyObject], account:String?=nil,
↳gas: UInt64?=nil, gasPrice: UInt64?=nil) -> Future<EthTransactionReceipt>
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender

- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the TransactionReceipt

encodeCall(name:args:)

returns the abi encoded arguments as hex string

```
public func encodeCall(name: String, args: [AnyObject]) throws -> String
```

Parameters

- name: the name of the function
- args: the arguments.

Returns

the abi encoded arguments as hex string

createTx(name:args:account:gas:gasPrice:)

creates the transaction parameter for a tx to the given function.

```
public func createTx(name: String, args: [AnyObject], account:String?=nil, gas:UInt64?=nil, gasPrice: UInt64?=nil) throws -> EthTransaction
```

Parameters

- name: the name of the function
- args: the arguments.
- account: the account to be used as sender
- gas: the amount of gas to be used as limit
- gasPrice: the gasPrice. if not set, the current average gasPrice will be used.

Returns

the EthTransaction with the set parameters

getEvents(eventName:filter:fromBlock:toBlock:topics:)

reads events for the given contract if the eventName is omitted all events will be returned. (in this case filter must be nil !)

```
public func getEvents(eventName:String? = nil, filter: [String:AnyObject]? = nil, fromBlock: UInt64? = nil, toBlock: UInt64? = nil, topics: [String?]? -> Future<[EthEvent]>
```

Parameters

- eventName: the name of the event or null if all events should be fetched

- filter: the dictionary with values to search for. Only valid if the eventName is set and the all values must be indexed arguments!
- fromBlock: the BlockNumber to start searching for events. If nil the latest block is used.
- toBlock: the BlockNumber to end searching for events. If nil the latest block is used.
- topics: the topics of the block as search criteria.

16.1.4 EQAuthentication

Provides functionality for accessing the Equis Authentication API.

```
public class EQAuthentication
```

register(username:password:completion:)

Registers a personal user

```
public static func register(  
    username: String,  
    password: String,  
    completion: @escaping (Result<EQToken, EQError>) -> Void  
)
```

Parameters

- username: The user's username
- password: The user's password
- completion: The closure called when the registration is complete

signin(username:password:completion:)

Signin method is directly logging into the system as "PDS-OWNER". Every user in the system is a PDS-OWNER.

```
public static func signin(  
    username: String,  
    password: String,  
    completion: @escaping (Result<EQToken, EQError>) -> Void  
)
```

Parameters

- username: The username
- password: The password
- completion: The closure called when the signin is complete

signout(token:completion:)

Signs a user out

```
public static func signout(token: EQToken, completion: @escaping (Result<Bool,   
↳EQError>) -> Void)
```

Parameters

- token: The user auth token
- completion: The completion handler called after the request

16.1.5 EQAuthorizationModel

Authorization information as returned in the EQProfileModel struct.

```
public class EQAuthorizationModel: Codable
```

Codable

authorizationId

A unique authorization identifier.

```
public let authorizationId: String
```

roleName

The role of the authorization.

```
public let roleName: String
```

identityId

A unique identity identifier.

```
public let identityId: String
```

entityId

A unique entity identifier.

```
public let entityId: String
```

roleLabel

A displayable user-friendly role name.

```
public let roleLabel: String
```

label

A label for the authorization.

```
public let label: String?
```

displayName

A displayable user-friendly authorization name.

```
public let displayName: String?
```

16.1.6 EQBlockchainModel

Blockchain model information.

```
public class EQBlockchainModel: Codable
```

Codable

16.1.7 EQBuildInfo

Build information for the Equis component.

```
public class EQBuildInfo: Codable
```

Codable

16.1.8 EQCallerInfo

Caller information for the Equis component.

```
public class EQCallerInfo: Codable
```

Codable

16.1.9 EQComponentInfo

Returned by a call to `api/pds/info` this contains data regarding the Personal Data Service component.

```
public class EQComponentInfo: Codable
```

Codable

16.1.10 EQErrorHandler

An error handler class to help parse `EQErrors`

```
public class EQErrorHandler
```


getErrorMessage(from:)

Gets the error message for an EQError

```
public static func getErrorMessage(from error: EQError) -> String
```

Parameters

- error: The error to parse

Returns

The string describing the error

16.1.11 EQLogger

A logger class for the Equis SDK

```
public class EQLogger
```

shared

A singleton instance of the logger

```
public static let shared
```

configure(minLevel:shouldShowRawData:)

Configures the logger

```
public func configure(minLevel: LogLevel, shouldShowRawData: Bool)
```

Parameters

- minLevel: The lowest level to log
- shouldShowRawData: Whether or not the responses should be printed

error(service:error:)

Logs an error

```
public func error(service: EQService, error: Error)
```

Parameters

- service: The service where the error occurred
- error: The error to log

info(_:)

Logs an info level log

```
public func info(_ message: String)
```

Parameters

- message: The message to log

log(service:message:)

Logs a log level log

```
public func log(service: EQService, message: String)
```

Parameters

- service: The service to log from
- message: The message to log

debug(_:)

Logs a debug level message

```
public func debug(_ message: String)
```

Parameters

- message: The message to log

debugData(data:)

Logs data as a pretty printed json object if possible

```
public func debugData(data: Data)
```

Parameters

- data: The data to logs

16.1.12 EQPersonalDataService

Provides functionality for using the Equus Personal Data Service API.

```
public class EQPersonalDataService
```

getInfo(completion:)

Returns information about the PDS component.

```
public static func getInfo(completion: @escaping EQNetworkingCompletion  
    → <EQComponentInfo>)
```

Parameters

- completion: The closure called when the request has finished

getPDSPProfile(token:completion:)

Retreive identity profile

```
public static func getPDSPProfile(token: EQToken, completion: @escaping
↳EQNetworkingCompletion<EQProfileModel>)
```

Parameters

- token: The Authentication token
- completion: The function called on the request's completion

getPDSSummary(token:completion:)

Gets a pds users summary of services

```
public static func getPDSSummary(
    token: EQToken,
    completion: @escaping EQNetworkingCompletion<EQPersonalDataServiceSummary>
)
```

Parameters

- token: The user's auth token
- completion: The function called on the request's completion

createAttributes(token:attributes:completion:)

Adds attributes onto the pds user's account

```
public static func createAttributes(
    token: EQToken,
    attributes: [EQNewAttribute],
    completion: @escaping EQNetworkingCompletion<[EQNewAttributeResponse]>
)
```

Parameters

- token: The user's auth token
- attributes: The list of attributes to add
- completion: The function called when the request completes

downloadImageFileAttribute(token:fileAttributeId:completion:)

Downloads an image file attribute

```
public static func downloadImageFileAttribute(  
    token: EQToken,  
    fileAttributeId: EQAttributeId,  
    completion: @escaping EQNetworkingCompletion<Data>  
)
```

Parameters

- token: The user's auth token
- fileAttributeId: The file's id
- completion: The function called when the request completes

uploadImageFileAttribute(token:fileAttribute:completion:)

Uploads an image file attribute

```
public static func uploadImageFileAttribute(  
    token: EQToken,  
    fileAttribute: EQFileAttribute,  
    completion: @escaping EQNetworkingCompletion<EQAttributeId>  
)
```

Parameters

- token: The user's auth token
- fileAttribute: The file attribute
- completion: The function called when the request completes

getAllAttributes(token:completion:)

Gets all a user's attributes

```
public static func getAllAttributes(  
    token: EQToken,  
    completion: @escaping EQNetworkingCompletion<[EQAttribute]>  
)
```

Parameters

- token: The user's auth token
- completion: The function called when the request completes

getServiceDefinitions(token:completion:)

Gets a list of service definitions a user can share their data with

```
public static func getServiceDefinitions(  
    token: EQToken,  
    completion: @escaping EQNetworkingCompletion<[EQServiceDefinition]>  
)
```

Parameters

- token: The user's auth token
- completion: The function called when the request completes

getServiceDefinitionById(token:serviceDefintionId:completion:)

Gets a service definition by its ID

```
public static func getServiceDefinitionById(
    token: EQToken,
    serviceDefintionId: String,
    completion: @escaping EQNetworkingCompletion<EQServiceDefinition>
)
```

Parameters

- token: The user's auth token
- serviceDefintionId: The service defintion ID
- completion: The function called when the request completes

getServices(token:completion:)

Gets a list of services the user is consuming

```
public static func getServices(
    token: EQToken,
    completion: @escaping EQNetworkingCompletion<[EQUserServiceSummary]>
)
```

Parameters

- token: The user's auth token
- completion: The function called when the request completes

getServiceById(token:serviceId:completion:)

Gets a specific service a user is consuming by the service's ID

```
public static func getServiceById(
    token: EQToken,
    serviceId: EQServiceId,
    completion: @escaping EQNetworkingCompletion<EQUserService>
)
```

Parameters

- token: The user's auth token
- serviceId: The service id
- completion: The function called when the request completes

registerForService(token:serviceDefinitionId:attributes:policies:completion:)

Registers a user for a service

```
public static func registerForService(  
    token: EQToken,  
    serviceDefinitionId: String,  
    attributes: [EQSDAttributeResponse],  
    policies: [EQUserPolicyResponse],  
    completion: @escaping EQNetworkingCompletion<EQServiceId>  
)
```

Parameters

- token: The user's auth token
- serviceDefinitionId: The service definition the user wants to register for
- attributes: The user's response to the attribute request from the service definition
- policies: The user's response to the policies from the service definition
- completion: The function called when the request completes

activateService(token:serviceId:completion:)

Activates a service a user has registered for

```
public static func activateService(  
    token: EQToken,  
    serviceId: EQServiceId,  
    completion: @escaping EQNetworkingCompletion<Bool>  
)
```

Parameters

- token: The user's auth token
- serviceId: The service id of the service the user wants to activate
- completion: The function called when the request completes

terminateService(token:serviceId:completion:)

Terminates a service a user has activated

```
public static func terminateService(  
    token: EQToken,  
    serviceId: EQServiceId,  
    completion: @escaping EQNetworkingCompletion<Bool>  
)
```

Parameters

- token: The user's auth token
- serviceId: The service id of the service the user wants to activate
- completion: The function called when the request completes

createPersona(token:personaName:completion:)

Creates a Persona

```
public static func createPersona(
    token: EQToken,
    personaName: String,
    completion: @escaping EQNetworkingCompletion<EQPersonaId>
)
```

Parameters

- token: The user's token
- personaName: The persona's name
- completion: The function called when the request completes

getAllPersonas(token:completion:)

Gets all of user's personas

```
public static func getAllPersonas(
    token: EQToken,
    completion: @escaping EQNetworkingCompletion<[EQPersona]>
)
```

Parameters

- token: The user's token
- completion: The function called when the request completes

createAttributeForPersona(token:personaId:attribute:completion:)

Creates an attribute for a persona

```
public static func createAttributeForPersona(
    token: EQToken,
    personaId: EQPersonaId,
    attribute: EQNewPersonaAttribute,
    completion: @escaping EQNetworkingCompletion<EQAttributeId>
)
```

Parameters

- token: The user's token
- personaId: The persona's id
- attribute: The attribute to add
- completion: The function called when the request completes

getAttributesForPersona(token:personaId:completion:)

Gets all the attributes for a persona

```
public static func getAttributesForPersona (
    token: EQToken,
    personaId: EQPersonaId,
    completion: @escaping EQNetworkingCompletion<[EQPersonaAttribute]>
)
```

Parameters

- token: The user's token
- personaId: The persona's id
- completion: The function called when the request completes

registerPersonaForService(token:personaId:serviceRegistration:completion:)

Registers a user persona for

```
public static func registerPersonaForService (
    token: EQToken,
    personaId: EQPersonaId,
    serviceRegistration: EQPersonaServiceRegistration,
    completion: @escaping EQNetworkingCompletion<EQServiceId>
)
```

Parameters

- token: The user's auth token
- personaId: The persona to register a service for
- serviceRegistration: The service registration object
- completion: The function called when the request completes

getServicesForPersona(token:personaId:completion:)

Gets all of ther services a persona is registered for

```
public static func getServicesForPersona (
    token: EQToken,
    personaId: EQPersonaId,
    completion: @escaping EQNetworkingCompletion<[EQPersonaService]>
)
```

Parameters

- token: The user's auth token
- personaId: The persona
- completion: The function called when the request completes

16.1.13 EQPersonalDataServiceSummary

Returned by a call to `api/pds/summary` this contains data summarizing the signed in user's Personal Data Service.


```
public class EQPersonalDataServiceSummary: Codable
```

Codable

16.1.14 EQProfileModel

Returned by a call to `api/pds/identities/profile` this contains data describing the signed in user's Personal Data Service profile.

```
public class EQProfileModel: Codable
```

Codable

16.1.15 EQSchema

Equus Schema Component

```
public class EQSchema
```

getAttributeList(token:completion:)

Gets the list of attributes

```
public static func getAttributeList(
    token: EQToken,
    completion: @escaping EQNetworkingCompletion<[EQSchemaAttribute]>
)
```

Parameters

- token: The user's auth token
- completion: The function called when the request completes

16.1.16 EQSymKeyModel

Symmetric key information.

```
public class EQSymKeyModel: Codable
```

Codable

16.1.17 Equus

A singleton to correctly format Equus requests

```
public class Equus
```

shared

The Equis singleton instance

```
public static let shared
```

changeConfiguration(to:)

Changes the Equis endpoint configuration

```
public func changeConfiguration(to configuration: EQEndpointConfiguration)
```

Parameters

- **configuration**: The new endpoint to switch to

getConfiguration()

Gets the current configuration for Equis

```
public func getConfiguration() -> EQEndpointConfiguration
```

Returns

The endpoint configuration

16.1.18 Eth

Standard JSON-RPC calls as described in <https://eth.wiki/json-rpc/API>.

```
public class Eth
```

Whenever a request is made for a response with `verification: proof`, the node must provide the proof needed to validate the response result. The proof itself depends on the chain.

For ethereum, all proofs are based on the correct block hash. That's why verification differentiates between [Verifying the blockhash](#) (which depends on the user consensus) the actual result data.

There is another reason why the BlockHash is so important. This is the only value you are able to access from within a SmartContract, because the evm supports a OpCode (BLOCKHASH), which allows you to read the last 256 blockhashes, which gives us the chance to verify even the blockhash onchain.

Depending on the method, different proofs are needed, which are described in this document.

Proofs will add a special `in3`-section to the response containing a `proof`- object. Each `in3`-section of the response containing proofs has a property with a proof-object with the following properties:

- **type** string (required) - The type of the proof. Must be one of the these values : 'transactionProof', 'receiptProof', 'blockProof', 'accountProof', 'callProof', 'logProof'
- **block** string - The serialized blockheader as hex, required in most proofs.
- **finalityBlocks** array - The serialized following blockheaders as hex, required in case of finality asked (only relevant for PoA-chains). The server must deliver enough blockheaders to cover more then 50% of the validators. In order to verify them, they must be linkable (with the parentHash).

- **transactions** array - The list of raw transactions of the block if needed to create a merkle trie for the transactions.
- **uncles** array - The list of uncle-headers of the block. This will only be set if full verification is required in order to create a merkle tree for the uncles and so prove the uncle_hash.
- **merkleProof** string[] - The serialized merkle-nodes beginning with the root-node (depending on the content to prove).
- **merkleProofPrev** string[] - The serialized merkle-nodes beginning with the root-node of the previous entry (only for full proof of receipts).
- **txProof** string[] - The serialized merkle-nodes beginning with the root-node in order to proof the transactionIndex (only needed for transaction receipts).
- **logProof** *LogProof* - The Log Proof in case of a `eth_getLogs`-request.
- **accounts** object - A map of addresses and their AccountProof.
- **txIndex** integer - The transactionIndex within the block (for transactions and receipts).
- **signatures** Signature[] - Requested signatures.

gasPrice()

returns the current gasPrice in wei per gas

```
public func gasPrice() -> Future<UInt64>
```

Example

```
in3.eth.gasPrice().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
})
// result = "0x0625900800"
```

Returns

the current gasPrice in wei per gas

feeHistory(blockCount:newestBlock:rewardPercentiles:)

base fee per gas and transaction effective priority fee per gas history for the requested block range if available. The range between headBlock-4 and headBlock is guaranteed to be available while retrieving data from the pending block and older history are optional to support. For pre-EIP-1559 blocks the gas prices are returned as rewards and zeroes are returned for the base fee per gas

```
public func feeHistory(blockCount: UInt64, newestBlock: UInt64? = nil,
    ↳rewardPercentiles: [Double]? = nil) -> Future<FeeHistory>
```

Parameters

- `blockCount`: Number of blocks in the requested range. Between 1 and 1024 blocks can be requested in a single query. Less than requested may be returned if not all blocks are available.
- `newestBlock`: the Highest `blockNumber` or one of `latest`, `earliest` or `pending`
- `rewardPercentiles`: A monotonically increasing list of percentile values to sample from each block's effective priority fees per gas in ascending order, weighted by gas used.

Returns

Fee history for the returned block range. This can be a subsection of the requested range if not all blocks are available.

`blockNumber()`

returns the number of the most recent block.

```
public func blockNumber() -> Future<UInt64>
```

See `eth_blockNumber` for spec.

No proof returned, since there is none, but the client should verify the result by comparing it to the current blocks returned from others. With the `blockTime` from the `chainspec`, including a tolerance, the current blocknumber may be checked if in the proposed range.

Example

```
in3.eth.blockNumber().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
})
//      result = "0xb8a2a5"
```

Returns

the highest known blocknumber

`getBlock(blockNumber:)`

returns the given Block by number with transactionHashes. if no blocknumber is specified the latest block will be returned.

```
public func getBlock(blockNumber: UInt64? = nil) -> Future<EthBlockdataWithTxHashes?>
```

Example

```
in3.eth.getBlock().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
})
//      result =
//      author: "0x0000000000000000000000000000000000000000000000000000000000000000"
```

(continues on next page)

(continued from previous page)

```
//      difficulty: "0x2"
//      extraData: 0x696e667572612d696f000000000000...31570f1e500
//      gasLimit: "0x7a1200"
//      gasUsed: "0x20e145"
//      hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585
→ "
//      logsBloom: 0x000008000000000000...00400100000000080
//      miner: "0x000000000000000000000000000000000000000000000000"
//      number: "0x449956"
//      parentHash:
→ "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694"
//      receiptsRoot:
→ "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
//      sealFields:
//      - "0xa000000000000000000000000000000000000000000000000000000000000000"
//      - "0x88000000000000000000"
//      sha3Uncles:
→ "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
//      size: "0x74b"
//      stateRoot:
→ "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
//      timestamp: "0x605aec86"
//      totalDifficulty: "0x6564de"
//      transactions:
//      - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
//      - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
//      - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
//      - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
//      - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
//      - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
//      transactionsRoot:
→ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
//      uncles: []
    }
}
```

Parameters

- `blockNumber`: the `blockNumber` or one of `latest`, `earliest` or `pending`

Returns

the `blockdata`, or in case the block with that number does not exist, `null` will be returned.

`getBlockWithTx(blockNumber:)`

returns the given Block by number with full transaction data. if no `blocknumber` is specified the latest block will be returned.

```
public func getBlockWithTx(blockNumber: UInt64? = nil) -> Future<EthBlockdata?>
```

Example

```
in3.eth.getBlockWithTx().observe(using: {
    switch $0 {
```

(continues on next page)

(continued from previous page)

[illegible]

Parameters

- **blockNumber**: the blockNumber or one of latest, earliest or pending

Returns

the blockdata, or in case the block with that number does not exist, `null` will be returned.

getBlockByHash(blockHash:)

returns the given Block by hash with transactionHashes

```
public func getBlockByHash(blockHash: String) -> Future<EthBlockdataWithTxHashes?>
```

Example

```

in3.eth.getBlockByHash(blockHash:
↳ "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585") .
↳ observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          author: "0x0000000000000000000000000000000000000000"
//          difficulty: "0x2"
//          extraData: "0x696e667572612d696f000000000000...31570f1e500
//          gasLimit: "0x7a1200"
//          gasUsed: "0x20e145"
//          hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585
↳ "
//          logsBloom: "0x00000800000000000000...00400100000000080
//          miner: "0x0000000000000000000000000000000000000000"
//          number: "0x449956"
//          parentHash:
↳ "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694"
//          receiptsRoot:
↳ "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
//          sealFields:
//          - "0xa000000000000000000000000000000000000000000000000000000000000000"
//          - "0x880000000000000000"
//          sha3Uncles:
↳ "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
//          size: "0x74b"
//          stateRoot:
↳ "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
//          timestamp: "0x605aec86"
//          totalDifficulty: "0x6564de"
//          transactions:
//          - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
//          - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
//          - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
//          - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
//          - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
//          - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
//          transactionsRoot:
↳ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
//          uncles: []
    }
}

```

Parameters

- blockHash: the blockHash of the block

Returns

the blockdata, or in case the block with that number does not exist, null will be returned.

getBlockByHashWithTx(blockHash:)

returns the given Block by hash with full transaction data

```
public func getBlockByHashWithTx(blockHash: String) -> Future<EthBlockdata?>
```

Example

[illegible]

Parameters

- `blockHash`: the `blockHash` of the block

Returns

the blockdata, or in case the block with that number does not exist, `null` will be returned.

getBlockTransactionCountByHash(blockHash:)

returns the number of transactions. For Spec, see `eth_getBlockTransactionCountByHash`.

```
public func getBlockTransactionCountByHash(blockHash: String) -> Future<Int?>
```

Parameters

- `blockHash`: the `blockHash` of the block

Returns

the number of transactions in the block

getBlockTransactionCountByNumber(blockNumber:)

returns the number of transactions. For Spec, see `eth_getBlockTransactionCountByNumber`.

```
public func getBlockTransactionCountByNumber(blockNumber: UInt64) -> Future<Int?>
```

Parameters

- `blockNumber`: the `blockNumber` of the block

Returns

the number of transactions in the block

getUncleCountByBlockHash(blockHash:)

returns the number of uncles. For Spec, see `eth_getUncleCountByBlockHash`.

```
public func getUncleCountByBlockHash(blockHash: String) -> Future<Int?>
```

Parameters

- `blockHash`: the `blockHash` of the block

Returns

the number of uncles

getUncleCountByBlockNumber(blockNumber:)

returns the number of uncles. For Spec, see `eth_getUncleCountByBlockNumber`.

```
public func getUncleCountByBlockNumber(blockNumber: UInt64) -> Future<Int?>
```

Parameters

- `blockNumber`: the `blockNumber` of the block

Returns

the number of uncles

getTransactionByBlockHashAndIndex(blockHash:index:)

returns the transaction data.

```
public func getTransactionByBlockHashAndIndex(blockHash: String, index: Int) -> Future
↳<EthTransactiondata?>
```

See JSON-RPC-Spec for `eth_getTransactionByBlockHashAndIndex` for more details.

Example

```
in3.eth.getTransactionByBlockHashAndIndex(blockHash:
↳"0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee", index: "0xd5
↳") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          blockHash:
↳"0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
//          blockNumber: "0xb8a4a9"
//          from: "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98"
//          gas: "0xac6b"
//          gasPrice: "0x1bf08eb000"
//          hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea
↳"
//          input: 0x095ea7b3000000000000000000000000...a7640000
//          nonce: "0xa"
//          to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
//          transactionIndex: "0xd5"
//          value: "0x0"
//          type: "0x0"
//          v: "0x25"
//          r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
//          s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
    }
}
```

Parameters

- blockHash: the blockhash containing the transaction.
- index: the transactionIndex

Returns

the transactiondata or null if it does not exist

getTransactionByBlockNumberAndIndex(blockNumber:index:)

returns the transaction data.

```
public func getTransactionByBlockNumberAndIndex(blockNumber: UInt64, index: Int) ->
↳Future<EthTransactiondata?>
```

See JSON-RPC-Spec for [eth_getTransactionByBlockNumberAndIndex](#) for more details.

Example

```
in3.eth.getTransactionByBlockNumberAndIndex(blockNumber: "0xb8a4a9", index: "0xd5") .
  ↳ observe(using: {
    switch $0 {
      case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
      case let .success(val):
        print("result : \(val)")
    }
    result =
    //      blockHash:
    //      ↳ "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
    //      blockNumber: "0xb8a4a9"
    //      from: "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98"
    //      gas: "0xac6b"
    //      gasPrice: "0x1bf08eb000"
    //      hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea"
    //      ↳
    //      input: 0x095ea7b3000000000000000000000000...a7640000
    //      nonce: "0xa"
    //      to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
    //      transactionIndex: "0xd5"
    //      value: "0x0"
    //      type: "0x0"
    //      v: "0x25"
    //      r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
    //      s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
  })
}
```

Parameters

- blockNumber: the block number containing the transaction.
- index: the transactionIndex

Returns

the transactiondata or null if it does not exist

getTransactionByHash(txHash:)

returns the transaction data.

```
public func getTransactionByHash(txHash: String) -> Future<EthTransactiondata?>
```

See JSON-RPC-Spec for [eth_getTransactionByHash](#) for more details.

Example

```
in3.eth.getTransactionByHash(txHash:
  ↳ "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b") .
  ↳ observe(using: {
    switch $0 {
      case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    }
  })
```

(continues on next page)

(continued from previous page)

```

    case let .success(val):
        print("result : \(val)")
//          result =
//          blockHash:
→ "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
//          blockNumber: "0xb8a4a9"
//          from: "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98"
//          gas: "0xac6b"
//          gasPrice: "0x1bf08eb000"
//          hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea
→ "
//          input: 0x095ea7b3000000000000000000000000...a7640000
//          nonce: "0xa"
//          to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
//          transactionIndex: "0xd5"
//          value: "0x0"
//          type: "0x0"
//          v: "0x25"
//          r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
//          s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
    }
}

```

Parameters

- txHash: the transactionHash of the transaction.

Returns

the transactiondata or null if it does not exist

getLogs(filter:)

searches for events matching the given criteria. See [eth_getLogs](#) for the spec.

```
public func getLogs(filter: EthLogFilter) -> Future<[Ethlog]>
```

Parameters

- filter: The filter criteria for the events.

Returns

array with all found event matching the specified filter

getBalance(account:block:)

gets the balance of an account for a given block

```
public func getBalance(account: String, block: UInt64? = nil) -> Future<UInt256>
```

Example

```
in3.eth.getBalance(account: "0x2e333ec090f1028df0a3c39a918063443be82b2b") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result = "0x20599832af6ec00"
    }
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the balance

getTransactionCount(account:block:)

gets the nonce or number of transaction sent from this account at a given block

```
public func getTransactionCount(account: String, block: UInt64? = nil) -> Future
↳<UInt64>
```

Example

```
in3.eth.getTransactionCount(account: "0x2e333ec090f1028df0a3c39a918063443be82b2b") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result = "0x5"
    }
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the nonce

getCode(account:block:)

gets the code of a given contract

```
public func getCode(account: String, block: UInt64? = nil) -> Future<String>
```

Example

```
in3.eth.getCode(account: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result = 0x6080604052348...6c634300050a0040
    }
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the code as hex

getStorageAt(account:key:block:)

gets the storage value of a given key

```
public func getStorageAt(account: String, key: String, block: UInt64? = nil) -> Future
↳ <String>
```

Example

```
in3.eth.getStorageAt(account: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f", key: "0x0
↳ ") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result = "0x19"
    }
})
```

Parameters

- account: address of the account
- key: key to look for
- block: the blockNumber or latest

Returns

the value of the storage slot.

sendTransaction(tx:)

signs and sends a Transaction

```
public func sendTransaction(tx: EthTransaction) -> Future<String>
```

Parameters

- tx: the transactiondata to send

Returns

the transactionHash

sendTransactionAndWait(tx:)

signs and sends a Transaction, but then waits until the transaction receipt can be verified. Depending on the finality of the nodes, this may take a while, since only final blocks will be signed by the nodes.

```
public func sendTransactionAndWait(tx: EthTransaction) -> Future
-><EthTransactionReceipt>
```

Parameters

- tx: the transactiondata to send

Returns

the transactionReceipt

sendRawTransaction(tx:)

sends or broadcasts a previously signed raw transaction. See [eth_sendRawTransaction](#)

```
public func sendRawTransaction(tx: String) -> Future<String>
```

Parameters

- tx: the raw signed transactiondata to send

Returns

the transactionhash

estimateGas(tx:block:)

calculates the gas needed to execute a transaction. for spec see [eth_estimateGas](#)

```
public func estimateGas(tx: EthTransaction, block: UInt64? = nil) -> Future<UInt64>
```

Parameters

- tx: the tx-object, which is the same as specified in [eth_sendTransaction](#).
- block: the blockNumber or latest

Returns

the amount of gass needed.

call(tx:block:)

calls a function of a contract (or simply executes the evm opcodes) and returns the result. for spec see [eth_call](#)

```
public func call(tx: EthTransaction, block: UInt64? = nil) -> Future<String>
```

Example

```
in3.eth.call(tx: EthTransaction(to: "0x2736D225f85740f42D17987100dc8d58e9e16252"),  
↳ data: "0x5cf0f3570000000000000000000000000000000000000000000000000000000000000000"  
↳ )) .observe(using: {  
    switch $0 {  
        case let .failure(err):  
            print("Failed because : \(err.localizedDescription)")  
        case let .success(val):  
            print("result : \(val)")  
//                result = 0x000000000000000000000000...  
    }  
}
```

Parameters

- tx: the tx-object, which is the same as specified in `eth_sendTransaction`.
- block: the `blockNumber` or `latest`

Returns

the abi-encoded result of the function.

getTransactionReceipt(txHash:)

The Receipt of a Transaction. For Details, see [eth_getTransactionReceipt](#).

```
public func getTransactionReceipt(txHash: String) -> Future<EthTransactionReceipt?>
```

Example

```
in3.eth.getTransactionReceipt(txHash:
↳ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//
//         result =
//         blockHash:
↳ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
//         blockNumber: "0x8c1e39"
//         contractAddress: null
//         cumulativeGasUsed: "0x2466d"
//         gasUsed: "0x2466d"
//         logs:
//         - address: "0x85ec283aed4b66df4da23656d4bf8a507383bca"
//         blockHash:
↳ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
```

(continues on next page)

(continued from previous page)

```
//          blockNumber: "0x8c1e39"
//          data: 0x000000000000...
//          logIndex: "0x0"
//          removed: false
//          topics:
//          -
→ "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
//          -
→ "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
//          -
→ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
//          transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//          transactionIndex: "0x0"
//          transactionLogIndex: "0x0"
//          type: mined
//          logsBloom: 0x00000000000000000000000200000...
//          root: null
//          status: "0x1"
//          transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//          transactionIndex: "0x0"
    }
}
```

Parameters

- txHash: the transactionHash

Returns

the TransactionReceipt or null if it does not exist.

gasPrice()

returns the current gasPrice in wei per gas

```
public func gasPrice() -> Future<UInt64>
```

Example

```
in3.eth.gasPrice().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = "0x0625900800"
    }
})
```

Returns

the current gasPrice in wei per gas

feeHistory(blockCount:newestBlock:rewardPercentiles:)

base fee per gas and transaction effective priority fee per gas history for the requested block range if available. The range between headBlock-4 and headBlock is guaranteed to be available while retrieving data from the pending block and older history are optional to support. For pre-EIP-1559 blocks the gas prices are returned as rewards and zeroes are returned for the base fee per gas

```
public func feeHistory(blockCount: UInt64, newestBlock: UInt64? = nil, ↵
↳rewardPercentiles: [Double]? = nil) -> Future<FeeHistory>
```

Parameters

- blockCount: Number of blocks in the requested range. Between 1 and 1024 blocks can be requested in a single query. Less than requested may be returned if not all blocks are available.
- newestBlock: the Highest blockNumber or one of latest, earliest or pending
- rewardPercentiles: A monotonically increasing list of percentile values to sample from each block's effective priority fees per gas in ascending order, weighted by gas used.

Returns

Fee history for the returned block range. This can be a subsection of the requested range if not all blocks are available.

blockNumber()

returns the number of the most recent block.

```
public func blockNumber() -> Future<UInt64>
```

See [eth_blockNumber](#) for spec.

No proof returned, since there is none, but the client should verify the result by comparing it to the current blocks returned from others. With the `blockTime` from the chainspec, including a tolerance, the current blocknumber may be checked if in the proposed range.

Example

```
in3.eth.blockNumber().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //         result = "0xb8a2a5"
    }
})
```

Returns

the highest known blocknumber

getBlock(blockNumber:)

returns the given Block by number with transactionHashes. if no blocknumber is specified the latest block will be returned.

```
public func getBlock(blockNumber: UInt64? = nil) -> Future<EthBlockdataWithTxHashes?>
```

Example

```
in3.eth.getBlock().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    result =
    //
    //      author: "0x0000000000000000000000000000000000000000000000000000000000000000"
    //      difficulty: "0x2"
    //      extraData: "0x696e667572612d696f00000000000000...31570f1e500"
    //      gasLimit: "0x7a1200"
    //      gasUsed: "0x20e145"
    //      hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
    //
    //      logsBloom: 0x00000800000000000000...004001000000000080
    //      miner: "0x0000000000000000000000000000000000000000000000000000000000000000"
    //      number: "0x449956"
    //      parentHash:
    //      receiptsRoot:
    //      sealFields:
    //          - "0xa000000000000000000000000000000000000000000000000000000000000000"
    //          - "0x8800000000000000000000000000000000000000000000000000000000000000"
    //      sha3Uncles:
    //      size: "0x74b"
    //      stateRoot:
    //      timestamp: "0x605aec86"
    //      totalDifficulty: "0x6564de"
    //      transactions:
    //          - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
    //          - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
    //          - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
    //          - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
    //          - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
    //          - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
    //      transactionsRoot:
    //      uncles: []
    }
})
```

Parameters

- `blockNumber`: the `blockNumber` or one of `latest`, `earliest` or `pending`

Returns

the blockdata, or in case the block with that number does not exist, `null` will be returned.

getBlockWithTx(blockNumber:)

returns the given Block by number with full transaction data. if no blocknumber is specified the latest block will be returned.

```
public func getBlockWithTx(blockNumber: UInt64? = nil) -> Future<EthBlockdata?>
```

Example

```
in3.eth.getBlockWithTx() .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
            result =
                author: "0x0000000000000000000000000000000000000000000000000000000000000000"
                difficulty: "0x2"
                extraData: "0x696e667572612d696f000000000000...31570f1e500"
                gasLimit: "0x7a1200"
                gasUsed: "0x20e145"
                hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
                logsBloom: "0x00000800000000000000...004001000000000080"
                miner: "0x0000000000000000000000000000000000000000000000000000000000000000"
                number: "0x449956"
                parentHash:
                    "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8bdaba703c74458ad6faf7c2694"
                receiptsRoot:
                    "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
                sealFields:
                    - "0xa000000000000000000000000000000000000000000000000000000000000000"
                    - "0x880000000000000000000000"
                sha3Uncles:
                    "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
                size: "0x74b"
                stateRoot:
                    "0xf44699575afd266806be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
                timestamp: "0x605aec86"
                totalDifficulty: "0x6564de"
                transactions:
                    - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
                    - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
                    - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
                    - "0x4010c4c112514756dcdcfc14f91117503826dcbe15b03a1636c07aa713da24b8d"
                    - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
                    - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
                transactionsRoot:
                    "0xddbbd7bf723abdfe885539406540671c2c0eb97684972175ad199258c75416cc"
                uncles: []
    }
}
```

Parameters

- `blockNumber`: the `blockNumber` or one of `latest`, `earliest` or `pending`

Returns

the blockdata, or in case the block with that number does not exist, null will be returned.

getBlockByHash(blockHash:)

returns the given Block by hash with transactionHashes

```
public func getBlockByHash(blockHash: String) -> Future<EthBlockdataWithTxHashes?>
```

Example

```
in3.eth.getBlockByHash(blockHash:
↳ "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585") .
↳ observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//
//         result =
//             author: "0x0000000000000000000000000000000000000000000000000000000000000000"
//             difficulty: "0x2"
//             extraData: "0x696e667572612d6966f0000000000000...31570f1e500"
//             gasLimit: "0x7a1200"
//             gasUsed: "0x20e145"
//             hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
↳ "
//             logsBloom: "0x00000800000000000000...004001000000000080"
//             miner: "0x0000000000000000000000000000000000000000000000000000000000000000"
//             number: "0x449956"
//             parentHash:
↳ "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcd8dbdaba703c74458ad6faf7c2694"
//             receiptsRoot:
↳ "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
//             sealFields:
//                 - "0xa000000000000000000000000000000000000000000000000000000000000000"
//                 - "0x880000000000000000"
//             sha3Uncles:
↳ "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
//             size: "0x74b"
//             stateRoot:
↳ "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
//             timestamp: "0x605aec86"
//             totalDifficulty: "0x6564de"
//             transactions:
//                 - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
//                 - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
//                 - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
//                 - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
//                 - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
//                 - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
//             transactionsRoot:
↳ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
//             uncles: []
    }
}
```

Parameters

- blockHash: the blockHash of the block

Returns

the blockdata, or in case the block with that number does not exist, null will be returned.

getBlockByHashWithTx(blockHash:)

returns the given Block by hash with full transaction data

```
public func getBlockByHashWithTx(blockHash: String) -> Future<EthBlockdata?>
```

Example

```
in3.eth.getBlockByHashWithTx(blockHash:
↳ "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585") .
↳ observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          author: "0x0000000000000000000000000000000000000000"
//          difficulty: "0x2"
//          extraData: "0x696e667572612d696f000000000000...31570f1e500"
//          gasLimit: "0x7a1200"
//          gasUsed: "0x20e145"
//          hash: "0x2baa54adcd8a105cdedfd9c6635d48d07b8f0e805af0a5853190c179e5a18585"
↳ "
//          logsBloom: "0x00000800000000000000...004001000000000080"
//          miner: "0x0000000000000000000000000000000000000000"
//          number: "0x449956"
//          parentHash:
↳ "0x2c2a4fcd11aa9aea6b9767651a10e7dbd2bcddbda703c74458ad6faf7c2694"
//          receiptsRoot:
↳ "0x0240b90272b5600bef7e25d0894868f85125174c2f387ef3236fc9ed9bfb3eff"
//          sealFields:
//          - "0xa000000000000000000000000000000000000000000000000000000000000000"
//          - "0x8800000000000000000000"
//          sha3Uncles:
↳ "0x1dcc4de8dec75d7aab85b567b6ccd41ad312451b948a7413f0a142fd40d49347"
//          size: "0x74b"
//          stateRoot:
↳ "0xf44699575afd2668060be5ba77e66e1e80edb77ad1b5070969ddfa63da6a4910"
//          timestamp: "0x605aec86"
//          totalDifficulty: "0x6564de"
//          transactions:
//          - "0xcb7edfdb3229c9beeb418ab1ef1a3c9210ecfb22f0157791c3287085d798da58"
//          - "0x0fb803696521ba109c40b3eecb773c93dc6ee891172af0f620c8d44c05198641"
//          - "0x3ef6725cab4470889c3c7d53609a5d4b263701f5891aa98c9ed48b73b6b2fb75"
//          - "0x4010c4c112514756dcdcf14f91117503826dcbe15b03a1636c07aa713da24b8d"
//          - "0xd9c14daa5e2e9cc955534865365ef6bde3045c70e3a984a74c298606c4d67bb5"
//          - "0xfa2326237ba5dcca2127241562be16b68c48fed93d29add8d62f79a00518c2d8"
//          transactionsRoot:
↳ "0xddbbd7bf723abdf885539406540671c2c0eb97684972175ad199258c75416cc"
//          uncles: []
    }
}
```

(continues on next page)

(continued from previous page)

}

Parameters

- blockHash: the blockHash of the block

Returns

the blockdata, or in case the block with that number does not exist, `null` will be returned.

getBlockTransactionCountByHash(blockHash:)

returns the number of transactions. For Spec, see `eth_getBlockTransactionCountByHash`.

```
public func getBlockTransactionCountByHash(blockHash: String) -> Future<Int?>
```

Parameters

- blockHash: the blockHash of the block

Returns

the number of transactions in the block

getBlockTransactionCountByNumber(blockNumber:)

returns the number of transactions. For Spec, see `eth_getBlockTransactionCountByNumber`.

```
public func getBlockTransactionCountByNumber(blockNumber: UInt64) -> Future<Int?>
```

Parameters

- blockNumber: the blockNumber of the block

Returns

the number of transactions in the block

getUncleCountByBlockHash(blockHash:)

returns the number of uncles. For Spec, see `eth_getUncleCountByBlockHash`.

```
public func getUncleCountByBlockHash(blockHash: String) -> Future<Int?>
```

Parameters

- blockHash: the blockHash of the block

Returns

the number of uncles

getUncleCountByBlockNumber(blockNumber:)

returns the number of uncles. For Spec, see [eth_getUncleCountByBlockNumber](#).

```
public func getUncleCountByBlockNumber(blockNumber: UInt64) -> Future<Int?>
```

Parameters

- blockNumber: the blockNumber of the block

Returns

the number of uncles

getTransactionByBlockHashAndIndex(blockHash:index:)

returns the transaction data.

```
public func getTransactionByBlockHashAndIndex(blockHash: String, index: Int) -> Future<EthTransactiondata?>
```

See JSON-RPC-Spec for [eth_getTransactionByBlockHashAndIndex](#) for more details.

Example

```
in3.eth.getTransactionByBlockHashAndIndex(blockHash:
↳ "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee", index: "0xd5
↳ ") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result =
    //      blockHash:
    ↳ "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
    //      blockNumber: "0xb8a4a9"
    //      from: "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98"
    //      gas: "0xac6b"
    //      gasPrice: "0x1bf08eb000"
    //      hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea
    ↳ "
    //      input: 0x095ea7b3000000000000000000000000...a7640000
    //      nonce: "0xa"
    //      to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
    //      transactionIndex: "0xd5"
    //      value: "0x0"
    //      type: "0x0"
    //      v: "0x25"
    //      r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
    //      s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
    }
})
```

Parameters

- blockHash: the blockhash containing the transaction.
- index: the transactionIndex

Returns

the transactiondata or null if it does not exist

getTransactionByBlockNumberAndIndex(blockNumber:index:)

returns the transaction data.

```
public func getTransactionByBlockNumberAndIndex (blockNumber: UInt64, index: Int) ->
↳Future<EthTransactiondata?>
```

See JSON-RPC-Spec for `eth_getTransactionByBlockNumberAndIndex` for more details.

Example

```
in3.eth.getTransactionByBlockNumberAndIndex (blockNumber: "0xb8a4a9", index: "0xd5") .
↳observe (using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
            result =
            //          blockHash:
            ↳"0x4fc08daf8d670a23eba7alacalf09591c19147305c64d25e1ddd3dd43ff658ee"
            //          blockNumber: "0xb8a4a9"
            //          from: "0xcaa6cfc2ca92cabdbce5a46901ee8b831e00a98"
            //          gas: "0xac6b"
            //          gasPrice: "0x1bf08eb000"
            //          hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea
            ↳"
            //          input: 0x095ea7b3000000000000000000000000...a7640000
            //          nonce: "0xa"
            //          to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
            //          transactionIndex: "0xd5"
            //          value: "0x0"
            //          type: "0x0"
            //          v: "0x25"
            //          r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
            //          s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
    }
})
```

Parameters

- blockNumber: the block number containing the transaction.
- index: the transactionIndex

Returns

the transactiondata or null if it does not exist

getTransactionByHash(txHash:)

returns the transaction data.

```
public func getTransactionByHash(txHash: String) -> Future<EthTransactiondata?>
```

See JSON-RPC-Spec for `eth_getTransactionByHash` for more details.

Example

```
in3.eth.getTransactionByHash(txHash:
↳ "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          blockHash:
↳ "0x4fc08daf8d670a23eba7a1acalf09591c19147305c64d25e1ddd3dd43ff658ee"
//          blockNumber: "0xb8a4a9"
//          from: "0xcaa6cfc2ca92cabbdbce5a46901ee8b831e00a98"
//          gas: "0xac6b"
//          gasPrice: "0x1bf08eb000"
//          hash: "0xd635a97452d604f735116d9de29ac946e9987a20f99607fb03516ef267ea0eea
↳ "
//          input: 0x095ea7b3000000000000000000000000...a7640000
//          nonce: "0xa"
//          to: "0x95ad61b0a150d79219dcf64e1e6cc01f0b64c4ce"
//          transactionIndex: "0xd5"
//          value: "0x0"
//          type: "0x0"
//          v: "0x25"
//          r: "0xb18e0928c988d898d3217b145d78439072db15ea7de1005a73cf5feaf01a57d4"
//          s: "0x6b530c2613f543f9e26ef9c27a7986c748fbc856aaeacd6000a8ff46d2a2dd78"
    }
}
```

Parameters

- txHash: the transactionHash of the transaction.

Returns

the transactiondata or null if it does not exist

getLogs(filter:)

searches for events matching the given criteria. See `eth_getLogs` for the spec.

```
public func getLogs(filter: EthLogFilter) -> Future<[Ethlog]>
```

Parameters

- filter: The filter criteria for the events.

Returns

array with all found event matching the specified filter

getBalance(account:block:)

gets the balance of an account for a given block

```
public func getBalance(account: String, block: UInt64? = nil) -> Future<UInt256>
```

Example

```
in3.eth.getBalance(account: "0x2e333ec090f1028df0a3c39a918063443be82b2b") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = "0x20599832af6ec00"
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the balance

getTransactionCount(account:block:)

gets the nonce or number of transaction sent from this account at a given block

```
public func getTransactionCount(account: String, block: UInt64? = nil) -> Future
↳ <UInt64>
```

Example

```
in3.eth.getTransactionCount(account: "0x2e333ec090f1028df0a3c39a918063443be82b2b") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = "0x5"
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the nonce

getCode(account:block:)

gets the code of a given contract

```
public func getCode(account: String, block: UInt64? = nil) -> Future<String>
```

Example

```
in3.eth.getCode(account: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = 0x6080604052348...6c634300050a0040
})
```

Parameters

- account: address of the account
- block: the blockNumber or latest

Returns

the code as hex

getStorageAt(account:key:block:)

gets the storage value of a given key

```
public func getStorageAt(account: String, key: String, block: UInt64? = nil) -> Future
↳ <String>
```

Example

```
in3.eth.getStorageAt(account: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f", key: "0x0
↳ ") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = "0x19"
})
```

Parameters

- account: address of the account
- key: key to look for
- block: the blockNumber or latest

Returns

the value of the storage slot.

sendTransaction(tx:)

signs and sends a Transaction

```
public func sendTransaction(tx: EthTransaction) -> Future<String>
```

Parameters

- tx: the transactiondata to send

Returns

the transactionHash

sendTransactionAndWait(tx:)

signs and sends a Transaction, but then waits until the transaction receipt can be verified. Depending on the finality of the nodes, this may take a while, since only final blocks will be signed by the nodes.

```
public func sendTransactionAndWait(tx: EthTransaction) -> Future
    <EthTransactionReceipt>
```

Parameters

- tx: the transactiondata to send

Returns

the transactionReceipt

sendRawTransaction(tx:)

sends or broadcasts a previously signed raw transaction. See [eth_sendRawTransaction](#)

```
public func sendRawTransaction(tx: String) -> Future<String>
```

Parameters

- tx: the raw signed transactiondata to send

Returns

the transactionhash

estimateGas(tx:block:)

calculates the gas needed to execute a transaction. for spec see [eth_estimateGas](#)

```
public func estimateGas(tx: EthTransaction, block: UInt64? = nil) -> Future<UInt64>
```

Parameters

- tx: the tx-object, which is the same as specified in [eth_sendTransaction](#).

- `block`: the `blockNumber` or `latest`

Returns

the amount of gass needed.

call(tx:block:)

calls a function of a contract (or simply executes the evm opcodes) and returns the result. for spec see [eth_call](#)

```
public func call(tx: EthTransaction, block: UInt64? = nil) -> Future<String>
```

Example

```
in3.eth.call(tx: EthTransaction(to: "0x2736D225f85740f42D17987100dc8d58e9e16252"),  
↳ data: "0x5cf0f357000000000000000000000000000000000000000000000000000000000000"  
↳ )) .observe(using: {  
    switch $0 {  
        case let .failure(err):  
            print("Failed because : \(err.localizedDescription)")  
        case let .success(val):  
            print("result : \(val)")  
//             result = 0x000000000000000000000000...  
    }  
}
```

Parameters

- tx: the tx-object, which is the same as specified in `eth_sendTransaction`.
- block: the `blockNumber` or `latest`

Returns

the abi-encoded result of the function.

getTransactionReceipt(txHash:)

The Receipt of a Transaction. For Details, see `eth_getTransactionReceipt`.

```
public func getTransactionReceipt(txHash: String) -> Future<EthTransactionReceipt?>
```

Example

```
in3.eth.getTransactionReceipt(txHash:
↳ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                blockHash:
↳ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
//            blockNumber: "0x8c1e39"
//            contractAddress: null
```

(continues on next page)

(continued from previous page)

```
//      cumulativeGasUsed: "0x2466d"
//      gasUsed: "0x2466d"
//      logs:
//      - address: "0x85ec283aed4b66df4da23656d4bf8a507383bca"
//        blockHash:
→ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
//        blockNumber: "0x8c1e39"
//        data: 0x000000000000...
//        logIndex: "0x0"
//        removed: false
//        topics:
//        -
→ "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
//        -
→ "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
//        -
→ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
//      transactionLogIndex: "0x0"
//      type: mined
//      logsBloom: 0x00000000000000000000000200000...
//      root: null
//      status: "0x1"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
    }
}
```

Parameters

- txHash: the transactionHash

Returns

the TransactionReceipt or null if it does not exist.

16.1.19 FileCache

File-Implementation for the cache.

```
public class FileCache : In3Cache
```

```
In3Cache, In3Cache, In3Cache, In3Cache
```

setEntry(key:value:)

write the data to the cache using the given key..

```
public func setEntry(key: String, value: Data)
```

getEntry(key:)

find the data for the given cache-key or nilif not found.

```
public func getEntry(key: String) -> Data?
```

clear()

clears all cache entries

```
public func clear()
```

setEntry(key:value:)

write the data to the cache using the given key..

```
public func setEntry(key: String, value: Data)
```

getEntry(key:)

find the data for the given cache-key or nilif not found.

```
public func getEntry(key: String) -> Data?
```

clear()

clears all cache entries

```
public func clear()
```

16.1.20 Future

```
public class Future<Value>
```

Result

```
public typealias Result = Swift.Result<Value, Error>
```

Result

```
public typealias Result = Swift.Result<Value, Error>
```


observe(using:)

```
public func observe(using callback: @escaping (Result) -> Void)
```

observe(using:)

```
public func observe(using callback: @escaping (Result) -> Void)
```

16.1.21 IdentitySession

a Session for communicating with the Identity Services

```
public class IdentitySession
```

token

the current token

```
public var token: EQToken? = nil
```

equsHelper

returns the Eqs Identity Helper

```
public var equsHelper : Eqs
```

getSchemaAttributeList()

Gets the list of attributes from a Schema

```
public func getSchemaAttributeList() -> Future<[EQSchemaAttribute]>
```

getPDSInfo()

Returns information about the PDS component.

```
public func getPDSInfo() -> Future<EQComponentInfo>
```

Parameters

- completion: The closure called when the request has finished

getPDSProfile()

Retreive identity profile

```
public func getPDSProfile() -> Future<EQProfileModel>
```

getPDSSummary()

Gets a pds users summary of services

```
public func getPDSSummary() -> Future<EQPersonalDataServiceSummary>
```

createPDSAttributes(attributes:)

Adds attributes onto the pds user's account

```
public func createPDSAttributes( attributes: [EQNewAttribute]) -> Future  
↳<[EQNewAttributeResponse]>
```

- attributes: The list of attributes to add

downloadPDSImageFileAttribute(fileAttributeId:)

Downloads an image file attribute

```
public func downloadPDSImageFileAttribute( fileAttributeId: EQAttributeId) -> Future  
↳<Data>
```

Parameters

- fileAttributeId: The file's id

uploadPDSImageFileAttribute(fileAttribute:)

Uploads an image file attribute

```
public func uploadPDSImageFileAttribute( fileAttribute: EQFileAttribute) -> Future  
↳<EQAttributeId>
```

Parameters

- fileAttribute: The file attribute

getAllPDSAttributes()

Gets all a user's attributes

```
public func getAllPDSAttributes() -> Future<[EQAttribute]>
```

getPDSServiceDefinitions()

Gets a list of service definitions a user can share their data with

```
public func getPDSserviceDefinitions() -> Future<[EQServiceDefinition]>
```

getPDSServiceDefinitionById(serviceDefintionId:)

Gets a service definition by its ID

```
public func getPDSServiceDefinitionById( serviceDefintionId: String) -> Future
↳<EQServiceDefinition>
```

Parameters

- serviceDefintionId: The service defintion ID

getPDSServices()

Gets a list of services the user is consuming

```
public func getPDSServices() -> Future<[EQUserServiceSummary]>
```

getPDSServiceDefinitionById(serviceId:)

Gets a specific service a user is consuming by the service's ID

```
public func getPDSServiceDefinitionById( serviceId: String) -> Future<EQUserService>
```

Parameters

- serviceId: The service id

registerForPDSService(serviceDefinitionId:attributes:policies:)

Registers a user for a service

```
public func registerForPDSService( serviceDefinitionId: String,
                                attributes: [EQSDAttributeResponse],
                                policies: [EQUserPolicyResponse]) ->
↳Future<EQServiceId>
```

Parameters

- serviceDefinitionId: The service definition the user wants to register for
- attributes: The user's response to the attribute request from the service defintion
- policies: The user's repsonse to the policies from the service definition

activatePDSService(serviceId:)

Activates a service a user has registered for

```
public func activatePDSService( serviceId: EQServiceId ) -> Future<Bool>
```

Parameters

- `serviceId`: The service id of the service the user wants to activate

terminatePDSService(serviceId:)

Terminates a service a user has activated

```
public func terminatePDSService( serviceId: EQServiceId )-> Future<Bool>
```

Parameters

- `serviceId`: The service id of the service the user wants to activate

createPersona(personaName:)

Creates a Persona

```
public func createPersona( personaName: String )-> Future<EQPersonaId>
```

Parameters

- `personaName`: The persona's name

getAllPersonas()

Gets all of user's personas

```
public func getAllPersonas ( )-> Future<[EQPersona]>
```

Parameters

- `personaName`: The persona's name

createPDSAttributeForPersona(personaId:attribute:)

Creates an attribute for a persona

```
public func createPDSAttributeForPersona( personaId: EQPersonaId,  
                                           attribute: EQNewPersonaAttribute )->  
↳Future<EQAttributeId>
```

Parameters

- `personaId`: The persona's id
- `attribute`: The attribute to add

getPDSAttributesForPersona(personaId:)

Gets all the attributes for a persona

```
public func getPDSAttributesForPersona( personaId: EQPersonaId )-> Future  
↳<[EQPersonaAttribute]>
```

Parameters

- `personaId`: The persona's id

registerPersonaForPDSService(personalId:serviceRegistration:)

Registers a user persona for

```
public func registerPersonaForPDSService(      personaId: EQPersonaId,
                                             serviceRegistration: EQPersonaServiceRegistration) -> Future<EQServiceId>
```

Parameters

- personalId: The persona to register a service for
- serviceRegistration: The service registration object

getPDSServicesForPersona(personalId:)

Gets all of the services a persona is registered for

```
public func getPDSServicesForPersona(      personaId: EQPersonaId) -> Future
<[EQPersonaService]>
```

Parameters

- personalId: The persona
- serviceRegistration: The service registration object

register(username:password:)

Registers a personal user

```
public func register(
    username: String,
    password: String) ->
    Future<EQToken>
```

Parameters

- username: The user's username
- password: The user's password

signin(username:password:)

Signin method is directly logging into the system as "PDS-OWNER". Every user in the system is a PDS-OWNER.

```
public func signin(
    username: String,
    password: String) ->
    Future<EQToken>
```

Parameters

- username: The username
- password: The password

signout()

Signs a user out

```
public func signout( )-> Future<Bool>
```

16.1.22 In3

The Incubed client

```
public class In3
```

init(_:)

initialize with a Configurations

```
public init(_ config: In3Config) throws
```

init(_:)

initialize with a Configurations

```
public init(_ config: In3Config) throws
```

account

the Account API

```
public var account : Account
```

account

the Account API

```
public var account : Account
```

btc

the Btc API

```
public var btc : Btc
```

btc

the Btc API

```
public var btc : Btc
```

eth

the Eth API

```
public var eth : Eth
```

eth

the Eth API

```
public var eth : Eth
```

ipfs

the Ipfs API

```
public var ipfs : Ipfs
```

ipfs

the Ipfs API

```
public var ipfs : Ipfs
```

nodelist

the Nodelist API

```
public var nodelist : Nodelist
```

nodelist

the Nodelist API

```
public var nodelist : Nodelist
```

utils

the Utils API

```
public var utils : Utils
```

utils

the Utils API

```
public var utils : Utils
```

vault

the Vault API

```
public var vault : Vault
```

vault

the Vault API

```
public var vault : Vault
```

wallets

the Wallets API

```
public var wallets : Wallets
```

wallets

the Wallets API

```
public var wallets : Wallets
```

zksync

the Zksync API

```
public var zksync : Zksync
```

zksync

the Zksync API

```
public var zksync : Zksync
```

transport

the transport function

```
public var transport: (_ url: String, _ method:String, _ payload:Data?, _ headers: [String], _ cb: @escaping (_ data:TransportResult)->Void) -> Void
```


transport

the transport function

```
public var transport: (_ url: String, _ method:String, _ payload:Data?, _ headers:_
↳[String], _ cb: @escaping (_ data:TransportResult)->Void) -> Void
```

configure(_:)

change the configuration.

```
public func configure(_ config: In3Config) throws
```

- Paramater config : the partial or full Configuration to change.

execLocal(::)

Execute a request directly and local. This works only for requests which do not need to be send to a server.

```
public func execLocal(_ method: String, _ params: RPCObject...) throws -> RPCObject
```

execLocal(::)

Execute a request directly and local. This works only for requests which do not need to be send to a server.

```
public func execLocal(_ method: String, _ params: [RPCObject]) throws -> RPCObject
```

exec(::cb:)

executes a asnychronous request

```
public func exec(_ method: String, _ params: RPCObject..., cb: @escaping (_
↳result:RequestResult)->Void) throws
```

This requires a transport to be set

Parameters

- method: the rpc-method to call
- params: the paramas as ROCPobjects
- cb: the callback which will be called with a Result (either success or error) when done.

executeJSON(_:)

executes a json-rpc encoded request synchronously and returns the result as json-string

```
public func executeJSON(_ rpc: String) -> String
```

configure(_:)

change the configuration.

```
public func configure(_ config: In3Config) throws
```

- Paramater config : the partial or full Configuration to change.

execLocal(::)

Execute a request directly and local. This works only for requests which do not need to be send to a server.

```
public func execLocal(_ method: String, _ params: RPCObject...) throws -> RPCObject
```

execLocal(::)

Execute a request directly and local. This works only for requests which do not need to be send to a server.

```
public func execLocal(_ method: String, _ params: [RPCObject]) throws -> RPCObject
```

exec(::cb:)

executes a asnychronous request

```
public func exec(_ method: String, _ params: RPCObject..., cb: @escaping (Result<RequestResult>)->Void) throws
```

This requires a transport to be set

Parameters

- method: the rpc-method to call
- params: the paramas as ROCPObjects
- cb: the callback which will be called with a Result (either success or error) when done.

executeJSON(_:)

executes a json-rpc encoded request synchronously and returns the result as json-string

```
public func executeJSON(_ rpc: String) -> String
```

16.1.23 Ipfs

A Node supporting IPFS must support these 2 RPC-Methods for uploading and downloading IPFS-Content. The node itself will run a ipfs-client to handle them.

```
public class Ipfs
```

Fetching ipfs-content can be easily verified by creating the ipfs-hash based on the received data and comparing it to the requested ipfs-hash. Since there is no chance of manipulating the data, there is also no need to put a deposit or convict a node. That's why the registry-contract allows a zero-deposit fot ipfs-nodes.

get(ipfshash:encoding:)

Fetches the data for a requested ipfs-hash. If the node is not able to resolve the hash or find the data a error should be reported.

```
public func get(ipfshash: String, encoding: String) -> Future<String>
```

Example

```
in3.ipfs.get(ipfshash: "QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD", encoding:
↳ "utf8") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result = I love Incubed
})
```

Parameters

- ipfshash: the ipfs multi hash
- encoding: the encoding used for the response. (hex , base64 or utf8)

Returns

the content matching the requested hash encoded in the defined encoding.

put(data:encoding:)

Stores ipfs-content to the ipfs network. Important! As a client there is no guarantee that a node made this content available. (just like eth_sendRawTransaction will only broadcast it). Even if the node stores the content there is no guarantee it will do it forever.

```
public func put(data: String, encoding: String) -> Future<String>
```

Example

```
in3.ipfs.put(data: "I love Incubed", encoding: "utf8") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result = QmSepGsypERjq71BSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD
})
```

Parameters

- data: the content encoded with the specified encoding.
- encoding: the encoding used for the request. (hex , base64 or utf8)

Returns

the ipfs multi hash

get(ipfshash:encoding:)

Fetches the data for a requested ipfs-hash. If the node is not able to resolve the hash or find the data a error should be reported.

```
public func get(ipfshash: String, encoding: String) -> Future<String>
```

Example

```
in3.ipfs.get(ipfshash: "QmSepGsypERjq7lBSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD", encoding:
↳"utf8") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result = I love Incubed
}
```

Parameters

- ipfshash: the ipfs multi hash
- encoding: the encoding used for the response. (hex , base64 or utf8)

Returns

the content matching the requested hash encoded in the defined encoding.

put(data:encoding:)

Stores ipfs-content to the ipfs network. Important! As a client there is no guarantee that a node made this content available. (just like eth_sendRawTransaction will only broadcast it). Even if the node stores the content there is no gurantee it will do it forever.

```
public func put(data: String, encoding: String) -> Future<String>
```

Example

```
in3.ipfs.put(data: "I love Incubed", encoding: "utf8") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result = QmSepGsypERjq7lBSm4Cjq7j8tyAUnCw6ZDTeNdE8RUssD
}
```

Parameters

- data: the content encoded with the specified encoding.
- encoding: the encoding used for the request. (hex , base64 or utf8)

Returns

the ipfs multi hash

16.1.24 L1Wallets

This module contains specific function for deploying and managing l1-wallets

```
public class L1Wallets
```

read(account:)

reads the data from a contract and returns it as multisig definition.

```
public func read(account: String) -> Future<MsDef>
```

Parameters

- account: the address of the wallet

Returns

the wallet-configuration

getHistory(force_update:only_new:account:)

reads the history and all events for the wallet.

```
public func getHistory(force_update: Bool? = nil, only_new: Bool? = nil, account: String? = nil) -> Future<[WalletTx]>
```

- Parameter force_update : if true the history will also be update otherwise it will be taken from the cache and only created if it does not exist yet
- Parameter only_new : if true, only new events will be returned

Example

```
sdk.wallets.l1.getHistory(force_update: true, only_new: false, account:
↳ "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    // result =
    // - tx_hash:
    ↳ "0xeccc2675960daec8dcfa2f4bc77f4990d251f3467a498b458ea6c1010ae7b395"
    // block: 8928202
    // layer: eth-4
    // timestamp: 1626161216
    // events:
    // - log_index: 44
```

(continues on next page)

(continued from previous page)

```

//          type: ProxyCreation
//          address: "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"
//          - log_index: 45
//          type: EnabledModule
//          address: "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"
//          - tx_hash:
→ "0x5fd643202b943112e799ca60305adbafe70e7f512952eae6dd4c5b00c2f136e5"
//          block: 8946267
//          layer: eth-4
//          timestamp: 1626432263
//          events:
//          - log_index: 27
//          type: ExecutionFailure
//          tx_hash:
→ "0xa27d76a7faeb9b1f7e5caf1cd7cf9abbb73b17a447bac8fb6cec694a1009df0f"
//          gas: 0
//          - tx_hash:
→ "0xb73aab562d8a689b3ccdf904378a95be7e515a2fb17f1b7aec53bce50349959a"
//          block: 8946321
//          layer: eth-4
//          timestamp: 1626433073
//          events:
//          - log_index: 19
//          type: Transfer
//          token: "0x0000000000000000000000000000000000000000"
//          tx_hash:
→ "0x722bf0999e08d45186bbb91d3cb2a80ad453e3fe49e6555fa8641dde7d3333bb"
//          to: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//          amount: "0x2386f26fc10000"
//          from: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//          - log_index: 20
//          type: ExecutionSuccess
//          tx_hash:
→ "0x722bf0999e08d45186bbb91d3cb2a80ad453e3fe49e6555fa8641dde7d3333bb"
//          gas: 0
    }
}

```

Parameters

- account: the address of the wallet

Returns

a array with all events since the creation of the wallet.

getBalance(token:wallet:)

returns the balance for the specified account or wallet

```

public func getBalance(token: String? = "ETH", wallet: String? = nil) -> Future
→ <UInt256>

```

Example

```

sdk.wallets.l1.getBalance(token: "ETH", wallet:
↳ "0x8a91dc2d28b689474298d91899f0c1baf62cb85b") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = 78187493520
}
}

```

Parameters

- token: The name or address of the token or NULL (or “ETH”) if eth-balance is requested.
- wallet: the wallet or account to be used. I omitted the default-wallet as configured.

Returns

the current balance

exec(tx:exec:wallet:)

executes or prepares a transaction for a wallet.

```

public func exec(tx: TxData, exec: String? = "send", wallet: String? = nil) -> Future
↳ <TxData>

```

Parameters

- tx: the description of the transaction. As minimum only the inputs are needed. /// But in order to sign with multiple parties the definition can be passed to combined multiple signatures ///
- exec: the execution level when sending transactions trough the wallet. /// - prepare - the transaction is not signed, but for the multisig signatures all useable signatures are collected. /// - sign - the raw transaction is signed /// - send - the transaction is send and the transactionHash is added /// - receipt - the function will wait until the receipt has been found ///
- wallet: the wallet to be used. If omitted, either the wallet as defined in the input-data is used, or the default-wallet as configured.

Returns

the transaction-state

deploy(threshold:owners:modules:txparams:)

deploys a wallet on layer1. This function will send the transaction with either the default-wallet (or first wallet) or the first registered signer account. It will wait until the transaction is mined. In order to deploy contract you need to configure the mater-copies in the config by stting the wallet_deploy- object like

```

public func deploy(threshold: Int, owners: [String], modules: MsDef? = nil, txparams:
↳ TxInput? = nil) -> Future<WalletUpdate>

```

```
{
  "wallet_deploy": {
    "creator": "0xaa8c54c65c14f132804f0809bdbef19970673709",
    "master_copy": "0xc73248bb521c3331e4efedbb0560e806302024fb",
    "add_module": "0x846A192315882ca369125F82E64e368858663898",
    "master_copy_custody": "0x937c53Cad1619a996645165129620eF2853c76B0",
    "multisend": "0xD473Ac22bF22EE68cB8D3CA529BC60864613e0eD"
  }
}
```

Example

[illegible]

(continues on next page)

(continued from previous page)

```
//      address: "0x4b5b6284965fca369aada7ecdaee3b190d3d6d43"
//      threshold: 2
//      type: 11
//      owners:
//      - roles: 6
//        address: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//      - roles: 4
//        address: "0x3e8428a44f0a7e3c1f8e00264da96f22f1dec5b9"
//      - roles: 4
//        address: "0xbca6f7f77283a78640b09fe6d44b74717b066557"
//      creator: "0xaa8c54c65c14f132804f0809bdbef19970673709"
//      master_copy: "0xc73248bb521c3331e4efedbb0560e806302024fb"
//      master_copy_custody: "0x937c53cad1619a996645165129620ef2853c76b0"
//      create_module: "0x846a192315882ca369125f82e64e368858663898"
//      safetype: IAMO Safe
//      deploy_block: "0x89093d"
    }
}
```

Parameters

- threshold: the threshold of the multisig, which must be reached in order to execute any transaction.
- owners: array of owner-addresses. Each address may use a prefix to indicate the role (I: Initiator, A: Approver, C: Challenger).
- modules: the module definitions
- txparams: the transaction-arguments that should be used for the deployment-tx. Currently supported are contain gasPrice, gas and nonce. If passed as object, they will be used.

Returns

the wallert-definition with the deployed address.

16.1.25 Nodelist

special Incubed nodelist-handling functions. Most of those are only used internally.

```
public class Nodelist
```

nodes(limit:seed:addresses:)

fetches and verifies the nodeList from a node

```
public func nodes(limit: Int? = nil, seed: String? = nil, addresses: [String]? = nil) →
    Future<NodeListDefinition>
```

Example

```
in3.nodelist.nodes(limit: 2, seed:
    "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b", addresses:
    []) .observe(using: {
    switch $0 {
    case let .failure(err):
```

(continues on next page)

(continued from previous page)

```

        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//      result =
//      totalServers: 5
//      contract: "0x64abe24afbba64cae47e3dc3ced0fcab95e4edd5"
//      registryId:
→ "0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
//      lastBlockNumber: 8669495
//      nodes:
//      - url: https://in3-v2.slock.it/mainnet/nd-3
//        address: "0x945F75c0408C0026a3CD204d36f5e47745182fd4"
//        index: 2
//        deposit: "10000000000000000"
//        props: 29
//        timeout: 3600
//        registerTime: 1570109570
//        weight: 2000
//        proofHash:
→ "0x27ffb9b7dc2c5f800c13731e7c1e43fb438928dd5d69aaa8159c21fb13180a4c"
//      - url: https://in3-v2.slock.it/mainnet/nd-5
//        address: "0xbcdF4E3e90cc7288b578329efd7bcC90655148d2"
//        index: 4
//        deposit: "10000000000000000"
//        props: 29
//        timeout: 3600
//        registerTime: 1570109690
//        weight: 2000
//        proofHash:
→ "0xd0dbb6f1e28a8b90761b973e678cf8ecd6b5b3a9d61fb9797d187be011ee9ec7"
    }
}

```

Parameters

- limit: if the number is defined and >0 this method will return a partial nodeList limited to the given number.
- seed: this 32byte hex integer is used to calculate the indexes of the partial nodeList. It is expected to be a random value chosen by the client in order to make the result deterministic.
- addresses: a optional array of addresses of signers the nodeList must include.

Returns

the current nodeList

signBlockHash(blocks:)

requests a signed blockhash from the node. In most cases these requests will come from other nodes, because the client simply adds the addresses of the requested signers and the processing nodes will then acquire the signatures with this method from the other nodes.

```
public func signBlockHash(blocks: In3SignBlock) -> Future<In3SignedBlockHash>
```

Since each node has a risk of signing a wrong blockhash and getting convicted and losing its deposit, per default nodes will and should not sign blockHash of the last minBlockHeight (default: 6) blocks!

Example

```
in3.nodelist.signBlockHash(blocks: In3SignBlock(blockNumber: 8770580)) .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result =
//              - blockHash:
↳ "0xd8189793f64567992eaadefc51834f3d787b03e9a6850b8b9b8003d8d84a76c8"
//              block: 8770580
//              r: "0x954ed45416e97387a55b2231bff5dd72e822e4a5d60fa43bc9f9e49402019337"
//              s: "0x277163f586585092d146d0d6885095c35c02b360e4125730c52332cf6b99e596"
//              v: 28
//              msgHash:
↳ "0x40c23a32947f40a2560fcb633ab7fa4f3a96e33653096b17ec613fbf41f946ef"
    }
})
```

Parameters

- blocks: array of requested blocks.

Returns

the Array with signatures of all the requires blocks.

whitelist(address:)

Returns whitelisted in3-nodes addresses. The whitelist addressed are acquired from whitelist contract that user can specify in request params.

```
public func whitelist(address: String) -> Future<In3WhiteList>
```

Example

```
in3.nodelist.whitelist(address: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b") .
↳ observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//              result =
//              totalServers: 2
//              contract: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
//              lastBlockNumber: 1546354
//              nodes:
//              - "0x1fe2e9bf29aa1938859af64c413361227d04059a"
//              - "0x45d45e6ff99e6c34a235d263965910298985fcfe"
    }
})
```

Parameters

- address: address of whitelist contract

Returns

the whitelisted addresses

nodes(limit:seed:addresses:)

fetches and verifies the nodeList from a node

```
public func nodes(limit: Int? = nil, seed: String? = nil, addresses: [String]? = nil)
  -> Future<NodeListDefinition>
```

Example

```
in3.nodelist.nodes(limit: 2, seed:
  ->"0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b", addresses:
  ->[]) .observe(using: {
    switch $0 {
    case let .failure(err):
      print("Failed because : \(err.localizedDescription)")
    case let .success(val):
      print("result : \(val)")
    }
    //
    //      totalServers: 5
    //      contract: "0x64abe24afbba64cae47e3dc3ced0fcab95e4edd5"
    //      registryId:
    ->"0x423dd84f33a44f60e5d58090dcdcc1c047f57be895415822f211b8cd1fd692e3"
    //      lastBlockNumber: 8669495
    //      nodes:
    //      - url: https://in3-v2.slock.it/mainnet/nd-3
    //        address: "0x945F75c0408C0026a3CD204d36f5e47745182fd4"
    //        index: 2
    //        deposit: "10000000000000000"
    //        props: 29
    //        timeout: 3600
    //        registerTime: 1570109570
    //        weight: 2000
    //        proofHash:
    ->"0x27ffb9b7dc2c5f800c13731e7c1e43fb438928dd5d69aaa8159c21fb13180a4c"
    //      - url: https://in3-v2.slock.it/mainnet/nd-5
    //        address: "0xbcdF4E3e90cc7288b578329efd7bcC90655148d2"
    //        index: 4
    //        deposit: "10000000000000000"
    //        props: 29
    //        timeout: 3600
    //        registerTime: 1570109690
    //        weight: 2000
    //        proofHash:
    ->"0xd0dbb6f1e28a8b90761b973e678cf8ecd6b5b3a9d61fb9797d187be011ee9ec7"
    }
  })
```

Parameters

- limit: if the number is defined and >0 this method will return a partial nodeList limited to the given number.

- seed: this 32byte hex integer is used to calculate the indexes of the partial nodeList. It is expected to be a random value chosen by the client in order to make the result deterministic.
- addresses: a optional array of addresses of signers the nodeList must include.

Returns

the current nodeList

signBlockHash(blocks:)

requests a signed blockhash from the node. In most cases these requests will come from other nodes, because the client simply adds the addresses of the requested signers and the processing nodes will then acquire the signatures with this method from the other nodes.

```
public func signBlockHash(blocks: In3SignBlock) -> Future<In3SignedBlockHash>
```

Since each node has a risk of signing a wrong blockhash and getting convicted and losing its deposit, per default nodes will and should not sign blockHash of the last minBlockHeight (default: 6) blocks!

Example

```
in3.nodeList.signBlockHash(blocks: In3SignBlock(blockNumber: 8770580)) .
  ↳ observe(using: {
    switch $0 {
    case let .failure(err):
      print("Failed because : \(err.localizedDescription)")
    case let .success(val):
      print("result : \(val)")
    }
    result =
    - blockHash:
    ↳ "0xd8189793f64567992eaadefc51834f3d787b03e9a6850b8b9b8003d8d84a76c8"
    block: 8770580
    r: "0x954ed45416e97387a55b2231bff5dd72e822e4a5d60fa43bc9f9e49402019337"
    s: "0x277163f586585092d146d0d6885095c35c02b360e4125730c52332cf6b99e596"
    v: 28
    msgHash:
    ↳ "0x40c23a32947f40a2560fcb633ab7fa4f3a96e33653096b17ec613fbf41f946ef"
  })
}
```

Parameters

- blocks: array of requested blocks.

Returns

the Array with signatures of all the requires blocks.

whitelist(address:)

Returns whitelisted in3-nodes addresses. The whitelist addressed are acquired from whitelist contract that user can specify in request params.

```
public func whitelist(address: String) -> Future<In3WhiteList>
```

Example

```

in3.nodelist.whitelist(address: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                totalServers: 2
//                contract: "0x08e97ef0a92EB502a1D7574913E2a6636BeC557b"
//                lastBlockNumber: 1546354
//                nodes:
//                    - "0x1fe2e9bf29aa1938859af64c413361227d04059a"
//                    - "0x45d45e6ff99e6c34a235d263965910298985fcfe"
    }
})

```

Parameters

- address: address of whitelist contract

Returns

the whitelisted addresses

16.1.26 Promise

```
public class Promise<Value>: Future<Value>
```

Future<Value>, Future<Value>

resolve(with:)

```
public func resolve(with value: Value)
```

reject(with:)

```
public func reject(with error: Error)
```

resolve(with:)

```
public func resolve(with value: Value)
```

reject(with:)

```
public func reject(with error: Error)
```

16.1.27 SDK

```
public class SDK: In3
```

In3, In3

init(_:)

```
public override init(_ config: In3Config) throws
```

newIdentitySession(serviceUrl:token:)

creates a new Identity Session

```
public func newIdentitySession(serviceUrl: String, token: EQToken? = nil) -> IdentitySession
```

- Parameters
 - serviceUrl : the Url of the NetID-Service
 - token: a optional token for an existing session.

16.1.28 UInt256

a bigint implementation based on tommath to represent big numbers It is used to represent uint256 values

```
final public class UInt256: CustomStringConvertible, Hashable, Comparable, Decodable, Encodable
```

Comparable, Comparable, CustomStringConvertible, CustomStringConvertible, Decodable, Decodable, Encodable, Encodable, Hashable, Hashable

init()

creates a empt (0)-value

```
public init()
```

init(_:)

i nitializes its value from a uint64 type

```
public init(_ v:UInt64)
```

init(_:)

inits its value from a Int


```
public required convenience init(_ val: IntegerLiteralType)
```

init(_:)

copies the value from another UInt256

```
public init(_ value: UInt256)
```

init?(_:radix:)

initialize the value from a string. if the string starts with '0x' it will be interpreted as radix 16 otherwise the default for the radix is 10

```
public init?(_ val: String, radix: Int = 10)
```

Parameters

- radix: the radix or the base to use when parsing the String (10 - decimal, 16 - hex, 2 - binary ...)

init(from:)

initializes from a decoder

```
public init(from decoder: Decoder) throws
```

init()

creates an empty (0)-value

```
public init()
```

init(_:)

initializes its value from a uint64 type

```
public init(_ v: UInt64)
```

init(_:)

initializes its value from an Int

```
public required convenience init(_ val: IntegerLiteralType)
```

init(_:)

copies the value from another UInt256

```
public init(_ value: UInt256)
```

init?(_:radix:)

initialize the value from a string. if the string starts with '0x' it will be interpreted as radix 16 otherwise the default for the radix is 10

```
public init?(_ val: String, radix: Int = 10)
```

Parameters

- radix: the radix or the base to use when parsing the String (10 - decimal, 16 - hex, 2 - binary ...)

init(from:)

initializes from a decoder

```
public init(from decoder: Decoder) throws
```

doubleValue

returns the value as Double (as close as possible)

```
public var doubleValue: Double
```

hexValue

the hex representation starting with '0x'

```
public var hexValue: String
```

intValue

a signed Int representation (if possible)

```
public var intValue: Int
```

uint64Value

a signed UInt64 representation (if possible)

```
public var uint64Value: UInt64
```

description

String representation as decimals

```
public var description: String
```

doubleValue

returns the value as Double (as close as possible)

```
public var doubleValue: Double
```

hexValue

the hex representation starting with '0x'

```
public var hexValue: String
```

uintValue

a unsigned Int representation (if possible)

```
public var uintValue: UInt
```

uint64Value

a unsigned UInt64 representation (if possible)

```
public var uint64Value: UInt64
```

description

String representation as decimals

```
public var description: String
```

encode(to:)

encodes the value to a decoder

```
public func encode(to encoder: Encoder) throws
```

hash(into:)

hash of the value

```
public func hash(into hasher: inout Hasher)
```

toString(radix:)

a string representation based on the given radix.

```
public func toString(radix: Int = 10) -> String
```

Parameters

- radix: the radix or the base to use when parsing the String (10 - decimal, 16 - hex, 2 - binary ...)

compare(other:)

compare 2 UInt256 values the result is zero if they are equal negative if the current value is smaller than the given positive if the current value is higher than the given

```
public func compare(other: UInt256) -> Int32
```

add(_:)

adds the given number and returns the sum of both

```
public func add(_ val:UInt256) -> UInt256
```

sub(_:)

subtracts the given number and returns the difference of both

```
public func sub(_ val:UInt256) -> UInt256
```

mul(_:)

multiplies the current with the given number and returns the product of both

```
public func mul(_ val:UInt256) -> UInt256
```

div(_:)

divides the current number by the given and return the result

```
public func div(_ val:UInt256) -> UInt256
```

mod(_:)

divides the current number by the given and return the rest or module operator

```
public func mod(_ val:UInt256) -> UInt256
```

encode(to:)

encodes the value to a decoder

```
public func encode(to encoder: Encoder) throws
```

hash(into:)

hash of the value

```
public func hash(into hasher: inout Hasher)
```

toString(radix:)

a string representation based on the given radix.

```
public func toString(radix: Int = 10) -> String
```

Parameters

- radix: the radix or the base to use when parsing the String (10 - decimal, 16 - hex, 2 - binary ...)

compare(other:)

compare 2 UInt256 values the result is zero if they are equal negative if the current value is smaller than the given positive if the current value is higher than the given

```
public func compare(other: UInt256) -> Int32
```

add(_:)

adds the given number and returns the sum of both

```
public func add(_ val:UInt256) -> UInt256
```

sub(_:)

subtracts the given number and returns the difference of both

```
public func sub(_ val:UInt256) -> UInt256
```

mul(_:)

multiplies the current with the given number and returns the product of both

```
public func mul(_ val:UInt256) -> UInt256
```

div(_:)

divides the current number by the given and return the result

```
public func div(_ val:UInt256) -> UInt256
```

mod(_:)

divides the current number by the given and return the rest or module operator

```
public func mod(_ val:UInt256) -> UInt256
```

16.1.29 Utils

a Collection of utility-function.

```
public class Utils
```

cacheClear()

clears the incubed cache (usually found in the .in3-folder)

```
public func cacheClear() throws -> String
```

Example

```
let result = try in3.utils.cacheClear()  
// result = true
```

Returns

true indicating the success

clientVersion()

Returns the underlying client version. See [web3_clientversion](#) for spec.

```
public func clientVersion() -> Future<String>
```

Returns

when connected to the incubed-network, Incubed/<Version> will be returned, but in case of a direct endpoint, its's version will be used.

keccak(data:)

Returns Keccak-256 (not the standardized SHA3-256) of the given data.

```
public func keccak(data: String) throws -> String
```

See `web3_sha3` for spec.

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.keccak(data: "0x1234567890")
// result = "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data

`sha3(data:)`

Returns Keccak-256 (not the standardized SHA3-256) of the given data.

```
public func sha3(data: String) throws -> String
```

See `web3_sha3` for spec.

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.sha3(data: "0x1234567890")
// result = "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data

`sha256(data:)`

Returns sha-256 of the given data.

```
public func sha256(data: String) throws -> String
```

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.sha256(data: "0x1234567890")
// result = "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data


```
public func rlpDecode(data: String) throws -> [RPCObject]
```

Example

```
let result = try in3.utils.rlpDecode(data:
↳ "0xf83b808508e1409836829c40a86161616135663833353262373034623139653362616338373262343866326537663639
↳ ")
// result =
//      - 0x
//      - "0x08e1409836"
//      - "0x9c40"
//      -
↳ "0x6161616161356638333532623730346231396533626163383732623438663265376636393566\
//      626536"
//      - "0xff"
//      - "0xbbbb"
//      - "0x01"
//      - 0x
//      - 0x
```

Parameters

- data: input data

Returns

a array with the values after decodeing. The result is either a hex-string or an array.

checksumAddress(address:useChainId:)

Will convert an upper or lowercase Ethereum address to a checksum address. (See [EIP55](#))

```
public func checksumAddress(address: String, useChainId: Bool? = nil) throws ->
↳ String
```

Example

```
let result = try in3.utils.checksumAddress(address:
↳ "0x1fe2e9bf29aa1938859af64c413361227d04059a", useChainId: false)
// result = "0x1Fe2E9bf29aa1938859Af64C413361227d04059a"
```

Parameters

- address: the address to convert.
- useChainId: if true, the chainId is integrated as well (See [EIP1191](#))

Returns

the address-string using the upper/lowercase hex characters.

parseTxUrl(url:)

parse a ethereum-url based on EIP 681 (<https://eips.ethereum.org/EIPS/eip-681>)

```
public func parseTxUrl(url: String) -> Future<TxInput>
```

Example

```
in3.utils.parseTxUrl(url: "ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/
↳transfer?address=0x8e23ee67d1332ad560396262c48ffbb01f93d052&uint256=1") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                to: "0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7"
//                fn_sig: transfer(address,uint256)
//                fn_args:
//                    - "0x8e23ee67d1332ad560396262c48ffbb01f93d052"
//                    - 1
    }
})
```

Parameters

- url: the url with the tx-params

toWei(value:uint:)

converts the given value into wei.

```
public func toWei(value: String, unit: String? = "eth") throws -> UInt256
```

Example

```
let result = try in3.utils.toWei(value: "20.0009123", unit: "eth")
// result = "0x01159183c4793db800"
```

Parameters

- value: the value, which may be floating number as string
- unit: the unit of the value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether

Returns

the value in wei as hex.

fromWei(value:uint:digits:)

converts a given uint (also as hex) with a wei-value into a specified unit.

```
public func fromWei(value: UInt256, unit: String, digits: Int? = nil) throws ->
↳Double
```

Example

```
let result = try in3.utils.fromWei(value: "0x234324ababcdef", unit: "eth", digits: 3)
// result = 0.158
```

Parameters

- **value**: the value in wei
- **unit**: the unit of the target value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether
- **digits**: fix number of digits after the comma. If left out, only as many as needed will be included.

Returns

the value as string.

calcDeployAddress(sender:nonce:)

calculates the address of a contract about to deploy. The address depends on the senders nonce.

```
public func calcDeployAddress(sender: String, nonce: UInt64? = nil) -> Future<String>
```

Example

```
in3.utils.calcDeployAddress(sender: "0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c",
↳nonce: 6054986) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = "0xba866e7bd2573be3eaf5077b557751bb6d58076e"
    }
})
```

Parameters

- **sender**: the sender of the transaction
- **nonce**: the nonce of the sender during deployment

Returns

the address of the deployed contract

getNetworkId()

Returns the current network id.

```
public func getNetworkId() -> Future<UInt64>
```

Returns

the network id

cacheClear()

clears the incubed cache (usually found in the .in3-folder)

```
public func cacheClear() throws -> String
```

Example

```
let result = try in3.utils.cacheClear()  
// result = true
```

Returns

true indicating the success

clientVersion()

Returns the underlying client version. See [web3_clientversion](#) for spec.

```
public func clientVersion() -> Future<String>
```

Returns

when connected to the incubed-network, Incubed/<Version> will be returned, but in case of a direct endpoint, its's version will be used.

keccak(data:)

Returns Keccak-256 (not the standardized SHA3-256) of the given data.

```
public func keccak(data: String) throws -> String
```

See [web3_sha3](#) for spec.

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.keccak(data: "0x1234567890")  
// result = "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data

sha3(data:)

Returns Keccak-256 (not the standardized SHA3-256) of the given data.

```
public func sha3(data: String) throws -> String
```

See [web3_sha3](#) for spec.

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.sha3(data: "0x1234567890")
// result = "0x3a56b02b60d4990074262f496ac34733f870e1b7815719b46ce155beac5e1a41"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data

sha256(data:)

Returns sha-256 of the given data.

```
public func sha256(data: String) throws -> String
```

No proof needed, since the client will execute this locally.

Example

```
let result = try in3.utils.sha256(data: "0x1234567890")
// result = "0x6c450e037e79b76f231a71a22ff40403f7d9b74b15e014e52fe1156d3666c3e6"
```

Parameters

- data: data to hash

Returns

the 32byte hash of the data

abiEncode(signature:params:)

based on the [ABI-encoding](#) used by solidity, this function encodes the value given and returns it as hexstring.

```
public func abiEncode(signature: String, params: [AnyObject]) throws -> String
```

Example

[illegible]

Parameters

- **signature:** the signature of the function. e.g. `getBalance(uint256)`. The format is the same as used by solidity to create the functionhash. optional you can also add the return type, which in this case is ignored.
- **params:** a array of arguments. the number of arguments must match the arguments in the signature.

Returns

the ABI-encoded data as hex including the 4 byte function-signature. These data can be used for `eth_call` or to send a transaction.


```
public func parseTxUrl(url: String) -> Future<TxInput>
```

Example

```
in3.utils.parseTxUrl(url: "ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/
↳transfer?address=0x8e23ee67d1332ad560396262c48ffbb01f93d052&uint256=1") .
↳observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//        result =
//        to: "0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7"
//        fn_sig: transfer(address,uint256)
//        fn_args:
//            - "0x8e23ee67d1332ad560396262c48ffbb01f93d052"
//            - 1
    }
})
```

Parameters

- url: the url with the tx-params

toWei(value:unit:)

converts the given value into wei.

```
public func toWei(value: String, unit: String? = "eth") throws -> String
```

Example

```
let result = try in3.utils.toWei(value: "20.0009123", unit: "eth")
// result = "0x01159183c4793db800"
```

Parameters

- value: the value, which may be floating number as string
- unit: the unit of the value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether

Returns

the value in wei as hex.

fromWei(value:unit:digits:)

converts a given uint (also as hex) with a wei-value into a specified unit.

```
public func fromWei(value: UInt256, unit: String, digits: Int? = nil) throws ->
↳Double
```

Example

```
let result = try in3.utils.fromWei(value: "0x234324ababcdef", unit: "eth", digits: 3)
// result = 0.158
```

Parameters

- value: the value in wei
- unit: the unit of the target value, which must be one of wei, kwei, Kwei, babbage, femtoether, mwei, Mwei, lovelace, picoether, gwei, Gwei, shannon, nanoether, nano, szabo, microether, micro, finney, milliether, milli, ether, eth, kether, grand, mether, gether or tether
- digits: fix number of digits after the comma. If left out, only as many as needed will be included.

Returns

the value as string.

calcDeployAddress(sender:nonce:)

calculates the address of a contract about to deploy. The address depends on the senders nonce.

```
public func calcDeployAddress(sender: String, nonce: UInt64? = nil) -> Future<String>
```

Example

```
in3.utils.calcDeployAddress(sender: "0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c",
↳nonce: 6054986) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = "0xba866e7bd2573be3eaf5077b557751bb6d58076e"
    }
})
```

Parameters

- sender: the sender of the transaction
- nonce: the nonce of the sender during deployment

Returns

the address of the deployed contract

getNetworkId()

Returns the current network id.

```
public func getNetworkId() -> Future<UInt64>
```

Returns

the network id

16.1.30 Vault

All Vault-services are accessible through this module. The vault services are hosted in a high security data center storing critical personal data and credentials like private keys. For more Details, see the internal [documentation](#)

```
public class Vault
```

addUser()

adds a user account in the vault

```
public func addUser() -> Future<AddUser>
```

Example

```

sdk.vault addUser( ) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          signature:
//          timestamp: 2021-08-31T16:47
//          value:
→ "0x1688f0b90000000000000000000000000000000005876b8a53f8b9d40268ebcad8fc7c78c1439\
//          33400000000000000000"
//          status: sent
    }
}

```

Returns

The user creation result

getUser()

retrieves a user account in the vault

```
public func getUser() -> Future<User>
```

Returns

The stored user information

editUser(email:phone:)

updates a user account in the vault

```
public func editUser(email: String, phone: String? = nil) -> Future<EditUser>
```

Example

```
sdk.vault.editUser(email: "test@dummy.com", phone: "+49 172 1234567890") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            signature:
//            timestamp: 2021-08-31T16:47
//            value:
↳"0x1688f0b900000000000000000000000005876b8a53f8b9d40268ebcad8fc7c78c1439\
//            33400000000000000000"
//            status: sent
    }
})
```

Parameters

- email: the user email address
- phone: the phone number which will be used for 2fa messages

Returns

The user update result

addUserDevice(name:type:)

Register primary user device

```
public func addUserDevice(name: String, type: String) -> Future<AddUserDevice>
```

Example

```
sdk.vault.addUserDevice(name: "My Personal Phone", type: "Android Phone") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            signature:
//            timestamp: 2021-08-31T16:47
//            value:
↳"0x1688f0b900000000000000000000000005876b8a53f8b9d40268ebcad8fc7c78c1439\
//            33400000000000000000"
//            status: sent
    }
})
```

Parameters

- name: Device name
- type: Device type

Returns

Device registration result

getUserDevices()

Returns a list of user devices

```
public func getUserDevices() -> Future<UserDevices>
```

Example

```
sdk.vault.getUserDevices().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
        //          result =
        //          signature:
        //          timestamp: 2021-08-31T16:47
        //          value:
        ↪ "0x1688f0b900000000000000000000000005876b8a53f8b9d40268ebcad8fc7c78c1439\
        //          33400000000000000000"
        //          status: sent
        //          data: '["device_id":"b858ae5a-18e5-4e5d-956d-0bcb066e7fbe", "is-current
        ↪ ":true, metadata":{"name":"My
        //          Phone", "type":"Android Phone"}] '
    }
}
```

Returns

Device listing result

16.1.31 Wallet

represents a wallet

```
public class Wallet
```

address

```
public var address: String
```

exec(tx:exec:)

executes or prepares a transaction for a wallet.

```
public func exec(tx: TxData, exec: String? = "send") -> Future<TxData>
```

This is the main function to execute or send a transaction. The resulting data can be used as input data again. This allows to collect signatures or simply split the preparing of a transaction and the sending. But in most case simply using the exec-level receipt can do it all in one step and return the receipt.

This is an example on how to collect signatures:

```
### sign the transaction with one key and store the tx_data in a file
equus send -to 0x... -value 1.2eth -pk pk1.json --default_exec=prepare > tx.json

### this file could now be send to other signers, where they can sign with their keys
equus wallet_exec ./tx.json -pk pk2.json --default_exec=prepare > tx_signed_both.json

### now anybody can send the tx and wait for the receipt
equus wallet_exec ./tx_signed_both.json -pk gas_relay.json --default_exec=receipt | jq
```

Example

```
sdk.wallets.getWallet(address: account).exec(tx: TxData(input: {"to":
→ "0x9d646b325787c6d7d612eb37915ca3023eea4dac", "value": "0x2386f26fc10000"}), exec:
→ "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    result =
    //      input:
    //      to: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
    //      sender: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
    //      value: "0x2386f26fc10000"
    //      data: 0x
    //      gas: "0x5208"
    //      gasPrice: "0x3b9aca0a"
    //      nonce: "0x25"
    //      wallet: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
    //      pre_unsigned:
    → "0xea25843b9aca0a825208949d646b325787c6d7d612eb37915ca3023eea4dac\
    //      872386f26fc1000080048080"
    //      ms:
    //      wallet: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
    //      tx_hash:
    → "0x7b618e20585149583ca4e365b85bc39617a2d9cef58d02999db1e87e44a03073"
    //      nonce: 0
    //      threshold: 1
    //      sign_count: 1
    //      signatures:
    //      - owner: "0x3e8428a44f0a7e3c1f8e00264da96f22f1dec5b9"
    //      roles: 7
    //      signature: 0x28983284f32d6...a1f3bf42cf41b397dadd2a6a3d03fe1b
    //      allSignatures: 0x28983284f32d...397dadd2a6a3d03fe1b
    //      missing: []
    //      tx_data: 0x6a761202000000...000000000000
    //      tx_to: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
    //      tx_gas: 321000
    //      unsigned: 0xf9020a...00000000000000048080
    //      signed: 0xf9024a25...e9016831e8257
    //      transactionHash:
    → "0x0643119cccc0ce181eeb45e789f558865c5c85ac3e6f9f0045ce10614522d128"
```

(continues on next page)

(continued from previous page)

```
//      receipt:
//      blockHash:
//      ↪ "0x7bac5dc70ff52a04c693bd57a0f18b2a5d3224e192cc7cf849f75b528f90738f"
//      blockNumber: "0x888132"
//      contractAddress: null
//      cumulativeGasUsed: "0x36dd8f"
//      effectiveGasPrice: "0x3b9aca0a"
//      from: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//      gasUsed: "0x1447d"
//      logs: []
//      logsBloom: 0x0000000000...00000000
//      status: "0x0"
//      to: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//      transactionHash:
//      ↪ "0x0643119cccc0ce181eeb45e789f558865c5c85ac3e6f9f0045ce10614522d128"
//      transactionIndex: "0x14"
//      type: "0x0"
//      state: receipt
//  }
}
```

Parameters

- tx: the description of the transaction. As minimum only the inputs are needed. /// But in order to sign with multiple parties the definition can be passed to combined multiple signatures ///
- exec: the execution level when sending transactions trough the wallet. /// - prepare - the transaction is not signed, but for the multisig signatures all useable signatures are collected. /// - sign - the raw transaction is signed /// - send - the transaction is send and the transactionHash is added /// - receipt - the function will wait until the receipt has been found ///

Returns

the transaction-state

getBalance(token:)

returns the balance for the specified account or wallet. If the wallet support l1 and l2 layer, it will return the sum of both.

```
public func getBalance(token: String? = "ETH") -> Future<UInt256>
```

Example

```
sdk.wallets.getWallet(address: account).getBalance(token: "ETH") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //      result = 78187493520
    }
})
```

Parameters

- token: The name or address of the token or NULL (or “ETH”) if eth-balance is requested.

Returns

the current balance

apply(new_config:exec:)

applies the changes of the specified wallet-config.

```
public func apply(new_config: MsDef, exec: String? = "send") -> Future<WalletUpdate>
```

This function will use the wallet config passed as first argument and compare it with wallet in the config. For each change a transaction will be created. If there are more than one transaction they will be bundled to one transaction using the multisend-contract (which must be configured in the wallet_deploy-section). This method can be used to update almost any property including updating the master_copy.

- Parameter new_config : The config of the changes of the wallet.

Example

```

sdk.wallets.getWallet(address: account).apply(new_config: MsDef(address:
→ "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899", threshold: 1, type: "1112", owners: [{
→ "roles": 7, "address": "0x3e8428a44f0a7e3c1f8e00264da96f22f1dec5b9"}, {"roles": 6,
→ "address": "0xbca6f7f77283a78640b09fe6d44b74717b066557"}], master_copy:
→ "0xc73248bb521c3331e4efedbb0560e806302024fb", master_copy_custody:
→ "0x937c53cad1619a996645165129620ef2853c76b0", custody:
→ "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"), exec: "prepare") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
            result =
//          tx:
//            input:
//              to: "0xd473ac22bf22ee68cb8d3ca529bc60864613e0ed"
//              sender: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//              value: 0x
//              data: 0x8d80ff0a000000...000000000000
//              gas: "0x0f4240"
//              gasPrice: "0x3b9aca08"
//              nonce: "0x3d"
//              wallet: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//              pre_unsigned: 0xf901aa3d843b9aca0...00000048080
//              ms:
//                wallet: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//                tx_hash:
→ "0x459ab0b823357161c8c27588f3015ecd2704205549c0470cf8e20c8af284dc2f"
//                nonce: 15
//                threshold: 1
//                sign_count: 1
//                signatures:
//                  - owner: "0x3e8428a44f0a7e3c1f8e00264da96f22f1dec5b9"
//                    roles: 7
//                    signature:
→ "0x07988e8369262144eece4f26554e86ada0e36dd5b88bb86ff716421f1542fc8c3\
//
→ c3fcf39a15fc9acb7a298f041bc557868b262f6e6312a8ec6c5b2570c596dac1c"

```

(continues on next page)

(continued from previous page)

```
//      allSignatures:
→ "0x07988e8369262144eece4f26554e86ada0e36dd5b88bb86ff716421f1542f\
//
→ c8c3c3fcf39a15fc9acb7a298f041bc557868b262f6e6312a8ec6c5b2570c596dac1c"
//      missing: []
//      tx_data: 0x6a76120200000...0000000
//      tx_to: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//      tx_gas: 1300000
//      unsigned: 0xf903aa3d843...0000000000000000048080
//      state: unsigned
//      wallet:
//      address: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//      threshold: 1
//      type: 1112
//      signer:
→ "0x0000000000000000000000000000000000000000000000000000000000000000"
//      owners:
//      - roles: 7
//      address: "0x3e8428a44f0a7e3c1f8e00264da96f22f1dec5b9"
//      - roles: 6
//      address: "0xbca6f7f77283a78640b09fe6d44b74717b066557"
//      creator: "0xaa8c54c65c14f132804f0809bdbef19970673709"
//      master_copy: "0xc73248bb521c3331e4efedbb0560e806302024fb"
//      master_copy_custody: "0x937c53cad1619a996645165129620ef2853c76b0"
//      create_module: "0x846a192315882ca369125f82e64e368858663898"
//      custody: "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"
//      safetype: IAMO Safe
//      deploy_block: "0x883bca"
}
}
```

Parameters

- `exec`: the execution level when sending transactions through the wallet. `///` - prepare - the transaction is not signed, but for the multisig signatures all useable signatures are collected. `///` - sign - the raw transaction is signed `///` - send - the transaction is sent and the transactionHash is added `///` - receipt - the function will wait until the receipt has been found `///`

Returns

the updated config.

getConfig()

returns the wallet from the current configuration.

```
public func getConfig() throws -> MsDef
```

Returns

the wallet-configuration

getOwnersForRole(role:)

returns an array of owners-address with the specified role

```
public func getOwnersForRole(role: Int) -> Future<String>
```

Parameters

- role: the role of the owner as bitmask

getHistory(force_update:only_new:)

reads the history and all events for the wallet.

```
public func getHistory(force_update: Bool? = nil, only_new: Bool? = nil) -> Future
↳<[WalletTx]>
```

- Parameter force_update : if true the history will also be update otherwise it will be taken from the cache and only created if it does not exist yet
- Parameter only_new : if true, only new events will be returned

Example

```
sdk.wallets.getWallet(address: account).getHistory(force_update: false, only_new:
↳false) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    result =
    - tx_hash:
    ↳"0xeecc2675960daec8dcfa2f4bc77f4990d251f3467a498b458ea6c1010ae7b395"
    block: 8928202
    layer: eth-4
    timestamp: 1626161216
    events:
    - log_index: 44
      type: ProxyCreation
      address: "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"
    - log_index: 45
      type: EnabledModule
      address: "0xb0d4d3b2fbf42770e8e0cf496c26c6b2b496e962"
    - tx_hash:
    ↳"0x5fd643202b943112e799ca60305adbafe70e7f512952eae6dd4c5b00c2f136e5"
    block: 8946267
    layer: eth-4
    timestamp: 1626432263
    events:
    - log_index: 27
      type: ExecutionFailure
      tx_hash:
    ↳"0xa27d76a7faeb9b1f7e5caf1cd7cf9abbb73b17a447bac8fb6cec694a1009df0f"
    gas: 0
    - tx_hash:
    ↳"0xb73aab562d8a689b3ccdf904378a95be7e515a2fb17f1b7aec53bce50349959a"
    block: 8946321
    layer: eth-4
    timestamp: 1626433073
    events:
```

(continues on next page)

(continued from previous page)

```
//          - log_index: 19
//          type: Transfer
//          token: "0x0000000000000000000000000000000000000000000000000000000000000000"
//          tx_hash:
→ "0x722bf0999e08d45186bbb91d3cb2a80ad453e3fe49e6555fa8641dde7d3333bb"
//          to: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//          amount: "0x2386f26fc10000"
//          from: "0xe0d93065b8e4eb40336c3679b2751c9ddf33d899"
//          - log_index: 20
//          type: ExecutionSuccess
//          tx_hash:
→ "0x722bf0999e08d45186bbb91d3cb2a80ad453e3fe49e6555fa8641dde7d3333bb"
//          gas: 0
    }
}
```

Returns

a array with all events since the creation of the wallet.

16.1.32 Wallets

Wallet Management.

```
public class Wallets
```

This Module contains a abstraction layer for different kind of wallets, allowing the developer to send transactions in the same way independend of the configured wallet. This Module will manage one or more wallet-configurations.

l1

the L1Wallets API

```
public var l1 : L1Wallets
```

zk

the ZkWallets API

```
public var zk : ZkWallets
```

getAllWalletDefs()

returns all wallets from the current configuration.

```
public func getAllWalletDefs() throws -> [MsDef]
```

Returns

the wallet-configuration

getWalletDef(account:)

returns the wallet from the current configuration.

```
public func getWalletDef(account: String) throws -> MsDef?
```

Parameters

- account: the address of the wallet

Returns

the wallet-configuration

getAllWalletsAsHex()

returns all wallets as bytes from the current configuration.

```
public func getAllWalletsAsHex() throws -> [String]
```

Returns

the wallet-configuration

getWalletAsHex(account:)

returns the wallet as bytes from the current configuration.

```
public func getWalletAsHex(account: String) throws -> String?
```

Parameters

- account: the address of the wallet

Returns

the wallet-configuration

add(wallet:)

adds a wallet-configuration to the settings. This can be done by calling this function or by using `configure({wallets:[...]})`. If the wallet already exists, the properties are merged.

```
public func add(wallet: MsDef) throws -> MsDef
```

Parameters

- wallet: the config of the wallet

Returns

the wallet - definition after merge.

getWallet(address:)

Returns a Wallet-Instance to access and send transactions.

```
public func getWallet(address: String) -> Wallet
```

Parameters

- address: the address of the wallet

addWallet(conf:)

adds (or updates) a wallet with the given config and returns the wallet-instance.

```
public func addWallet(conf: MsDef) throws -> Wallet
```

Parameters

- address: the address of the wallet

16.1.33 ZkWallets

wallet- function based on the layer2 Wallet for zksync.

```
public class ZkWallets
```

createWalletDef(threshold:owners:)

creates a new Layer 2 Wallet.

```
public func createWalletDef(threshold: Int, owners: [String]) -> Future
↳ <ZkWalletDefinitionResult>
```

This wallet is created directly in Layer 2 (Zksync), but features a full multisig wallet. It also holds the option to deploy contracts to layer 1 if needed. This is the case if,

- the zksync operator stops its service or censors your tx
- if the approver service stop running or rejects valid requests

In this case a deployment to Layer 1 may cost some fees, but ensures full access to all funds.

In order to use this the SDK needs to have those properties in `zk_wallet` configured:

- `zksync.musig_urls` - the url of the approving service
- `zksync.sync_key` - the seed for the signing key
- `zksync.create_proof_method` - which creates the proof needed. This should be `zk_wallet_create_signatures` for most cases.

Example

```
sdk.wallets.zk.createWalletDef(threshold: 1, owners: [
↳ "IA:0x8a91dc2d28b689474298d91899f0c1baf62cb85b",
↳ "A:0x5a876b8a53f8b9d40268ebcad8fc7c78c1439334"]) .observe(using: {
    switch $0 {
```

(continues on next page)

(continues on next page)

(continued from previous page)

```
//      wallet:
//      address: "0x0e8b4fe889b126b9b502b244c9130912510f014f"
//      threshold: 1
//      signer:
→ "0xf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13"
//      owners:
//      - roles: 6
//      address: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//      - roles: 4
//      address: "0x5a876b8a53f8b9d40268ebcad8fc7c78c1439334"
//      }
}
```

Parameters

- **threshold**: the minimal number of signatures needed for the multisig to approve a transaction. It must be at least one and less or equal to the number of owners.
- **owners**: array of owners. /// Each owner is described by either the address (with role as approver) or `ROLE:ADDRESS`. /// Role can be either /// - R - Recovery : this owner can challenge other owners in order to recover, but not approve or initiate a transaction /// - A - Approver: a signature from this owner counts towards the threshold, but this role alone can not initiate a transaction. /// - I - Initiator: is allowed to initiate a transaction. /// /// you can combine multiple Role like `IA:0xab35d7cb3...` ///

Returns

a collection of relevant data you may need for the new wallet

storeLayer2WalletConf(wallet:proof:)

updates a wallet configuration, which allows the owner to add or replace keys. Each change needs to be signed by enough owners to reach the threshold. Those signatures are signing the hashed wallet-configuration, which is build:

```
public func storeLayer2WalletConf(wallet: ZkWallet, proof: [String]) -> Future<Bool>
```

- **address** account_address (20 bytes)
- **bytes32** public key signer (32 bytes)
- **uint32** threshold (bigendian)
- for each owner:
 - **uint8** role
 - **address** owner address

Example

```
sdk.wallets.zk.storeLayer2WalletConf(wallet: ZkWallet(address:
→ "0x0e8b4fe889b126b9b502b244c9130912510f014f", threshold: 1, signer:
→ "0xf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13", owners: [{
→ "roles":6,"address":"0x8a91dc2d28b689474298d91899f0c1baf62cb85b"}, {"roles":4,
→ "address":"0x5a876b8a53f8b9d40268ebcad8fc7c78c1439334"}]), proof: [
→ "0xabf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13f7f229e75842cbc0225c6ded10534
→ "]) .observe(using: {
  switch $0 {
```

(continues on next page)

(continued from previous page)

```
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result = true
    }
}
```

Parameters

- wallet: the new wallet-config.
- proof: the proof or the signatures of the current owners reaching the threshold. The datastructure depends on the proof_method, but per default is the result of zk_wallet_create_signatures. The signatures need to sign the new structure.

Returns

the success confirmation or a error is thrown.

walletCreateSignatures(message:account:)

signs a message by as many owners as possible to reach the threshold.

```
public func walletCreateSignatures(message: String, account: String) -> Future
↳<[String]>
```

Example

```
sdk.wallets.zk.walletCreateSignatures(message:
↳"0xf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13e8f753725ff83d95135257cc4c4df2b\
↳", account: "0x0e8b4fe889b126b9b502b244c9130912510f014f") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            -
↳"0xabf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13f7f229e7\
//            5842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13"
    }
})
```

Parameters

- message: the message to sign
- account: the account of the wallet

Returns

a array of signatures from the owner

walletVerifySignatures(message:account:signer:signatures:)

verifies signatures and checks if the threshold is reached.

```
public func walletVerifySignatures(message: String, account: String, signer: String,
↳signatures: [String]) -> Future<Bool>
```

Example

```
sdk.wallets.zk.walletVerifySignatures(message:
↳"0xf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13e8f753725ff83d95135257cc4c4df2ba
↳", account: "0x0e8b4fe889b126b9b502b244c9130912510f014f", signer:
↳"0xf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13", signatures: [
↳"0xabf7f229e75842cbc0225c6ded105349f582d65df8a84fc86dd8f4859157f0bf13f7f229e75842cbc0225c6ded10534
↳"]) .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    result = true
})
```

Parameters

- message: the message to sign
- account: the account of the wallet
- signer: the public key of the signer
- signatures: the signatures of the owner

Returns

returns true or an error if the signatures are not enough or invalid.

16.1.34 Zksync

Important: This feature is still experimental and not considered stable yet. In order to use it, you need to set the experimental-flag (-x on the comandline or "experimental":true!

```
public class Zksync
```

the zksync-plugin is able to handle operations to use `zksync` like deposit transfer or withdraw. Also see the `#in3-config` on how to configure the zksync-server or account.

Also in order to sign messages you need to set a signer!

All zksync-methods can be used with `zksync_` or `zk_` prefix.

contractAddress()

returns the contract address

```
public func contractAddress() -> Future<ZkSyncContractDefinition>
```

Example

```
in3.zksync.contractAddress() .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            govContract: "0x34460C0EB5074C29A9F6FE13b8e7E23A0D08aF01"
//            mainContract: "0xaBEA9132b05A70803a4E85094fD0e1800777fBEF"
    }
})
```

Returns

fetches the contract addresses from the zksync server. This request also caches them and will return the results from cache if available.

tokens()

returns the list of all available tokens

```
public func tokens() -> Future<[String:ZkSyncToken]>
```

Example

```
in3.zksync.tokens() .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//            BAT:
//            address: "0x0d8775f648430679a709e98d2b0cb6250d2887ef"
//            decimals: 18
//            id: 8
//            symbol: BAT
//            BUSD:
//            address: "0x4fabb145d64652a948d72533023f6e7a623c7c53"
//            decimals: 18
//            id: 6
//            symbol: BUSD
//            DAI:
//            address: "0x6b175474e89094c44da98b954eedeac495271d0f"
//            decimals: 18
//            id: 1
//            symbol: DAI
//            ETH:
//            address: "0x0000000000000000000000000000000000000000"
//            decimals: 18
//            id: 0
//            symbol: ETH
    }
})
```


Returns

a array of tokens-definitions. This request also caches them and will return the results from cache if available.

accountInfo(address:)

returns account_info from the server

```
public func accountInfo(address: String? = nil) -> Future<ZkSyncAccountInfo>
```

Example

```
in3.zksync.accountInfo() .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      address: "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
    //      committed:
    //      balances: {}
    //      nonce: 0
    //      pubKeyHash: sync:00000000000000000000000000000000000000000000000000000000000000000000
    //      depositing:
    //      balances: {}
    //      id: null
    //      verified:
    //      balances: {}
    //      nonce: 0
    //      pubKeyHash: sync:00000000000000000000000000000000000000000000000000000000000000000000
}
```

Parameters

- address: the account-address. if not specified, the client will try to use its own address based on the signer config.

Returns

the current state of the requested account.

txInfo(tx:)

returns the state or receipt of the the zksync-tx

```
public func txInfo(tx: String) -> Future<ZkSyncTxInfo>
```

Example

```
in3.zksync.txInfo(tx: "sync-
↳tx:e41d2489571d322189246dafa5ebde1f4699f498000000000000000000000000000000") .
↳observe(using: {
    switch $0 {
    case let .failure(err):
```

(continues on next page)

(continued from previous page)

```

        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          block: null
//          executed: false
//          failReason: null
//          success: null
    }
}

```

Parameters

- tx: the txHash of the send tx

Returns

the current state of the requested tx.

txData(tx:)

returns the full input data of a transaction. In order to use this, the `rest_api` needs to be set in the config.

```
public func txData(tx: String) -> Future<ZkSyncTxData>
```

Example

```

in3.zksync.txData(tx: "0xc06ddc1c0914e8f9ca4d5bc98f609f7d758f6de2733fdcb8e3ec") .
  ↳observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          tx_type: Transfer
//          from: "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a"
//          to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
//          token: 1
//          amount: "5000000"
//          fee: "2190"
//          block_number: 29588
//          nonce: 20
//          created_at: 2021-06-01T10:32:16.248564
//          fail_reason: null
//          tx:
//          to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
//          fee: "2190"
//          from: "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a"
//          type: Transfer
//          nonce: 20
//          token: 1
//          amount: "5000000"
//          accountId: 161578
//          signature:

```

(continues on next page)

(continued from previous page)

```
//          pubKey:␣
→91b533af2c430d7ad48db3ccc4ccb54befaff48307180c9a19a369099331d0a6
//          signature:␣
→d17637db375a7a587474c8fee519fd7520f6ef98e1370e7a13d5de8176a6d0a22309e24a19dae50dad94ac9634ab33984
//          validFrom: 0
//          validUntil: 4294967295
    }
}
```

Parameters

- tx: the txHash of the send tx

Returns

the data and state of the requested tx.

accountHistory(account:ref:limit:)

returns the history of transaction for a given account.

```
public func accountHistory(account: String, ref: String? = nil, limit: Int? = nil) ->␣
→Future<[ZksyncZkHistory]>
```

Example

```
in3.zksync.accountHistory(account: "0x9df215737e137acddd0ad99e32f9a6b980ea526d") .
→observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          - tx_id: 29411,1
//          hash: sync-
→tx:e83b1b982b4d8a08a21f87717e85a268e3b3a5305bdf5efc465e7fd8f0ad5335
//          eth_block: null
//          pq_id: null
//          tx:
//          to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          fee: "11060000000000"
//          from: "0x9df215737e137acddd0ad99e32f9a6b980ea526d"
//          type: Transfer
//          nonce: 1
//          token: ETH
//          amount: "10000000000000000"
//          accountId: 161418
//          signature:
//          pubKey:␣
→74835ee6dd9009b67fd4e4aef4a6f63ee2a597ced5e59f33b019905d1df70d91
//          signature:␣
→407314ebce8ce0217b41a6cf992c7359645215c35afbdf7e18e76c957a14ed20135b7e8e5ca24fb132640141c0b3168b3
//          validFrom: 0
//          validUntil: 4294967295
```

(continues on next page)

(continued from previous page)

```

//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T11:54:56.248569Z
//      - tx_id: 29376,10
//      hash: sync-
→tx:5f92999f7bbc5d84fe0d34ebe8b7a0c38f977caece844686d3007bc48e5944e0
//      eth_block: null
//      pq_id: null
//      tx:
//          to: "0xc98fc74a085cd7ecd91d9e8d860a18ef6769d873"
//          fee: "10450000000000"
//          from: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          type: Transfer
//          nonce: 1
//          token: ETH
//          amount: "10000000000000000"
//          accountId: 161391
//          signature:
//              pubKey:
→06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
//              signature:
→ef83b1519a737107798aa5740998a515c406510b61f176fbbac6f703231968a563551f74f37bf96c2220fd18a68aca128
//          validFrom: 0
//          validUntil: 4294967295
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:11:17.250144Z
//      - tx_id: 29376,5
//      hash: sync-
→tx:78550bbcaefdfd4cc4275bd1a0168dd73efb1953bb17a9689381fea6729c924e
//      eth_block: null
//      pq_id: null
//      tx:
//          fee: "37500000000000"
//          type: ChangePubKey
//          nonce: 0
//          account: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          feeToken: 0
//          accountId: 161391
//          newPkHash: sync:1ae5a093f285ddd23b54bea2780ef4e9a4e348ea
//          signature:
//              pubKey:
→06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
//              signature:
→27f42a850de4dcc6527fea0a9baa5991dabf3c2ce30dae5a6112f03cf614da03bdc2ef7ac107337d17f9e4047e5b18b3e
//          validFrom: 0
//          validUntil: 4294967295
//          ethAuthData:
//              type: CREATE2
//              saltArg:
→"0xd32a7ec6157d2433c9ae7f4fdc35dfac9bba6f92831d1ca20b09d04d039d8dd7"
//          codeHash:
→"0x96657bf6bdcbbf06518530907d2d729e4659ad3bc7b5cc1f5c5567d964272c"

```

(continues on next page)

(continued from previous page)

```
//      creatorAddress: "0xaa8c54c65c14f132804f0809bdbef19970673709"
//      ethSignature: null
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:09:11.249472Z
//      - tx_id: 29376,0
//      hash:
//      ↪ "0xc63566212c1569a0e64b255a07320483ed8476cd36b54aa37d3bd6f93b70f7f8"
//      eth_block: 8680840
//      pq_id: 57181
//      tx:
//      type: Deposit
//      account_id: 161391
//      priority_op:
//      to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//      from: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//      token: ETH
//      amount: "5000000000000000000"
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:07:31.237817Z
//  }
}
```

Parameters

- account: the address of the account
- ref: the reference or start. this could be a tx_id prefixed with < or > for newer or older than the specified tx or pending returning all pending tx.
- limit: the max number of entries to return

Returns

the data and state of the requested tx.

setKey(token:)

sets the signerkey based on the current pk or as configured in the config. You can specify the key by either

```
public func setKey(token: String) -> Future<String>
```

- setting a signer (the sync key will be derived through a signature)
- setting the seed directly (sync_key in the config)
- setting the musig_pub_keys to generate the pubKeyHash based on them
- setting the create2 options and the sync-key will generate the account based on the pubKeyHash

we support 3 different signer types (signer_type in the zksync config) :

1. pk - Simple Private Key If a signer is set (for example by setting the pk), incubed will derive the sync-key through a signature and use it

2. `contract` - Contract Signature In this case a `preAuth-tx` will be send on L1 using the signer. If this contract is a multisig, you should make sure, you have set the account explicitly in the config and also activate the multisig-plugin, so the transaction will be send through the multisig.
3. `create2` - Create2 based Contract

Example

```
in3.zksync.setKey(token: "eth") .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    // result = sync:e41d2489571d322189246dafa5ebde1f4699f498
})
```

Parameters

- `token`: the token to pay the gas (either the symbol or the address)

Returns

the `pubKeyHash`, if it was executed successfully

pubkeyhash(pubKey:)

returns the current `PubKeyHash` based on the configuration set.

```
public func pubkeyhash(pubKey: String? = nil) throws -> String
```

Example

```
let result = try in3.zksync.pubkeyhash()
// result = sync:4dcd9bb4463121470c7232efb9ff23ec21398e58
```

Parameters

- `pubKey`: the packed public key to hash (if given the hash is build based on the given hash, otherwise the hash is based on the config)

Returns

the `pubKeyHash`

pubkey()

returns the current packed `PubKey` based on the config set.

```
public func pubkey() throws -> String
```

If the config contains public keys for musig-signatures, the keys will be aggregated, otherwise the pubkey will be derived from the signing key set.

Example

```
let result = try in3.zksync.pubkey()
// result = "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc04"
```

Returns

the pubKey

accountAddress()

returns the address of the account used.

```
public func accountAddress() throws -> String
```

Example

```
let result = try in3.zksync.accountAddress()
// result = "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
```

Returns

the account used.

sign(message:)

returns the schnorr musig signature based on the current config.

```
public func sign(message: String) -> Future<String>
```

This also supports signing with multiple keys. In this case the configuration needs to sets the urls of the other keys, so the client can then exchange all data needed in order to create the combined signature. when exchanging the data with other keys, all known data will be send using `zk_sign` as method, but instead of the raw message a object with those data will be passed.

- [0...32] packed public key
- [32..64] r-value
- [64..96] s-value

Example

```
in3.zksync.sign(message: "0xaabbccddeeff") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
})
// result =
// ↪ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c398\
// ↪ 0e7352741afa6c171b8e18355e41ed7427f6e706f8432e32e920c3e61e6c3aa00cfe0c202c29a31\
// ↪ b69cd0910a432156a0977c3a5baa404547e01"
```

Parameters

- message: the message to sign

Returns

The return value are 96 bytes of signature:

verify(message:signature:)

returns 0 or 1 depending on the successfull verification of the signature.

```
public func verify(message: String, signature: String) throws -> Int
```

if the musig_pubkeys are set it will also verify against the given public keys list.

Example

```
let result = try in3.zksync.verify(message: "0xaabbccddeeff", signature:
↳ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8
↳ ")
// result = 1
```

Parameters

- message: the message which was supposed to be signed
- signature: the signature (96 bytes)

Returns

1 if the signature(which contains the pubkey as the first 32bytes) matches the message.

ethopInfo(opId:)

returns the state or receipt of the the PriorityOperation

```
public func ethopInfo(opId: UInt64) -> Future<ZkSyncEthopInfo>
```

Example

```
in3.zksync.ethopInfo(opId: 1) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
            result =
            block:
            committed: true
            blockNumber: 4
            verified: true
            executed: true
    }
})
```

Parameters

- opId: the opId of a layer-operstion (like depositing)

Returns

state of the PriorityOperation

getTokenPrice(token:)

returns current token-price

```
public func getTokenPrice(token: String) -> Future<Double>
```

Example

```
in3.zksync.getTokenPrice(token: "WBTC") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = 11320.002167
    }
})
```

Parameters

- token: Symbol or address of the token

Returns

the token price

getTxFee(txType:address:token:)

calculates the fees for a transaction.

```
public func getTxFee(txType: String, address: String, token: String) -> Future
↳<ZkSyncFeeInfo>
```

Example

```
in3.zksync.getTxFee(txType: "Transfer", address:
↳"0xabea9132b05a70803a4e85094fd0e1800777fbef", token: "BAT") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result =
    //          feeType: TransferToNew
    //          gasFee: "47684047990828528"
    //          gasPriceWei: "116000000000"
    //          gasTxAmount: "350"
    //          totalFee: "6600000000000000000"
    //          zkpFee: "18378682992117666"
    }
})
```

Parameters

- txType: The Type of the transaction “Withdraw” or “Transfer”
- address: the address of the receipient
- token: the symbol or address of the token to pay

Returns

the fees split up into single values

syncKey()

returns private key used for signing zksync-transactions

```
public func syncKey() -> Future<String>
```

Example

```
in3.zksync.syncKey().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    ↪ "0x019125314fd133d5bf62cb454ee8c60927d55b68eae8b8b8bd13db814389cd6"
}
```

Returns

the raw private key configured based on the signers seed

deposit(amount:token:approveDepositAmountForERC20:account:)

sends a deposit-transaction and returns the opId, which can be used to track progress.

```
public func deposit(amount: UInt256, token: String, approveDepositAmountForERC20: ↪
    ↪ Bool? = nil, account: String? = nil) -> Future<ZkSyncDepositResult>
```

Example

```
in3.zksync.deposit(amount: 1000, token: "WBTC").observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      receipt:
    //      blockHash:
    ↪ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      contractAddress: null
    //      cumulativeGasUsed: "0x2466d"
```

(continues on next page)

(continued from previous page)

```
//          gasUsed: "0x2466d"
//          logs:
//            - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
//              blockHash:
//                ↪ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
//              blockNumber: "0x8c1e39"
//              data: 0x000000000000...
//              logIndex: "0x0"
//              removed: false
//              topics:
//                -
//                ↪ "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
//                -
//                ↪ "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
//                -
//                ↪ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
//              transactionHash:
//                ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//              transactionIndex: "0x0"
//              transactionLogIndex: "0x0"
//              type: mined
//          logsBloom: 0x000000000000000000000000200000...
//          root: null
//          status: "0x1"
//          transactionHash:
//                ↪ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//          transactionIndex: "0x0"
//          priorityOpId: 74
//      }
}
```

Parameters

- amount: the value to deposit in wei (or smallest token unit)
- token: the token as symbol or address
- approveDepositAmountForERC20: if true and in case of an erc20-token, the client will send a approve transaction first, otherwise it is expected to be already approved.
- account: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the receipt and the receiptId. You can use `zksync_ethop_info` to follow the state-changes.

transfer(to:amount:token:account:)

sends a zksync-transaction and returns data including the transactionHash.

```
public func transfer(to: String, amount: UInt256, token: String, account: String? = nil
↪ nil) -> Future<ZksyncZkReceipt>
```

Example

```

in3.zksync.transfer(to: 9.814684447173249e+47, amount: 100, token: "WBTC") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                type: Transfer
//                accountId: 1
//                from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                token: 0
//                amount: 10
//                fee: 3780000000000000
//                nonce: 4
//                txHash: sync-
↳tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668
    }
})

```

Parameters

- to: the receipt of the tokens
- amount: the value to transfer in wei (or smallest token unit)
- token: the token as symbol or address
- account: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the transactionReceipt. use zksync_tx_info to check the progress.

withdraw(ethAddress:amount:token:account:)

withdraws the amount to the given ethAddress for the given token.

```

public func withdraw(ethAddress: String, amount: UInt256, token: String, account: _
↳String? = nil) -> Future<ZksyncZkReceipt>

```

Example

```

in3.zksync.withdraw(ethAddress: 9.814684447173249e+47, amount: 100, token: "WBTC") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                type: Transfer
//                accountId: 1
//                from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                token: 0

```

(continues on next page)

(continued from previous page)

```
//      amount: 10
//      fee: 3780000000000000
//      nonce: 4
//      txHash: sync-
→ tx: 40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668
    }
}
```

Parameters

- `ethAddress`: the receipt of the tokens in L1
- `amount`: the value to transfer in wei (or smallest token unit)
- `token`: the token as symbol or address
- `account`: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the `transactionReceipt`. use `zksync_tx_info` to check the progress.

emergencyWithdraw(token:)

withdraws all tokens for the specified token as a onchain-transaction. This is useful in case the zksync-server is offline or tries to be malicious.

```
public func emergencyWithdraw(token: String) -> Future<ZksyncEthTransactionReceipt>
```

Example

```
in3.zksync.emergencyWithdraw(token: "WBTC") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      blockHash:
    → "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      contractAddress: null
    //      cumulativeGasUsed: "0x2466d"
    //      gasUsed: "0x2466d"
    //      logs:
    //      - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
    //      blockHash:
    → "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      data: 0x000000000000...
    //      logIndex: "0x0"
    //      removed: false
    //      topics:
    //      -
    → "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
    //      -
    → "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
```

(continues on next page)

(continued from previous page)

```
//      -
→ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
//      transactionLogIndex: "0x0"
//      type: mined
//      logsBloom: 0x000000000000000000000000200000...
//      root: null
//      status: "0x1"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
}
}
```

Parameters

- token: the token as symbol or address

Returns

the transactionReceipt

aggregatePubkey(pubkeys:)

calculate the public key based on multiple public keys signing together using schnorr musig signatures.

```
public func aggregatePubkey(pubkeys: String) throws -> String
```

Example

```
let result = try in3.zksync.aggregatePubkey(pubkeys:
→ "0x0f61bfe164cc43b5a112bfbfb0583004e79dbfafc97a7daad14c5d511fea8e2435065ddd04329ec94be682bf004b03a
→ ")
// result = "0x9ce5b6f8db3fbb66a3bdbd3b4731f19ec27f80ee03ead3c0708798dd949882b"
```

Parameters

- pubkeys: concatenated packed publickeys of the signers. the length of the bytes must be `num_keys * 32`

Returns

the compact public Key

contractAddress()

returns the contract address

```
public func contractAddress() -> Future<ZkSyncContractDefinition>
```

Example

```
in3.zksync.contractAddress() .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result =
    //      govContract: "0x34460C0EB5074C29A9F6FE13b8e7E23A0D08aF01"
    //      mainContract: "0xaBEA9132b05A70803a4E85094fD0e1800777fBEF"
}
```

Returns

fetches the contract addresses from the zksync server. This request also caches them and will return the results from cache if available.

tokens()

returns the list of all available tokens

```
public func tokens() -> Future<[String:ZkSyncToken]>
```

Example

```
in3.zksync.tokens() .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
    }
    //      result =
    //      BAT:
    //      address: "0x0d8775f648430679a709e98d2b0cb6250d2887ef"
    //      decimals: 18
    //      id: 8
    //      symbol: BAT
    //      BUSD:
    //      address: "0x4fabbb145d64652a948d72533023f6e7a623c7c53"
    //      decimals: 18
    //      id: 6
    //      symbol: BUSD
    //      DAI:
    //      address: "0x6b175474e89094c44da98b954eedeac495271d0f"
    //      decimals: 18
    //      id: 1
    //      symbol: DAI
    //      ETH:
    //      address: "0x0000000000000000000000000000000000000000"
    //      decimals: 18
    //      id: 0
    //      symbol: ETH
}
```

Returns

a array of tokens-definitions. This request also caches them and will return the results from cache if available.

accountInfo(address:)

returns account_info from the server

```
public func accountInfo(address: String? = nil) -> Future<ZkSyncAccountInfo>
```

Example

```
in3.zksync.accountInfo() .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//          result =
//          address: "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
//          committed:
//          balances: {}
//          nonce: 0
//          pubKeyHash: sync:0000000000000000000000000000000000000000000000000000000000000000
//          depositing:
//          balances: {}
//          id: null
//          verified:
//          balances: {}
//          nonce: 0
//          pubKeyHash: sync:0000000000000000000000000000000000000000000000000000000000000000
    }
})
```

Parameters

- address: the account-address. if not specified, the client will try to use its own address based on the signer config.

Returns

the current state of the requested account.

txInfo(tx:)

returns the state or receipt of the the zksync-tx

```
public func txInfo(tx: String) -> Future<ZkSyncTxInfo>
```

Example

```
in3.zksync.txInfo(tx: "sync-
↳tx:e41d2489571d322189246dafa5ebde1f4699f49800000000000000000000000000") .
↳observe(using: {
    switch $0 {
    case let .failure(err):
```

(continues on next page)

(continued from previous page)

```

        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//      result =
//      block: null
//      executed: false
//      failReason: null
//      success: null
    }
}

```

Parameters

- tx: the txHash of the send tx

Returns

the current state of the requested tx.

txData(tx:)

returns the full input data of a transaction. In order to use this, the `rest_api` needs to be set in the config.

```
public func txData(tx: String) -> Future<ZkSyncTxData>
```

Example

```

in3.zksync.txData(tx: "0xc06ddc1c0914e8f9ca4d5bc98f609f7d758f6de2733fdcb8e3ec") .
  ↳ observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
//      result =
//      tx_type: Transfer
//      from: "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a"
//      to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
//      token: 1
//      amount: "5000000"
//      fee: "2190"
//      block_number: 29588
//      nonce: 20
//      created_at: 2021-06-01T10:32:16.248564
//      fail_reason: null
//      tx:
//      to: "0x03e2c10b74a260f46ab5cf881938c5888a6142df"
//      fee: "2190"
//      from: "0x627d8e8c1a663cfeal7432ec6dbbd3cc2c8a1f9a"
//      type: Transfer
//      nonce: 20
//      token: 1
//      amount: "5000000"
//      accountId: 161578
//      signature:

```

(continues on next page)

(continued from previous page)

```
//          pubKey:␣
→91b533af2c430d7ad48db3ccc4ccb54befaff48307180c9a19a369099331d0a6
//          signature:␣
→d17637db375a7a587474c8fee519fd7520f6ef98e1370e7a13d5de8176a6d0a22309e24a19dae50dad94ac9634ab33984
//          validFrom: 0
//          validUntil: 4294967295
    }
}
```

Parameters

- tx: the txHash of the send tx

Returns

the data and state of the requested tx.

accountHistory(account:ref:limit:)

returns the history of transaction for a given account.

```
public func accountHistory(account: String, ref: String? = nil, limit: Int? = nil) ->␣
→Future<[ZkHistory]>
```

Example

```
in3.zksync.accountHistory(account: "0x9df215737e137acddd0ad99e32f9a6b980ea526d") .
→observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//          result =
//          - tx_id: 29411,1
//          hash: sync-
→tx:e83b1b982b4d8a08a21f87717e85a268e3b3a5305bdf5efc465e7fd8f0ad5335
//          eth_block: null
//          pq_id: null
//          tx:
//          to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          fee: "11060000000000"
//          from: "0x9df215737e137acddd0ad99e32f9a6b980ea526d"
//          type: Transfer
//          nonce: 1
//          token: ETH
//          amount: "10000000000000000"
//          accountId: 161418
//          signature:
//          pubKey:␣
→74835ee6dd9009b67fd4e4aef4a6f63ee2a597ced5e59f33b019905d1df70d91
//          signature:␣
→407314ebce8ce0217b41a6cf992c7359645215c35afbdf7e18e76c957a14ed20135b7e8e5ca24fb132640141c0b3168b3
//          validFrom: 0
//          validUntil: 4294967295
```

(continues on next page)

(continued from previous page)

```

//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T11:54:56.248569Z
//      - tx_id: 29376,10
//      hash: sync-
→tx:5f92999f7bbc5d84fe0d34ebe8b7a0c38f977caece844686d3007bc48e5944e0
//      eth_block: null
//      pq_id: null
//      tx:
//          to: "0xc98fc74a085cd7ecd91d9e8d860a18ef6769d873"
//          fee: "1045000000000000"
//          from: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          type: Transfer
//          nonce: 1
//          token: ETH
//          amount: "10000000000000000"
//          accountId: 161391
//          signature:
//              pubKey:
→06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
//              signature:
→ef83b1519a737107798aa5740998a515c406510b61f176fbbac6f703231968a563551f74f37bf96c2220fd18a68aca128
//          validFrom: 0
//          validUntil: 4294967295
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:11:17.250144Z
//      - tx_id: 29376,5
//      hash: sync-
→tx:78550bbcaefdfd4cc4275bd1a0168dd73efb1953bb17a9689381fea6729c924e
//      eth_block: null
//      pq_id: null
//      tx:
//          fee: "3750000000000000"
//          type: ChangePubKey
//          nonce: 0
//          account: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//          feeToken: 0
//          accountId: 161391
//          newPkHash: sync:1ae5a093f285ddd23b54bea2780ef4e9a4e348ea
//          signature:
//              pubKey:
→06cce677912252a9eb87090b795e5bd84a079cb398dfec7f6a6645ee456dc721
//              signature:
→27f42a850de4dcc6527fea0a9baa5991dabf3c2ce30dae5a6112f03cf614da03bdc2ef7ac107337d17f9e4047e5b18b3e
//          validFrom: 0
//          validUntil: 4294967295
//          ethAuthData:
//              type: CREATE2
//              saltArg:
→"0xd32a7ec6157d2433c9ae7f4fdc35dfac9bba6f92831d1ca20b09d04d039d8dd7"
//          codeHash:
→"0x96657bf6bdcbbf06518530907d2d729e4659ad3bc7b5cc1f5c5567d964272c"

```

(continues on next page)

(continued from previous page)

```
//      creatorAddress: "0xaa8c54c65c14f132804f0809bdbef19970673709"
//      ethSignature: null
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:09:11.249472Z
//      - tx_id: 29376,0
//      hash:
→ "0xc63566212c1569a0e64b255a07320483ed8476cd36b54aa37d3bd6f93b70f7f8"
//      eth_block: 8680840
//      pq_id: 57181
//      tx:
//      type: Deposit
//      account_id: 161391
//      priority_op:
//      to: "0xb7b2af693a2362c5c7575841ca6eb72ad2aed77f"
//      from: "0x9d646b325787c6d7d612eb37915ca3023eea4dac"
//      token: ETH
//      amount: "5000000000000000000"
//      success: true
//      fail_reason: null
//      committed: true
//      verified: true
//      created_at: 2021-05-31T08:07:31.237817Z
    }
}
```

Parameters

- account: the address of the account
- ref: the reference or start. this could be a tx_id prefixed with < or > for newer or older than the specified tx or pending returning all pending tx.
- limit: the max number of entries to return

Returns

the data and state of the requested tx.

setKey(token:)

sets the signerkey based on the current pk or as configured in the config. You can specify the key by either

```
public func setKey(token: String) -> Future<String>
```

- setting a signer (the sync key will be derived through a signature)
- setting the seed directly (sync_key in the config)
- setting the musig_pub_keys to generate the pubKeyHash based on them
- setting the create2 options and the sync-key will generate the account based on the pubKeyHash

we support 3 different signer types (signer_type in the zksync config) :

1. pk - Simple Private Key If a signer is set (for example by setting the pk), incubed will derive the sync-key through a signature and use it

2. `contract` - Contract Signature In this case a `preAuth-tx` will be send on L1 using the signer. If this contract is a multisig, you should make sure, you have set the account explicitly in the config and also activate the multisig-plugin, so the transaction will be send through the multisig.
3. `create2` - Create2 based Contract

Example

```
in3.zksync.setKey(token: "eth") .observe(using: {
  switch $0 {
    case let .failure(err):
      print("Failed because : \(err.localizedDescription)")
    case let .success(val):
      print("result : \(val)")
  }
  //      result = sync:e41d2489571d322189246dafa5ebde1f4699f498
})
```

Parameters

- `token`: the token to pay the gas (either the symbol or the address)

Returns

the `pubKeyHash`, if it was executed successfully

pubkeyhash(pubKey:)

returns the current `PubKeyHash` based on the configuration set.

```
public func pubkeyhash(pubKey: String? = nil) throws -> String
```

Example

```
let result = try in3.zksync.pubkeyhash()
// result = sync:4dcd9bb4463121470c7232efb9ff23ec21398e58
```

Parameters

- `pubKey`: the packed public key to hash (if given the hash is build based on the given hash, otherwise the hash is based on the config)

Returns

the `pubKeyHash`

pubkey()

returns the current packed `PubKey` based on the config set.

```
public func pubkey() throws -> String
```

If the config contains public keys for musig-signatures, the keys will be aggregated, otherwise the pubkey will be derived from the signing key set.

Example

```
let result = try in3.zksync.pubkey()
// result = "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc04"
```

Returns

the pubKey

accountAddress()

returns the address of the account used.

```
public func accountAddress() throws -> String
```

Example

```
let result = try in3.zksync.accountAddress()
// result = "0x3b2a1bd631d9d7b17e87429a8e78dbbd9b4de292"
```

Returns

the account used.

sign(message:)

returns the schnorr musig signature based on the current config.

```
public func sign(message: String) -> Future<String>
```

This also supports signing with multiple keys. In this case the configuration needs to sets the urls of the other keys, so the client can then exchange all data needed in order to create the combined signature. when exchanging the data with other keys, all known data will be send using `zk_sign` as method, but instead of the raw message a object with those data will be passed.

- [0...32] packed public key
- [32..64] r-value
- [64..96] s-value

Example

```
in3.zksync.sign(message: "0xaabbccddeeff") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    // result =
    // ↪ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c398\
    // ↪ 0e7352741afa6c171b8e18355e41ed7427f6e706f8432e32e920c3e61e6c3aa00cfe0c202c29a31\
    // ↪ b69cd0910a432156a0977c3a5baa404547e01"
})
```

Parameters

- message: the message to sign

Returns

The return value are 96 bytes of signature:

verify(message:signature:)

returns 0 or 1 depending on the successfull verification of the signature.

```
public func verify(message: String, signature: String) throws -> Int
```

if the musig_pubkeys are set it will also verify against the given public keys list.

Example

```
let result = try in3.zksync.verify(message: "0xaabbccddeeff", signature:
↳ "0xfca80a469dbb53f8002eb1e2569d66f156f0df24d71bd589432cc7bc647bfc0493f69034c3980e7352741afa6c171b8
↳ ")
// result = 1
```

Parameters

- message: the message which was supposed to be signed
- signature: the signature (96 bytes)

Returns

1 if the signature(which contains the pubkey as the first 32bytes) matches the message.

ethopInfo(opId:)

returns the state or receipt of the the PriorityOperation

```
public func ethopInfo(opId: UInt64) -> Future<ZkSyncEthopInfo>
```

Example

```
in3.zksync.ethopInfo(opId: 1) .observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
            result =
            block:
            committed: true
            blockNumber: 4
            verified: true
            executed: true
    }
})
```

Parameters

- opId: the opId of a layer-operation (like depositing)

Returns

state of the PriorityOperation

getTokenPrice(token:)

returns current token-price

```
public func getTokenPrice(token: String) -> Future<Double>
```

Example

```
in3.zksync.getTokenPrice(token: "WBTC") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result = 11320.002167
    }
})
```

Parameters

- token: Symbol or address of the token

Returns

the token price

getTxFee(txType:address:token:)

calculates the fees for a transaction.

```
public func getTxFee(txType: String, address: String, token: String) -> Future
↳<ZkSyncFeeInfo>
```

Example

```
in3.zksync.getTxFee(txType: "Transfer", address:
↳"0xabea9132b05a70803a4e85094fd0e1800777fbef", token: "BAT") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    //          result =
    //          feeType: TransferToNew
    //          gasFee: "47684047990828528"
    //          gasPriceWei: "116000000000"
    //          gasTxAmount: "350"
    //          totalFee: "6600000000000000000"
    //          zkpFee: "18378682992117666"
    }
})
```


Parameters

- txType: The Type of the transaction “Withdraw” or “Transfer”
- address: the address of the receipient
- token: the symbol or address of the token to pay

Returns

the fees split up into single values

syncKey()

returns private key used for signing zksync-transactions

```
public func syncKey() -> Future<String>
```

Example

```
in3.zksync.syncKey().observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    ↪ "0x019125314fd133d5bf62cb454ee8c60927d55b68eae8b8b8bd13db814389cd6"
})
```

Returns

the raw private key configured based on the signers seed

deposit(amount:token:approveDepositAmountForERC20:account:)

sends a deposit-transaction and returns the opId, which can be used to track progress.

```
public func deposit(amount: UInt256, token: String, approveDepositAmountForERC20: ↪
    ↪ Bool? = nil, account: String? = nil) -> Future<ZkSyncDepositResult>
```

Example

```
in3.zksync.deposit(amount: 1000, token: "WBTC").observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      receipt:
    //      blockHash:
    ↪ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      contractAddress: null
    //      cumulativeGasUsed: "0x2466d"
```

(continues on next page)

(continued from previous page)

```
//          gasUsed: "0x2466d"
//          logs:
//            - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
//              blockHash:
→ "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
//              blockNumber: "0x8c1e39"
//              data: 0x000000000000...
//              logIndex: "0x0"
//              removed: false
//              topics:
//                -
→ "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
//                -
→ "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
//                -
→ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a150000000000000000"
//              transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//              transactionIndex: "0x0"
//              transactionLogIndex: "0x0"
//              type: mined
//          logsBloom: 0x000000000000000000000000200000...
//          root: null
//          status: "0x1"
//          transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//          transactionIndex: "0x0"
//          priorityOpId: 74
    }
}
```

Parameters

- amount: the value to deposit in wei (or smallest token unit)
- token: the token as symbol or address
- approveDepositAmountForERC20: if true and in case of an erc20-token, the client will send a approve transaction first, otherwise it is expected to be already approved.
- account: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the receipt and the receiptId. You can use `zkSync_ethop_info` to follow the state-changes.

transfer(to:amount:token:account:)

sends a zkSync-transaction and returns data including the transactionHash.

```
public func transfer(to: String, amount: UInt256, token: String, account: String? = nil
→ nil) -> Future<ZkReceipt>
```

Example

```

in3.zksync.transfer(to: 9.814684447173249e+47, amount: 100, token: "WBTC") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                type: Transfer
//                accountId: 1
//                from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                token: 0
//                amount: 10
//                fee: 3780000000000000
//                nonce: 4
//                txHash: sync-
↳tx:40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668
    }
})

```

Parameters

- to: the receipt of the tokens
- amount: the value to transfer in wei (or smallest token unit)
- token: the token as symbol or address
- account: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the transactionReceipt. use zksync_tx_info to check the progress.

withdraw(ethAddress:amount:token:account:)

withdraws the amount to the given ethAddress for the given token.

```

public func withdraw(ethAddress: String, amount: UInt256, token: String, account: _
↳String? = nil) -> Future<ZkReceipt>

```

Example

```

in3.zksync.withdraw(ethAddress: 9.814684447173249e+47, amount: 100, token: "WBTC") .
↳observe(using: {
    switch $0 {
        case let .failure(err):
            print("Failed because : \(err.localizedDescription)")
        case let .success(val):
            print("result : \(val)")
//            result =
//                type: Transfer
//                accountId: 1
//                from: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                to: "0x8a91dc2d28b689474298d91899f0c1baf62cb85b"
//                token: 0

```

(continues on next page)

(continued from previous page)

```
//      amount: 10
//      fee: 3780000000000000
//      nonce: 4
//      txHash: sync-
→ tx: 40008d91ab92f7c539e45b06e708e186a4b906ad10c4b7a29f855fe02e7e7668
    }
}
```

Parameters

- `ethAddress`: the receipt of the tokens in L1
- `amount`: the value to transfer in wei (or smallest token unit)
- `token`: the token as symbol or address
- `account`: address of the account to send the tx from. if not specified, the first available signer will be used.

Returns

the `transactionReceipt`. use `zkSync_tx_info` to check the progress.

`emergencyWithdraw(token:)`

withdraws all tokens for the specified token as a onchain-transaction. This is useful in case the `zkSync-server` is offline or tries to be malicious.

```
public func emergencyWithdraw(token: String) -> Future<EthTransactionReceipt>
```

Example

```
in3.zkSync.emergencyWithdraw(token: "WBTC") .observe(using: {
    switch $0 {
    case let .failure(err):
        print("Failed because : \(err.localizedDescription)")
    case let .success(val):
        print("result : \(val)")
    }
    //      result =
    //      blockHash:
    → "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      contractAddress: null
    //      cumulativeGasUsed: "0x2466d"
    //      gasUsed: "0x2466d"
    //      logs:
    //      - address: "0x85ec283a3ed4b66df4da23656d4bf8a507383bca"
    //      blockHash:
    → "0xea6ee1e20d3408ad7f6981cfcc2625d80b4f4735a75ca5b20baeb328e41f0304"
    //      blockNumber: "0x8c1e39"
    //      data: 0x000000000000...
    //      logIndex: "0x0"
    //      removed: false
    //      topics:
    //      -
    → "0x9123e6a7c5d144bd06140643c88de8e01adcbb24350190c02218a4435c7041f8"
    //      -
    → "0xa2f7689fc12ea917d9029117d32b9fdef2a53462c853462ca86b71b97dd84af6"
```

(continues on next page)

(continued from previous page)

```
//      -
→ "0x55a6ef49ec5dcf6cd006d21f151f390692eedd839c813a15000000000000000"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
//      transactionLogIndex: "0x0"
//      type: mined
//      logsBloom: 0x000000000000000000000000200000...
//      root: null
//      status: "0x1"
//      transactionHash:
→ "0x5dc2a9ec73abfe0640f27975126bbaf14624967e2b0b7c2b3a0fb6111f0d3c5e"
//      transactionIndex: "0x0"
}
}
```

Parameters

- token: the token as symbol or address

Returns

the transactionReceipt

aggregatePubkey(pubkeys:)

calculate the public key based on multiple public keys signing together using schnorr musig signatures.

```
public func aggregatePubkey(pubkeys: String) throws -> String
```

Example

```
let result = try in3.zksync.aggregatePubkey(pubkeys:
→ "0x0f61bfe164cc43b5a112bfbfb0583004e79dbfafc97a7daad14c5d511fea8e2435065ddd04329ec94be682bf004b03a
→ ")
// result = "0x9ce5b6f8db3fbbbe66a3bdbd3b4731f19ec27f80ee03ead3c0708798dd949882b"
```

Parameters

- pubkeys: concatenated packed publickeys of the signers. the length of the bytes must be `num_keys * 32`

Returns

the compact public Key

16.2 Structs

16.2.1 ABI

a function, event or a

```
public struct ABI : Codable
```

Codable, Codable

hash

```
public var hash:String?
```

anonymous

```
public var anonymous: Bool?
```

constant

```
public var constant: Bool?
```

payable

```
public var payable: Bool?
```

stateMutability

```
public var stateMutability: String?
```

components

```
public var components: [ABIField]?
```

inputs

```
public var inputs: [ABIField]?
```

outputs

```
public var outputs: [ABIField]?
```

name

```
public var name: String?
```

type

```
public var type: String
```

internalType

```
public var internalType: String?
```

signature

```
public var signature:String
```

inputSignature

```
public var inputSignature:String
```

hash

```
public var hash:String?
```

anonymous

```
public var anonymous: Bool?
```

constant

```
public var constant: Bool?
```

payable

```
public var payable: Bool?
```

stateMutability

```
public var stateMutability: String?
```

components

```
public var components: [ABIField]?
```

inputs

```
public var inputs: [ABIField]?
```

outputs

```
public var outputs: [ABIField]?
```

name

```
public var name: String?
```

type

```
public var type: String
```

internalType

```
public var internalType: String?
```

signature

```
public var signature:String
```

inputSignature

```
public var inputSignature:String
```

16.2.2 ABIField

configure the Bitcoin verification

```
public struct ABIField : Codable
```

Codable, Codable

internalType

```
public var internalType: String?
```

components

```
public var components: [ABIField]?
```


indexed

```
public var indexed: Bool?
```

name

```
public var name: String
```

type

```
public var type: String
```

signature

```
public var signature:String
```

internalType

```
public var internalType: String?
```

components

```
public var components: [ABIField]?
```

indexed

```
public var indexed: Bool?
```

name

```
public var name: String
```

type

```
public var type: String
```

signature

```
public var signature:String
```

16.2.3 AccountCipherParams

the cipherparams

```
public struct AccountCipherParams
```

init(iv:)

initialize the AccountCipherParams

```
public init(iv: String)
```

Parameters

- iv: the iv

iv

the iv

```
public var iv: String
```

16.2.4 AccountCryptoParams

the cryptoparams

```
public struct AccountCryptoParams
```

init(ciphertext:cipherparams:cipher:kdf:kdfparams:mac:)

initialize the AccountCryptoParams

```
public init(ciphertext: String, cipherparams: AccountCipherParams, cipher: String, ↵  
↳kdf: String, kdfparams: AccountKdfParams, mac: String)
```

Parameters

- ciphertext: the cipher text
- cipherparams: the cipherparams
- cipher: the cipher
- kdf: the kdf
- kdfparams: the kdfparams
- mac: the mac

ciphertext

the cipher text

```
public var ciphertext: String
```

cipherparams

the cipherparams

```
public var cipherparams: AccountCipherParams
```

cipher

the cipher

```
public var cipher: String
```

kdf

the kdf

```
public var kdf: String
```

kdfparams

the kdfparams

```
public var kdfparams: AccountKdfParams
```

mac

the mac

```
public var mac: String
```

16.2.5 AccountEthTransaction

the tx-object, which is the same as specified in `eth_sendTransaction`.

```
public struct AccountEthTransaction
```

init(to:from:wallet:value:gas:gasPrice:nonce:data:signatures:)

initialize the AccountEthTransaction

```
public init(to: String? = nil, from: String? = nil, wallet: String? = nil, value:
↳ UInt256? = nil, gas: UInt64? = nil, gasPrice: UInt64? = nil, nonce: UInt64? = nil,
↳ data: String? = nil, signatures: String? = nil)
```

Parameters

- to: receipient of the transaction.
- from: sender of the address (if not sepcified, the first signer will be the sender)
- wallet: if specified, the transaction will be send through the specified wallet.
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- nonce: the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- data: the data-section of the transaction
- signatures: additional signatures which should be used when sending through a multisig

to

receipient of the transaction.

```
public var to: String?
```

from

sender of the address (if not sepcified, the first signer will be the sender)

```
public var from: String?
```

wallet

if specified, the transaction will be send through the specified wallet.

```
public var wallet: String?
```

value

value in wei to send

```
public var value: UInt256?
```

gas

the gas to be send along

```
public var gas: UInt64?
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

```
public var gasPrice: UInt64?
```

nonce

the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

```
public var nonce: UInt64?
```

data

the data-section of the transaction

```
public var data: String?
```

signatures

additional signatures which should be used when sending through a multisig

```
public var signatures: String?
```

16.2.6 AccountKdfParams

the kdfparams

```
public struct AccountKdfParams
```

init(dklen:salt:c:prf:)

initialize the AccountKdfParams

```
public init(dklen: UInt64, salt: String, c: UInt64, prf: String)
```

Parameters

- `dklen`: the `dklen`
- `salt`: the `salt`
- `c`: the `c`
- `prf`: the `prf`

dklen

the `dklen`

```
public var dklen: UInt64
```

salt

the salt

```
public var salt: String
```

c

the c

```
public var c: UInt64
```

prf

the prf

```
public var prf: String
```

16.2.7 AccountKeyparams

the keyparams

```
public struct AccountKeyparams
```

init(version:id:address:crypto:)

initialize the AccountKeyparams

```
public init(version: String, id: String, address: String, crypto: AccountCryptoParams)
```

Parameters

- version: the version
- id: the id
- address: the address
- crypto: the cryptoparams

version

the version

```
public var version: String
```

id

the id

```
public var id: String
```

address

the address

```
public var address: String
```

crypto

the cryptoparams

```
public var crypto: AccountCryptoParams
```

16.2.8 AddUser

The user creation result

```
public struct AddUser
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(signature:status:)

initialize the AddUser

```
public init(signature: VaultSignature, status: String)
```

Parameters

- signature: signature for policy content
- status: a enum for status of sending token as sent, error, alreadyVerified or invalidTarget

signature

signature for policy content

```
public var signature: VaultSignature
```

status

a enum for status of sending token as sent, error, alreadyVerified or invalidTarget

```
public var status: String
```

16.2.9 AddUserDevice

Device registration result

```
public struct AddUserDevice
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(signature:status:)

initialize the AddUserDevice

```
public init(signature: VaultSignature, status: String)
```

Parameters

- signature: signature for policy content
- status: a enum for status of sending token as sent, error or invalidTarget

signature

signature for policy content

```
public var signature: VaultSignature
```

status

a enum for status of sending token as sent, error or invalidTarget

```
public var status: String
```


16.2.10 BtcOutput

the desired outputs of the transaction

```
public struct BtcOutput
```

init(tx_index:value:tx_hash:script:)

initialize the BtcOutput

```
public init(tx_index: UInt64, value: UInt64, tx_hash: String, script: String)
```

- Parameter tx_index : the block hash (same as provided)
- Parameter tx_hash : the block hash (same as provided)

Parameters

- value: the block hash (same as provided)
- script: the block hash (same as provided)

tx_index

the block hash (same as provided)

```
public var tx_index: UInt64
```

value

the block hash (same as provided)

```
public var value: UInt64
```

tx_hash

the block hash (same as provided)

```
public var tx_hash: String
```

script

the block hash (same as provided)

```
public var script: String
```

16.2.11 BtcProofTargetResult

A path of daps from the `verified_dap` to the `target_dap` which fulfils the conditions of `max_diff`, `max_dap` and `limit`. Each dap of the path is a dap-object with corresponding proof data.

```
public struct BtcProofTargetResult
```

`init(dap:block:final:cbtx:cbtxMerkleProof:)`

initialize the BtcProofTargetResult

```
public init(dap: UInt64, block: String, final: String, cbtx: String, cbtxMerkleProof: ↳  
↳String)
```

Parameters

- `dap`: the difficulty adjustment period
- `block`: the first blockheader
- `final`: the finality header
- `cbtx`: the coinbase transaction as hex
- `cbtxMerkleProof`: the coinbasetx merkle proof

`init?(json:)`

initializes from json

```
public init?(json: String) throws
```

Parameters

- `json`: the json-string

`init(dap:block:final:cbtx:cbtxMerkleProof:)`

initialize the BtcProofTargetResult

```
public init(dap: UInt64, block: String, final: String, cbtx: String, cbtxMerkleProof: ↳  
↳String)
```

Parameters

- `dap`: the difficulty adjustment period
- `block`: the first blockheader
- `final`: the finality header
- `cbtx`: the coinbase transaction as hex
- `cbtxMerkleProof`: the coinbasetx merkle proof

dap

the difficulty adjustment period

```
public var dap: UInt64
```

block

the first blockheader

```
public var block: String
```

final

the finality header

```
public var final: String
```

cbtx

the coinbase transaction as hex

```
public var cbtx: String
```

cbtxMerkleProof

the coinbasetx merkle proof

```
public var cbtxMerkleProof: String
```

dap

the difficulty adjustment period

```
public var dap: UInt64
```

block

the first blockheader

```
public var block: String
```

final

the finality header

```
public var final: String
```

cbtx

the coinbase transaction as hex

```
public var cbtx: String
```

cbtxMerkleProof

the coinbasetx merkle proof

```
public var cbtxMerkleProof: String
```

16.2.12 BtcTxScriptPubKey

the script pubkey

```
public struct BtcTxScriptPubKey
```

init(asm:hex:reqSigs:type:addresses:)

initialize the BtcTxScriptPubKey

```
public init(asm: String, hex: String, reqSigs: Int? = nil, type: String, addresses: [String]? = nil)
```

Parameters

- asm: asm
- hex: hex representation of the script
- reqSigs: the required signatures
- type: The type, eg 'pubkeyhash'
- addresses: Array of address(each representing a bitcoin adress)

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(asm:hex:reqSigs:type:addresses:)

initialize the BtcTxScriptPubKey

```
public init(asm: String, hex: String, reqSigs: Int, type: String, addresses: [String])
```

Parameters

- asm: asm
- hex: hex representation of the script
- reqSigs: the required signatures
- type: The type, eg 'pubkeyhash'
- addresses: Array of address(each representing a bitcoin adress)

asm

asm

```
public var asm: String
```

hex

hex representation of the script

```
public var hex: String
```

reqSigs

the required signatures

```
public var reqSigs: Int?
```

type

The type, eg 'pubkeyhash'

```
public var type: String
```

addresses

Array of address(each representing a bitcoin adress)

```
public var addresses: [String]?
```

asm

asm

```
public var asm: String
```

hex

hex representation of the script

```
public var hex: String
```

reqSigs

the required signatures

```
public var reqSigs: Int
```

type

The type, eg 'pubkeyhash'

```
public var type: String
```

addresses

Array of address(each representing a bitcoin adress)

```
public var addresses: [String]
```

16.2.13 BtcTxScriptSig

the script

```
public struct BtcTxScriptSig
```

init(asm:hex:)

initialize the BtcTxScriptSig

```
public init(asm: String, hex: String)
```

Parameters

- asm: the asm-codes
- hex: hex representation

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(asm:hex:)

initialize the BtcTxScriptSig

```
public init(asm: String, hex: String)
```

Parameters

- asm: the asm-codes
- hex: hex representation

asm

the asm-codes

```
public var asm: String
```

hex

hex representation

```
public var hex: String
```

asm

the asm-codes

```
public var asm: String
```

hex

hex representation

```
public var hex: String
```

16.2.14 BtcTxVin

array of json objects of incoming txs to be used

```
public struct BtcTxVin
```

init(txid:vout:scriptSig:sequence:txinwitness:coinbase:)

initialize the BtcTxVin

```
public init(txid: String? = nil, vout: UInt64? = nil, scriptSig: BtcTxScriptSig? = nil,
sequence: UInt64, txinwitness: [String]? = nil, coinbase: String? = nil)
```

Parameters

- txid: the transaction id
- vout: the index of the transaction out to be used
- scriptSig: the script
- sequence: The script sequence number
- txinwitness: hex-encoded witness data (if any)
- coinbase: the coinbase

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(txid:vout:scriptSig:sequence:txinwitness:coinbase:)

initialize the BtcTxVin

```
public init(txid: String? = nil, vout: UInt64? = nil, scriptSig: BtcTxScriptSig? =   
↳ nil, sequence: UInt64, txinwitness: [String]? = nil, coinbase: String? = nil)
```

Parameters

- txid: the transaction id
- vout: the index of the transaction out to be used
- scriptSig: the script
- sequence: The script sequence number
- txinwitness: hex-encoded witness data (if any)
- coinbase: the coinbase

txid

the transaction id

```
public var txid: String?
```

vout

the index of the transaction out to be used

```
public var vout: UInt64?
```


scriptSig

the script

```
public var scriptSig: BtcTxScriptSig?
```

sequence

The script sequence number

```
public var sequence: UInt64
```

txinwitness

hex-encoded witness data (if any)

```
public var txinwitness: [String]?
```

coinbase

the coinbase

```
public var coinbase: String?
```

txid

the transaction id

```
public var txid: String?
```

vout

the index of the transaction out to be used

```
public var vout: UInt64?
```

scriptSig

the script

```
public var scriptSig: BtcTxScriptSig?
```

sequence

The script sequence number

```
public var sequence: UInt64
```

txinwitness

hex-encoded witness data (if any)

```
public var txinwitness: [String]?
```

coinbase

the coinbase

```
public var coinbase: String?
```

16.2.15 BtcTxVout

array of json objects describing the tx outputs

```
public struct BtcTxVout
```

init(value:n:scriptPubKey:)

initialize the BtcTxVout

```
public init(value: Double, n: Int, scriptPubKey: BtcTxScriptPubKey)
```

Parameters

- value: The Value in BTC
- n: the index
- scriptPubKey: the script pubkey

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(value:n:scriptPubKey:)

initialize the BtcTxVout

```
public init(value: Double, n: Int, scriptPubKey: BtcTxScriptPubKey)
```

Parameters

- value: The Value in BTC
- n: the index

- scriptPubKey: the script pubkey

value

The Value in BTC

```
public var value: Double
```

n

the index

```
public var n: Int
```

scriptPubKey

the script pubkey

```
public var scriptPubKey: BtcTxScriptPubKey
```

value

The Value in BTC

```
public var value: Double
```

n

the index

```
public var n: Int
```

scriptPubKey

the script pubkey

```
public var scriptPubKey: BtcTxScriptPubKey
```

16.2.16 BtcUtxo

the utxo used to prove liquidity for the transaction

```
public struct BtcUtxo
```

init(tx_index:value:tx_hash:script:)

initialize the BtcUtxo

```
public init(tx_index: UInt64, value: UInt64, tx_hash: String, script: String)
```

- Parameter tx_index : the transaction index that this utxo refers to
- Parameter tx_hash : the transaction hash (same as provided)

Parameters

- value: the value
- script: the script

tx_index

the transaction index that this utxo refers to

```
public var tx_index: UInt64
```

value

the value

```
public var value: UInt64
```

tx_hash

the transaction hash (same as provided)

```
public var tx_hash: String
```

script

the script

```
public var script: String
```

16.2.17 Btcblock

the block.

```
public struct Btcblock
```

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx:tx:previousblockhash:nextblockhash:strippedsize:weight:size)

initialize the Btcblock

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int,
↳versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce:
↳UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int, tx: [String],
↳previousblockhash: String, nextblockhash: String, strippedsize: Int, weight: Int,
↳size: Int)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version
- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)
- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- tx: the array of transactions either as ids (verbose=1) or full transaction (verbose=2)
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block
- strippedsize: The block size excluding witness data
- weight: The block weight as defined in BIP 141
- size: The block size

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx:previousblockhash:nextblockhash:strippedsize:weight:size)

initialize the Btcblock

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int,
↳versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce:
↳UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int, tx: [String],
↳previousblockhash: String, nextblockhash: String, strippedsize: Int, weight: Int,
↳size: Int)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version
- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)
- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- tx: the array of transactions either as ids (verbose=1) or full transaction (verbose=2)
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block
- strippedsize: The block size excluding witness data
- weight: The block weight as defined in BIP 141
- size: The block size

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```

difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

tx

the array of transactions either as ids (verbose=1) or full transaction (verbose=2)

```
public var tx: [String]
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

strippedsize

The block size excluding witness data

```
public var strippedsize: Int
```

weight

The block weight as defined in BIP 141

```
public var weight: Int
```


size

The block size

```
public var size: Int
```

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```

difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

tx

the array of transactions either as ids (verbose=1) or full transaction (verbose=2)

```
public var tx: [String]
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

strippedsize

The block size excluding witness data

```
public var strippedsize: Int
```

weight

The block weight as defined in BIP 141

```
public var weight: Int
```

size

The block size

```
public var size: Int
```

16.2.18 BtcblockWithTx

the block.

```
public struct BtcblockWithTx
```

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx)

initialize the BtcblockWithTx

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int,
↳versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce:
↳UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int, tx:
↳[Btcblocktransaction], previousblockhash: String, nextblockhash: String,
↳strippedsize: Int, weight: Int, size: Int)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version

- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)
- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- tx: the array of transactions either as ids (verbose=1) or full transaction (verbose=2)
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block
- strippedsize: The block size excluding witness data
- weight: The block weight as defined in BIP 141
- size: The block size

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx:previousblockhash:nextblockhash:strippedsize:weight:size:)

initialize the BtcblockWithTx

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int,
↳versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce:
↳UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int, tx:
↳[Btcblocktransaction], previousblockhash: String, nextblockhash: String,
↳strippedsize: Int, weight: Int, size: Int)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version
- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)

- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- tx: the array of transactions either as ids (verbose=1) or full transaction (verbose=2)
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block
- strippedsize: The block size excluding witness data
- weight: The block weight as defined in BIP 141
- size: The block size

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```

difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

tx

the array of transactions either as ids (verbose=1) or full transaction (verbose=2)

```
public var tx: [Btcblocktransaction]
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

strippedsize

The block size excluding witness data

```
public var strippedsize: Int
```

weight

The block weight as defined in BIP 141

```
public var weight: Int
```

size

The block size

```
public var size: Int
```

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```


difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

tx

the array of transactions either as ids (verbose=1) or full transaction (verbose=2)

```
public var tx: [Btcblocktransaction]
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

strippedsize

The block size excluding witness data

```
public var strippedsize: Int
```

weight

The block weight as defined in BIP 141

```
public var weight: Int
```

size

The block size

```
public var size: Int
```

16.2.19 Btcblockheader

the blockheader.

```
public struct Btcblockheader
```

- verbose 0 or false: a hex string with 80 bytes representing the blockheader
- verbose 1 or true: an object representing the blockheader.

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx:previousblockhash:nextblockhash)

initialize the Btcblockheader

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int, ↵  
↵versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce: ↵  
↵UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int, ↵  
↵previousblockhash: String, nextblockhash: String)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version
- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)
- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(hash:confirmations:height:version:versionHex:merkleroot:time:mediantime:nonce:bits:difficulty:chainwork:nTx:previousblockhash:nextblockhash:)

initialize the Btcblockheader

```
public init(hash: String, confirmations: Int, height: UInt64, version: Int,
↳versionHex: String, merkleroot: String, time: UInt64, mediantime: UInt64, nonce:
↳UInt64, bits: String, difficulty: Double, chainwork: String, nTx: Int,
↳previousblockhash: String, nextblockhash: String)
```

Parameters

- hash: the block hash (same as provided)
- confirmations: The number of confirmations, or -1 if the block is not on the main chain
- height: The block height or index
- version: The block version
- versionHex: The block version formatted in hexadecimal
- merkleroot: The merkle root (32 bytes)
- time: The block time in seconds since epoch (Jan 1 1970 GMT)
- mediantime: The median block time in seconds since epoch (Jan 1 1970 GMT)
- nonce: The nonce
- bits: The bits (4 bytes as hex) representing the target
- difficulty: The difficulty
- chainwork: Expected number of hashes required to produce the current chain (in hex)
- nTx: The number of transactions in the block.
- previousblockhash: The hash of the previous block
- nextblockhash: The hash of the next block

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```

difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

hash

the block hash (same as provided)

```
public var hash: String
```

confirmations

The number of confirmations, or -1 if the block is not on the main chain

```
public var confirmations: Int
```

height

The block height or index

```
public var height: UInt64
```

version

The block version

```
public var version: Int
```

versionHex

The block version formatted in hexadecimal

```
public var versionHex: String
```

merkleroot

The merkle root (32 bytes)

```
public var merkleroot: String
```

time

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var time: UInt64
```

mediantime

The median block time in seconds since epoch (Jan 1 1970 GMT)

```
public var mediantime: UInt64
```

nonce

The nonce

```
public var nonce: UInt64
```

bits

The bits (4 bytes as hex) representing the target

```
public var bits: String
```

difficulty

The difficulty

```
public var difficulty: Double
```

chainwork

Expected number of hashes required to produce the current chain (in hex)

```
public var chainwork: String
```

nTx

The number of transactions in the block.

```
public var nTx: Int
```

previousblockhash

The hash of the previous block

```
public var previousblockhash: String
```

nextblockhash

The hash of the next block

```
public var nextblockhash: String
```

16.2.20 Btcblocktransaction

the array of transactions either as ids (verbose=1) or full transaction (verbose=2)

```
public struct Btcblocktransaction
```

init(txid:hex:hash:size:vsize:weight:version:locktime:vin:vout:)

initialize the Btcblocktransaction

```
public init(txid: String, hex: String, hash: String, size: UInt64, vsize: UInt64, ↵
↳ weight: UInt64, version: Int, locktime: UInt64, vin: [BtcTxVin], vout: [BtcTxVout])
```

Parameters

- txid: txid
- hex: The serialized, hex-encoded data for txid
- hash: The transaction hash (differs from txid for witness transactions)

- size: The serialized transaction size
- vsize: The virtual transaction size (differs from size for witness transactions)
- weight: The transaction's weight (between $vsize*4-3$ and $vsize*4$)
- version: The version
- locktime: The lock time
- vin: array of json objects of incoming txs to be used
- vout: array of json objects describing the tx outputs

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(txid:hex:hash:size:vsize:weight:version:locktime:vin:vout:)

initialize the Btcblocktransaction

```
public init(txid: String, hex: String, hash: String, size: UInt64, vsize: UInt64, ↵  
↵weight: UInt64, version: Int, locktime: UInt64, vin: [BtcTxVin], vout: [BtcTxVout])
```

Parameters

- txid: txid
- hex: The serialized, hex-encoded data for txid
- hash: The transaction hash (differs from txid for witness transactions)
- size: The serialized transaction size
- vsize: The virtual transaction size (differs from size for witness transactions)
- weight: The transaction's weight (between $vsize*4-3$ and $vsize*4$)
- version: The version
- locktime: The lock time
- vin: array of json objects of incoming txs to be used
- vout: array of json objects describing the tx outputs

txid

txid

```
public var txid: String
```


hex

The serialized, hex-encoded data for `txid`

```
public var hex: String
```

hash

The transaction hash (differs from `txid` for witness transactions)

```
public var hash: String
```

size

The serialized transaction size

```
public var size: UInt64
```

vsize

The virtual transaction size (differs from `size` for witness transactions)

```
public var vsize: UInt64
```

weight

The transaction's weight (between `vsize*4-3` and `vsize*4`)

```
public var weight: UInt64
```

version

The version

```
public var version: Int
```

locktime

The lock time

```
public var locktime: UInt64
```

vin

array of json objects of incoming txs to be used

```
public var vin: [BtcTxVin]
```

vout

array of json objects describing the tx outputs

```
public var vout: [BtcTxVout]
```

txid

txid

```
public var txid: String
```

hex

The serialized, hex-encoded data for txid

```
public var hex: String
```

hash

The transaction hash (differs from txid for witness transactions)

```
public var hash: String
```

size

The serialized transaction size

```
public var size: UInt64
```

vsized

The virtual transaction size (differs from size for witness transactions)

```
public var vsized: UInt64
```

weight

The transaction's weight (between vsized*4-3 and vsized*4)

```
public var weight: UInt64
```

version

The version

```
public var version: Int
```

locktime

The lock time

```
public var locktime: UInt64
```

vin

array of json objects of incoming txs to be used

```
public var vin: [BtcTxVin]
```

vout

array of json objects describing the tx outputs

```
public var vout: [BtcTxVout]
```

16.2.21 Btctransaction

```
public struct Btctransaction
```

- verbose 0 or false: a string that is serialized, hex-encoded data for txid
- verbose 1 or false: an object representing the transaction.

init(txid:in_active_chain:hex:hash:size:vsize:weight:version:locktime:vin:vout:blockhash:confirmations:blocktime

initialize the Btctransaction

```
public init(txid: String, in_active_chain: Bool? = nil, hex: String, hash: String,
↳size: UInt64, vsize: UInt64, weight: UInt64, version: Int, locktime: UInt64, vin:
↳[BtcTxVin], vout: [BtcTxVout], blockhash: String, confirmations: Int, blocktime:
↳UInt64, time: UInt64)
```

- Parameter in_active_chain : Whether specified block is in the active chain or not (only present with explicit “blockhash” argument)

Parameters

- txid: txid
- hex: The serialized, hex-encoded data for txid
- hash: The transaction hash (differs from txid for witness transactions)
- size: The serialized transaction size
- vsize: The virtual transaction size (differs from size for witness transactions)
- weight: The transaction’s weight (between vsize*4-3 and vsize*4)
- version: The version
- locktime: The lock time

- vin: array of json objects of incoming txs to be used
- vout: array of json objects describing the tx outputs
- blockhash: the block hash
- confirmations: The confirmations
- blocktime: The block time in seconds since epoch (Jan 1 1970 GMT)
- time: Same as “blocktime”

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(txid:in_active_chain:hex:hash:size:vsize:weight:version:locktime:vin:vout:blockhash:confirmations:blocktime:time:)

initialize the Btctransaction

```
public init(txid: String, in_active_chain: Bool? = nil, hex: String, hash: String,
↳size: UInt64, vsize: UInt64, weight: UInt64, version: Int, locktime: UInt64, vin:
↳[BtcTxVin], vout: [BtcTxVout], blockhash: String, confirmations: Int, blocktime:
↳UInt64, time: UInt64)
```

- Parameter in_active_chain : Whether specified block is in the active chain or not (only present with explicit “blockhash” argument)

Parameters

- txid: txid
- hex: The serialized, hex-encoded data for txid
- hash: The transaction hash (differs from txid for witness transactions)
- size: The serialized transaction size
- vsize: The virtual transaction size (differs from size for witness transactions)
- weight: The transaction’s weight (between vsize*4-3 and vsize*4)
- version: The version
- locktime: The lock time
- vin: array of json objects of incoming txs to be used
- vout: array of json objects describing the tx outputs
- blockhash: the block hash
- confirmations: The confirmations
- blocktime: The block time in seconds since epoch (Jan 1 1970 GMT)
- time: Same as “blocktime”

txid

txid

```
public var txid: String
```

in_active_chain

Whether specified block is in the active chain or not (only present with explicit “blockhash” argument)

```
public var in_active_chain: Bool?
```

hex

The serialized, hex-encoded data for txid

```
public var hex: String
```

hash

The transaction hash (differs from txid for witness transactions)

```
public var hash: String
```

size

The serialized transaction size

```
public var size: UInt64
```

vsizerb>weight

The transaction’s weight (between vsizerb>weight

```
public var weight: UInt64
```

version

The version

```
public var version: Int
```

locktime

The lock time

```
public var locktime: UInt64
```

vin

array of json objects of incoming txs to be used

```
public var vin: [BtcTxVin]
```

vout

array of json objects describing the tx outputs

```
public var vout: [BtcTxVout]
```

blockhash

the block hash

```
public var blockhash: String
```

confirmations

The confirmations

```
public var confirmations: Int
```

blocktime

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var blocktime: UInt64
```

time

Same as “blocktime”

```
public var time: UInt64
```

txid

txid

```
public var txid: String
```

in_active_chain

Whether specified block is in the active chain or not (only present with explicit “blockhash” argument)

```
public var in_active_chain: Bool?
```

hex

The serialized, hex-encoded data for txid

```
public var hex: String
```

hash

The transaction hash (differs from txid for witness transactions)

```
public var hash: String
```

size

The serialized transaction size

```
public var size: UInt64
```

vsize

The virtual transaction size (differs from size for witness transactions)

```
public var vsize: UInt64
```

weight

The transaction’s weight (between vsize*4-3 and vsize*4)

```
public var weight: UInt64
```

version

The version

```
public var version: Int
```

locktime

The lock time

```
public var locktime: UInt64
```

vin

array of json objects of incoming txs to be used

```
public var vin: [BtcTxVin]
```

vout

array of json objects describing the tx outputs

```
public var vout: [BtcTxVout]
```

blockhash

the block hash

```
public var blockhash: String
```

confirmations

The confirmations

```
public var confirmations: Int
```

blocktime

The block time in seconds since epoch (Jan 1 1970 GMT)

```
public var blocktime: UInt64
```

time

Same as “blocktime”

```
public var time: UInt64
```

16.2.22 CipherParams

the cipherparams

```
public struct CipherParams
```

init?(json:)

initializes from json


```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(iv:)

initialize the CipherParams

```
public init(iv: String)
```

Parameters

- iv: the iv

iv

the iv

```
public var iv: String
```

16.2.23 CryptoParams

the cryptoparams

```
public struct CryptoParams
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(ciphertext:cipherparams:cipher:kdf:kdfparams:mac:)

initialize the CryptoParams

```
public init(ciphertext: String, cipherparams: CipherParams, cipher: String, kdf:
↳String, kdfparams: KdfParams, mac: String)
```

Parameters

- ciphertext: the cipher text
- cipherparams: the cipherparams
- cipher: the cipher
- kdf: the kdf

- kdfparams: the kdfparams
- mac: the mac

ciphertext

the cipher text

```
public var ciphertext: String
```

cipherparams

the cipherparams

```
public var cipherparams: CipherParams
```

cipher

the cipher

```
public var cipher: String
```

kdf

the kdf

```
public var kdf: String
```

kdfparams

the kdfparams

```
public var kdfparams: KdfParams
```

mac

the mac

```
public var mac: String
```

16.2.24 DeviceList

json formatted list of user registered devices

```
public struct DeviceList
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(device_id:metadata:)

initialize the DeviceList

```
public init(device_id: String, metadata: DeviceMetadata)
```

- Parameter device_id : device uuid

Parameters

- metadata: information about device

device_id

device uuid

```
public var device_id: String
```

metadata

information about device

```
public var metadata: DeviceMetadata
```

16.2.25 DeviceMetadata

information about device

```
public struct DeviceMetadata
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(name:type:)

initialize the DeviceMetadata

```
public init(name: String, type: String)
```

Parameters

- name: device name
- type: device type

name

device name

```
public var name: String
```

type

device type

```
public var type: String
```

16.2.26 ECTRecoverResult

the extracted public key and address

```
public struct ECTRecoverResult
```

init(publicKey:address:)

initialize the ECTRecoverResult

```
public init(publicKey: String, address: String)
```

Parameters

- publicKey: the public Key of the signer (64 bytes)
- address: the address

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(publicKey:address:)

initialize the ECRrecoverResult

```
public init(publicKey: String, address: String)
```

Parameters

- publicKey: the public Key of the signer (64 bytes)
- address: the address

publicKey

the public Key of the signer (64 bytes)

```
public var publicKey: String
```

address

the address

```
public var address: String
```

publicKey

the public Key of the signer (64 bytes)

```
public var publicKey: String
```

address

the address

```
public var address: String
```

16.2.27 EQActivateServiceAttribute

An attribute the user has shared with the service.

```
public struct EQActivateServiceAttribute: Codable
```

Codable

attributeName

The internal name of the attribute.

```
public let attributeName: String
```

attributeLabel

A displayable user-friendly name for this attribute.

```
public let attributeLabel: String
```

attributeId

A unique attribute identifier.

```
public let attributeId: String
```

attributeVersion

The current attribute version.

```
public let attributeVersion: String
```

attributeVersionHistory

An array listing previous versions.

```
public let attributeVersionHistory: [String]
```

consent

Indicates if consent is required or optional.

```
public let consent: Bool
```

required

Indicates if this attribute is required or optional.

```
public let required: Bool
```

accessEndDate

The date access to this attribute ends, in RFC3339 format.

```
public let accessEndDate: String?
```

valueAccessMode

Indicates if this is in value access mode.

```
public let valueAccessMode: Bool
```

policies

The list of policies for this attribute.

```
public let policies: [EQActivateServiceAttributePolicy]
```

16.2.28 EQActivateServiceAttributePolicy

A service attribute policy.

```
public struct EQActivateServiceAttributePolicy: Codable
```

Codable

policyName

The internal policy name.

```
public let policyName: String
```

policyLabel

A displayable user-friendly policy name.

```
public let policyLabel: String
```

policyType

The policy type ("OBLIGATION" or "PERMISSION").

```
public let policyType: String
```

description

A displayable user-friendly description of the policy.

```
public let description: String
```

response

Indicates if the policy is accepted.

```
public let response: Bool?
```

required

Indicates if this policy is required or optional.

```
public let required: Bool
```

16.2.29 EQActivateServicePolicies

A policy related to the service the user is consuming.

```
public struct EQActivateServicePolicies: Codable
```

Codable

policyName

The internal policy name.

```
public let policyName: String
```

policyLabel

A displayable user-friendly policy name.

```
public let policyLabel: String
```

description

A displayable user-friendly description of the policy.

```
public let description: String
```

response

Indicates if the policy is accepted.

```
public let response: Bool
```

required

Indicates if this policy is required or optional.

```
public let required: Bool
```


16.2.30 EQAttribute

A struct for the full pds attribute.

```
public struct EQAttribute: Codable
```

Codable

attributeld

A unique attribute identifier.

```
public let attributeId: EQAttributeId
```

version

The attribute version.

```
public let version: String
```

attributeName

The attribute name.

```
public let attributeName: String
```

attributeTypeName

The attribute type.

```
public let attributeTypeName: String
```

value

The attribute value.

```
public let value: String?
```

attributeLabel

A displayable user-friendly attribute name.

```
public let attributeLabel: String
```

proof

The attribute proof.

```
public let proof: String
```

proofAlgorithm

The attribute algorithm.

```
public let proofAlgorithm: String
```

salt

The cryptographic salt.

```
public let salt: String
```

state

The attribute state.

```
public let state: String
```

creationDate

The creation date, in RFC 3339 format.

```
public let creationDate: String
```

modificationDate

The date of the last modification to this attribute, in RFC 3339 format.

```
public let modificationDate: String
```

expirationDate

The date this attribute expires, in RFC 3339 format.

```
public let expirationDate: String
```

usedAsProof

Indicates if this attribute is used as proof.

```
public let usedAsProof: Bool
```

16.2.31 EQAttributeError

A struct for batch errors.

```
public struct EQAttributeError: Codable
```

Codable

errorCode

The error code.

```
public let errorCode: String
```

message

The error message.

```
public let message: String
```

16.2.32 EQFileAttribute

A pds file attribute for the user

```
public struct EQFileAttribute: Codable
```

Codable

init(attributeName:fileName:fileData:)

Initializer for EQFileAttribute

```
public init(attributeName: String, fileName: String, fileData: Data)
```

Parameters

- attributeName: The attribute name (from the schema)
- fileName: The file's name with extension (.png)
- fileData: The file's data

fileData

The attribute name (from the schema)

```
public let fileData: Data
```

attributeName

The file's name with extension (.png)

```
public let attributeName: String
```

fileName

The file's data

```
public let fileName: String
```

16.2.33 EQNewAttribute

Attributes for a Equis user.

```
public struct EQNewAttribute: Codable
```

Codable

init(attributeName:value:)

Initializer for EQNewAttribute.

```
public init(attributeName: String, value: String)
```

Parameters

- attributeName: The attribute name.
- value: The attribute value.

attributeName

The attribute name.

```
public let attributeName: String
```

value

The attribute value.

```
public let value: String
```

16.2.34 EQNewAttributeResponse

Returned by a call to `api/pds/attributes` this describes the result of adding new attributes.

```
public struct EQNewAttributeResponse: Codable
```

Codable

id

A unique identifier.

```
public let id: String?
```

attributeName

The attribute name.

```
public let attributeName: String?
```

statusCode

The status code.

```
public let statusCode: Int
```

error

If an error occurred, this contains the error information.

```
public let error: EQAttributeError?
```

16.2.35 EQNewFileAttributeResponse

File upload response.

```
public struct EQNewFileAttributeResponse: Codable
```

Codable

id

A unique identifier.

```
public let id: EQAttributeId
```

16.2.36 EQNewPersonaAttribute

A struct used for adding an attribute to a persona.

```
public struct EQNewPersonaAttribute: Codable
```

Codable

init(userAttributeId:attributeTypeName:version:)

Initializer for EQNewPersonal Attribute. Used to add an attribute to a persona.

```
public init(userAttributeId: EQAttributeId, attributeTypeName: String, version: Int)
```

Parameters

- userAttributeId: The attribute's id
- attributeTypeName: The attributes's type ('String', 'File', 'Date')
- version: The attribute's version

userAttributeId

The attribute's id

```
public let userAttributeId: EQAttributeId
```

attributeTypeName

The attributes's type ('String', 'File', 'Date')

```
public let attributeTypeName: String
```

version

The attribute's version

```
public let version: Int
```

16.2.37 EQPersona

A persona on a user's PDS

```
public struct EQPersona: Codable
```

Codable

personaId

The persona's ID

```
public let personaId: EQPersonaId
```

profileName

The persona's name

```
public let profileName: String
```

16.2.38 EQPersonaAttribute

A perona's attribute

```
public struct EQPersonaAttribute: Codable
```

Codable

attributeld

The attribute's id

```
public let attributeId: EQAttributeId
```

userAttributeld

The user attribute id

```
public let userAttributeId: EQAttributeId
```

attributeTypeName

The attributes's type ('String', 'File', 'Date')

```
public let attributeTypeName: String
```

version

The attribute's version

```
public let version: Int
```

16.2.39 EQPersonaService

A service registered for by a persona

```
public struct EQPersonaService: Codable
```

Codable

serviceId

The service ID

```
public let serviceId: EQServiceId
```

active

Whether or not the service is active

```
public let active: Bool
```

userServiceId

The service id that is on the main account object

```
public let userServiceId: String
```

serviceDefinitionId

The service Definition ID

```
public let serviceDefinitionId: String
```

16.2.40 EQPersonaServiceRegistration

An object for persona service registration

```
public struct EQPersonaServiceRegistration: Codable
```

Codable

init(userServiceId:serviceDefinitionId:active:)

Initializer for the persona registration object

```
public init(userServiceId: String, serviceDefinitionId: String, active: Bool = true)
```

Parameters

- userServiceId: The service of the main user to register
- serviceDefinitionId: The service definition id
- active: Whether or not to activate the service

userServiceId

The service of the main user to register

```
public let userServiceId: String
```


serviceDefinitionId

The service definition id

```
public let serviceDefinitionId: String
```

active

Whether or not to activate the service

```
public let active: Bool
```

16.2.41 EQResponseError

An error from net id server

```
public struct EQResponseError: Codable
```

Codable

error

The error object

```
public let error: EQResponseErrorMessage
```

statusCode

Service status code

```
public let statusCode: Int
```

16.2.42 EQResponseErrorMessage

An error message object

```
public struct EQResponseErrorMessage: Codable
```

Codable

message

The error message

```
public let message: String?
```

errorCode

The error code

```
public let errorCode: String?
```

16.2.43 EQSDAttribute

An attribute the service definition needs.

```
public struct EQSDAttribute: Codable
```

Codable

attributeLabel

The displayable user-friendly attribute name.

```
public let attributeLabel: String
```

attributeName

The internal attribute name.

```
public let attributeName: String
```

policies

A list of policies used by this attribute.

```
public let policies: [EQSDAttributePolicy]
```

required

Indicates if this attribute is required or optional.

```
public let required: Bool
```

serviceDefinitionAttributeId

A unique attribute identifier.

```
public let serviceDefinitionAttributeId: String
```

16.2.44 EQSDAttributePolicy

The attributes and policies requested by the service definition.

```
public struct EQSDAttributePolicy: Codable
```

Codable

policyId

A unique policy identifier.

```
public let policyId: String
```

policyLabel

The displayable user-friendly policy name.

```
public let policyLabel: String
```

policyName

The internal policy name.

```
public let policyName: String
```

policyType

The policy type ("OBLIGATION" or "PERMISSION").

```
public let policyType: String
```

required

Indicates if this policy is required or optional.

```
public let required: Bool
```

16.2.45 EQSDAttributeResponse

An object to inform the user's decision on sharing an attribute.

```
public struct EQSDAttributeResponse: Codable
```

Codable

init(attributeName:attributeId:policies:)

Initializer

```
public init(attributeName: String, attributeId: String, policies:
↳ [EQUserPolicyResponse])
```

Parameters

- attributeName: The attribute's name
- attributeId: The attribute's id
- policies: The list of reponse's to the policies the attribute will be used under

attributeName

The attribute's name.

```
public let attributeName: String
```

attributeId

The attribute's id.

```
public let attributeId: String
```

policies

The list of reponse's to the policies the attribute will be used under.

```
public let policies: [EQUserPolicyResponse]
```

16.2.46 EQSDDataProcessingOfficer

The service definition data processing officer.

```
public struct EQSDDataProcessingOfficer: Codable
```

Codable

contactEmail

The officer's email address.

```
public let contactEmail: String
```

contactPhoneNumber

The officer's phone number.

```
public let contactPhoneNumber: String
```

firstName

The officer's first name.

```
public let firstName: String
```

lastName

The officer's last name.

```
public let lastName: String
```

16.2.47 EQSDDataProcessingRole

The service definition data processing role.

```
public struct EQSDDataProcessingRole: Codable
```

Codable

role

Indicates the role of the data processor.

```
public let role: String
```

16.2.48 EQSDPolicy

The policies for the service definition.

```
public struct EQSDPolicy: Codable
```

Codable

description

A displayable user-friendly description of the policy.

```
public let description: String
```

policyId

A unique policy identifier.

```
public let policyId: String
```

policyLabel

The displayable user-friendly policy name.

```
public let policyLabel: String
```

policyName

The internal policy name.

```
public let policyName: String
```

required

Indicates if the policy is required or optional.

```
public let required: Bool
```

16.2.49 EQSDProcessingTime

The amount of time the service takes for processing.

```
public struct EQSDProcessingTime: Codable
```

Codable

postProcessingStoragePeriod

The post processing storage period, in days.

```
public let postProcessingStoragePeriod: String
```

processingPeriod

The processing period, in days.

```
public let processingPeriod: String
```

16.2.50 EQSDProviderDefinition

The service provider providing the service definition.

```
public struct EQSDProviderDefinition: Codable
```

Codable

serviceProviderId

A unique service provider identifier.

```
public let serviceProviderId: String
```

serviceProviderLogo

A URL to the service provider's logo graphic.

```
public let serviceProviderLogo: String
```

serviceProviderName

The displayable user-friendly service provider name.

```
public let serviceProviderName: String
```

serviceProviderUrl

A URL to the service provider's website.

```
public let serviceProviderUrl: String
```

16.2.51 EQSDValidationDefinition

The definition of the validation for the service.

```
public struct EQSDValidationDefinition: Codable
```

Codable

price

The price, in US dollars.

```
public let price: String
```

trustedParty

The trusted party associated with this validation.

```
public let trustedParty: EQSDValidationDefinitionTrustedParty
```

validationDefinitionId

A unique validation definition identifier.

```
public let validationDefinitionId: String
```

validationDefinitionName

A displayable user-friendly validation definition name.

```
public let validationDefinitionName: String
```

16.2.52 EQSDValidationDefinitionTrustedParty

The trusted party defining the validation definition.

```
public struct EQSDValidationDefinitionTrustedParty: Codable
```

Codable

trustedPartyId

A unique trusted party identifier.

```
public let trustedPartyId: String
```

trustedPartyLogo

A URL to the trusted party's logo graphic.

```
public let trustedPartyLogo: String
```

trustedPartyName

A displayable user-friendly trusted party name.

```
public let trustedPartyName: String
```


trustedPartyUrl

A URL to the trusted party's website.

```
public let trustedPartyUrl: String
```

16.2.53 EQSchemaAttribute

Represents a single piece of information associated with the signed in user (i.e. first name, bank account number, photo id, etc.)

```
public struct EQSchemaAttribute: Codable
```

Codable

name

The internal attribute name.

```
public let name: String
```

label

The displayable user-friendly attribute name.

```
public let label: String
```

dataType

The data type defined by this attribute ("String", "Date", "File", or "Linked Data").

```
public let dataType: String
```

encrypted

Indicates if the data associated with this attribute is encrypted.

```
public let encrypted: Bool
```

hint

A human readable description of the attribute.

```
public let hint: String
```

state

The current state of the attribute ("ACTIVE" or "PENDING-DELETION").

```
public let state: String
```

tags

An array of String values used to group related attributes.

```
public let tags: [String]?
```

16.2.54 EQServiceDefinition

The service definition provided by a service provider. All `ServiceDefintion` related attributes are prefaced with EQSD

```
public struct EQServiceDefinition: Codable
```

Codable

attributes

A list of attributes that define the service.

```
public let attributes: [EQSDAttribute]
```

creationDate

The date this service was created, in RFC 3339 format.

```
public let creationDate: String
```

customerInstanceLimit

The number of times this service can be associated with a customer. For example, a customer can have more than one bank account. A value of zero (0) indicates no limit.

```
public let customerInstanceLimit: Int
```

createdByIdentityId

The unique identifier of the creating identity.

```
public let createdByIdentityId: String
```

dataProcessingOfficer

The data processing officer for this service.

```
public let dataProcessingOfficer: EQSDDataProcessingOfficer
```

dataProcessingRole

The role of the data processor.

```
public let dataProcessingRole: EQSDDataProcessingRole
```

description

A displayable user-friendly description of the service.

```
public let description: String
```

logo

A URL to the service's logo graphic.

```
public let logo: String
```

modificationDate

The date of the last modification to this service definition, in RFC 3339 format.

```
public let modificationDate: String
```

modifiedBy

The unique identifier of the modifying identity.

```
public let modifiedBy: String
```

name

A displayable user-friendly service name.

```
public let name: String
```

policies

The list of policies used by this service.

```
public let policies: [EQSDPolicy]
```

processingTime

Processing time definitions for this service.

```
public let processingTime: EQSDProcessingTime
```

serviceDefinitionId

A unique identifier for this service definition.

```
public let serviceDefinitionId: String
```

serviceProvider

The service provider information.

```
public let serviceProvider: EQSDProviderDefinition
```

stateLabel

The current state of this service in a displayable user-friendly format.

```
public let stateLabel: String
```

stateName

The current state of this service ("ACTIVE", "INACTIVE", "TERMINATED", "PENDING-TERMINATION", and "DRAFT").

```
public let stateName: String
```

validationDefinitions

The validation definitions for this service.

```
public let validationDefinitions: [EQSDValidationDefinition]
```

version

The service version.

```
public let version: String
```

16.2.55 EQTokenResponse

A struct to get the token off of a valid register/login request

```
public struct EQTokenResponse: Codable
```

Codable

16.2.56 EUserPolicyResponse

An object to inform the user's decision on a policy.

```
public struct EUserPolicyResponse: Codable
```

Codable

init(policyName:response:)

Initializer

```
public init(policyName: String, response: Bool)
```

Parameters

- policyName: The policy's name
- response: The user's response to whether or not they accept the policies

policyName

The policy's name.

```
public let policyName: String
```

response

The user's response to whether or not they accept the policies.

```
public let response: Bool
```

16.2.57 EUserService

Returned by a call to `api/pds/services/<service id>`, this describes a single service the signed in user is consuming.

```
public struct EUserService: Codable
```

Codable

id

A unique service identifier.

```
public let id: String
```

serviceDefinitionId

A unique service definition identifier.

```
public let serviceDefinitionId: String
```

serviceProvider

Information regarding the service provider.

```
public let serviceProvider: EQSDProviderDefinition
```

customerDisplayName

The customer's name displayed to the service provider

```
public let customerDisplayName: String
```

state

The current state of the service ("ACTIVE", "INACTIVE", "TERMINATED", "PENDING-TERMINATION", "DRAFT").

```
public let state: String
```

creationDate

The date this service was created, in RFC 3339 format.

```
public let creationDate: String
```

modificationDate

The date this service was last modified, in RFC 3339 format.

```
public let modificationDate: String
```

expirationDate

The date this service expires, in RFC 3339 format.

```
public let expirationDate: String?
```

postProcessingEndDate

The date post processing for this service ends, in RFC 3339 format.

```
public let postProcessingEndDate: String?
```

initialServiceActivationDate

The date this service was initially activated, in RFC 3339 format.

```
public let initialServiceActivationDate: String?
```

attributes

The list of attributes the signed in user has shared with this service.

```
public let attributes: [EQActivateServiceAttribute]
```

policies

The list of policies for this service.

```
public let policies: [EQActivateServicePolicies]
```

16.2.58 EUserServiceSummary

A summary of a service the signed in user is consuming.

```
public struct EUserServiceSummary: Codable
```

Codable

serviceId

A unique service identifier.

```
public let serviceId: String
```

serviceDefinitionId

A unique service definition identifier.

```
public let serviceDefinitionId: String
```

serviceDefinitionVersion

The service definition version.

```
public let serviceDefinitionVersion: String
```

serviceDefinitionName

A displayable user-friendly service definition name.

```
public let serviceDefinitionName: String
```

serviceDefinitionDescription

A displayable user-friendly description.

```
public let serviceDefinitionDescription: String
```

serviceProvider

Information regarding the service provider.

```
public let serviceProvider: EQSDProviderDefinition
```

state

The current state of the service ("ACTIVE", "INACTIVE", "TERMINATED", "PENDING-TERMINATION", "DRAFT").

```
public let state: String
```

expirationDate

The date this service expires, in RFC 3339 format.

```
public let expirationDate: String?
```


postProcessingEndDate

The date post processing for this service ends, in RFC 3339 format.

```
public let postProcessingEndDate: String?
```

initialServiceActivationDate

The date this service was initially activated, in RFC 3339 format.

```
public let initialServiceActivationDate: String?
```

logo

A URL to this service's logo graphic.

```
public let logo: String
```

16.2.59 EditUser

The user update result

```
public struct EditUser
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(signature:status:)

initialize the EditUser

```
public init(signature: VaultSignature, status: String)
```

Parameters

- signature: signature for policy content
- status: a enum for status of sending token as sent, error or invalidTarget

signature

signature for policy content

```
public var signature: VaultSignature
```

status

a enum for status of sending token as sent, error or invalidTarget

```
public var status: String
```

16.2.60 EthBlockdata

the blockdata, or in case the block with that number does not exist, null will be returned.

```
public struct EthBlockdata
```

init(transactions:number:hash:parentHash:nonce:sha3Uncles:logsBloom:transactionsRoot:stateRoot:receiptsRoot)

initialize the EthBlockdata

```
public init(transactions: [EthTransactiondata], number: UInt64, hash: String, ↵
↳parentHash: String, nonce: UInt256? = nil, sha3Uncles: String, logsBloom: String, ↵
↳transactionsRoot: String, stateRoot: String, receiptsRoot: String, miner: String, ↵
↳difficulty: UInt256, totalDifficulty: UInt256, extraData: String, size: UInt64, ↵
↳gasLimit: UInt64, gasUsed: UInt64, timestamp: UInt64, uncles: [String], ↵
↳baseFeePerGas: UInt64? = nil)
```

Parameters

- transactions: Array of transaction objects
- number: the block number. null when its pending block.
- hash: hash of the block. null when its pending block.
- parentHash: hash of the parent block.
- nonce: hash of the generated proof-of-work. null when its pending block.
- sha3Uncles: SHA3 of the uncles Merkle root in the block.
- logsBloom: the bloom filter for the logs of the block. null when its pending block.
- transactionsRoot: the root of the transaction trie of the block.
- stateRoot: the root of the final state trie of the block.
- receiptsRoot: the root of the receipts trie of the block.
- miner: the address of the beneficiary to whom the mining rewards were given.
- difficulty: integer of the difficulty for this block.
- totalDifficulty: integer of the total difficulty of the chain until this block.
- extraData: the “extra data” field of this block.
- size: integer the size of this block in bytes.
- gasLimit: the maximum gas allowed in this block.

- gasUsed: the total used gas by all transactions in this block.
- timestamp: the unix timestamp for when the block was collated.
- uncles: Array of uncle hashes.
- baseFeePerGas: block fees based on EIP 1559 starting with the London hard fork

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(transactions:number:hash:parentHash:nonce:sha3Uncles:logsBloom:transactionsRoot:stateRoot:receiptsRoot:miner:difficulty:totalDifficulty:extraData:size:gasLimit:gasUsed:timestamp:uncles:baseFeePerGas:)

initialize the EthBlockdata

```
public init(transactions: [EthTransactiondata], number: UInt64, hash: String,
↳parentHash: String, nonce: UInt256? = nil, sha3Uncles: String, logsBloom: String,
↳transactionsRoot: String, stateRoot: String, receiptsRoot: String, miner: String,
↳difficulty: UInt256, totalDifficulty: UInt256, extraData: String, size: UInt64,
↳gasLimit: UInt64, gasUsed: UInt64, timestamp: UInt64, uncles: [String],
↳baseFeePerGas: UInt64? = nil)
```

Parameters

- transactions: Array of transaction objects
- number: the block number. `null` when its pending block.
- hash: hash of the block. `null` when its pending block.
- parentHash: hash of the parent block.
- nonce: hash of the generated proof-of-work. `null` when its pending block.
- sha3Uncles: SHA3 of the uncles Merkle root in the block.
- logsBloom: the bloom filter for the logs of the block. `null` when its pending block.
- transactionsRoot: the root of the transaction trie of the block.
- stateRoot: the root of the final state trie of the block.
- receiptsRoot: the root of the receipts trie of the block.
- miner: the address of the beneficiary to whom the mining rewards were given.
- difficulty: integer of the difficulty for this block.
- totalDifficulty: integer of the total difficulty of the chain until this block.
- extraData: the “extra data” field of this block.
- size: integer the size of this block in bytes.
- gasLimit: the maximum gas allowed in this block.
- gasUsed: the total used gas by all transactions in this block.

- timestamp: the unix timestamp for when the block was collated.
- uncles: Array of uncle hashes.
- baseFeePerGas: block fees based on EIP 1559 starting with the London hard fork

transactions

Array of transaction objects

```
public var transactions: [EthTransactiondata]
```

number

the block number. null when its pending block.

```
public var number: UInt64
```

hash

hash of the block. null when its pending block.

```
public var hash: String
```

parentHash

hash of the parent block.

```
public var parentHash: String
```

nonce

hash of the generated proof-of-work. null when its pending block.

```
public var nonce: UInt256?
```

sha3Uncles

SHA3 of the uncles Merkle root in the block.

```
public var sha3Uncles: String
```

logsBloom

the bloom filter for the logs of the block. null when its pending block.

```
public var logsBloom: String
```

transactionsRoot

the root of the transaction trie of the block.

```
public var transactionsRoot: String
```

stateRoot

the root of the final state trie of the block.

```
public var stateRoot: String
```

receiptsRoot

the root of the receipts trie of the block.

```
public var receiptsRoot: String
```

miner

the address of the beneficiary to whom the mining rewards were given.

```
public var miner: String
```

difficulty

integer of the difficulty for this block.

```
public var difficulty: UInt256
```

totalDifficulty

integer of the total difficulty of the chain until this block.

```
public var totalDifficulty: UInt256
```

extraData

the “extra data” field of this block.

```
public var extraData: String
```

size

integer the size of this block in bytes.

```
public var size: UInt64
```

gasLimit

the maximum gas allowed in this block.

```
public var gasLimit: UInt64
```

gasUsed

the total used gas by all transactions in this block.

```
public var gasUsed: UInt64
```

timestamp

the unix timestamp for when the block was collated.

```
public var timestamp: UInt64
```

uncles

Array of uncle hashes.

```
public var uncles: [String]
```

baseFeePerGas

block fees based on EIP 1559 starting with the London hard fork

```
public var baseFeePerGas: UInt64?
```

transactions

Array of transaction objects

```
public var transactions: [EthTransactiondata]
```

number

the block number. `null` when its pending block.

```
public var number: UInt64
```

hash

hash of the block. `null` when its pending block.

```
public var hash: String
```

parentHash

hash of the parent block.

```
public var parentHash: String
```

nonce

hash of the generated proof-of-work. null when its pending block.

```
public var nonce: UInt256?
```

sha3Uncles

SHA3 of the uncles Merkle root in the block.

```
public var sha3Uncles: String
```

logsBloom

the bloom filter for the logs of the block. null when its pending block.

```
public var logsBloom: String
```

transactionsRoot

the root of the transaction trie of the block.

```
public var transactionsRoot: String
```

stateRoot

the root of the final state trie of the block.

```
public var stateRoot: String
```

receiptsRoot

the root of the receipts trie of the block.

```
public var receiptsRoot: String
```

miner

the address of the beneficiary to whom the mining rewards were given.

```
public var miner: String
```

difficulty

integer of the difficulty for this block.

```
public var difficulty: UInt256
```

totalDifficulty

integer of the total difficulty of the chain until this block.

```
public var totalDifficulty: UInt256
```

extraData

the “extra data” field of this block.

```
public var extraData: String
```

size

integer the size of this block in bytes.

```
public var size: UInt64
```

gasLimit

the maximum gas allowed in this block.

```
public var gasLimit: UInt64
```

gasUsed

the total used gas by all transactions in this block.

```
public var gasUsed: UInt64
```

timestamp

the unix timestamp for when the block was collated.

```
public var timestamp: UInt64
```

uncles

Array of uncle hashes.

```
public var uncles: [String]
```


baseFeePerGas

block fees based on EIP 1559 starting with the London hard fork

```
public var baseFeePerGas: UInt64?
```

16.2.61 EthBlockdataWithTxHashes

the blockdata, or in case the block with that number does not exist, `null` will be returned.

```
public struct EthBlockdataWithTxHashes
```

init(transactions:number:hash:parentHash:nonce:sha3Uncles:logsBloom:transactionsRoot:stateRoot:receiptsRoot)

initialize the EthBlockdataWithTxHashes

```
public init(transactions: [String], number: UInt64, hash: String, parentHash: String,
↳ nonce: UInt256? = nil, sha3Uncles: String, logsBloom: String, transactionsRoot:
↳ String, stateRoot: String, receiptsRoot: String, miner: String, difficulty: UInt256,
↳ totalDifficulty: UInt256, extraData: String, size: UInt64, gasLimit: UInt64,
↳ gasUsed: UInt64, timestamp: UInt64, uncles: [String], baseFeePerGas: UInt64? = nil)
```

Parameters

- transactions: Array of transaction hashes
- number: the block number. `null` when its pending block.
- hash: hash of the block. `null` when its pending block.
- parentHash: hash of the parent block.
- nonce: hash of the generated proof-of-work. `null` when its pending block.
- sha3Uncles: SHA3 of the uncles Merkle root in the block.
- logsBloom: the bloom filter for the logs of the block. `null` when its pending block.
- transactionsRoot: the root of the transaction trie of the block.
- stateRoot: the root of the final state trie of the block.
- receiptsRoot: the root of the receipts trie of the block.
- miner: the address of the beneficiary to whom the mining rewards were given.
- difficulty: integer of the difficulty for this block.
- totalDifficulty: integer of the total difficulty of the chain until this block.
- extraData: the “extra data” field of this block.
- size: integer the size of this block in bytes.
- gasLimit: the maximum gas allowed in this block.
- gasUsed: the total used gas by all transactions in this block.
- timestamp: the unix timestamp for when the block was collated.
- uncles: Array of uncle hashes.
- baseFeePerGas: block fees based on EIP 1559 starting with the London hard fork

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(transactions:number:hash:parentHash:nonce:sha3Uncles:logsBloom:transactionsRoot:stateRoot:receiptsRoot:miner:difficulty:totalDifficulty:extraData:size:gasLimit:gasUsed:timestamp:uncles:baseFeePerGas:)

initialize the EthBlockdataWithTxHashes

```
public init(transactions: [String], number: UInt64, hash: String, parentHash: String, nonce: UInt256? = nil, sha3Uncles: String, logsBloom: String, transactionsRoot: String, stateRoot: String, receiptsRoot: String, miner: String, difficulty: UInt256, totalDifficulty: UInt256, extraData: String, size: UInt64, gasLimit: UInt64, gasUsed: UInt64, timestamp: UInt64, uncles: [String], baseFeePerGas: UInt64? = nil)
```

Parameters

- transactions: Array of transaction hashes
- number: the block number. `null` when its pending block.
- hash: hash of the block. `null` when its pending block.
- parentHash: hash of the parent block.
- nonce: hash of the generated proof-of-work. `null` when its pending block.
- sha3Uncles: SHA3 of the uncles Merkle root in the block.
- logsBloom: the bloom filter for the logs of the block. `null` when its pending block.
- transactionsRoot: the root of the transaction trie of the block.
- stateRoot: the root of the final state trie of the block.
- receiptsRoot: the root of the receipts trie of the block.
- miner: the address of the beneficiary to whom the mining rewards were given.
- difficulty: integer of the difficulty for this block.
- totalDifficulty: integer of the total difficulty of the chain until this block.
- extraData: the “extra data” field of this block.
- size: integer the size of this block in bytes.
- gasLimit: the maximum gas allowed in this block.
- gasUsed: the total used gas by all transactions in this block.
- timestamp: the unix timestamp for when the block was collated.
- uncles: Array of uncle hashes.
- baseFeePerGas: block fees based on EIP 1559 starting with the London hard fork

transactions

Array of transaction hashes

```
public var transactions: [String]
```

number

the block number. null when its pending block.

```
public var number: UInt64
```

hash

hash of the block. null when its pending block.

```
public var hash: String
```

parentHash

hash of the parent block.

```
public var parentHash: String
```

nonce

hash of the generated proof-of-work. null when its pending block.

```
public var nonce: UInt256?
```

sha3Uncles

SHA3 of the uncles Merkle root in the block.

```
public var sha3Uncles: String
```

logsBloom

the bloom filter for the logs of the block. null when its pending block.

```
public var logsBloom: String
```

transactionsRoot

the root of the transaction trie of the block.

```
public var transactionsRoot: String
```

stateRoot

the root of the final state trie of the block.

```
public var stateRoot: String
```

receiptsRoot

the root of the receipts trie of the block.

```
public var receiptsRoot: String
```

miner

the address of the beneficiary to whom the mining rewards were given.

```
public var miner: String
```

difficulty

integer of the difficulty for this block.

```
public var difficulty: UInt256
```

totalDifficulty

integer of the total difficulty of the chain until this block.

```
public var totalDifficulty: UInt256
```

extraData

the “extra data” field of this block.

```
public var extraData: String
```

size

integer the size of this block in bytes.

```
public var size: UInt64
```

gasLimit

the maximum gas allowed in this block.

```
public var gasLimit: UInt64
```

gasUsed

the total used gas by all transactions in this block.

```
public var gasUsed: UInt64
```

timestamp

the unix timestamp for when the block was collated.

```
public var timestamp: UInt64
```

uncles

Array of uncle hashes.

```
public var uncles: [String]
```

baseFeePerGas

block fees based on EIP 1559 starting with the London hard fork

```
public var baseFeePerGas: UInt64?
```

transactions

Array of transaction hashes

```
public var transactions: [String]
```

number

the block number. null when its pending block.

```
public var number: UInt64
```

hash

hash of the block. null when its pending block.

```
public var hash: String
```

parentHash

hash of the parent block.

```
public var parentHash: String
```

nonce

hash of the generated proof-of-work. `null` when its pending block.

```
public var nonce: UInt256?
```

sha3Uncles

SHA3 of the uncles Merkle root in the block.

```
public var sha3Uncles: String
```

logsBloom

the bloom filter for the logs of the block. `null` when its pending block.

```
public var logsBloom: String
```

transactionsRoot

the root of the transaction trie of the block.

```
public var transactionsRoot: String
```

stateRoot

the root of the final state trie of the block.

```
public var stateRoot: String
```

receiptsRoot

the root of the receipts trie of the block.

```
public var receiptsRoot: String
```

miner

the address of the beneficiary to whom the mining rewards were given.

```
public var miner: String
```

difficulty

integer of the difficulty for this block.

```
public var difficulty: UInt256
```

totalDifficulty

integer of the total difficulty of the chain until this block.

```
public var totalDifficulty: UInt256
```

extraData

the “extra data” field of this block.

```
public var extraData: String
```

size

integer the size of this block in bytes.

```
public var size: UInt64
```

gasLimit

the maximum gas allowed in this block.

```
public var gasLimit: UInt64
```

gasUsed

the total used gas by all transactions in this block.

```
public var gasUsed: UInt64
```

timestamp

the unix timestamp for when the block was collated.

```
public var timestamp: UInt64
```

uncles

Array of uncle hashes.

```
public var uncles: [String]
```

baseFeePerGas

block fees based on EIP 1559 starting with the London hard fork

```
public var baseFeePerGas: UInt64?
```

16.2.62 EthEvent

```
public struct EthEvent
```

log

```
public var log:Ethlog
```

event

```
public var event:String
```

values

```
public var values:[String:AnyObject]
```

log

```
public var log:Ethlog
```

event

```
public var event:String
```

values

```
public var values:[String:AnyObject]
```

16.2.63 EthLogFilter

The filter criteria for the events.

```
public struct EthLogFilter
```

init(fromBlock:toBlock:address:topics:blockhash:)

initialize the EthLogFilter

```
public init(fromBlock: UInt64? = nil, toBlock: UInt64? = nil, address: String? = nil, ↳
↳ topics: [String?]? = nil, blockhash: String? = nil)
```

Parameters

- fromBlock: Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.
- toBlock: Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.
- address: Contract address or a list of addresses from which logs should originate.
- topics: Array of 32 Bytes DATA topics. Topics are order-dependent. Each topic can also be an array of DATA with “or” options.
- blockhash: With the addition of EIP-234, blockHash will be a new filter option which restricts the logs returned to the single block with the 32-byte hash blockHash. Using blockHash is equivalent to fromBlock = toBlock = the block number with hash blockHash. If blockHash is present in the filter criteria, then neither fromBlock nor toBlock are allowed.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(fromBlock:toBlock:address:topics:blockhash:)

initialize the EthLogFilter

```
public init(fromBlock: UInt64? = nil, toBlock: UInt64? = nil, address: String? = nil,
↳ topics: [String?]? = nil, blockhash: String? = nil)
```

Parameters

- fromBlock: Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.
- toBlock: Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.
- address: Contract address or a list of addresses from which logs should originate.
- topics: Array of 32 Bytes DATA topics. Topics are order-dependent. Each topic can also be an array of DATA with “or” options.
- blockhash: With the addition of EIP-234, blockHash will be a new filter option which restricts the logs returned to the single block with the 32-byte hash blockHash. Using blockHash is equivalent to fromBlock = toBlock = the block number with hash blockHash. If blockHash is present in the filter criteria, then neither fromBlock nor toBlock are allowed.

fromBlock

Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.

```
public var fromBlock: UInt64?
```

toBlock

Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.

```
public var toBlock: UInt64?
```

address

Contract address or a list of addresses from which logs should originate.

```
public var address: String?
```

topics

Array of 32 Bytes DATA topics. Topics are order-dependent. Each topic can also be an array of DATA with “or” options.

```
public var topics: [String?]?
```

blockhash

With the addition of EIP-234, blockHash will be a new filter option which restricts the logs returned to the single block with the 32-byte hash blockHash. Using blockHash is equivalent to fromBlock = toBlock = the block number with hash blockHash. If blockHash is present in the filter criteria, then neither fromBlock nor toBlock are allowed.

```
public var blockhash: String?
```

fromBlock

Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.

```
public var fromBlock: UInt64?
```

toBlock

Integer block number, or “latest” for the last mined block or “pending”, “earliest” for not yet mined transactions.

```
public var toBlock: UInt64?
```

address

Contract address or a list of addresses from which logs should originate.

```
public var address: String?
```

topics

Array of 32 Bytes DATA topics. Topics are order-dependent. Each topic can also be an array of DATA with “or” options.

```
public var topics: [String?]?
```

blockhash

With the addition of EIP-234, blockHash will be a new filter option which restricts the logs returned to the single block with the 32-byte hash blockHash. Using blockHash is equivalent to fromBlock = toBlock = the block number with hash blockHash. If blockHash is present in the filter criteria, then neither fromBlock nor toBlock are allowed.

```
public var blockhash: String?
```

16.2.64 EthTransaction

the transactiondata to send

```
public struct EthTransaction
```

init(to:from:wallet:value:gas:gasPrice:nonce:data:signatures:)

initialize the EthTransaction

```
public init(to: String? = nil, from: String? = nil, wallet: String? = nil, value:
↳ UInt256? = nil, gas: UInt64? = nil, gasPrice: UInt64? = nil, nonce: UInt64? = nil,
↳ data: String? = nil, signatures: String? = nil)
```

Parameters

- to: receipient of the transaction.
- from: sender of the address (if not sepcified, the first signer will be the sender)
- wallet: if specified, the transaction will be send through the specified wallet.
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using eth_gasPrice
- nonce: the current nonce of the sender. If not specified it will be fetched using eth_getTransactionCount
- data: the data-section of the transaction
- signatures: additional signatures which should be used when sending through a multisig

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(to:from:wallet:value:gas:gasPrice:nonce:data:signatures:)

initialize the EthTransaction

```
public init(to: String? = nil, from: String? = nil, wallet: String? = nil, value:
↳ UInt256? = nil, gas: UInt64? = nil, gasPrice: UInt64? = nil, nonce: UInt64? = nil,
↳ data: String? = nil, signatures: String? = nil)
```

Parameters

- to: receipient of the transaction.
- from: sender of the address (if not sepcified, the first signer will be the sender)
- wallet: if specified, the transaction will be send through the specified wallet.
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- nonce: the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- data: the data-section of the transaction
- signatures: additional signatures which should be used when sending through a multisig

to

receipient of the transaction.

```
public var to: String?
```

from

sender of the address (if not sepcified, the first signer will be the sender)

```
public var from: String?
```

wallet

if specified, the transaction will be send through the specified wallet.

```
public var wallet: String?
```

value

value in wei to send

```
public var value: UInt256?
```

gas

the gas to be send along

```
public var gas: UInt64?
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

```
public var gasPrice: UInt64?
```

nonce

the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

```
public var nonce: UInt64?
```

data

the data-section of the transaction

```
public var data: String?
```

signatures

additional signatures which should be used when sending through a multisig

```
public var signatures: String?
```

to

receipient of the transaction.

```
public var to: String?
```

from

sender of the address (if not sepcified, the first signer will be the sender)

```
public var from: String?
```

wallet

if specified, the transaction will be send through the specified wallet.

```
public var wallet: String?
```

value

value in wei to send

```
public var value: UInt256?
```

gas

the gas to be send along

```
public var gas: UInt64?
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using eth_gasPrice

```
public var gasPrice: UInt64?
```

nonce

the current nonce of the sender. If not specified it will be fetched using eth_getTransactionCount

```
public var nonce: UInt64?
```

data

the data-section of the transaction

```
public var data: String?
```

signatures

additional signatures which should be used when sending through a multisig

```
public var signatures: String?
```

16.2.65 EthTransactionReceipt

the transactionReceipt

```
public struct EthTransactionReceipt
```

init(blockNumber:blockHash:contractAddress:cumulativeGasUsed:gasUsed:effectiveGasPrice:logs:logsBloom:sta

initialize the EthTransactionReceipt

```
public init(blockNumber: UInt64, blockHash: String, contractAddress: String? = nil,
↳cumulativeGasUsed: UInt64, gasUsed: UInt64, effectiveGasPrice: UInt256? = nil,
↳logs: [Ethlog], logsBloom: String, status: Int, transactionHash: String,
↳transactionIndex: Int, from: String, type: Int? = nil, to: String? = nil)
```

Parameters

- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- contractAddress: the deployed contract in case the tx did deploy a new contract
- cumulativeGasUsed: gas used for all transaction up to this one in the block
- gasUsed: gas used by this transaction.
- effectiveGasPrice: the effictc gas price
- logs: array of events created during execution of the tx
- logsBloom: bloomfilter used to detect events for eth_getLogs
- status: error-status of the tx. 0x1 = success 0x0 = failure
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- from: address of the sender.
- type: the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- to: address of the receiver. null when its a contract creation transaction.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(blockNumber:blockHash:contractAddress:cumulativeGasUsed:gasUsed:effectiveGasPrice:logs:logsBloom:sta

initialize the EthTransactionReceipt

```
public init(blockNumber: UInt64, blockHash: String, contractAddress: String? = nil,
↳cumulativeGasUsed: UInt64, gasUsed: UInt64, effectiveGasPrice: UInt256? = nil,
↳logs: [Ethlog], logsBloom: String, status: Int, transactionHash: String,
↳transactionIndex: Int, from: String, type: Int? = nil, to: String? = nil)
```

Parameters

- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- contractAddress: the deployed contract in case the tx did deploy a new contract
- cumulativeGasUsed: gas used for all transaction up to this one in the block

- gasUsed: gas used by this transaction.
- effectiveGasPrice: the effective gas price
- logs: array of events created during execution of the tx
- logsBloom: bloomfilter used to detect events for eth_getLogs
- status: error-status of the tx. 0x1 = success 0x0 = failure
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- from: address of the sender.
- type: the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- to: address of the receiver. null when its a contract creation transaction.

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if the containing block

```
public var blockHash: String
```

contractAddress

the deployed contract in case the tx did deploy a new contract

```
public var contractAddress: String?
```

cumulativeGasUsed

gas used for all transaction up to this one in the block

```
public var cumulativeGasUsed: UInt64
```

gasUsed

gas used by this transaction.

```
public var gasUsed: UInt64
```


effectiveGasPrice

the effective gas price

```
public var effectiveGasPrice: UInt256?
```

logs

array of events created during execution of the tx

```
public var logs: [Ethlog]
```

logsBloom

bloomfilter used to detect events for eth_getLogs

```
public var logsBloom: String
```

status

error-status of the tx. 0x1 = success 0x0 = failure

```
public var status: Int
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

from

address of the sender.

```
public var from: String
```

type

the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)

```
public var type: Int?
```

to

address of the receiver. null when its a contract creation transaction.

```
public var to: String?
```

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String
```

contractAddress

the deployed contract in case the tx did deploy a new contract

```
public var contractAddress: String?
```

cumulativeGasUsed

gas used for all transaction up to this one in the block

```
public var cumulativeGasUsed: UInt64
```

gasUsed

gas used by this transaction.

```
public var gasUsed: UInt64
```

effectiveGasPrice

the effctc gas price

```
public var effectiveGasPrice: UInt256?
```

logs

array of events created during execution of the tx

```
public var logs: [Ethlog]
```

logsBloom

bloomfilter used to detect events for eth_getLogs

```
public var logsBloom: String
```

status

error-status of the tx. 0x1 = success 0x0 = failure

```
public var status: Int
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

from

address of the sender.

```
public var from: String
```

type

the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)

```
public var type: Int?
```

to

address of the receiver. null when its a contract creation transaction.

```
public var to: String?
```

16.2.66 EthTransactiondata

Array of transaction objects

```
public struct EthTransactiondata
```

init(to:from:value:gas:gasPrice:nonce:blockHash:blockNumber:hash:input:transactionIndex:v:r:s:accessList:type

initialize the EthTransactiondata

```
public init(to: String, from: String, value: UInt256, gas: UInt64, gasPrice: UInt64,
↳ nonce: UInt64, blockHash: String, blockNumber: UInt64, hash: String, input: String,
↳ transactionIndex: UInt64, v: String, r: String, s: String, accessList:
↳ [EthTxAccessList]? = nil, type: Int? = nil, chainId: UInt64? = nil, maxFeePerGas:
↳ UInt64? = nil, maxPriorityFeePerGas: UInt64? = nil)
```

Parameters

- to: receipt of the transaction.
- from: sender or signer of the transaction
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- nonce: the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- blockHash: blockHash of the block holding this transaction or `null` if still pending.
- blockNumber: blockNumber of the block holding this transaction or `null` if still pending.
- hash: transactionHash
- input: data of the transaaction
- transactionIndex: index of the transaaction in the block
- v: recovery-byte of the signature
- r: x-value of the EC-Point of the signature
- s: y-value of the EC-Point of the signature
- accessList: the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the `type>0`
- type: the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- chainId: the chainId the transaction is to operate on.
- maxFeePerGas: the max Fee gas as defined in EIP-1559
- maxPriorityFeePerGas: the max priority Fee gas as defined in EIP-1559

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(to:from:value:gas:gasPrice:nonce:blockHash:blockNumber:hash:input:transactionIndex:v:r:s:accessList:type

initialize the EthTransactiondata

```
public init(to: String, from: String, value: UInt256, gas: UInt64, gasPrice: UInt64,
↳ nonce: UInt64, blockHash: String, blockNumber: UInt64, hash: String, input: String,
↳ transactionIndex: UInt64, v: String, r: String, s: String, accessList:
↳ [EthTxAccessList]? = nil, type: Int? = nil, chainId: UInt64? = nil, maxFeePerGas:
↳ UInt64? = nil, maxPriorityFeePerGas: UInt64? = nil)
```

Parameters

- to: receipient of the transaction.
- from: sender or signer of the transaction
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`
- nonce: the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`
- blockHash: blockHash of the block holding this transaction or `null` if still pending.
- blockNumber: blockNumber of the block holding this transaction or `null` if still pending.
- hash: transactionHash
- input: data of the transaaction
- transactionIndex: index of the transaaction in the block
- v: recovery-byte of the signature
- r: x-value of the EC-Point of the signature
- s: y-value of the EC-Point of the signature
- accessList: the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0
- type: the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- chainId: the chainId the transaction is to operate on.
- maxFeePerGas: the max Fee gas as defined in EIP-1559
- maxPriorityFeePerGas: the max priority Fee gas as defined in EIP-1559

to

receipient of the transaction.

```
public var to: String
```

from

sender or signer of the transaction

```
public var from: String
```

value

value in wei to send

```
public var value: UInt256
```

gas

the gas to be send along

```
public var gas: UInt64
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

```
public var gasPrice: UInt64
```

nonce

the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

```
public var nonce: UInt64
```

blockHash

blockHash of the block holding this transaction or `null` if still pending.

```
public var blockHash: String
```

blockNumber

blockNumber of the block holding this transaction or `null` if still pending.

```
public var blockNumber: UInt64
```

hash

transactionHash

```
public var hash: String
```

input

data of the transaaction

```
public var input: String
```

transactionIndex

index of the transaction in the block

```
public var transactionIndex: UInt64
```

v

recovery-byte of the signature

```
public var v: String
```

r

x-value of the EC-Point of the signature

```
public var r: String
```

s

y-value of the EC-Point of the signature

```
public var s: String
```

accessList

the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0

```
public var accessList: [EthTxAccessList]?
```

type

the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)

```
public var type: Int?
```

chainId

the chainId the transaction is to operate on.

```
public var chainId: UInt64?
```

maxFeePerGas

the max Fee gas as defined in EIP-1559

```
public var maxFeePerGas: UInt64?
```

maxPriorityFeePerGas

the max priority Fee gas as defined in EIP-1559

```
public var maxPriorityFeePerGas: UInt64?
```

to

receipt of the transaction.

```
public var to: String
```

from

sender or signer of the transaction

```
public var from: String
```

value

value in wei to send

```
public var value: UInt256
```

gas

the gas to be send along

```
public var gas: UInt64
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

```
public var gasPrice: UInt64
```

nonce

the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

```
public var nonce: UInt64
```


blockHash

blockHash of the block holding this transaction or `null` if still pending.

```
public var blockHash: String
```

blockNumber

blockNumber of the block holding this transaction or `null` if still pending.

```
public var blockNumber: UInt64
```

hash

transactionHash

```
public var hash: String
```

input

data of the transaction

```
public var input: String
```

transactionIndex

index of the transaction in the block

```
public var transactionIndex: UInt64
```

v

recovery-byte of the signature

```
public var v: String
```

r

x-value of the EC-Point of the signature

```
public var r: String
```

s

y-value of the EC-Point of the signature

```
public var s: String
```

accessList

the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0

```
public var accessList: [EthTxAccessList]?
```

type

the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)

```
public var type: Int?
```

chainId

the chainId the transaction is to operate on.

```
public var chainId: UInt64?
```

maxFeePerGas

the max Fee gas as defined in EIP-1559

```
public var maxFeePerGas: UInt64?
```

maxPriorityFeePerGas

the max priority Fee gas as defined in EIP-1559

```
public var maxPriorityFeePerGas: UInt64?
```

16.2.67 EthTxAccessList

the list of storage keys accesses as defined in EIP-2930 transactions of type 0x1 or 0x2. Will only be included if the type>0

```
public struct EthTxAccessList
```

init(address:storageKeys:)

initialize the EthTxAccessList

```
public init(address: String, storageKeys: [String])
```

Parameters

- address: the address being accessed.
- storageKeys: The storage location being accessed.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(address:storageKeys:)

initialize the EthTxAccessList

```
public init(address: String, storageKeys: [String])
```

Parameters

- address: the address being accessed.
- storageKeys: The storage location being accessed.

address

the address being accessed.

```
public var address: String
```

storageKeys

The storage location being accessed.

```
public var storageKeys: [String]
```

address

the address being accessed.

```
public var address: String
```

storageKeys

The storage location being accessed.

```
public var storageKeys: [String]
```

16.2.68 Ethlog

array with all found event matching the specified filter

```
public struct Ethlog
```

init(address:blockNumber:blockHash:data:logIndex:removed:topics:transactionHash:transactionIndex:transactionType)

initialize the Ethlog

```
public init(address: String, blockNumber: UInt64, blockHash: String, data: String,
↳logIndex: Int, removed: Bool, topics: [String], transactionHash: String,
↳transactionIndex: Int, transactionLogIndex: Int? = nil, type: String? = nil)
```

Parameters

- address: the address triggering the event.
- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- data: abi-encoded data of the event (all non indexed fields)
- logIndex: the index of the even within the block.
- removed: the reorg-status of the event.
- topics: array of 32byte-topics of the indexed fields.
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- transactionLogIndex: index of the event within the transaction.
- type: mining-status

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(address:blockNumber:blockHash:data:logIndex:removed:topics:transactionHash:transactionIndex:transactionType)

initialize the Ethlog

```
public init(address: String, blockNumber: UInt64, blockHash: String, data: String,
↳logIndex: Int, removed: Bool, topics: [String], transactionHash: String,
↳transactionIndex: Int, transactionLogIndex: Int? = nil, type: String? = nil)
```

Parameters

- address: the address triggering the event.
- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block

- data: abi-encoded data of the event (all non indexed fields)
- logIndex: the index of the even within the block.
- removed: the reorg-status of the event.
- topics: array of 32byte-topics of the indexed fields.
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- transactionLogIndex: index of the event within the transaction.
- type: mining-status

address

the address triggering the event.

```
public var address: String
```

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String
```

data

abi-encoded data of the event (all non indexed fields)

```
public var data: String
```

logIndex

the index of the even within the block.

```
public var logIndex: Int
```

removed

the reorg-status of the event.

```
public var removed: Bool
```

topics

array of 32byte-topics of the indexed fields.

```
public var topics: [String]
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

transactionLogIndex

index of the event within the transaction.

```
public var transactionLogIndex: Int?
```

type

mining-status

```
public var type: String?
```

address

the address triggering the event.

```
public var address: String
```

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String
```

data

abi-encoded data of the event (all non indexed fields)

```
public var data: String
```

logIndex

the index of the even within the block.

```
public var logIndex: Int
```

removed

the reorg-status of the event.

```
public var removed: Bool
```

topics

array of 32byte-topics of the indexed fields.

```
public var topics: [String]
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

transactionLogIndex

index of the event within the transaction.

```
public var transactionLogIndex: Int?
```

type

mining-status

```
public var type: String?
```

16.2.69 FeeHistory

Fee history for the returned block range. This can be a subsection of the requested range if not all blocks are available.

```
public struct FeeHistory
```

init(oldestBlock:baseFeePerGas:gasUsedRatio:reward:)

initialize the FeeHistory

```
public init(oldestBlock: UInt64, baseFeePerGas: [UInt64], gasUsedRatio: [Double],  
↳reward: [UInt64])
```

Parameters

- oldestBlock: Lowest number block of the returned range.
- baseFeePerGas: An array of block base fees per gas. This includes the next block after the newest of the returned range, because this value can be derived from the newest block. Zeroes are returned for pre-EIP-1559 blocks.
- gasUsedRatio: An array of block gas used ratios. These are calculated as the ratio of gasUsed and gasLimit.
- reward: An array of rewards

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(oldestBlock:baseFeePerGas:gasUsedRatio:reward:)

initialize the FeeHistory

```
public init(oldestBlock: UInt64, baseFeePerGas: [UInt64], gasUsedRatio: [Double],  
↳reward: [UInt64])
```

Parameters

- oldestBlock: Lowest number block of the returned range.
- baseFeePerGas: An array of block base fees per gas. This includes the next block after the newest of the returned range, because this value can be derived from the newest block. Zeroes are returned for pre-EIP-1559 blocks.
- gasUsedRatio: An array of block gas used ratios. These are calculated as the ratio of gasUsed and gasLimit.
- reward: An array of rewards

oldestBlock

Lowest number block of the returned range.

```
public var oldestBlock: UInt64
```

baseFeePerGas

An array of block base fees per gas. This includes the next block after the newest of the returned range, because this value can be derived from the newest block. Zeroes are returned for pre-EIP-1559 blocks.

```
public var baseFeePerGas: [UInt64]
```

gasUsedRatio

An array of block gas used ratios. These are calculated as the ratio of gasUsed and gasLimit.

```
public var gasUsedRatio: [Double]
```

reward

An array of rewards

```
public var reward: [UInt64]
```

oldestBlock

Lowest number block of the returned range.

```
public var oldestBlock: UInt64
```

baseFeePerGas

An array of block base fees per gas. This includes the next block after the newest of the returned range, because this value can be derived from the newest block. Zeroes are returned for pre-EIP-1559 blocks.

```
public var baseFeePerGas: [UInt64]
```

gasUsedRatio

An array of block gas used ratios. These are calculated as the ratio of gasUsed and gasLimit.

```
public var gasUsedRatio: [Double]
```

reward

An array of rewards

```
public var reward: [UInt64]
```

16.2.70 IN3Node

a array of node definitions.

```
public struct IN3Node
```

init(url:address:index:deposit:props:timeout:registerTime:weight:proofHash:)

initialize the IN3Node

```
public init(url: String, address: String, index: UInt64, deposit: UInt256, props: \_
↳String, timeout: UInt64, registerTime: UInt64, weight: UInt64, proofHash: String)
```

Parameters

- url: the url of the node. Currently only http/https is supported, but in the future this may even support onion-routing or any other protocols.
- address: the address of the signer
- index: the index within the nodeList of the contract
- deposit: the stored deposit
- props: the bitset of capabilities as described in the [Node Structure](#)
- timeout: the time in seconds describing how long the deposit would be locked when trying to unregister a node.
- registerTime: unix timestamp in seconds when the node has registered.
- weight: the weight of a node (not used yet) describing the amount of request-points it can handle per second.
- proofHash: a hash value containing the above values. This hash is explicitly stored in the contract, which enables the client to have only one merkle proof per node instead of verifying each property as its own storage value. The proof hash is build `keccak256(abi.encodePacked(deposit, timeout, registerTime, props, signer, url))`

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(url:address:index:deposit:props:timeout:registerTime:weight:proofHash:)

initialize the IN3Node

```
public init(url: String, address: String, index: UInt64, deposit: UInt256, props:
↳String, timeout: UInt64, registerTime: UInt64, weight: UInt64, proofHash: String)
```

Parameters

- url: the url of the node. Currently only http/https is supported, but in the future this may even support onion-routing or any other protocols.
- address: the address of the signer
- index: the index within the nodeList of the contract
- deposit: the stored deposit
- props: the bitset of capabilities as described in the [Node Structure](#)
- timeout: the time in seconds describing how long the deposit would be locked when trying to unregister a node.
- registerTime: unix timestamp in seconds when the node has registered.
- weight: the weight of a node (not used yet) describing the amount of request-points it can handle per second.
- proofHash: a hash value containing the above values. This hash is explicitly stored in the contract, which enables the client to have only one merkle proof per node instead of verifying each property as its own storage value. The proof hash is build `keccak256(abi.encodePacked(deposit, timeout, registerTime, props, signer, url))`

url

the url of the node. Currently only http/https is supported, but in the future this may even support onion-routing or any other protocols.

```
public var url: String
```

address

the address of the signer

```
public var address: String
```

index

the index within the nodeList of the contract

```
public var index: UInt64
```

deposit

the stored deposit

```
public var deposit: UInt256
```

props

the bitset of capabilities as described in the [Node Structure](#)

```
public var props: String
```

timeout

the time in seconds describing how long the deposit would be locked when trying to unregister a node.

```
public var timeout: UInt64
```

registerTime

unix timestamp in seconds when the node has registered.

```
public var registerTime: UInt64
```

weight

the weight of a node (not used yet) describing the amount of request-points it can handle per second.

```
public var weight: UInt64
```

proofHash

a hash value containing the above values. This hash is explicitly stored in the contract, which enables the client to have only one merkle proof per node instead of verifying each property as its own storage value. The proof hash is build `keccak256(abi.encodePacked(deposit, timeout, registerTime, props, signer, url))`

```
public var proofHash: String
```

url

the url of the node. Currently only http/https is supported, but in the future this may even support onion-routing or any other protocols.

```
public var url: String
```

address

the address of the signer

```
public var address: String
```

index

the index within the nodeList of the contract

```
public var index: UInt64
```

deposit

the stored deposit

```
public var deposit: UInt256
```

props

the bitset of capabilities as described in the [Node Structure](#)

```
public var props: String
```

timeout

the time in seconds describing how long the deposit would be locked when trying to unregister a node.

```
public var timeout: UInt64
```

registerTime

unix timestamp in seconds when the node has registered.

```
public var registerTime: UInt64
```

weight

the weight of a node (not used yet) describing the amount of request-points it can handle per second.

```
public var weight: UInt64
```

proofHash

a hash value containing the above values. This hash is explicitly stored in the contract, which enables the client to have only one merkle proof per node instead of verifying each property as its own storage value. The proof hash is build keccak256(abi.encodePacked(deposit, timeout, registerTime, props, signer, url))

```
public var proofHash: String
```

16.2.71 In3Config

The main Incubed Configuration

```
public struct In3Config : Codable
```

Codable, Codable

`init(chainId:finality:includeCode:debug:maxAttempts:keepIn3:stats:useBinary:experimental:timeout:proof:replace`

initialize it memberwise

```
public init(chainId : String? = nil, finality : Int? = nil, includeCode : Bool? = nil,
↳ debug : Bool? = nil, maxAttempts : Int? = nil, keepIn3 : Bool? = nil, stats : Bool?
↳ = nil, useBinary : Bool? = nil, experimental : Bool? = nil, timeout : UInt64? =
↳ nil, proof : String? = nil, replaceLatestBlock : Int? = nil, autoUpdateList : Bool?
↳ = nil, signatureCount : Int? = nil, bootWeights : Bool? = nil, useHttp : Bool? =
↳ nil, minDeposit : UInt256? = nil, nodeProps : String? = nil, requestCount : Int? =
↳ nil, rpc : String? = nil, nodes : Nodes? = nil, zksync : Zksync? = nil, key :
↳ String? = nil, pk : [String]? = nil, btc : Btc? = nil)
```

Parameters

- chainId: the chainId or the name of a known chain. It defines the nodelist to connect to.
- finality: the number in percent needed in order reach finality (% of signature of the validators).
- includeCode: if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards.
- debug: if true, debug messages will be written to stderr.
- maxAttempts: max number of attempts in case a response is rejected.
- keepIn3: if true, requests sent to the input stream of the commandline util will be send their responses in the same form as the server did.
- stats: if true, requests sent will be used for stats.
- useBinary: if true the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the property names anymore.
- experimental: if true the client allows to use experimental features, otherwise an exception is thrown if those would be used.
- timeout: specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection.
- proof: if true the nodes should send a proof of the response. If set to none, verification is turned off completely.
- replaceLatestBlock: if specified, the blocknumber *latest* will be replaced by blockNumber- specified value.
- autoUpdateList: if true the nodelist will be automatically updated if the lastBlock is newer.
- signatureCount: number of signatures requested in order to verify the blockhash.
- bootWeights: if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.
- useHttp: if true the client will try to use http instead of https.
- minDeposit: min stake of the server. Only nodes owning at least this amount will be chosen.

- `nodeProps`: used to identify the capabilities of the node.
- `requestCount`: the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received.
- `rpc`: url of one or more direct rpc-endpoints to use. (list can be comma seperated). If this is used, proof will automatically be turned off.
- `nodes`: defining the nodelist. collection of JSON objects with chain Id (hex string) as key.
- `zksync`: configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).
- `key`: the client key to sign requests. (only availble if build with `-DPK_SIGNER=true` , which is on per default)
- `pk`: registers raw private keys as signers for transactions. (only availble if build with `-DPK_SIGNER=true` , which is on per default)
- `btc`: configure the Bitcoin verification

`init(chainId:finality:includeCode:debug:maxAttempts:keepIn3:stats:useBinary:experimental:timeout:proof:replace`

initialize it memberwise

```
public init(chainId : String? = nil, finality : Int? = nil, includeCode : Bool? = nil,
↳ debug : Bool? = nil, maxAttempts : Int? = nil, keepIn3 : Bool? = nil, stats : Bool?
↳ = nil, useBinary : Bool? = nil, experimental : Bool? = nil, timeout : UInt64? =
↳ nil, proof : String? = nil, replaceLatestBlock : Int? = nil, autoUpdateList : Bool?
↳ = nil, signatureCount : Int? = nil, bootWeights : Bool? = nil, useHttp : Bool? =
↳ nil, minDeposit : UInt256? = nil, nodeProps : String? = nil, requestCount : Int? =
↳ nil, rpc : String? = nil, nodes : Nodes? = nil, zksync : Zksync? = nil, key :
↳ String? = nil, pk : [String]? = nil, btc : Btc? = nil)
```

Parameters

- `chainId`: the chainId or the name of a known chain. It defines the nodelist to connect to.
- `finality`: the number in percent needed in order reach finality (% of signature of the validators).
- `includeCode`: if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards.
- `debug`: if true, debug messages will be written to stderr.
- `maxAttempts`: max number of attempts in case a response is rejected.
- `keepIn3`: if true, requests sent to the input stream of the comandline util will be send theor responses in the same form as the server did.
- `stats`: if true, requests sent will be used for stats.
- `useBinary`: if true the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the propertynames anymore.
- `experimental`: if true the client allows to use use experimental features, otherwise a exception is thrown if those would be used.
- `timeout`: specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection.
- `proof`: if true the nodes should send a proof of the response. If set to none, verification is turned off completly.
- `replaceLatestBlock`: if specified, the blocknumber *latest* will be replaced by blockNumber- specified value.

- `autoUpdateList`: if true the nodelist will be automatically updated if the lastBlock is newer.
- `signatureCount`: number of signatures requested in order to verify the blockhash.
- `bootWeights`: if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache.
- `useHttp`: if true the client will try to use http instead of https.
- `minDeposit`: min stake of the server. Only nodes owning at least this amount will be chosen.
- `nodeProps`: used to identify the capabilities of the node.
- `requestCount`: the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received.
- `rpc`: url of one or more direct rpc-endpoints to use. (list can be comma separated). If this is used, proof will automatically be turned off.
- `nodes`: defining the nodelist. collection of JSON objects with chain Id (hex string) as key.
- `zksync`: configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).
- `key`: the client key to sign requests. (only available if build with `-DPK_SIGNER=true` , which is on per default)
- `pk`: registers raw private keys as signers for transactions. (only available if build with `-DPK_SIGNER=true` , which is on per default)
- `btc`: configure the Bitcoin verification

chainId

the chainId or the name of a known chain. It defines the nodelist to connect to. (default: "mainnet")

```
public var chainId : String?
```

Possible Values are:

- `mainnet` : Mainnet Chain
- `goerli` : Goerli Testnet
- `ewc` : Energy WebFoundation
- `btc` : Bitcoin
- `ipfs` : ipfs
- `local` : local-chain

Example: `goerli`

finality

the number in percent needed in order reach finality (% of signature of the validators).

```
public var finality : Int?
```

Example: 50

includeCode

if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards.

```
public var includeCode : Bool?
```

Example: `true`

debug

if true, debug messages will be written to `stderr`.

```
public var debug : Bool?
```

Example: `true`

maxAttempts

max number of attempts in case a response is rejected. (default: 7)

```
public var maxAttempts : Int?
```

Example: `1`

keepIn3

if true, requests sent to the input stream of the commandline util will be send their responses in the same form as the server did.

```
public var keepIn3 : Bool?
```

Example: `true`

stats

if true, requests sent will be used for stats. (default: `true`)

```
public var stats : Bool?
```

useBinary

if true the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the property names anymore.

```
public var useBinary : Bool?
```

Example: `true`

experimental

if true the client allows to use use experimental features, otherwise a exception is thrown if those would be used.

```
public var experimental : Bool?
```

Example: true

timeout

specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection. (default: 20000)

```
public var timeout : UInt64?
```

Example: 100000

proof

if true the nodes should send a proof of the response. If set to none, verification is turned off completely. (default: "standard")

```
public var proof : String?
```

Possible Values are:

- none : no proof will be generated or verified. This also works with standard rpc-endpoints.
- standard : Stanbdard Proof means all important properties are verified
- full : In addition to standard, also some rarely needed properties are verified, like uncles. But this causes a bigger payload.

Example: none

replaceLatestBlock

if specified, the blocknumber *latest* will be replaced by blockNumber- specified value.

```
public var replaceLatestBlock : Int?
```

Example: 6

autoUpdateList

if true the nodelist will be automaticly updated if the lastBlock is newer. (default: true)

```
public var autoUpdateList : Bool?
```

signatureCount

number of signatures requested in order to verify the blockhash. (default: 1)

```
public var signatureCount : Int?
```

Example: 2

bootWeights

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache. (default: true)

```
public var bootWeights : Bool?
```

Example: true

useHttp

if true the client will try to use http instead of https.

```
public var useHttp : Bool?
```

Example: true

minDeposit

min stake of the server. Only nodes owning at least this amount will be chosen.

```
public var minDeposit : UInt256?
```

Example: 10000000

nodeProps

used to identify the capabilities of the node.

```
public var nodeProps : String?
```

Example: "0xffff"

requestCount

the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received. (default: 2)

```
public var requestCount : Int?
```

Example: 3

rpc

url of one or more direct rpc-endpoints to use. (list can be comma seperated). If this is used, proof will automaticly be turned off.

```
public var rpc : String?
```

Example: `http://localhost:8545`

nodes

defining the nodelist. collection of JSON objects with chain Id (hex string) as key.

```
public var nodes : Nodes?
```

Example: 'contract: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f" nodeList:

- address: "0x45d45e6ff99e6c34a235d263965910298985fcfe" url: `https://in3-v2.slock.it/mainnet/nd-1` props: "0xFFFF"

zksync

configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).

```
public var zksync : Zksync?
```

Example:

```
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
sync_key: "0xad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816"
signer_type: contract
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
sync_key: "0xad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816"
signer_type: create2
create2:
  creator: "0x6487c3ae644703c1f07527c18fe5569592654bcb"
  saltarg: "0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12"
  codehash: "0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5"
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
signer_type: pk
musig_pub_keys:
  ↪0xad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160xad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816
sync_key: "0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734"
musig_urls:
  - null
  - https://approver.service.com
```

key

the client key to sign requests. (only available if build with `-DPK_SIGNER=true` , which is on per default)

```
public var key : String?
```

Example: `"0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"`

pk

registers raw private keys as signers for transactions. (only available if build with `-DPK_SIGNER=true`, which is on per default)

```
public var pk : [String]?
```

Example:

```
"0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dc6bd610a050f1f983afe"
```

btc

configure the Bitcoin verification

```
public var btc : Btc?
```

Example: maxDAP: 30 maxDiff: 5

chainId

the chainId or the name of a known chain. It defines the nodelist to connect to. (default: "mainnet")

```
public var chainId : String?
```

Possible Values are:

- mainnet : Mainnet Chain
- goerli : Goerli Testnet
- ewc : Energy WebFoundation
- btc : Bitcoin
- ipfs : ipfs
- local : local-chain

Example: goerli

finality

the number in percent needed in order reach finality (% of signature of the validators).

```
public var finality : Int?
```

Example: 50

includeCode

if true, the request should include the codes of all accounts. otherwise only the the codeHash is returned. In this case the client may ask by calling `eth_getCode()` afterwards.

```
public var includeCode : Bool?
```

Example: `true`

debug

if `true`, debug messages will be written to `stderr`.

```
public var debug : Bool?
```

Example: `true`

maxAttempts

max number of attempts in case a response is rejected. (default: 7)

```
public var maxAttempts : Int?
```

Example: `1`

keepIn3

if `true`, requests sent to the input stream of the commandline util will be send their responses in the same form as the server did.

```
public var keepIn3 : Bool?
```

Example: `true`

stats

if `true`, requests sent will be used for stats. (default: `true`)

```
public var stats : Bool?
```

useBinary

if `true` the client will use binary format. This will reduce the payload of the responses by about 60% but should only be used for embedded systems or when using the API, since this format does not include the property names anymore.

```
public var useBinary : Bool?
```

Example: `true`

experimental

if `true` the client allows to use experimental features, otherwise an exception is thrown if those would be used.

```
public var experimental : Bool?
```

Example: `true`

timeout

specifies the number of milliseconds before the request times out. increasing may be helpful if the device uses a slow connection. (default: 20000)

```
public var timeout : UInt64?
```

Example: 100000

proof

if true the nodes should send a proof of the response. If set to none, verification is turned off completely. (default: "standard")

```
public var proof : String?
```

Possible Values are:

- none : no proof will be generated or verified. This also works with standard rpc-endpoints.
- standard : Stanbdard Proof means all important properties are verified
- full : In addition to standard, also some rarly needed properties are verified, like uncles. But this causes a bigger payload.

Example: none

replaceLatestBlock

if specified, the blocknumber *latest* will be replaced by blockNumber- specified value.

```
public var replaceLatestBlock : Int?
```

Example: 6

autoUpdateList

if true the nodelist will be automaticly updated if the lastBlock is newer. (default: true)

```
public var autoUpdateList : Bool?
```

signatureCount

number of signatures requested in order to verify the blockhash. (default: 1)

```
public var signatureCount : Int?
```

Example: 2

bootWeights

if true, the first request (updating the nodelist) will also fetch the current health status and use it for blacklisting unhealthy nodes. This is used only if no nodelist is available from cache. (default: `true`)

```
public var bootWeights : Bool?
```

Example: `true`

useHttp

if true the client will try to use http instead of https.

```
public var useHttp : Bool?
```

Example: `true`

minDeposit

min stake of the server. Only nodes owning at least this amount will be chosen.

```
public var minDeposit : UInt256?
```

Example: `10000000`

nodeProps

used to identify the capabilities of the node.

```
public var nodeProps : String?
```

Example: `"0xffff"`

requestCount

the number of request send in parallel when getting an answer. More request will make it more expensive, but increase the chances to get a faster answer, since the client will continue once the first verifiable response was received. (default: 2)

```
public var requestCount : Int?
```

Example: `3`

rpc

url of one or more direct rpc-endpoints to use. (list can be comma separated). If this is used, proof will automatically be turned off.

```
public var rpc : String?
```

Example: `http://localhost:8545`

nodes

defining the nodelist. collection of JSON objects with chain Id (hex string) as key.

```
public var nodes : Nodes?
```

Example: 'contract: "0xac1b824795e1eb1f6e609fe0da9b9af8beaab60f" nodeList:

- address: "0x45d45e6ff99e6c34a235d263965910298985fcfe" url: <https://in3-v2.slock.it/mainnet/nd-1> props: "0xFFFF"

zksync

configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).

```
public var zksync : Zksync?
```

Example:

```
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
sync_key: "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816"
signer_type: contract
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
sync_key: "0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816"
signer_type: create2
create2:
  creator: "0x6487c3ae644703c1f07527c18fe5569592654bcb"
  saltarg: "0xb90306e2391fefe48aa89a8e91acbca502a94b2d734acc3335bb2ff5c266eb12"
  codehash: "0xd6af3ee91c96e29ddab0d4cb9b5dd3025caf84baad13bef7f2b87038d38251e5"
account: "0x995628aa92d6a016da55e7de8b1727e1eb97d337"
signer_type: pk
musig_pub_keys:
  → 0x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d8160x9ad89ac0643ffdc32b2dab859ad0f9f7e4057ec23c2b17699c9b27eff331d816
sync_key: "0xe8f2ee64be83c0ab9466b0490e4888dbf5a070fd1d82b567e33ebc90457a5734"
musig_urls:
  - null
  - https://approver.service.com
```

key

the client key to sign requests. (only available if build with `-DPK_SIGNER=true`, which is on per default)

```
public var key : String?
```

Example: "0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dcdbd610a050f1f983afe"

pk

registers raw private keys as signers for transactions. (only available if build with `-DPK_SIGNER=true`, which is on per default)

```
public var pk : [String]?
```

Example:

```
"0xc9564409cbfca3f486a07996e8015124f30ff8331fc6dc6d610a050f1f983afe"
```

btc

configure the Bitcoin verification

```
public var btc : Btc?
```

Example: maxDAP: 30 maxDiff: 5

createClient()

create a new Incubed Client based on the Configuration

```
public func createClient() throws -> In3
```

createClient()

create a new Incubed Client based on the Configuration

```
public func createClient() throws -> In3
```

16.2.72 In3Config.Btc

configure the Bitcoin verification

```
public struct Btc : Codable
```

Codable, Codable

init(maxDAP:maxDiff:)

initialize it memberwise

```
public init(maxDAP : Int? = nil, maxDiff : Int? = nil)
```

Parameters

- maxDAP: configure the Bitcoin verification
- maxDiff: max increase (in percent) of the difference between targets when accepting new targets.

init(maxDAP:maxDiff:)

initialize it memberwise

```
public init(maxDAP : Int? = nil, maxDiff : Int? = nil)
```

Parameters

- maxDAP: configure the Bitcoin verification

- maxDiff: max increase (in percent) of the difference between targets when accepting new targets.

maxDAP

max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. (default: 20)

```
public var maxDAP : Int?
```

Example: 10

maxDiff

max increase (in percent) of the difference between targets when accepting new targets. (default: 10)

```
public var maxDiff : Int?
```

Example: 5

maxDAP

max number of DAPs (Difficulty Adjustment Periods) allowed when accepting new targets. (default: 20)

```
public var maxDAP : Int?
```

Example: 10

maxDiff

max increase (in percent) of the difference between targets when accepting new targets. (default: 10)

```
public var maxDiff : Int?
```

Example: 5

16.2.73 In3Config.Create2

create2-arguments for sign_type create2. This will allow to sign for contracts which are not deployed yet.

```
public struct Create2 : Codable
```

Codable, Codable

init(creator:saltarg:codehash:)

initialize it memberwise

```
public init(creator : String, saltarg : String, codehash : String)
```

Parameters

- creator: create2-arguments for sign_type create2. This will allow to sign for contracts which are not deployed yet.

- saltarg: a salt-argument, which will be added to the pubkeyhash and create the create2-salt.
- codehash: the hash of the actual deploy-tx including the constructor-arguments.

init(creator:saltarg:codehash:)

initialize it memberwise

```
public init(creator : String, saltarg : String, codehash : String)
```

Parameters

- creator: create2-arguments for sign_type create2. This will allow to sign for contracts which are not deployed yet.
- saltarg: a salt-argument, which will be added to the pubkeyhash and create the create2-salt.
- codehash: the hash of the actual deploy-tx including the constructor-arguments.

creator

The address of contract or EOA deploying the contract (for example the GnosisSafeFactory)

```
public var creator : String
```

saltarg

a salt-argument, which will be added to the pubkeyhash and create the create2-salt.

```
public var saltarg : String
```

codehash

the hash of the actual deploy-tx including the constructor-arguments.

```
public var codehash : String
```

creator

The address of contract or EOA deploying the contract (for example the GnosisSafeFactory)

```
public var creator : String
```

saltarg

a salt-argument, which will be added to the pubkeyhash and create the create2-salt.

```
public var saltarg : String
```

codehash

the hash of the actual deploy-tx including the constructor-arguments.

```
public var codehash : String
```

16.2.74 In3Config.NodeList

manual nodeList. As Value a array of Node-Definitions is expected.

```
public struct NodeList : Codable
```

Codable, Codable

init(url:address:props:)

initialize it memberwise

```
public init(url : String, address : String, props : String)
```

Parameters

- url: manual nodeList. As Value a array of Node-Definitions is expected.
- address: address of the node
- props: used to identify the capabilities of the node (defaults to 0xFFFF).

init(url:address:props:)

initialize it memberwise

```
public init(url : String, address : String, props : String)
```

Parameters

- url: manual nodeList. As Value a array of Node-Definitions is expected.
- address: address of the node
- props: used to identify the capabilities of the node (defaults to 0xFFFF).

url

URL of the node.

```
public var url : String
```

address

address of the node

```
public var address : String
```

props

used to identify the capabilities of the node (defaults to 0xFFFF).

```
public var props : String
```

url

URL of the node.

```
public var url : String
```

address

address of the node

```
public var address : String
```

props

used to identify the capabilities of the node (defaults to 0xFFFF).

```
public var props : String
```

16.2.75 In3Config.Nodes

defining the nodelist. collection of JSON objects with chain Id (hex string) as key.

```
public struct Nodes : Codable
```

Codable, Codable

init(contract:whiteListContract:whiteList:registryId:needsUpdate:avgBlockTime:verifiedHashes:nodeList:)

initialize it memberwise

```
public init(contract : String? = nil, whiteListContract : String? = nil, whiteList :  
↳ [String]? = nil, registryId : String? = nil, needsUpdate : Bool? = nil,   
↳ avgBlockTime : Int? = nil, verifiedHashes : [VerifiedHashes]? = nil, nodeList :  
↳ [NodeList]? = nil)
```

Parameters

- contract: defining the nodelist. collection of JSON objects with chain Id (hex string) as key.
- whiteListContract: address of the whiteList contract. This cannot be combined with whiteList!
- whiteList: manual whitelist.
- registryId: identifier of the registry.
- needsUpdate: if set, the nodeList will be updated before next request.

- avgBlockTime: average block time (seconds) for this chain.
- verifiedHashes: if the client sends an array of blockhashes the server will not deliver any signatures or block-headers for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request.
- nodeList: manual nodeList. As Value a array of Node-Definitions is expected.

init(contract:whiteListContract:whiteList:registryId:needsUpdate:avgBlockTime:verifiedHashes:nodeList:)

initialize it memberwise

```
public init(contract : String? = nil, whiteListContract : String? = nil, whiteList :
↳[String]? = nil, registryId : String? = nil, needsUpdate : Bool? = nil,
↳avgBlockTime : Int? = nil, verifiedHashes : [VerifiedHashes]? = nil, nodeList :
↳[NodeList]? = nil)
```

Parameters

- contract: defining the nodelist. collection of JSON objects with chain Id (hex string) as key.
- whiteListContract: address of the whiteList contract. This cannot be combined with whiteList!
- whiteList: manual whitelist.
- registryId: identifier of the registry.
- needsUpdate: if set, the nodeList will be updated before next request.
- avgBlockTime: average block time (seconds) for this chain.
- verifiedHashes: if the client sends an array of blockhashes the server will not deliver any signatures or block-headers for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request.
- nodeList: manual nodeList. As Value a array of Node-Definitions is expected.

contract

address of the registry contract. (This is the data-contract!)

```
public var contract : String?
```

whiteListContract

address of the whiteList contract. This cannot be combined with whiteList!

```
public var whiteListContract : String?
```

whiteList

manual whitelist.

```
public var whiteList : [String]?
```

registryId

identifier of the registry.

```
public var registryId : String?
```

needsUpdate

if set, the nodeList will be updated before next request.

```
public var needsUpdate : Bool?
```

avgBlockTime

average block time (seconds) for this chain.

```
public var avgBlockTime : Int?
```

verifiedHashes

if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request.

```
public var verifiedHashes : [VerifiedHashes]?
```

nodeList

manual nodeList. As Value a array of Node-Definitions is expected.

```
public var nodeList : [NodeList]?
```

contract

address of the registry contract. (This is the data-contract!)

```
public var contract : String?
```

whiteListContract

address of the whiteList contract. This cannot be combined with whiteList!

```
public var whiteListContract : String?
```

whiteList

manual whitelist.


```
public var whiteList : [String]?
```

registryId

identifier of the registry.

```
public var registryId : String?
```

needsUpdate

if set, the nodeList will be updated before next request.

```
public var needsUpdate : Bool?
```

avgBlockTime

average block time (seconds) for this chain.

```
public var avgBlockTime : Int?
```

verifiedHashes

if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automaticly updated by the cache, but can be overridden per request.

```
public var verifiedHashes : [VerifiedHashes]?
```

nodeList

manual nodeList. As Value a array of Node-Definitions is expected.

```
public var nodeList : [NodeList]?
```

16.2.76 In3Config.VerifiedHashes

if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automaticly updated by the cache, but can be overridden per request.

```
public struct VerifiedHashes : Codable
```

Codable, Codable

init(block:hash:)

initialize it memberwise

```
public init(block : UInt64, hash : String)
```

Parameters

- block: if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request.
- hash: verified hash corresponding to block number.

init(block:hash:)

initialize it memberwise

```
public init(block : UInt64, hash : String)
```

Parameters

- block: if the client sends an array of blockhashes the server will not deliver any signatures or blockheaders for these blocks, but only return a string with a number. This is automatically updated by the cache, but can be overridden per request.
- hash: verified hash corresponding to block number.

block

block number

```
public var block : UInt64
```

hash

verified hash corresponding to block number.

```
public var hash : String
```

block

block number

```
public var block : UInt64
```

hash

verified hash corresponding to block number.

```
public var hash : String
```

16.2.77 In3Config.Zksync

configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).

```
public struct Zksync : Codable
```

Codable, Codable

`init(provider_url:rest_api:account:sync_key:main_contract:signer_type:musig_pub_keys:musig_urls:create2:verify)`

initialize it memberwise

```
public init(provider_url : String? = nil, rest_api : String? = nil, account : String? = nil, sync_key : String? = nil, main_contract : String? = nil, signer_type : String? = nil, musig_pub_keys : String? = nil, musig_urls : [String]? = nil, create2 : Create2? = nil, verify_proof_method : String? = nil, create_proof_method : String? = nil)
```

- Parameter `provider_url` : configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).
- Parameter `rest_api` : url of the zksync rest api (if not defined it will be choosen depending on the chain)
- Parameter `sync_key` : the seed used to generate the `sync_key`. This way you can explicitly set the pk instead of deriving it from a signer.
- Parameter `main_contract` : address of the main contract- If not specified it will be taken from the server.
- Parameter `signer_type` : type of the account. Must be either `pk`(default), `contract` (using contract signatures) or `create2` using the `create2`-section.
- Parameter `musig_pub_keys` : concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will based on the aggregated pubkey. Also the signing will use multiple keys.
- Parameter `musig_urls` : a array of strings with urls based on the `musig_pub_keys`. It is used so generate the combined signature by exchaing signature data (commitment and signatureshares) if the local client does not hold this key.
- Parameter `verify_proof_method` : rpc-method, which will be used to verify the incomming proof before cosigning.
- Parameter `create_proof_method` : rpc-method, which will be used to create the proof needed for cosigning.

Parameters

- `account`: the account to be used. if not specified, the first signer will be used.
- `create2`: `create2`-arguments for `sign_type create2`. This will allow to sign for contracts which are not deployed yet.

`init(provider_url:rest_api:account:sync_key:main_contract:signer_type:musig_pub_keys:musig_urls:create2:verify)`

initialize it memberwise

```
public init(provider_url : String? = nil, rest_api : String? = nil, account : String? = nil, sync_key : String? = nil, main_contract : String? = nil, signer_type : String? = nil, musig_pub_keys : String? = nil, musig_urls : [String]? = nil, create2 : Create2? = nil, verify_proof_method : String? = nil, create_proof_method : String? = nil)
```

- Parameter `provider_url` : configuration for zksync-api (only available if build with `-DZKSYNC=true`, which is on per default).
- Parameter `rest_api` : url of the zksync rest api (if not defined it will be choosen depending on the chain)
- Parameter `sync_key` : the seed used to generate the `sync_key`. This way you can explicitly set the pk instead of deriving it from a signer.
- Parameter `main_contract` : address of the main contract- If not specified it will be taken from the server.
- Parameter `signer_type` : type of the account. Must be either `pk`(default), `contract` (using contract signatures) or `create2` using the `create2`-section.
- Parameter `musig_pub_keys` : concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will based on the aggregated pubkey. Also the signing will use multiple keys.
- Parameter `musig_urls` : a array of strings with urls based on the `musig_pub_keys`. It is used so generate the combined signature by exchaing signature data (commitment and signatureshares) if the local client does not hold this key.
- Parameter `verify_proof_method` : rpc-method, which will be used to verify the incomming proof before cosigning.
- Parameter `create_proof_method` : rpc-method, which will be used to create the proof needed for cosigning.

Parameters

- `account`: the account to be used. if not specified, the first signer will be used.
- `create2`: `create2`-arguments for `sign_type create2`. This will allow to sign for contracts which are not deployed yet.

`provider_url`

url of the zksync-server (if not defined it will be choosen depending on the chain) (default: "https://api.zksync.io/jsrpc")

```
public var provider_url : String?
```

`rest_api`

url of the zksync rest api (if not defined it will be choosen depending on the chain)

```
public var rest_api : String?
```

Example: https://rinkeby-api.zksync.io/api/v0.1/

`account`

the account to be used. if not specified, the first signer will be used.

```
public var account : String?
```

sync_key

the seed used to generate the sync_key. This way you can explicitly set the pk instead of deriving it from a signer.

```
public var sync_key : String?
```

main_contract

address of the main contract- If not specified it will be taken from the server.

```
public var main_contract : String?
```

signer_type

type of the account. Must be either pk(default), contract (using contract signatures) or create2 using the create2-section. (default: "pk")

```
public var signer_type : String?
```

Possible Values are:

- pk : Private matching the account is used (for EOA)
- contract : Contract Signature based EIP 1271
- create2 : create2 options are used

musig_pub_keys

concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will be based on the aggregated pubkey. Also the signing will use multiple keys.

```
public var musig_pub_keys : String?
```

musig_urls

a array of strings with urls based on the musig_pub_keys. It is used to generate the combined signature by exchanging signature data (commitment and signature shares) if the local client does not hold this key.

```
public var musig_urls : [String]?
```

create2

create2-arguments for sign_type create2. This will allow to sign for contracts which are not deployed yet.

```
public var create2 : Create2?
```

verify_proof_method

rpc-method, which will be used to verify the incoming proof before cosigning.

```
public var verify_proof_method : String?
```

create_proof_method

rpc-method, which will be used to create the proof needed for cosigning.

```
public var create_proof_method : String?
```

provider_url

url of the zksync-server (if not defined it will be chosen depending on the chain) (default: "https://api.zksync.io/jsrpc")

```
public var provider_url : String?
```

rest_api

url of the zksync rest api (if not defined it will be chosen depending on the chain)

```
public var rest_api : String?
```

Example: https://rinkeby-api.zksync.io/api/v0.1/

account

the account to be used. if not specified, the first signer will be used.

```
public var account : String?
```

sync_key

the seed used to generate the sync_key. This way you can explicitly set the pk instead of deriving it from a signer.

```
public var sync_key : String?
```

main_contract

address of the main contract- If not specified it will be taken from the server.

```
public var main_contract : String?
```

signer_type

type of the account. Must be either `pk`(default), `contract` (using contract signatures) or `create2` using the `create2`-section. (default: "pk")

```
public var signer_type : String?
```

Possible Values are:

- `pk` : Private matching the account is used (for EOA)
- `contract` : Contract Signature based EIP 1271
- `create2` : `create2` optionas are used

musig_pub_keys

concatenated packed public keys (32byte) of the musig signers. if set the pubkey and pubkeyhash will based on the aggregated pubkey. Also the signing will use multiple keys.

```
public var musig_pub_keys : String?
```

musig_urls

a array of strings with urls based on the `musig_pub_keys`. It is used so generate the combined signature by exchaing signature data (commitment and signatureshares) if the local client does not hold this key.

```
public var musig_urls : [String]?
```

create2

`create2`-arguments for `sign_type create2`. This will allow to sign for contracts which are not deployed yet.

```
public var create2 : Create2?
```

verify_proof_method

rpc-method, which will be used to verify the incomming proof before cosigning.

```
public var verify_proof_method : String?
```

create_proof_method

rpc-method, which will be used to create the proof needed for cosigning.

```
public var create_proof_method : String?
```

16.2.78 In3SignBlock

array of requested blocks.

```
public struct In3SignBlock
```

init(blockNumber:hash:)

initialize the In3SignBlock

```
public init(blockNumber: UInt64, hash: String? = nil)
```

Parameters

- blockNumber: the blockNumber to sign
- hash: the expected hash. This is optional and can be used to check if the expected hash is correct, but as a client you should not rely on it, but only on the hash in the signature.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(blockNumber:hash:)

initialize the In3SignBlock

```
public init(blockNumber: UInt64, hash: String? = nil)
```

Parameters

- blockNumber: the blockNumber to sign
- hash: the expected hash. This is optional and can be used to check if the expected hash is correct, but as a client you should not rely on it, but only on the hash in the signature.

blockNumber

the blockNumber to sign

```
public var blockNumber: UInt64
```

hash

the expected hash. This is optional and can be used to check if the expected hash is correct, but as a client you should not rely on it, but only on the hash in the signature.


```
public var hash: String?
```

blockNumber

the blockNumber to sign

```
public var blockNumber: UInt64
```

hash

the expected hash. This is optional and can be used to check if the expected hash is correct, but as a client you should not rely on it, but only on the hash in the signature.

```
public var hash: String?
```

16.2.79 In3SignedBlockHash

the Array with signatures of all the requires blocks.

```
public struct In3SignedBlockHash
```

init(blockHash:block:r:s:v:msgHash:)

initialize the In3SignedBlockHash

```
public init(blockHash: String, block: UInt64, r: String, s: String, v: String,
↳msgHash: String)
```

Parameters

- blockHash: the blockhash which was signed.
- block: the blocknumber
- r: r-value of the signature
- s: s-value of the signature
- v: v-value of the signature
- msgHash: the msgHash signed. This Hash is created with keccak256(abi.encodePacked(_blockhash, _blockNumber, registryId))

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(blockHash:block:r:s:v:msgHash:)

initialize the In3SignedBlockHash

```
public init(blockHash: String, block: UInt64, r: String, s: String, v: String, _  
↳msgHash: String)
```

Parameters

- blockHash: the blockhash which was signed.
- block: the blocknumber
- r: r-value of the signature
- s: s-value of the signature
- v: v-value of the signature
- msgHash: the msgHash signed. This Hash is created with keccak256(abi.encodePacked(_blockhash, _blockNumber, registryId))

blockHash

the blockhash which was signed.

```
public var blockHash: String
```

block

the blocknumber

```
public var block: UInt64
```

r

r-value of the signature

```
public var r: String
```

s

s-value of the signature

```
public var s: String
```

v

v-value of the signature

```
public var v: String
```

msgHash

the msgHash signed. This Hash is created with keccak256(abi.encodePacked(_blockhash, _blockNumber, registryId))

```
public var msgHash: String
```

blockHash

the blockhash which was signed.

```
public var blockHash: String
```

block

the blocknumber

```
public var block: UInt64
```

r

r-value of the signature

```
public var r: String
```

s

s-value of the signature

```
public var s: String
```

v

v-value of the signature

```
public var v: String
```

msgHash

the msgHash signed. This Hash is created with keccak256(abi.encodePacked(_blockhash, _blockNumber, registryId))

```
public var msgHash: String
```

16.2.80 In3WhiteList

the whitelisted addresses

```
public struct In3WhiteList
```

init(nodes:lastWhiteList:contract:lastBlockNumber:totalServer:)

initialize the In3WhiteList

```
public init(nodes: String, lastWhiteList: UInt64, contract: String, lastBlockNumber:
↳ UInt64, totalServer: UInt64)
```

Parameters

- nodes: array of whitelisted nodes addresses.
- lastWhiteList: the blockNumber of the last change of the in3 white list event.
- contract: whitelist contract address.
- lastBlockNumber: the blockNumber of the last change of the list (usually the last event).
- totalServer: the total numbers of whitelist nodes.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(nodes:lastWhiteList:contract:lastBlockNumber:totalServer:)

initialize the In3WhiteList

```
public init(nodes: String, lastWhiteList: UInt64, contract: String, lastBlockNumber:
↳ UInt64, totalServer: UInt64)
```

Parameters

- nodes: array of whitelisted nodes addresses.
- lastWhiteList: the blockNumber of the last change of the in3 white list event.
- contract: whitelist contract address.
- lastBlockNumber: the blockNumber of the last change of the list (usually the last event).
- totalServer: the total numbers of whitelist nodes.

nodes

array of whitelisted nodes addresses.

```
public var nodes: String
```

lastWhiteList

the blockNumber of the last change of the in3 white list event.

```
public var lastWhiteList: UInt64
```

contract

whitelist contract address.

```
public var contract: String
```

lastBlockNumber

the blockNumber of the last change of the list (usually the last event).

```
public var lastBlockNumber: UInt64
```

totalServer

the total numbers of whitelist nodes.

```
public var totalServer: UInt64
```

nodes

array of whitelisted nodes addresses.

```
public var nodes: String
```

lastWhiteList

the blockNumber of the last change of the in3 white list event.

```
public var lastWhiteList: UInt64
```

contract

whitelist contract address.

```
public var contract: String
```

lastBlockNumber

the blockNumber of the last change of the list (usually the last event).

```
public var lastBlockNumber: UInt64
```

totalServer

the total numbers of whitelist nodes.

```
public var totalServer: UInt64
```

16.2.81 KdfParams

the kdfparams

```
public struct KdfParams
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(dklen:salt:c:prf:)

initialize the KdfParams

```
public init(dklen: UInt64, salt: String, c: UInt64, prf: String)
```

Parameters

- dklen: the dklen
- salt: the salt
- c: the c
- prf: the prf

dklen

the dklen

```
public var dklen: UInt64
```

salt

the salt

```
public var salt: String
```

c

the c

```
public var c: UInt64
```

prf

the prf

```
public var prf: String
```

16.2.82 Keyparams

the keyparams

```
public struct Keyparams
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(version:id:address:crypto:)

initialize the Keyparams

```
public init(version: String, id: String, address: String, crypto: CryptoParams)
```

Parameters

- version: the version
- id: the id
- address: the address
- crypto: the cryptoparams

version

the version

```
public var version: String
```

id

the id

```
public var id: String
```

address

the address

```
public var address: String
```

crypto

the cryptoparams

```
public var crypto: CryptoParams
```

16.2.83 MSLimit

limits for sending tokens without reaching the threshold

```
public struct MSLimit
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(token:limit:period:current_period:spent:)

initialize the MSLimit

```
public init(token: String, limit: UInt256, period: UInt32, current_period: UInt32,   
↳ spent: UInt256? = nil)
```

- Parameter current_period : current timeinterval in seconds (current time in s / period)

Parameters

- token: address of the token (0x00000... for eth)
- limit: max amount (in wei) to spend within the defined period
- period: timeinterval in seconds for which this limit applies
- spent: start value for already spent assets

token

address of the token (0x00000... for eth)

```
public var token: String
```

limit

max amount (in wei) to spend within the defined period

```
public var limit: UInt256
```

period

timeinterval in seconds for which this limit applies

```
public var period: UInt32
```

current_period

current timeinterval in seconds (current time in s / period)

```
public var current_period: UInt32
```

spent

start value for already spent assets

```
public var spent: UInt256?
```

16.2.84 MsDef

the wallet-configuration

```
public struct MsDef
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(type:address:threshold:signer:owners:creator:saltarg:codehash:musig_pub_keys:sync_key:domain_sep:safetype)

initialize the MsDef

```
public init(type: String? = nil, address: String? = nil, threshold: Int? = nil,
↳ signer: String? = nil, owners: [MsOwner]? = nil, creator: String? = nil, saltarg:
↳ String? = nil, codehash: String? = nil, musig_pub_keys: String? = nil, sync_key:
↳ String? = nil, domain_sep: String? = nil, safetype: String? = nil, rpc_url: String?
↳ = nil, rest_url: String? = nil, cosign_url: String? = nil, master_copy: String? =
↳ nil, master_copy_custody: String? = nil, custody: String? = nil, create_module:
↳ String? = nil, allowed_targets: [String]? = nil, limits: [MSLimit]? = nil)
```

- Parameter musig_pub_keys : the 64 bytes combination of the users and the remote signers public key - only needed for a l2-wallet using create2
- Parameter sync_key : sync_key the seed for the user key which will be used to create the combined signature - only needed for a l2-wallet using create2
- Parameter domain_sep : a optional unique domain_seperator, which is used to create contract signatures- only needed for a l1-wallet using contract signatures
- Parameter rpc_url : the url of the zksync operator (JSON-RPC-Interface) - only needed for l2-wallets
- Parameter rest_url : the url of the zksync operator (REST API) - only needed for l2-wallets for history
- Parameter cosign_url : the url of the approver service (JSON-RPC-Interface) - only needed for l2-wallets
- Parameter master_copy : address of the master_copy of the wallet
- Parameter master_copy_custody : address of the master_copy of the custody-module
- Parameter create_module : address of the AddAndCreateModule contract
- Parameter allowed_targets : target addresses which are allowed to send transactions to without reaching the threshold

Parameters

- type: the type, which can be a combination of l1, l2 or c
- address: the address of the wallet
- threshold: the minimal number of signatures needed for the multisig to approve a transaction. It must be at least one and less or equal to the number of owners.
- signer: the public key of the zksync signer
- owners: the owners of multisig
- creator: the creator address - only needed for a l2-wallet using create2
- saltarg: the hash of the init tx - only needed for a l2-wallet using create2
- codehash: the hash of the contract deploy tx - only needed for a l2-wallet using create2
- safetype: The Name of the MultiSig Contract - only needed for a l1-wallets to find out which safe we are working with.

- custody: address of the custody-module
- limits: limits for sending tokens without reaching the threshold

type

the type, which can be a combination of l1, l2 or c

```
public var type: String?
```

address

the address of the wallet

```
public var address: String?
```

threshold

the minimal number of signatures needed for the multisig to approve a transaction. It must be at least one and less or equal to the number of owners.

```
public var threshold: Int?
```

signer

the public key of the zksync signer

```
public var signer: String?
```

owners

the owners of multisig

```
public var owners: [MsOwner]?
```

creator

the creator address - only needed for a l2-wallet using create2

```
public var creator: String?
```

saltarg

the hash of the init tx - only needed for a l2-wallet using create2

```
public var saltarg: String?
```

codehash

the hash of the contract deploy tx - only needed for a l2-wallet using create2

```
public var codehash: String?
```

musig_pub_keys

the 64 bytes combination of the users and the remote signers public key - only needed for a l2-wallet using create2

```
public var musig_pub_keys: String?
```

sync_key

sync_key the seed for the user key which will be used to create the combined signature - only needed for a l2-wallet using create2

```
public var sync_key: String?
```

domain_sep

a optional unique domain_seperator, which is used to create contract signatures- only needed for a l1-wallet using contract signatures

```
public var domain_sep: String?
```

safetype

The Name of the MultiSig Contract - only needed for a l1-wallets to find out which safe we are working with.

```
public var safetype: String?
```

rpc_url

the url of the zksync operator (JSON-RPC-Interface) - only needed for l2-wallets

```
public var rpc_url: String?
```

rest_url

the url of the zksync operator (REST API) - only needed for l2-wallets for history

```
public var rest_url: String?
```

cosign_url

the url of the approver service (JSON-RPC-Interface) - only needed for I2-wallets

```
public var cosign_url: String?
```

master_copy

address of the master_copy of the wallet

```
public var master_copy: String?
```

master_copy_custody

address of the master_copy of the custody-module

```
public var master_copy_custody: String?
```

custody

address of the custody-module

```
public var custody: String?
```

create_module

address of the AddAndCreateModule contract

```
public var create_module: String?
```

allowed_targets

target addresses which are allowed to send transactions to without reaching the threshold

```
public var allowed_targets: [String]?
```

limits

limits for sending tokens without reaching the threshold

```
public var limits: [MSLimit]?
```

16.2.85 MsOwner

the owners of multisig

```
public struct MsOwner
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(roles:address:)

initialize the MsOwner

```
public init(roles: Int, address: String)
```

Parameters

- roles: the bitmask representing the combined roles.
- address: address of the owner

roles

the bitmask representing the combined roles.

```
public var roles: Int
```

address

address of the owner

```
public var address: String
```

16.2.86 NodeListDefinition

the current nodelist

```
public struct NodeListDefinition
```

init(nodes:contract:registryId:lastBlockNumber:totalServer:)

initialize the NodeListDefinition

```
public init(nodes: [IN3Node], contract: String, registryId: String, lastBlockNumber: ↳
↳ UInt64, totalServer: UInt64)
```

Parameters

- nodes: a array of node definitions.
- contract: the address of the Incubed-storage-contract. The client may use this information to verify that we are talking about the same contract or throw an exception otherwise.
- registryId: the registryId (32 bytes) of the contract, which is there to verify the correct contract.
- lastBlockNumber: the blockNumber of the last change of the list (usually the last event).
- totalServer: the total numbers of nodes.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(nodes:contract:registryId:lastBlockNumber:totalServer:)

initialize the NodeListDefinition

```
public init(nodes: [IN3Node], contract: String, registryId: String, lastBlockNumber: UInt64, totalServer: UInt64)
```

Parameters

- nodes: a array of node definitions.
- contract: the address of the Incubed-storage-contract. The client may use this information to verify that we are talking about the same contract or throw an exception otherwise.
- registryId: the registryId (32 bytes) of the contract, which is there to verify the correct contract.
- lastBlockNumber: the blockNumber of the last change of the list (usually the last event).
- totalServer: the total numbers of nodes.

nodes

a array of node definitions.

```
public var nodes: [IN3Node]
```

contract

the address of the Incubed-storage-contract. The client may use this information to verify that we are talking about the same contract or throw an exception otherwise.

```
public var contract: String
```

registryId

the registryId (32 bytes) of the contract, which is there to verify the correct contract.

```
public var registryId: String
```

lastBlockNumber

the blockNumber of the last change of the list (usually the last event).

```
public var lastBlockNumber: UInt64
```

totalServer

the total numbers of nodes.

```
public var totalServer: UInt64
```

nodes

a array of node definitions.

```
public var nodes: [IN3Node]
```

contract

the address of the Incubed-storage-contract. The client may use this information to verify that we are talking about the same contract or throw an exception otherwise.

```
public var contract: String
```

registryId

the registryId (32 bytes) of the contract, which is there to verify the correct contract.

```
public var registryId: String
```

lastBlockNumber

the blockNumber of the last change of the list (usually the last event).

```
public var lastBlockNumber: UInt64
```

totalServer

the total numbers of nodes.


```
public var totalServer: UInt64
```

16.2.87 RPCError

Error of a RPC-Request

```
public struct RPCError
```

init(_:description:)

initializer

```
public init(_ kind: Kind, description: String? = nil)
```

init(_:description:)

initializer

```
public init(_ kind: Kind, description: String? = nil)
```

kind

the error-type

```
public let kind: Kind
```

description

the error description

```
public let description: String?
```

kind

the error-type

```
public let kind: Kind
```

description

the error description

```
public let description: String?
```

16.2.88 SignResult

the signature

```
public struct SignResult
```

init(message:messageHash:signature:r:s:v:)

initialize the SignResult

```
public init(message: String, messageHash: String, signature: String, r: String, s: String, v: UInt32)
```

Parameters

- message: original message used
- messageHash: the hash the signature is based on
- signature: the signature (65 bytes)
- r: the x-value of the EC-Point
- s: the y-value of the EC-Point
- v: the recovery value (0|1) + 27

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(message:messageHash:signature:r:s:v:)

initialize the SignResult

```
public init(message: String, messageHash: String, signature: String, r: String, s: String, v: UInt32)
```

Parameters

- message: original message used
- messageHash: the hash the signature is based on
- signature: the signature (65 bytes)
- r: the x-value of the EC-Point
- s: the y-value of the EC-Point
- v: the recovery value (0|1) + 27

message

original message used

```
public var message: String
```

messageHash

the hash the signature is based on

```
public var messageHash: String
```

signature

the signature (65 bytes)

```
public var signature: String
```

r

the x-value of the EC-Point

```
public var r: String
```

s

the y-value of the EC-Point

```
public var s: String
```

v

the recovery value (0|1) + 27

```
public var v: UInt32
```

message

original message used

```
public var message: String
```

messageHash

the hash the signature is based on

```
public var messageHash: String
```

signature

the signature (65 bytes)

```
public var signature: String
```

r

the x-value of the EC-Point

```
public var r: String
```

s

the y-value of the EC-Point

```
public var s: String
```

v

the recovery value (0|1) + 27

```
public var v: UInt32
```

16.2.89 TxData

the description of the transaction. As minimum only the inputs are needed. But in order to sign with multiple parties the definition can be passed to combined multiple signatures

```
public struct TxData
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(state:input:pre_unsigned:ms:unsigned:unsigned_2fa:signed:signed_2fa:transactionHash:receipt:)

initialize the TxData

```
public init(state: String? = nil, input: TxInput, pre_unsigned: String? = nil, ms:   
↳TxMultisigState? = nil, unsigned: String? = nil, unsigned_2fa: String? = nil,   
↳signed: String? = nil, signed_2fa: String? = nil, transactionHash: String? = nil,   
↳receipt: TxReceipt? = nil)
```

- Parameter `pre_unsigned` : the raw unsigned tx after applying the transformations, but before chaing the data for the wallet
- Parameter `unsigned_2fa` : message-data in a human readable form, which is usually also signed. This is available only for `zksync` and if the the signing mode is not `create2`.
- Parameter `signed_2fa` : the signed 2fa message. (if available)

Parameters

- `state`: the state of the transaction, which can be `prepared`, `signed`, `sent` and `receipt`.
- `input`: the input-data of a transaction
- `ms`: the state of the multisig signatures
- `unsigned`: the unsigned raw transaction
- `signed`: the signed raw transaction. The hash of those bytes must match the `transactionHash` on chain. This will be created once the signer has signed the tx.
- `transactionHash`: hash of the signed transaction. This property will only be added if the transaction has been sent.
- `receipt`: transaction receipt containing the success-flag and all events

state

the state of the transaction, which can be `prepared`, `signed`, `sent` and `receipt`.

```
public var state: String?
```

input

the input-data of a transaction

```
public var input: TxInput
```

pre_unsigned

the raw unsigned tx after applying the transformations, but before chaing the data for the wallet

```
public var pre_unsigned: String?
```

ms

the state of the multisig signatures

```
public var ms: TxMultisigState?
```

unsigned

the unsigned raw transaction

```
public var unsigned: String?
```

unsigned_2fa

message-data in a human readable form, which is usually also signed. This is available only for zksync and if the the signing mode is not create2.

```
public var unsigned_2fa: String?
```

signed

the signed raw transaction. The hash of those bytes must match the transactionHash on chain. This will be created once the signer has signed the tx.

```
public var signed: String?
```

signed_2fa

the signed 2fa message. (if available)

```
public var signed_2fa: String?
```

transactionHash

hash of the signed transaction. This property will only be added if the transaction has been sent.

```
public var transactionHash: String?
```

receipt

transaction receipt containing the success-flag and all events

```
public var receipt: TxReceipt?
```

16.2.90 TxInput

the input-data of a transaction

```
public struct TxInput
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(to:from:wallet:value:gas:gasPrice:nonce:data:signatures:type:token:validFrom:validUntil:fn_sig:fn_args:delegate)

initialize the TxInput

```
public init(to: String? = nil, from: String? = nil, wallet: String? = nil, value:
↳ UInt256? = nil, gas: UInt64? = nil, gasPrice: UInt64? = nil, nonce: UInt64? = nil,
↳ data: String? = nil, signatures: String? = nil, type: String? = nil, token: String?
↳ = nil, validFrom: UInt64? = nil, validUntil: UInt64? = nil, fn_sig: String? = nil,
↳ fn_args: [AnyObject]? = nil, delegate: Bool? = nil, layer: String? = nil, url:
↳ String? = nil)
```

- Parameter fn_sig : the signature of a function to call. together with the fn_args the abi-encoder will create the data for the transaction to call this function.
- Parameter fn_args : array of arguments to be abiencoded, which must match the fn_sig

Parameters

- to: receipient of the transaction.
- from: sender of the address (if not sepcified, the first signer will be the sender)
- wallet: if specified, the transaction will be send through the specified wallet.
- value: value in wei to send
- gas: the gas to be send along
- gasPrice: the price in wei for one gas-unit. If not specified it will be fetched using eth_gasPrice
- nonce: the current nonce of the sender. If not specified it will be fetched using eth_getTransactionCount
- data: the data-section of the transaction
- signatures: additional signatures which should be used when sending through a multisig
- type: the transaction-type, which is currently only used for I2. Here you can use Transfer (default) to transfer token from I2 to I2 or Withdraw to transfer from I2 to I1
- token: the name or address of a ERC20 token to be used. If this is set, the wallet will call the ERC20-transfer instead.
- validFrom: the unix timestamp in seconds in which this transaction becomes valid. (default 0) currently only available for I2-wallets.
- validUntil: the max unix timestamp in seconds in until this transaction becomes valid. (default 0xffffffff) currently only available for I2-wallets.
- delegate: if true the transaction will be handled (if supported) as a delegate call.
- layer: the layer for execution. Currently only I1 or I2 are supported.
- url: a url specifying the tx based on EIP-681. Example: ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/transfer?addr

to

recipient of the transaction.

```
public var to: String?
```

from

sender of the address (if not specified, the first signer will be the sender)

```
public var from: String?
```

wallet

if specified, the transaction will be send through the specified wallet.

```
public var wallet: String?
```

value

value in wei to send

```
public var value: UInt256?
```

gas

the gas to be send along

```
public var gas: UInt64?
```

gasPrice

the price in wei for one gas-unit. If not specified it will be fetched using `eth_gasPrice`

```
public var gasPrice: UInt64?
```

nonce

the current nonce of the sender. If not specified it will be fetched using `eth_getTransactionCount`

```
public var nonce: UInt64?
```

data

the data-section of the transaction

```
public var data: String?
```


signatures

additional signatures which should be used when sending through a multisig

```
public var signatures: String?
```

type

the transaction-type, which is currently only used for I2. Here you can use `Transfer` (default) to transfer token from I2 to I2 or `Withdraw` to transfer from I2 to I1

```
public var type: String?
```

token

the name or address of a ERC20 token to be used. If this is set, the wallet will call the ERC20-transfer instead.

```
public var token: String?
```

validFrom

the unix timestamp in seconds in which this transaction becomes valid. (default 0) currently only available for I2-wallets.

```
public var validFrom: UInt64?
```

validUntil

the max unix timestamp in seconds in until this transaction becomes valid. (default 0xffffffff) currently only available for I2-wallets.

```
public var validUntil: UInt64?
```

fn_sig

the signature of a function to call. together with the `fn_args` the abi-encoder will create the data for the transaction to call this function.

```
public var fn_sig: String?
```

fn_args

array of arguments to be abiencoded, which must match the `fn_sig`

```
public var fn_args: [AnyObject]?
```

delegate

if true the transaction will be handled (if supported) as a delegate call.

```
public var delegate: Bool?
```

layer

the layer for execution. Currently only 11 or 12 are supported.

```
public var layer: String?
```

url

a url specifying the tx based on EIP-681. Example: ethereum:0x89205a3a3b2a69de6dbf7f01ed13b2108b2c43e7/transfer?address=0x8e2

```
public var url: String?
```

16.2.91 TxMultisigOwnerSignature

the collected signatures

```
public struct TxMultisigOwnerSignature
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(owner:roles:signature:)

initialize the TxMultisigOwnerSignature

```
public init(owner: String, roles: Int, signature: String)
```

Parameters

- owner: the address of the owner
- roles: the combined bitmask of the owner-roles (1 - Challenger, 2 - Initiator, 4 - Approver)
- signature: the signature for the transactionhash

owner

the address of the owner

```
public var owner: String
```

roles

the combined bitmask of the owner-roles (1 - Challenger, 2 - Initiator, 4 - Approver)

```
public var roles: Int
```

signature

the signature for the transactionhash

```
public var signature: String
```

16.2.92 TxMultisigState

the state of the multisig signatures

```
public struct TxMultisigState
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(wallet:tx_hash:nonce:threshold:sign_count:signatures:missing:allSignatures:tx_data:tx_to:tx_gas:)

initialize the TxMultisigState

```
public init(wallet: String, tx_hash: String, nonce: UInt64? = nil, threshold: Int,
↳ sign_count: Int, signatures: [TxMultisigOwnerSignature], missing: [String],
↳ allSignatures: String, tx_data: String? = nil, tx_to: String? = nil, tx_gas: UInt64?
↳ = nil)
```

- Parameter tx_hash : the Safe Transaction Hash, which must be signed by the owners
- Parameter sign_count : the numbers of signatures available
- Parameter tx_data : the data which need to be send to the contract. Using this anybody, like a gas relay can send the transaction. Thoses data also contain all the signatures.(only for l1-wallet)
- Parameter tx_to : the receipt of the tx, which is the wallet (only for l1-wallet)

- Parameter `tx_gas` : the calculated amount of gas needed to send to the wallet contract in order to execute the tx (only for l1-wallet)

Parameters

- `wallet`: the address of the wallet used
- `nonce`: the nonce of the wallet as taken from the contract (only for l1-wallet)
- `threshold`: the threshold of the multisig
- `signatures`: the collected signatures
- `missing`: list of potential signing owners which could help to reach the threshold
- `allSignatures`: the combined and ordered signatures as required by the contracts. Here the Initiator will always come first, other in alphabetical order

wallet

the address of the wallet used

```
public var wallet: String
```

tx_hash

the Safe Transaction Hash, which must be signed by the owners

```
public var tx_hash: String
```

nonce

the nonce of the wallet as taken from the contract (only for l1-wallet)

```
public var nonce: UInt64?
```

threshold

the threshold of the multisig

```
public var threshold: Int
```

sign_count

the numbers of signatures available

```
public var sign_count: Int
```

signatures

the collected signatures

```
public var signatures: [TxMultisigOwnerSignature]
```

missing

list of potential signing owners which could help to reach the threshold

```
public var missing: [String]
```

allSignatures

the combined and ordered signatures as required by the contracts. Here the Initiator will always come first, other in alphabetical order

```
public var allSignatures: String
```

tx_data

the data which need to be send to the contract. Using this anybody, like a gas relay can send the transaction. Thoses data also contain all the signatures.(only for I1-wallet)

```
public var tx_data: String?
```

tx_to

the receipt of the tx, which is the wallet (only for I1-wallet)

```
public var tx_to: String?
```

tx_gas

the calculated amount of gas needed to send to the wallet contract in order to execute the tx (only for I1-wallet)

```
public var tx_gas: UInt64?
```

16.2.93 TxReceipt

transaction receipt containing the success-flag and all events

```
public struct TxReceipt
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(blockNumber:blockHash:contractAddress:cumulativeGasUsed:gasUsed:logs:logsBloom:status:transactionHash:transactionIndex:error:committed:verified:)

initialize the TxReceipt

```
public init(blockNumber: UInt64, blockHash: String? = nil, contractAddress: String? = nil, cumulativeGasUsed: UInt64? = nil, gasUsed: UInt64, logs: [Ethlog]? = nil, logsBloom: String? = nil, status: Int, transactionHash: String? = nil, transactionIndex: Int? = nil, error: String? = nil, committed: Bool? = nil, verified: Bool? = nil)
```

Parameters

- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- contractAddress: the deployed contract in case the tx did deploy a new contract
- cumulativeGasUsed: gas used for all transaction up to this one in the block
- gasUsed: gas used by this transaction.
- logs: array of events created during execution of the tx
- logsBloom: bloomfilter used to detect events for eth_getLogs
- status: error-status of the tx. 0x1 = success 0x0 = failure
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- error: the error-message in case it failed.
- committed: true if the transaction was committed and accepted by the zksync-operator
- verified: true if the transaction was included in a block in layer 1

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String?
```

contractAddress

the deployed contract in case the tx did deploy a new contract

```
public var contractAddress: String?
```

cumulativeGasUsed

gas used for all transaction up to this one in the block

```
public var cumulativeGasUsed: UInt64?
```

gasUsed

gas used by this transaction.

```
public var gasUsed: UInt64
```

logs

array of events created during execution of the tx

```
public var logs: [Ethlog]?
```

logsBloom

bloomfilter used to detect events for eth_getLogs

```
public var logsBloom: String?
```

status

error-status of the tx. 0x1 = success 0x0 = failure

```
public var status: Int
```

transactionHash

requested transactionHash

```
public var transactionHash: String?
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int?
```

error

the error-message in case it failed.

```
public var error: String?
```

committed

true if the transaction was committed and accepted by the zksync-operator

```
public var committed: Bool?
```

verified

true if the transaction was included in a block in layer 1

```
public var verified: Bool?
```

16.2.94 User

The stored user information

```
public struct User
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(signature:status:data:)

initialize the User

```
public init(signature: VaultSignature, status: String, data: String)
```

Parameters

- signature: signature for policy content
- status: a enum for status of sending token as sent, error, alreadyVerified or invalidTarget
- data: json formatted data about user

signature

signature for policy content

```
public var signature: VaultSignature
```

status

a enum for status of sending token as sent, error, alreadyVerified or invalidTarget

```
public var status: String
```

data

json formatted data about user

```
public var data: String
```

16.2.95 UserDevices

Device listing result

```
public struct UserDevices
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(signature:status:data:)

initialize the UserDevices

```
public init(signature: VaultSignature, status: String, data: DeviceList)
```

Parameters

- signature: signature for policy content
- status: a enum for status of sending token as sent, error or invalidTarget
- data: json formatted list of user registered devices

signature

signature for policy content

```
public var signature: VaultSignature
```

status

a enum for status of sending token as sent, error or invalidTarget

```
public var status: String
```

data

json formatted list of user registered devices

```
public var data: DeviceList
```

16.2.96 VaultSignature

signature for policy content

```
public struct VaultSignature
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(timestamp:value:)

initialize the VaultSignature

```
public init(timestamp: String, value: String)
```

Parameters

- timestamp: ISO8601 UTC DateTime - the signature has been created at
- value: the signature value

timestamp

ISO8601 UTC DateTime - the signature has been created at

```
public var timestamp: String
```

value

the signature value

```
public var value: String
```

16.2.97 WalletTx

a array with all events since the creation of the wallet.

```
public struct WalletTx
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(tx_hash:block:timestamp:layer:events:)

initialize the WalletTx

```
public init(tx_hash: String? = nil, block: UInt64? = nil, timestamp: UInt64, layer: String, events: [WalletTxEvent])
```

- Parameter tx_hash : the transactionhash of transaction creating those events

Parameters

- block: the blocknumber of transaction creating those events
- timestamp: the unix timestamp in seconds of the event
- layer: a identifier for a layer. for l1 this would by eth-<CHAIN_ID> for zksync : 'zk-<CHAIN_ID>
- events: a list of events happend within the tx

tx_hash

the transactionhash of transaction creating those events

```
public var tx_hash: String?
```

block

the blocknumber of transaction creating those events

```
public var block: UInt64?
```

timestamp

the unix timestamp in seconds of the event

```
public var timestamp: UInt64
```

layer

a identifier for a layer. for 11 this would by eth-<CHAIN_ID> for zksync : 'zk-<CHAIN_ID>

```
public var layer: String
```

events

a list of events happend within the tx

```
public var events: [WalletTxEvent]
```

16.2.98 WalletTxEvent

a list of events happend within the tx

```
public struct WalletTxEvent
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(log_index:type:from:to:amount:old_amount:token:tx_hash:address:challenger:new_address:interval:gas:reas

initialize the WalletTxEvent

```
public init(log_index: UInt32? = nil, type: String, from: String? = nil, to: String? =
↳ nil, amount: UInt256? = nil, old_amount: UInt256? = nil, token: String? = nil, tx_
↳ hash: String? = nil, address: String? = nil, challenger: String? = nil, new_
↳ address: String? = nil, interval: UInt32? = nil, gas: UInt32? = nil, reason: String?
↳ = nil)
```

- Parameter `log_index` : the index of the event within a block
- Parameter `old_amount` : the previously set amount.
- Parameter `tx_hash` : the `tx_hash` within the wallet
- Parameter `new_address` : the new address to set.

Parameters

- `type`: the Name of the type. Must be one of `Transfer`, `Approval`, `ApproveHash`, `SignMsg`, `EnabledModule`, `DisabledModule`, `ExecutionFromModuleSuccess`, `ExecutionFromModuleFailure`, `AddedOwner`, `RemovedOwner`, `AddedRoles`, `RemovedRoles`, `RemovedOwnerDuringChallenge`, `ExecutionFailure`, `ExecutionSuccess`, `ChangedMasterCopy`, `AddedToAllowList`, `RemovedFromAllowList`, `ChallengeInitiated`, `ChallengeJoined`, `HeartbeatSuccessful`, `HeartbeatFailed`, `TransactionUnderLimitExecuted`, `LimitChanged`, `LimitAdded` or `ProxyCreation`
- `from`: the source of a transfer. only valid for `Transfer` or `Approval-Events`
- `to`: the recipient of a transfer. only valid for `Transfer` or `Approval-Events`
- `amount`: the amount of a transfer or other wallet configurations.
- `token`: the token-address or `0x0000...` if eth.
- `address`: the used address of the argument or module. (Does not have to be the source of the event)
- `challenger`: the used address of the challenger.
- `interval`: the interval to set
- `gas`: gas used for relay
- `reason`: reason for a failed tx

`log_index`

the index of the event within a block

```
public var log_index: UInt32?
```

`type`

the Name of the type. Must be one of `Transfer`, `Approval`, `ApproveHash`, `SignMsg`, `EnabledModule`, `DisabledModule`, `ExecutionFromModuleSuccess`, `ExecutionFromModuleFailure`, `AddedOwner`, `RemovedOwner`, `AddedRoles`, `RemovedRoles`, `RemovedOwnerDuringChallenge`, `ExecutionFailure`, `ExecutionSuccess`, `ChangedMasterCopy`, `AddedToAllowList`, `RemovedFromAllowList`, `ChallengeInitiated`, `ChallengeJoined`, `HeartbeatSuccessful`, `HeartbeatFailed`, `TransactionUnderLimitExecuted`, `LimitChanged`, `LimitAdded` or `ProxyCreation`

```
public var type: String
```

`from`

the source of a transfer. only valid for `Transfer` or `Approval-Events`

```
public var from: String?
```

to

the recipient of a transfer. only valid for Transfer or Approval-Events

```
public var to: String?
```

amount

the amount of a transfer or other wallet configurations.

```
public var amount: UInt256?
```

old_amount

the previously set amount.

```
public var old_amount: UInt256?
```

token

the token-address or 0x0000... if eth.

```
public var token: String?
```

tx_hash

the tx_hash within the wallet

```
public var tx_hash: String?
```

address

the used address of the argument or module. (Does not have to be the source of the event)

```
public var address: String?
```

challenger

the used address of the challenger.

```
public var challenger: String?
```

new_address

the new address to set.

```
public var new_address: String?
```

interval

the interval to set

```
public var interval: UInt32?
```

gas

gas used for relay

```
public var gas: UInt32?
```

reason

reason for a failed tx

```
public var reason: String?
```

16.2.99 WalletUpdate

the wallet-definition with the deployed address.

```
public struct WalletUpdate
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(wallet:tx:account:deploy_tx:create2:musig_pub_keys:musig_urls:)

initialize the WalletUpdate

```
public init(wallet: MsDef, tx: TxData? = nil, account: String? = nil, deploy_tx:
↳ ZkWalletDeployTx? = nil, create2: ZkWalletCreate2? = nil, musig_pub_keys: String? =
↳ nil, musig_urls: [String?]? = nil)
```

- Parameter deploy_tx : the transaction which the user would need to deploy in order to create the wallet in Layer 1. The transaction could be send by anybody as long as it contains those data.

- Parameter `musig_pub_keys` : the public keys of all the signer of the zksync musig key. This would be the user key first and then the approver-key.
- Parameter `musig_urls` : the list of urls to be used to get the signature to create a schnorr musig signature.

Parameters

- `wallet`: the current wallet - definition
- `tx`: the transaction for making the changes. If null then no changes were needed.
- `account`: the address of the wallet
- `create2`: the create-arguments you need to configure your wallet for zksync.

wallet

the current wallet - definition

```
public var wallet: MsDef
```

tx

the transaction for making the changes. If null then no changes were needed.

```
public var tx: TxData?
```

account

the address of the wallet

```
public var account: String?
```

deploy_tx

the transaction which the user would need to deploy in order to create the wallet in Layer 1. The transaction could be send by anybody as long as it contains those data.

```
public var deploy_tx: ZkWalletDeployTx?
```

create2

the create-arguments you need to configure your wallet for zksync.

```
public var create2: ZkWalletCreate2?
```

musig_pub_keys

the public keys of all the signer of the zksync musig key. This would be the user key first and then the approver-key.

```
public var musig_pub_keys: String?
```


musig_urls

the list of urls to be used to get the signature to create a schnorr musig signature.

```
public var musig_urls: [String?]?
```

16.2.100 ZkHistory

the data and state of the requested tx.

```
public struct ZkHistory
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(tx_id:hash:eth_block:pq_id:success:fail_reason:committed:verified:created_at:tx:)

initialize the ZkHistory

```
public init(tx_id: String, hash: String, eth_block: UInt64? = nil, pq_id: UInt64? =
↳ nil, success: Bool? = nil, fail_reason: String? = nil, committed: Bool, verified:
↳ Bool, created_at: String, tx: ZkTxHistoryInput)
```

- Parameter tx_id : the transaction id based on the block-number and the index
- Parameter eth_block : the blockNumber of a priority-operation like Deposit otherwise this is null
- Parameter pq_id : the priority-operation id (for tx like Deposit) otherwise this is null
- Parameter fail_reason : the error message if failed, otherwise null
- Parameter created_at : UTC-Time when the transaction was created

Parameters

- hash: the transaction hash
- success: the result of the operation
- committed: true if the tx was received and verified by the zksync-server
- verified: true if the tx was received and verified by the zksync-server
- tx: the transaction data

tx_id

the transaction id based on the block-number and the index

```
public var tx_id: String
```

hash

the transaction hash

```
public var hash: String
```

eth_block

the blockNumber of a priority-operation like `Deposit` otherwise this is null

```
public var eth_block: UInt64?
```

pq_id

the priority-operation id (for tx like `Deposit`) otherwise this is null

```
public var pq_id: UInt64?
```

success

the result of the operation

```
public var success: Bool?
```

fail_reason

the error message if failed, otherwise null

```
public var fail_reason: String?
```

committed

true if the tx was received and verified by the zksync-server

```
public var committed: Bool
```

verified

true if the tx was received and verified by the zksync-server

```
public var verified: Bool
```

created_at

UTC-Time when the transaction was created

```
public var created_at: String
```

tx

the transaction data

```
public var tx: ZkTxHistoryInput
```

16.2.101 ZkReceipt

the transactionReceipt. use zksync_tx_info to check the progress.

```
public struct ZkReceipt
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(type:accountId:from:to:token:amount:fee:nonce:txHash:tokenId:validFrom:validUntil:)

initialize the ZkReceipt

```
public init(type: String, accountId: UInt64, from: String, to: String, token: UInt64,
↳ amount: UInt256, fee: UInt256, nonce: UInt64, txHash: String, tokenId: UInt64,
↳ validFrom: UInt64, validUntil: UInt64)
```

Parameters

- type: the Transaction-Type (Withdraw or Transfer)
- accountId: the id of the sender account
- from: the address of the sender
- to: the address of the receipient
- token: the id of the token used
- amount: the amount sent
- fee: the fees paid
- nonce: the fees paid
- txHash: the transactionHash, which can be used to track the tx
- tokenId: the token id

- validFrom: valid from
- validUntil: valid until

type

the Transaction-Type (Withdraw or Transfer)

```
public var type: String
```

accountId

the id of the sender account

```
public var accountId: UInt64
```

from

the address of the sender

```
public var from: String
```

to

the address of the receipient

```
public var to: String
```

token

the id of the token used

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fees paid

```
public var fee: UInt256
```

nonce

the fees paid

```
public var nonce: UInt64
```

txHash

the transactionHash, which can be used to track the tx

```
public var txHash: String
```

tokenId

the token id

```
public var tokenId: UInt64
```

validFrom

valid from

```
public var validFrom: UInt64
```

validUntil

valid until

```
public var validUntil: UInt64
```

16.2.102 ZkSyncAccountInfo

the current state of the requested account.

```
public struct ZkSyncAccountInfo
```

init(address:committed:depositing:id:verified:)

initialize the ZkSyncAccountInfo

```
public init(address: String, committed: ZkSyncAccountState, depositing: ↪  
↪ ZkSyncAccountInfoDepositing, id: UInt64? = nil, verified: ZkSyncAccountState)
```

Parameters

- address: the address of the account
- committed: the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet.

- depositing: the state of all depositing-tx.
- id: the assigned id of the account, which will be used when encoding it into the rollup.
- verified: the state after the rollup was verified in L1.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(address:committed:depositing:id:verified:)

initialize the ZkSyncAccountInfo

```
public init(address: String, committed: ZkSyncAccountState, depositing: ↳  
↳ ZkSyncAccountInfoDepositing, id: UInt64? = nil, verified: ZkSyncAccountState)
```

Parameters

- address: the address of the account
- committed: the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet.
- depositing: the state of all depositing-tx.
- id: the assigned id of the account, which will be used when encoding it into the rollup.
- verified: the state after the rollup was verified in L1.

address

the address of the account

```
public var address: String
```

committed

the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet.

```
public var committed: ZkSyncAccountState
```

depositing

the state of all depositing-tx.

```
public var depositing: ZkSyncAccountInfoDepositing
```

id

the assigned id of the account, which will be used when encoding it into the rollup.

```
public var id: UInt64?
```

verified

the state after the rollup was verified in L1.

```
public var verified: ZkSyncAccountState
```

address

the address of the account

```
public var address: String
```

committed

the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet.

```
public var committed: ZkSyncAccountState
```

depositing

the state of all depositing-tx.

```
public var depositing: ZkSyncAccountInfoDepositing
```

id

the assigned id of the account, which will be used when encoding it into the rollup.

```
public var id: UInt64?
```

verified

the state after the rollup was verified in L1.

```
public var verified: ZkSyncAccountState
```

16.2.103 ZkSyncAccountInfoDepositing

the state of all depositing-tx.

```
public struct ZkSyncAccountInfoDepositing
```

init(balances:)

initialize the ZkSyncAccountInfoDepositing

```
public init(balances: [String:UInt256])
```

Parameters

- balances: the token-values.

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(balances:)

initialize the ZkSyncAccountInfoDepositing

```
public init(balances: [String:UInt256])
```

Parameters

- balances: the token-values.

balances

the token-values.

```
public var balances: [String:UInt256]
```

balances

the token-values.

```
public var balances: [String:UInt256]
```

16.2.104 ZkSyncAccountState

the state of the zksync operator after executing transactions successfully, but not not verified on L1 yet.

```
public struct ZkSyncAccountState
```


init(balances:nonce:pubKeyHash:mintedNfts:nfts:)

initialize the ZkSyncAccountState

```
public init(balances: [String:UInt256], nonce: UInt64, pubKeyHash: String,
↳mintedNfts: [String:UInt256], nfts: [String:UInt256])
```

Parameters

- balances: the token-balance
- nonce: the nonce or transaction count.
- pubKeyHash: the pubKeyHash set for the requested account or 0x0000 . . . if not set yet.
- mintedNfts: the minted NFTs
- nfts: the minted NFTs

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(balances:nonce:pubKeyHash:mintedNfts:nfts:)

initialize the ZkSyncAccountState

```
public init(balances: [String:UInt256], nonce: UInt64, pubKeyHash: String,
↳mintedNfts: [String:UInt256], nfts: [String:UInt256])
```

Parameters

- balances: the token-balance
- nonce: the nonce or transaction count.
- pubKeyHash: the pubKeyHash set for the requested account or 0x0000 . . . if not set yet.
- mintedNfts: the minted NFTs
- nfts: the minted NFTs

balances

the token-balance

```
public var balances: [String:UInt256]
```

nonce

the nonce or transaction count.

```
public var nonce: UInt64
```

pubKeyHash

the pubKeyHash set for the requested account or 0x0000 . . . if not set yet.

```
public var pubKeyHash: String
```

mintedNfts

the minted NFTs

```
public var mintedNfts: [String:UInt256]
```

nfts

the minted NFTs

```
public var nfts: [String:UInt256]
```

balances

the token-balance

```
public var balances: [String:UInt256]
```

nonce

the nonce or transaction count.

```
public var nonce: UInt64
```

pubKeyHash

the pubKeyHash set for the requested account or 0x0000 . . . if not set yet.

```
public var pubKeyHash: String
```

mintedNfts

the minted NFTs

```
public var mintedNfts: [String:UInt256]
```

nfts

the minted NFTs

```
public var nfts: [String:UInt256]
```

16.2.105 ZkSyncContractDefinition

fetches the contract addresses from the zksync server. This request also caches them and will return the results from cache if available.

```
public struct ZkSyncContractDefinition
```

init(govContract:mainContract:)

initialize the ZkSyncContractDefinition

```
public init(govContract: String, mainContract: String)
```

Parameters

- govContract: the address of the government contract
- mainContract: the address of the main contract

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(govContract:mainContract:)

initialize the ZkSyncContractDefinition

```
public init(govContract: String, mainContract: String)
```

Parameters

- govContract: the address of the government contract
- mainContract: the address of the main contract

govContract

the address of the government contract

```
public var govContract: String
```

mainContract

the address of the main contract

```
public var mainContract: String
```

govContract

the address of the government contract

```
public var govContract: String
```

mainContract

the address of the main contract

```
public var mainContract: String
```

16.2.106 ZkSyncDepositResult

the receipt and the receiptId. You can use `zksync_ethop_info` to follow the state-changes.

```
public struct ZkSyncDepositResult
```

init(receipt:priorityOpId:)

initialize the ZkSyncDepositResult

```
public init(receipt: ZksyncEthTransactionReceipt, priorityOpId: UInt64)
```

Parameters

- receipt: the transactionreceipt
- priorityOpId: the operationId to track to progress

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(receipt:priorityOpId:)

initialize the ZkSyncDepositResult

```
public init(receipt: EthTransactionReceipt, priorityOpId: UInt64)
```

Parameters

- receipt: the transactionreceipt
- priorityOpId: the operationId to rack to progress

receipt

the transactionreceipt

```
public var receipt: ZksyncEthTransactionReceipt
```

priorityOpId

the operationId to rack to progress

```
public var priorityOpId: UInt64
```

receipt

the transactionreceipt

```
public var receipt: EthTransactionReceipt
```

priorityOpId

the operationId to rack to progress

```
public var priorityOpId: UInt64
```

16.2.107 ZkSyncEthopInfo

state of the PriorityOperation

```
public struct ZkSyncEthopInfo
```

init(block:executed:)

initialize the ZkSyncEthopInfo

```
public init(block: ZkSyncEthopInfoBlock? = nil, executed: Bool)
```

Parameters

- block: the block
- executed: if the operation was executed

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(block:executed:)

initialize the ZkSyncEthopInfo

```
public init(block: ZkSyncEthopInfoBlock? = nil, executed: Bool)
```

Parameters

- block: the block
- executed: if the operation was executed

block

the block

```
public var block: ZkSyncEthopInfoBlock?
```

executed

if the operation was executed

```
public var executed: Bool
```

block

the block

```
public var block: ZkSyncEthopInfoBlock?
```

executed

if the operation was executed

```
public var executed: Bool
```

16.2.108 ZkSyncEthopInfoBlock

the block

```
public struct ZkSyncEthopInfoBlock
```

init(committed:verified:blockNumber:)

initialize the ZkSyncEthopInfoBlock

```
public init(committed: Bool, verified: Bool, blockNumber: UInt64? = nil)
```

Parameters

- committed: state of the operation
- verified: if the operation id has been included in the rollup block
- blockNumber: the blocknumber of the block that included the operation

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(committed:verified:blockNumber:)

initialize the ZkSyncEthopInfoBlock

```
public init(committed: Bool, verified: Bool, blockNumber: UInt64? = nil)
```

Parameters

- committed: state of the operation
- verified: if the operation id has been included in the rollup block
- blockNumber: the blocknumber of the block that included the operation

committed

state of the operation

```
public var committed: Bool
```

verified

if the operation id has been included in the rollup block

```
public var verified: Bool
```

blockNumber

the blocknumber of the block that included the operation

```
public var blockNumber: UInt64?
```

committed

state of the operation

```
public var committed: Bool
```

verified

if the operation id has been included in the rollup block

```
public var verified: Bool
```

blockNumber

the blocknumber of the block that included the operation

```
public var blockNumber: UInt64?
```

16.2.109 ZkSyncFeeInfo

the fees split up into single values

```
public struct ZkSyncFeeInfo
```

init(feeType:gasFee:gasPriceWei:gasTxAmount:totalFee:zkpFee:)

initialize the ZkSyncFeeInfo

```
public init(feeType: String, gasFee: UInt64, gasPriceWei: UInt64, gasTxAmount: UInt64,  
↳ totalFee: UInt64, zkpFee: UInt64)
```

Parameters

- feeType: Type of the transaaction
- gasFee: the gas for the core-transaction
- gasPriceWei: current gasPrice
- gasTxAmount: gasTxAmount
- totalFee: total of all fees needed to pay in order to execute the transaction
- zkpFee: zkpFee

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(feeType:gasFee:gasPriceWei:gasTxAmount:totalFee:zkpFee:)

initialize the ZkSyncFeeInfo

```
public init(feeType: String, gasFee: UInt64, gasPriceWei: UInt64, gasTxAmount: UInt64,
↳ totalFee: UInt64, zkpFee: UInt64)
```

Parameters

- feeType: Type of the transaction
- gasFee: the gas for the core-transaction
- gasPriceWei: current gasPrice
- gasTxAmount: gasTxAmount
- totalFee: total of all fees needed to pay in order to execute the transaction
- zkpFee: zkpFee

feeType

Type of the transaction

```
public var feeType: String
```

gasFee

the gas for the core-transaction

```
public var gasFee: UInt64
```

gasPriceWei

current gasPrice

```
public var gasPriceWei: UInt64
```

gasTxAmount

gasTxAmount

```
public var gasTxAmount: UInt64
```

totalFee

total of all fees needed to pay in order to execute the transaction

```
public var totalFee: UInt64
```

zkpFee

zkpFee

```
public var zkpFee: UInt64
```

feeType

Type of the transaaction

```
public var feeType: String
```

gasFee

the gas for the core-transaction

```
public var gasFee: UInt64
```

gasPriceWei

current gasPrice

```
public var gasPriceWei: UInt64
```

gasTxAmount

gasTxAmount

```
public var gasTxAmount: UInt64
```

totalFee

total of all fees needed to pay in order to execute the transaction

```
public var totalFee: UInt64
```

zkpFee

zkpFee

```
public var zkpFee: UInt64
```

16.2.110 ZkSyncToken

a array of tokens-definitions. This request also caches them and will return the results from cache if available.

```
public struct ZkSyncToken
```

init(address:decimals:id:symbol:)

initialize the ZkSyncToken

```
public init(address: String, decimals: Int, id: UInt64, symbol: String)
```

Parameters

- address: the address of the ERC2-Contract or 0x00000..000 in case of the native token (eth)
- decimals: decimals to be used when formatting it for human readable representation.
- id: id which will be used when encoding the token.
- symbol: symbol for the token

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(address:decimals:id:symbol:)

initialize the ZkSyncToken

```
public init(address: String, decimals: Int, id: UInt64, symbol: String)
```

Parameters

- address: the address of the ERC2-Contract or 0x00000..000 in case of the native token (eth)
- decimals: decimals to be used when formatting it for human readable representation.
- id: id which will be used when encoding the token.
- symbol: symbol for the token

address

the address of the ERC2-Contract or 0x00000..000 in case of the native token (eth)

```
public var address: String
```

decimals

decimals to be used when forming it for human readable representation.

```
public var decimals: Int
```

id

id which will be used when encoding the token.

```
public var id: UInt64
```

symbol

symbol for the token

```
public var symbol: String
```

address

the address of the ERC2-Contract or 0x00000..000 in case of the native token (eth)

```
public var address: String
```

decimals

decimals to be used when forming it for human readable representation.

```
public var decimals: Int
```

id

id which will be used when encoding the token.

```
public var id: UInt64
```

symbol

symbol for the token

```
public var symbol: String
```

16.2.111 ZkSyncTransactionBlock

the block

```
public struct ZkSyncTransactionBlock
```

init(blockNumber:committed:verified:)

initialize the ZkSyncTransactionBlock

```
public init(blockNumber: UInt64, committed: Bool, verified: Bool)
```

Parameters

- blockNumber: the blockNumber containing the tx or null if still pending
- committed: true, if the block has been committed
- verified: true, if the block has been verified

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(blockNumber:committed:verified:)

initialize the ZkSyncTransactionBlock

```
public init(blockNumber: UInt64, committed: Bool, verified: Bool)
```

Parameters

- blockNumber: the blockNumber containing the tx or null if still pending
- committed: true, if the block has been committed
- verified: true, if the block has been verified

blockNumber

the blockNumber containing the tx or null if still pending

```
public var blockNumber: UInt64
```

committed

true, if the block has been committed

```
public var committed: Bool
```

verified

true, if the block has been verified

```
public var verified: Bool
```

blockNumber

the blockNumber containing the tx or null if still pending

```
public var blockNumber: UInt64
```

committed

true, if the block has been committed

```
public var committed: Bool
```

verified

true, if the block has been verified

```
public var verified: Bool
```

16.2.112 ZkSyncTxData

the data and state of the requested tx.

```
public struct ZkSyncTxData
```

init(block_number:tx_type:from:to:token:amount:fee:nonce:created_at:tx:fail_reason:)

initialize the ZkSyncTxData

```
public init(block_number: UInt64? = nil, tx_type: String, from: String, to: String,
↳ token: UInt64, amount: UInt256, fee: UInt256, nonce: UInt64, created_at: String,
↳ tx: ZksyncZkTx, fail_reason: String? = nil)
```

- Parameter block_number : the blockNumber containing the tx or null if still pending
- Parameter tx_type : Type of the transaction. Transfer, ChangePubKey or Withdraw
- Parameter created_at : the timestamp as UTC

- Parameter fail_reason : the fail reason

Parameters

- from: The sender of the address
- to: The recipient of the address
- token: The token id
- amount: the amount sent
- fee: the fee payed
- nonce: the nonce of the account
- tx: the tx input data

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(block_number:tx_type:from:to:token:amount:fee:nonce:created_at:tx:fail_reason:)

initialize the ZkSyncTxData

```
public init(block_number: UInt64? = nil, tx_type: String, from: String, to: String,
↳ token: UInt64, amount: UInt256, fee: UInt256, nonce: UInt64, created_at: String,
↳ tx: ZkTx, fail_reason: String? = nil)
```

- Parameter block_number : the blockNumber containing the tx or null if still pending
- Parameter tx_type : Type of the transaction. Transfer, ChangePubKey or Withdraw
- Parameter created_at : the timestamp as UTC
- Parameter fail_reason : the fail reason

Parameters

- from: The sender of the address
- to: The recipient of the address
- token: The token id
- amount: the amount sent
- fee: the fee payed
- nonce: the nonce of the account
- tx: the tx input data

block_number

the blockNumber containing the tx or null if still pending

```
public var block_number: UInt64?
```

tx_type

Type of the transaction. Transfer, ChangePubKey or Withdraw

```
public var tx_type: String
```

from

The sender of the address

```
public var from: String
```

to

The recipient of the address

```
public var to: String
```

token

The token id

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fee payed

```
public var fee: UInt256
```

nonce

the nonce of the account

```
public var nonce: UInt64
```


created_at

the timestamp as UTC

```
public var created_at: String
```

tx

the tx input data

```
public var tx: ZksyncZkTx
```

fail_reason

the fail reason

```
public var fail_reason: String?
```

block_number

the blockNumber containing the tx or null if still pending

```
public var block_number: UInt64?
```

tx_type

Type of the transaction. Transfer, ChangePubKey or Withdraw

```
public var tx_type: String
```

from

The sender of the address

```
public var from: String
```

to

The recipient of the address

```
public var to: String
```

token

The token id

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fee payed

```
public var fee: UInt256
```

nonce

the nonce of the account

```
public var nonce: UInt64
```

created_at

the timestamp as UTC

```
public var created_at: String
```

tx

the tx input data

```
public var tx: ZkTx
```

fail_reason

the fail reason

```
public var fail_reason: String?
```

16.2.113 ZkSyncTxInfo

the current state of the requested tx.

```
public struct ZkSyncTxInfo
```

init(block:executed:success:failReason:)

initialize the ZkSyncTxInfo

```
public init(block: ZkSyncTransactionBlock? = nil, executed: Bool, success: Bool? = 
↳nil, failReason: String? = nil)
```

Parameters

- block: the block
- executed: true, if the tx has been executed by the operator. If false it is still in the txpool of the operator.
- success: if executed, this property marks the success of the tx.
- failReason: if executed and failed this will include an error message

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(block:executed:success:failReason:)

initialize the ZkSyncTxInfo

```
public init(block: ZkSyncTransactionBlock? = nil, executed: Bool, success: Bool? = 
↳nil, failReason: String? = nil)
```

Parameters

- block: the block
- executed: true, if the tx has been executed by the operator. If false it is still in the txpool of the operator.
- success: if executed, this property marks the success of the tx.
- failReason: if executed and failed this will include an error message

block

the block

```
public var block: ZkSyncTransactionBlock?
```

executed

true, if the tx has been executed by the operator. If false it is still in the txpool of the operator.

```
public var executed: Bool
```

success

if executed, this property marks the success of the tx.

```
public var success: Bool?
```

failReason

if executed and failed this will include an error message

```
public var failReason: String?
```

block

the block

```
public var block: ZkSyncTransactionBlock?
```

executed

true, if the tx has been executed by the operator. If false it is still in the txpool of the operator.

```
public var executed: Bool
```

success

if executed, this property marks the success of the tx.

```
public var success: Bool?
```

failReason

if executed and failed this will include an error message

```
public var failReason: String?
```

16.2.114 ZkTx

the tx input data

```
public struct ZkTx
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(accountId:from:to:token:amount:fee:nonce:validFrom:validUntil:signature:type:)

initialize the ZkTx

```
public init(accountId: UInt64, from: String, to: String, token: UInt64, amount:
↳ UInt256, fee: UInt256, nonce: UInt64, validFrom: UInt64, validUntil: UInt64,
↳ signature: ZkTxSignature, type: String? = nil)
```

Parameters

- accountId: the id of the sender account
- from: the address of the sender
- to: the address of the receipient
- token: the id of the token used
- amount: the amount sent
- fee: the fees paid
- nonce: the fees paid
- validFrom: timestamp set by the sender when the valid range starts
- validUntil: timestamp set by the sender when the valid range ends
- signature: the sync signature
- type: the transaction type

accountId

the id of the sender account

```
public var accountId: UInt64
```

from

the address of the sender

```
public var from: String
```

to

the address of the receipient

```
public var to: String
```

token

the id of the token used

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fees paid

```
public var fee: UInt256
```

nonce

the fees paid

```
public var nonce: UInt64
```

validFrom

timestamp set by the sender when the valid range starts

```
public var validFrom: UInt64
```

validUntil

timestamp set by the sender when the valid range ends

```
public var validUntil: UInt64
```

signature

the sync signature

```
public var signature: ZkTxSignature
```

type

the transaction type

```
public var type: String?
```

16.2.115 ZkTxHistoryEthAuthData

the 2fa euth authorition

```
public struct ZkTxHistoryEthAuthData
```

init(type:saltArg:codeHash:creatorAddress:)

initialize the ZkTxHistoryEthAuthData

```
public init(type: String, saltArg: String? = nil, codeHash: String? = nil, ↵
↳ creatorAddress: String? = nil)
```

Parameters

- type: the type which should be CREATE2, ECDSA
- saltArg: the hash component (only if type=CREATE2)
- codeHash: the hash of the deployment-data (only if type=CREATE2)
- creatorAddress: the address of the the deploying contract (only if type=CREATE2)

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(type:saltArg:codeHash:creatorAddress:)

initialize the ZkTxHistoryEthAuthData

```
public init(type: String, saltArg: String? = nil, codeHash: String? = nil, ↵
↳ creatorAddress: String? = nil)
```

Parameters

- type: the type which should be CREATE2, ECDSA
- saltArg: the hash component (only if type=CREATE2)
- codeHash: the hash of the deployment-data (only if type=CREATE2)
- creatorAddress: the address of the the deploying contract (only if type=CREATE2)

type

the type which should be CREATE2, ECDSA

```
public var type: String
```

saltArg

the hash component (only if type=CREATE2)

```
public var saltArg: String?
```

codeHash

the hash of the deployment-data (only if type=CREATE2)

```
public var codeHash: String?
```

creatorAddress

the address of the the deploying contract (only if type=CREATE2)

```
public var creatorAddress: String?
```

type

the type which should be CREATE2, ECDSA

```
public var type: String
```

saltArg

the hash component (only if type=CREATE2)

```
public var saltArg: String?
```

codeHash

the hash of the deployment-data (only if type=CREATE2)

```
public var codeHash: String?
```

creatorAddress

the address of the the deploying contract (only if type=CREATE2)

```
public var creatorAddress: String?
```

16.2.116 ZkTxHistoryInput

the transaction data


```
public struct ZkTxHistoryInput
```

init(type:from:to:token:amount:account:accountId:newPkHash:validFrom:validUntil:signature:fee:feeToken:nonce

initialize the ZkTxHistoryInput

```
public init(type: String, from: String? = nil, to: String? = nil, token: String? =
↳ nil, amount: UInt256? = nil, account: String? = nil, accountId: UInt64? = nil,
↳ newPkHash: String? = nil, validFrom: UInt64? = nil, validUntil: UInt64? = nil,
↳ signature: ZkTxSignature? = nil, fee: UInt256? = nil, feeToken: UInt64? = nil,
↳ nonce: UInt64? = nil, priority_op: ZkTxHistoryPriorityOp? = nil, ethAuthData:
↳ ZkTxHistoryEthAuthData? = nil)
```

- Parameter `priority_op` : the description of a priority operation like `Deposit`

Parameters

- `type`: Type of the transaction. `Transfer`, `ChangePubKey` or `Withdraw`
- `from`: The sender of the address
- `to`: The recipient of the address
- `token`: The token id
- `amount`: the amount sent
- `account`: the account sent from
- `accountId`: the account id used
- `newPkHash`: the new public Key Hash (only used if the type is `CChangePubKey`)
- `validFrom`: timestamp set by the sender when the valid range starts
- `validUntil`: timestamp set by the sender when the valid range ends
- `signature`: the sync signature
- `fee`: the fee payed
- `feeToken`: the token the fee was payed
- `nonce`: the nonce of the account
- `ethAuthData`: the 2fa euth authorithion

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- `json`: the json-string

init(type:from:to:token:amount:account:accountId:newPkHash:validFrom:validUntil:signature:fee:feeToken:nonce

initialize the ZkTxHistoryInput

```
public init(type: String, from: String? = nil, to: String? = nil, token: String? =  
↳ nil, amount: UInt256? = nil, account: String? = nil, accountId: UInt64? = nil,  
↳ newPkHash: String? = nil, validFrom: UInt64? = nil, validUntil: UInt64? = nil,  
↳ signature: ZkTxSignature? = nil, fee: UInt256? = nil, feeToken: UInt64? = nil,  
↳ nonce: UInt64? = nil, priority_op: ZkTxHistoryPriorityOp? = nil, ethAuthData:  
↳ ZkTxHistoryEthAuthData? = nil)
```

- Parameter `priority_op` : the description of a priority operation like `Deposit`

Parameters

- `type`: Type of the transaction. `Transfer`, `ChangePubKey` or `Withdraw`
- `from`: The sender of the address
- `to`: The recipient of the address
- `token`: The token id
- `amount`: the amount sent
- `account`: the account sent from
- `accountId`: the account id used
- `newPkHash`: the new public Key Hash (only used if the type is `CChangePubKey`)
- `validFrom`: timestamp set by the sender when the valid range starts
- `validUntil`: timestamp set by the sender when the valid range ends
- `signature`: the sync signature
- `fee`: the fee payed
- `feeToken`: the token the fee was payed
- `nonce`: the nonce of the account
- `ethAuthData`: the 2fa euth authorization

type

Type of the transaction. `Transfer`, `ChangePubKey` or `Withdraw`

```
public var type: String
```

from

The sender of the address

```
public var from: String?
```

to

The recipient of the address

```
public var to: String?
```

token

The token id

```
public var token: String?
```

amount

the amount sent

```
public var amount: UInt256?
```

account

the account sent from

```
public var account: String?
```

accountId

the account id used

```
public var accountId: UInt64?
```

newPkHash

the new public Key Hash (only used if the type is CChangePubKey)

```
public var newPkHash: String?
```

validFrom

timestamp set by the sender when the valid range starts

```
public var validFrom: UInt64?
```

validUntil

timestamp set by the sender when the valid range ends

```
public var validUntil: UInt64?
```

signature

the sync signature

```
public var signature: ZkTxSignature?
```

fee

the fee payed

```
public var fee: UInt256?
```

feeToken

the token the fee was payed

```
public var feeToken: UInt64?
```

nonce

the nonce of the account

```
public var nonce: UInt64?
```

priority_op

the description of a priority operation like Deposit

```
public var priority_op: ZkTxHistoryPriorityOp?
```

ethAuthData

the 2fa euth authorization

```
public var ethAuthData: ZkTxHistoryEthAuthData?
```

type

Type of the transaction. Transfer, ChangePubKey or Withdraw

```
public var type: String
```

from

The sender of the address

```
public var from: String?
```

to

The recipient of the address

```
public var to: String?
```

token

The token id

```
public var token: String?
```

amount

the amount sent

```
public var amount: UInt256?
```

account

the account sent from

```
public var account: String?
```

accountId

the account id used

```
public var accountId: UInt64?
```

newPkHash

the new public Key Hash (only used if the type is CChangePubKey)

```
public var newPkHash: String?
```

validFrom

timestamp set by the sender when the valid range starts

```
public var validFrom: UInt64?
```

validUntil

timestamp set by the sender when the valid range ends

```
public var validUntil: UInt64?
```

signature

the sync signature

```
public var signature: ZkTxSignature?
```

fee

the fee payed

```
public var fee: UInt256?
```

feeToken

the token the fee was payed

```
public var feeToken: UInt64?
```

nonce

the nonce of the account

```
public var nonce: UInt64?
```

priority_op

the description of a priority operation like Deposit

```
public var priority_op: ZkTxHistoryPriorityOp?
```

ethAuthData

the 2fa euth authorization

```
public var ethAuthData: ZkTxHistoryEthAuthData?
```

16.2.117 ZkTxHistoryPriorityOp

the description of a priority operation like Deposit

```
public struct ZkTxHistoryPriorityOp
```

init(from:to:token:amount:)

initialize the ZkTxHistoryPriorityOp

```
public init(from: String, to: String, token: String, amount: UInt256)
```

Parameters

- from: The sender of the address
- to: The recipient of the address
- token: The token id
- amount: the amount sent

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(from:to:token:amount:)

initialize the ZkTxHistoryPriorityOp

```
public init(from: String, to: String, token: String, amount: UInt256)
```

Parameters

- from: The sender of the address
- to: The recipient of the address
- token: The token id
- amount: the amount sent

from

The sender of the address

```
public var from: String
```

to

The recipient of the address

```
public var to: String
```

token

The token id

```
public var token: String
```

amount

the amount sent

```
public var amount: UInt256
```

from

The sender of the address

```
public var from: String
```

to

The recipient of the address

```
public var to: String
```

token

The token id

```
public var token: String
```

amount

the amount sent

```
public var amount: UInt256
```

16.2.118 ZkTxSignature

the sync signature

```
public struct ZkTxSignature
```

init(pubKey:signature:)

initialize the ZkTxSignature


```
public init(pubKey: String, signature: String)
```

Parameters

- pubKey: the public key of the signer
- signature: the signature

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(pubKey:signature:)

initialize the ZkTxSignature

```
public init(pubKey: String, signature: String)
```

Parameters

- pubKey: the public key of the signer
- signature: the signature

pubKey

the public key of the signer

```
public var pubKey: String
```

signature

the signature

```
public var signature: String
```

pubKey

the public key of the signer

```
public var pubKey: String
```

signature

the signature

```
public var signature: String
```

16.2.119 ZkWallet

the new wallet-config.

```
public struct ZkWallet
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(address:threshold:signer:owners:)

initialize the ZkWallet

```
public init(address: String, threshold: Int, signer: String, owners: [ZkWalletOwner])
```

Parameters

- address: the address of the wallet
- threshold: the minimal number of signatures needed for the multisig to approve a transaction. It must be at least one and less or equal to the number of owners.
- signer: the public key of the zksync signer
- owners: the owners of multisig

address

the address of the wallet

```
public var address: String
```

threshold

the minimal number of signatures needed for the multisig to approve a transaction. It must be at least one and less or equal to the number of owners.

```
public var threshold: Int
```

signer

the public key of the zksync signer

```
public var signer: String
```

owners

the owners of multisig

```
public var owners: [ZkWalletOwner]
```

16.2.120 ZkWalletCreate2

the create-arguments you need to configure your wallet for zksync.

```
public struct ZkWalletCreate2
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(creator:saltarg:codehash:)

initialize the ZkWalletCreate2

```
public init(creator: String, saltarg: String, codehash: String)
```

Parameters

- creator: the sender deploying the wallet, which is the factory.
- saltarg: the hash of the init-transaction and is used together with the pubkeyhash to determine the account address
- codehash: the hash of the creator-tx, which is the tx send from the factory to deploy the proxy. This also includes the mastercopy as argument

creator

the sender deploying the wallet, which is the factory.

```
public var creator: String
```

saltarg

the hash of the init-transaction and is used together with the pubkeyhash to determine the account address

```
public var saltarg: String
```

codehash

the hash of the creator-tx, which is the tx send from the factory to deploy the proxy. This also includes the mastercopy as argument

```
public var codehash: String
```

16.2.121 ZkWalletDefinitionResult

a collection of relevant data you may need for the new wallet

```
public struct ZkWalletDefinitionResult
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(account:deploy_tx:create2:musig_pub_keys:musig_urls:wallet:)

initialize the ZkWalletDefinitionResult

```
public init(account: String, deploy_tx: ZkWalletDeployTx, create2: ZkWalletCreate2,   
↳musig_pub_keys: String, musig_urls: [String]? = nil, wallet: MsDef)
```

- Parameter `deploy_tx` : the transaction which the user would need to deploy in order to create the wallet in Layer 1. The transaction could be send by anybody as long as it contains those data.
- Parameter `musig_pub_keys` : the public keys of all the signer of the zksync musig key. This would be the user key first and then the approver-key.
- Parameter `musig_urls` : the list of urls to be used to get the signature to create a schnorr musig signature.

Parameters

- account: the address of the wallet
- create2: the create-arguments you need to configure your wallet for zksync.
- wallet: the wallet setup

account

the address of the wallet

```
public var account: String
```

deploy_tx

the transaction which the user would need to deploy in order to create the wallet in Layer 1. The transaction could be send by anybody as long as it contains those data.

```
public var deploy_tx: ZkWalletDeployTx
```

create2

the create-arguments you need to configure your wallet for zksync.

```
public var create2: ZkWalletCreate2
```

musig_pub_keys

the public keys of all the signer of the zksync musig key. This would be the user key first and then the approver-key.

```
public var musig_pub_keys: String
```

musig_urls

the list of urls to be used to get the signature to create a schnorr musig signature.

```
public var musig_urls: [String?]?
```

wallet

the wallet setup

```
public var wallet: MsDef
```

16.2.122 ZkWalletDeployTx

the transaction which the user would need to deploy in order to create the wallet in Layer 1. The transaction could be send by anybody as long as it contains those data.

```
public struct ZkWalletDeployTx
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(data:to:)

initialize the ZkWalletDeployTx

```
public init(data: String, to: String)
```

Parameters

- data: the data to send to the factory
- to: the recipient, which is the factory

data

the data to send to the factory

```
public var data: String
```

to

the recipient, which is the factory

```
public var to: String
```

16.2.123 ZkWalletOwner

the owners of multisig

```
public struct ZkWalletOwner
```

init?(json:)

initializes from json

```
public init?(json: String) throws
```

Parameters

- json: the json-string

init(roles:address:)

initialize the ZkWalletOwner

```
public init(roles: Int, address: String)
```

Parameters

- roles: the bitmask representing the combined roles.
- address: address of the owner

roles

the bitmask representing the combined roles.

```
public var roles: Int
```

address

address of the owner

```
public var address: String
```

16.2.124 ZksyncEthTransactionReceipt

the transactionreceipt

```
public struct ZksyncEthTransactionReceipt
```

init(blockNumber:blockHash:contractAddress:cumulativeGasUsed:gasUsed:effectiveGasPrice:logs:logsBloom:status:transactionHash:transactionIndex:from:type:to:)

initialize the ZksyncEthTransactionReceipt

```
public init(blockNumber: UInt64, blockHash: String, contractAddress: String? = nil,
    ↳ cumulativeGasUsed: UInt64, gasUsed: UInt64, effectiveGasPrice: UInt256? = nil,
    ↳ logs: [ZksyncEthlog], logsBloom: String, status: Int, transactionHash: String,
    ↳ transactionIndex: Int, from: String, type: Int? = nil, to: String? = nil)
```

Parameters

- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- contractAddress: the deployed contract in case the tx did deploy a new contract
- cumulativeGasUsed: gas used for all transaction up to this one in the block
- gasUsed: gas used by this transaction.
- effectiveGasPrice: the effictc gas price
- logs: array of events created during execution of the tx
- logsBloom: bloomfilter used to detect events for eth_getLogs

- status: error-status of the tx. 0x1 = success 0x0 = failure
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- from: address of the sender.
- type: the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)
- to: address of the receiver. null when its a contract creation transaction.

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String
```

contractAddress

the deployed contract in case the tx did deploy a new contract

```
public var contractAddress: String?
```

cumulativeGasUsed

gas used for all transaction up to this one in the block

```
public var cumulativeGasUsed: UInt64
```

gasUsed

gas used by this transaction.

```
public var gasUsed: UInt64
```

effectiveGasPrice

the effict e gas price

```
public var effectiveGasPrice: UInt256?
```


logs

array of events created during execution of the tx

```
public var logs: [ZksyncEthlog]
```

logsBloom

bloomfilter used to detect events for eth_getLogs

```
public var logsBloom: String
```

status

error-status of the tx. 0x1 = success 0x0 = failure

```
public var status: Int
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

from

address of the sender.

```
public var from: String
```

type

the transaction type (0 = legacy tx, 1 = EIP-2930, 2= EIP-1559)

```
public var type: Int?
```

to

address of the receiver. null when its a contract creation transaction.

```
public var to: String?
```

16.2.125 ZksyncEthlog

array of events created during execution of the tx

```
public struct ZksyncEthlog
```

`init(address:blockNumber:blockHash:data:logIndex:removed:topics:transactionHash:transactionIndex:transactionLogIndex:transactionType)`

initialize the ZksyncEthlog

```
public init(address: String, blockNumber: UInt64, blockHash: String, data: String,
↳logIndex: Int, removed: Bool, topics: [String], transactionHash: String,
↳transactionIndex: Int, transactionLogIndex: Int? = nil, type: String? = nil)
```

Parameters

- address: the address triggering the event.
- blockNumber: the blockNumber
- blockHash: blockhash if ther containing block
- data: abi-encoded data of the event (all non indexed fields)
- logIndex: the index of the even within the block.
- removed: the reorg-status of the event.
- topics: array of 32byte-topics of the indexed fields.
- transactionHash: requested transactionHash
- transactionIndex: transactionIndex within the containing block.
- transactionLogIndex: index of the event within the transaction.
- type: mining-status

address

the address triggering the event.

```
public var address: String
```

blockNumber

the blockNumber

```
public var blockNumber: UInt64
```

blockHash

blockhash if ther containing block

```
public var blockHash: String
```

data

abi-encoded data of the event (all non indexed fields)

```
public var data: String
```

logIndex

the index of the even within the block.

```
public var logIndex: Int
```

removed

the reorg-status of the event.

```
public var removed: Bool
```

topics

array of 32byte-topics of the indexed fields.

```
public var topics: [String]
```

transactionHash

requested transactionHash

```
public var transactionHash: String
```

transactionIndex

transactionIndex within the containing block.

```
public var transactionIndex: Int
```

transactionLogIndex

index of the event within the transaction.

```
public var transactionLogIndex: Int?
```

type

mining-status

```
public var type: String?
```

16.2.126 ZksyncZkHistory

the data and state of the requested tx.

```
public struct ZksyncZkHistory
```

init(tx_id:hash:eth_block:pq_id:success:fail_reason:committed:verified:created_at:tx:)

initialize the ZksyncZkHistory

```
public init(tx_id: String, hash: String, eth_block: UInt64? = nil, pq_id: UInt64? =  
↳ nil, success: Bool? = nil, fail_reason: String? = nil, committed: Bool, verified:  
↳ Bool, created_at: String, tx: ZkTxHistoryInput)
```

- Parameter tx_id : the transaction id based on the block-number and the index
- Parameter eth_block : the blockNumber of a priority-operation like Deposit otherwise this is null
- Parameter pq_id : the priority-operation id (for tx like Deposit) otherwise this is null
- Parameter fail_reason : the error message if failed, otherwise null
- Parameter created_at : UTC-Time when the transaction was created

Parameters

- hash: the transaction hash
- success: the result of the operation
- committed: true if the tx was received and verified by the zksync-server
- verified: true if the tx was received and verified by the zksync-server
- tx: the transaction data

tx_id

the transaction id based on the block-number and the index

```
public var tx_id: String
```

hash

the transaction hash

```
public var hash: String
```

eth_block

the blockNumber of a priority-operation like Deposit otherwise this is null

```
public var eth_block: UInt64?
```

pq_id

the priority-operation id (for tx like Deposit) otherwise this is null

```
public var pq_id: UInt64?
```

success

the result of the operation

```
public var success: Bool?
```

fail_reason

the error message if failed, otherwise null

```
public var fail_reason: String?
```

committed

true if the tx was received and verified by the zksync-server

```
public var committed: Bool
```

verified

true if the tx was received and verified by the zksync-server

```
public var verified: Bool
```

created_at

UTC-Time when the transaction was created

```
public var created_at: String
```

tx

the transaction data

```
public var tx: ZkTxHistoryInput
```

16.2.127 ZksyncZkReceipt

the transactionReceipt. use `zksync_tx_info` to check the progress.

```
public struct ZksyncZkReceipt
```

init(type:accountId:from:to:token:amount:fee:nonce:txHash:tokenId:validFrom:validUntil:)

initialize the ZksyncZkReceipt

```
public init(type: String, accountId: UInt64, from: String, to: String, token: UInt64,
↳ amount: UInt256, fee: UInt256, nonce: UInt64, txHash: String, tokenId: UInt64,
↳ validFrom: UInt64, validUntil: UInt64)
```

Parameters

- type: the Transaction-Type (Withdraw or Transfer)
- accountId: the id of the sender account
- from: the address of the sender
- to: the address of the receipient
- token: the id of the token used
- amount: the amount sent
- fee: the fees paid
- nonce: the fees paid
- txHash: the transactionHash, which can be used to track the tx
- tokenId: the token id
- validFrom: valid from
- validUntil: valid until

type

the Transaction-Type (Withdraw or Transfer)

```
public var type: String
```

accountId

the id of the sender account

```
public var accountId: UInt64
```

from

the address of the sender

```
public var from: String
```

to

the address of the receipient

```
public var to: String
```

token

the id of the token used

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fees paid

```
public var fee: UInt256
```

nonce

the fees paid

```
public var nonce: UInt64
```

txHash

the transactionHash, which can be used to track the tx

```
public var txHash: String
```

tokenId

the token id

```
public var tokenId: UInt64
```

validFrom

valid from

```
public var validFrom: UInt64
```

validUntil

valid until

```
public var validUntil: UInt64
```

16.2.128 ZksyncZkTx

the tx input data

```
public struct ZksyncZkTx
```

init(accountId:from:to:token:amount:fee:nonce:validFrom:validUntil:signature:type:)

initialize the ZksyncZkTx

```
public init(accountId: UInt64, from: String, to: String, token: UInt64, amount: ↳
↳ UInt256, fee: UInt256, nonce: UInt64, validFrom: UInt64, validUntil: UInt64, ↳
↳ signature: ZkTxSignature, type: String? = nil)
```

Parameters

- accountId: the id of the sender account
- from: the address of the sender
- to: the address of the receipient
- token: the id of the token used
- amount: the amount sent
- fee: the fees paid
- nonce: the fees paid
- validFrom: timestamp set by the sender when the valid range starts
- validUntil: timestamp set by the sender when the valid range ends
- signature: the sync signature
- type: the transaction type

accountId

the id of the sender account

```
public var accountId: UInt64
```

from

the address of the sender

```
public var from: String
```


to

the address of the receipient

```
public var to: String
```

token

the id of the token used

```
public var token: UInt64
```

amount

the amount sent

```
public var amount: UInt256
```

fee

the fees paid

```
public var fee: UInt256
```

nonce

the fees paid

```
public var nonce: UInt64
```

validFrom

timestamp set by the sender when the valid range starts

```
public var validFrom: UInt64
```

validUntil

timestamp set by the sender when the valid range ends

```
public var validUntil: UInt64
```

signature

the sync signature

```
public var signature: ZkTxSignature
```

type

the transaction type

```
public var type: String?
```

16.3 Enums

16.3.1 EQError

An error enum to assist with Equis related errors

```
public enum EQError: Error
```

Error

invalidRequest

The request is not valid.

```
case invalidRequest
```

unableToParseResponse

The response could not be parsed.

```
case unableToParseResponse (String = "Could not parse response")
```

invalidBody

The body is not valid.

```
case invalidBody (String = "Could not create body")
```

invalidURL

The URL is not valid.

```
case invalidURL (String = "Could not create url")
```

responseError

An HTTPStatus response error.

```
case responseError (HTTPStatus)
```

batchError

A batch error.

```
case batchError([EQNewAttributeResponse])
```

netIdError

A NetID error.

```
case netIdError(EQResponseError)
```

custom

A custom error.

```
case custom(Error)
```

16.3.2 EQLogger.LogLevel

Different levels of logging

```
public enum LogLevel: Int
```

Int

debug

Debug level information, the most verbose logging.

```
case debug = 0
```

info

Informational data only.

```
case info = 1
```

log

Log data only.

```
case log = 2
```

error

Errors only. The least verbose logging.

```
case error = 3
```

none

No logging.

```
case none = 4
```

16.3.3 EQService

Equs services

```
public enum EQService: String, CaseIterable
```

CaseIterable, String

pds

Personal Data Service API

```
case pds = "/pds"
```

sp

Service Provider API

```
case sp = "/sp"
```

blockchain

Blockchain API

```
case blockchain = "/blockchain"
```

tp

Trusted Party API

```
case tp = "/tp"
```

admin

Administration API

```
case admin = "/admin"
```

auth

Authorization API

```
case auth = "/auth"
```

schema

Schema API

```
case schema = "/schema"
```

notification

Notification API

```
case notification = "/notification"
```

persona

Persona API

```
case persona = "/persona"
```

16.3.4 HTTPStatus

Enum for HTTP Status code

```
public enum HTTPStatus
```

informalResponse

Informal response.

```
case informalResponse
```

success

Indicates success.

```
case success
```

redirect

A redirect.

```
case redirect
```

clientError

A client error occurred.

```
case clientError
```

serverError

A server error occurred.

```
case serverError
```

unknown

Unknown status.

```
case unknown
```

16.3.5 IncubedError

Base Incubed errors

```
public enum IncubedError: Error
```

Error, Error, LocalizedError, LocalizedError

config

Configuration Error, which is only thrown within the Config or initializer of the In3

```
case config(message: String)
```

rpc

error during rpc-execution

```
case rpc(message: String)
```

convert

error during converting the response to a target

```
case convert (message: String)
```

config

Configuration Error, which is only thrown within the Config or initializer of the In3

```
case config (message: String)
```

rpc

error during rpc-execution

```
case rpc (message: String)
```

convert

error during converting the response to a target

```
case convert (message: String)
```

errorDescription

```
public var errorDescription: String?
```

errorDescription

```
public var errorDescription: String?
```

errorDescription

```
public var errorDescription: String?
```

errorDescription

```
public var errorDescription: String?
```

16.3.6 RPCError.Kind

the error type

```
public enum Kind
```

invalidMethod

invalid Method

```
case invalidMethod
```

invalidParams

invalid Params

```
case invalidParams (String)
```

invalidRequest

invalid Request

```
case invalidRequest (String)
```

applicationError

application Error

```
case applicationError (String)
```

invalidMethod

invalid Method

```
case invalidMethod
```

invalidParams

invalid Params

```
case invalidParams (String)
```

invalidRequest

invalid Request

```
case invalidRequest (String)
```


applicationError

application Error

```
case applicationError(String)
```

16.3.7 RPCObject

Wrapper enum for a rpc-object, which could be different kinds

```
public enum RPCObject: Equatable
```

Equatable, Equatable

init(_:)

Wrap a String as Value

```
public init(_ value: AnyObject)
```

init(_:)

Wrap a String as Value

```
public init(_ array: [AnyObject])
```

init(_:)

Wrap a String as Value

```
public init(_ value: String)
```

init(_:)

Wrap a Integer as Value

```
public init(_ value: Int)
```

init(_:)

Wrap a Integer as Value

```
public init(_ value: UInt64)
```

init(_:)

Wrap a UInt256 as Value

```
public init(_ value: UInt256)
```

init(_:)

Wrap a Double as Value

```
public init(_ value: Double)
```

init(_:)

Wrap a Bool as Value

```
public init(_ value: Bool)
```

init(_:)

Wrap a String -Array as Value

```
public init(_ value: [String])
```

init(_:)

Wrap a String -Array as Value

```
public init(_ value: [String?])
```

init(_:)

Wrap a Integer -Array as Value

```
public init(_ value: [Int])
```

init(_:)

Wrap a Object with String values as Value

```
public init(_ value: [String: String])
```

init(_:)

Wrap a Object with Integer values as Value

```
public init(_ value: [String: Int])
```

init(_:)

Wrap a Object with RPCObject values as Value

```
public init(_ value: [String: RPCObject])
```

init(_:)

Wrap a Array or List of RPCObjects as Value

```
public init(_ value: [RPCObject])
```

init(_:)

Wrap a String as Value

```
public init(_ value: AnyObject)
```

init(_:)

Wrap a String as Value

```
public init(_ array: [AnyObject])
```

init(_:)

Wrap a String as Value

```
public init(_ value: String)
```

init(_:)

Wrap a Integer as Value

```
public init(_ value: Int)
```

init(_:)

Wrap a Integer as Value

```
public init(_ value: UInt64)
```

init(_:)

Wrap a UInt256 as Value

```
public init(_ value: UInt256)
```

`init(_:)`

Wrap a Double as Value

```
public init(_ value: Double)
```

`init(_:)`

Wrap a Bool as Value

```
public init(_ value: Bool)
```

`init(_:)`

Wrap a String -Array as Value

```
public init(_ value: [String])
```

`init(_:)`

Wrap a String -Array as Value

```
public init(_ value: [String?])
```

`init(_:)`

Wrap a Integer -Array as Value

```
public init(_ value: [Int])
```

`init(_:)`

Wrap a Object with String values as Value

```
public init(_ value: [String: String])
```

`init(_:)`

Wrap a Object with Integer values as Value

```
public init(_ value: [String: Int])
```

`init(_:)`

Wrap a Object with RPCObject values as Value

```
public init(_ value: [String: RPCObject])
```

init(_:)

Wrap a Array or List of RPCObjects as Value

```
public init(_ value: [RPCObject])
```

none

a JSON null value.

```
case none
```

string

a String value

```
case string(String)
```

integer

a Integer

```
case integer(Int)
```

double

a Doucle-Value

```
case double(Double)
```

bool

a Boolean

```
case bool(Bool)
```

list

a Array or List of RPC-Objects

```
case list([RPCObject])
```

dictionary

a JSON-Object represented as Dictionary with properties as keys and their values as RPCObjects

```
case dictionary([String: RPCObject])
```

none

a JSON `null` value.

```
case none
```

string

a String value

```
case string(String)
```

integer

a Integer

```
case integer(Int)
```

double

a Double-Value

```
case double(Double)
```

bool

a Boolean

```
case bool(Bool)
```

list

a Array or List of RPC-Objects

```
case list([RPCObject])
```

dictionary

a JSON-Object represented as Dictionary with properties as keys and their values as RPCObjects

```
case dictionary([String: RPCObject])
```

asObject()

```
public func asObject<T>() -> T
```

asObject()

```
public func asObject<T>() -> T
```

16.3.8 RequestResult

result of a RPC-Request

```
public enum RequestResult
```

success

success full respons with the data as result.

```
case success(_ data:RPCObject)
```

error

failed request with the msg describiung the error

```
case error(_ msg:String)
```

success

success full respons with the data as result.

```
case success(_ data:RPCObject)
```

error

failed request with the msg describiung the error

```
case error(_ msg:String)
```

16.3.9 TransportResult

the result of a Transport operation. it will only be used internally to report the time and http-status of the response, before verifying the result.

```
public enum TransportResult
```

success

successful response

```
case success(_ data:Data, _ time:Int)
```

Parameters

- data: the raw data
- time: the time in milliseconds to execute the request

error

failed response

```
case error(_ msg:String, _ httpStatus:Int)
```

Parameters

- msg: the error-message
- httpStatus: the http status code

success

successful response

```
case success(_ data:Data, _ time:Int)
```

Parameters

- data: the raw data
- time: the time in milliseconds to execute the request

error

failed response

```
case error(_ msg:String, _ httpStatus:Int)
```

Parameters

- msg: the error-message
- httpStatus: the http status code

16.4 Interfaces

16.4.1 EQEndpointConfiguration

The protocol needed to configure Equis for a different endpoint

```
public protocol EQEndpointConfiguration
```


baseUrl

The base URL.

```
var baseUrl: String
```

servicePath

The service path.

```
var servicePath: [EQService: String]
```

16.4.2 In3Cache

Protocol for Cache-Implementation. The cache is used to store data like nodelists and their reputations, contract codes and more. those calls a synchronous calls and should be fast. in order to set the cache, use the `In3.cache`-property.

```
public protocol In3Cache
```

getEntry(key:)

find the data for the given cache-key or nil if not found.

```
func getEntry(key:String) ->Data?
```

setEntry(key:value:)

write the data to the cache using the given key..

```
func setEntry(key:String, value:Data) ->Void
```

clear()

clears all cache entries

```
func clear() ->Void
```

getEntry(key:)

find the data for the given cache-key or nil if not found.

```
func getEntry(key:String) ->Data?
```

setEntry(key:value:)

write the data to the cache using the given key..

```
func setEntry(key:String, value:Data) ->Void
```

clear()

clears all cache entries

```
func clear() ->Void
```

Incubed can be used as a command-line utility or as a tool in Bash scripts. This tool will execute a JSON-RPC request and write the result to standard output.

If you want to read more about it this might a short blogpost : <https://blog.slock.it/blockchain-in-a-shell-45b6626dc2c0> .

17.1 Usage

```
in3 [options] method [arguments]
```

- | | |
|-------------------|---|
| -c, -chain | <p>The chain to use currently:</p> <ul style="list-style-type: none"> mainnet Mainnet kovan Kovan testnet tobalaba EWF testchain goerli Goerli testchain using Clique btc Bitcoin (still experimental) local Use the local client on http://localhost:8545 RPCURL If any other RPC-URL is passed as chain name, this is used but without verification |
| -p, -proof | <p>Specifies the verification level:</p> <ul style="list-style-type: none"> none No proof standard Standard verification (default) full Full verification |
| -np | <p>Short for <code>-p none</code>.</p> |

-a	max number of attempts before giving up (default 5).
-s, -signs	Number of signatures to use when verifying.
-rc	number of request per try (default 1)
-ns	no stats if set requests will not be part of the official metrics and considered a service request
-md	specifies the minimum Deposit of a node in order to be selected as a signer
-eth	converts the result (as wei) to ether.
-f	finality - number of blocks on top of the current one.
-path	the HD wallet derivation path . We can pass in simplified way as hex string i.e [44,60,00,00,00] => 0x2c3c000000
-b, -block	The block number to use when making calls. Could be either <code>latest</code> (default), <code>earliest</code> , or a hex number.
-l, -latest	replaces <code>latest</code> with latest BlockNumber - the number of blocks given.
-pk	The path to the private key as keystore file.
-pwd	Password to unlock the key. (Warning: since the passphrase must be kept private, make sure that this key may not appear in the <code>bash_history</code>)
-to	The target address of the call.
-st, -sigtype	the type of the signature data : <code>eth_sign</code> (use the prefix and hash it), <code>raw</code> (hash the raw data), <code>hash</code> (use the already hashed data). Default: <code>raw</code>
-port	specifies the port to run incubed as a server. Opening port 8545 may replace a local parity or geth client.
-d, -data	<p>The data for a transaction.</p> <p>This can be a file path, a 0x-hexvalue, or <code>-</code> to read it from standard input. If a method signature is given with the data, they will be combined and used as constructor arguments when deploying.</p>
-gas	The gas limit to use when sending transactions (default: 100000).
-gas_price	the gas price to use when sending transactions. (default: use <code>eth_gasPrice</code>)
-value	The value to send when conducting a transaction. Can be a hex value or a float/integer with the suffix <code>eth</code> or <code>wei</code> like <code>1.8eth</code> (default: 0).
-w, -wait	If given, <code>eth_sendTransaction</code> or <code>eth_sendRawTransaction</code> will not only return the transaction hash after sending but also wait until the transaction is mined and returned to the transaction receipt.
-json	If given, the result will be returned as JSON, which is especially important for <code>eth_call</code> , which results in complex structures.
-hex	If given, the result will be returned as hex.
-debug	If given, Incubed will output debug information when executing.
-q	quiet. no warnings or log to stderr.
-ri	Reads the response from standard input instead of sending the request, allowing for offline use cases.
-ro	Writes the raw response from the node to standard output.

-kin3	if kin3 is specified, the response including in3-section is returned.
-bw	initialize with weights from boot nodes.
-tr	runs test request when showing in3_weights
-thr	runs test request including health-check when showing in3_weights
-fi	reads a prerecorded request from the filepath and executes it with the recorded data. (great for debugging)
-fo	records a request and writes the reproducible data in a file (including all cache-data, timestamps ...)
-nl	a coma separated list of urls (or address:url) to be used as fixed nodelist
-bn	a coma separated list of urls (or address:url) to be used as boot nodes
-os	only sign, don't send the raw Transaction
-x	Allow usage of experimental features. This option is required if you want to use experimental features.

17.2 Install

17.2.1 From Binaries

You can download the from the latest release-page:

<https://github.com/slockit/in3-c/releases>

These release files contain the sources, precompiled libraries and executables, headerfiles and documentation.

17.2.2 From Package Managers

We currently support

Ubuntu Launchpad (Linux)

Installs libs and binaries on IoT devices or Linux-Systems

```
# Add the slock.it ppa to your system
sudo add-apt-repository ppa:devops-slock-it/in3

# install the commandline tool in3
apt-get install in3

# install shared and static libs and header files
apt-get install in3-dev
```

Brew (MacOS)

This is the easiest way to install it on your mac using brew

```
# Add a brew tap
brew tap slockit/in3

# install all binaries and libraries
brew install in3
```

17.2.3 From Sources

Before building, make sure you have these components installed:

- CMake (should be installed as part of the build-essential: `apt-get install build-essential`)
- libcurl (for Ubuntu, use either `sudo apt-get install libcurl4-gnutls-dev` or `apt-get install libcurl4-openssl-dev`)
- If libcurl cannot be found, Conan is used to fetch and build curl

```
# clone the sources
git clone https://github.com/slockit/in3-c.git

# create build-folder
cd in3-c
mkdir build && cd build

# configure and build
cmake -DCMAKE_BUILD_TYPE=Release .. && make in3

# install
sudo make install
```

When building from source, CMake accepts the flags which help to optimize. For more details just look at the [CMake-Options](#).

17.2.4 From Docker

Incubed can be run as docker container. For this pull the container:

```
# run a simple statement
docker run slockit/in3:latest eth_blockNumber

# to start it as a server
docker run -p 8545:8545 slockit/in3:latest -port 8545

# mount the cache in order to cache nodelists, validatorlists and contract code.
docker run -v $(pwd)/cache:/root/.in3 -p 8545:8545 slockit/in3:latest -port 8545
```

17.3 Environment Variables

The following environment variables may be used to define defaults:

IN3_PK The raw private key used for signing. This should be used with caution, since all subprocesses have access to it!

IN3_CHAIN The chain to use (default: mainnet) (same as -c). If a URL is passed, this server will be used instead.

17.4 Methods

As methods, the following can be used:

<JSON-RPC>-method All officially supported **JSON-RPC methods** may be used.

send <signature> ...args Based on the `-to`, `-value`, and `-pk`, a transaction is built, signed, and sent. If there is another argument after `send`, this would be taken as a function signature of the smart contract followed by optional arguments of the function.

```
# Send some ETH (requires setting the IN3_PK-variable before).
in3 send -to 0x1234556 -value 0.5eth
# Send a text to a function.
in3 -to 0x5a0b54d5dc17e0aad383d2db43b0a0d3e029c4c -gas 1000000 send
  ↪ "registerServer(string,uint256)" "https://in3.slock.it/kovan1" 0xFF
```

sign <data> signs the data and returns the signature (65byte as hex). Use the `-sigtype` to specify the creation of the hash.

call <signature> ...args `eth_call` to call a function. After the `call` argument, the function signature and its arguments must follow.

in3_nodeList Returns the NodeList of the Incubed NodeRegistry as JSON.

in3_sign <blocknumber> Requests a node to sign. To specify the signer, you need to pass the URL like this:

```
# Send a text to a function.
in3 in3_sign -c https://in3.slock.it/mainnet/nd-1 6000000
```

in3_stats Returns the stats of a node. Unless you specify the node with `-c <rpcurl>`, it will pick a random node.

abi_encode <signature> ...args Encodes the arguments as described in the method signature using ABI encoding.

abi_decode <signature> data Decodes the data based on the signature.

pk2address <privatekey> Extracts the public address from a private key.

pk2public <privatekey> Extracts the public key from a private key.

ecrecover <msg> <signature> Extracts the address and public key from a signature.

createKey Generates a random raw private key.

key <keyfile> Reads the private key from JSON keystore file from the first argument and returns the private key. This may ask the user to enter the passphrase (unless provided with `-pwd`). To unlock the key to reuse it within the shell, you can set the environment variable like this:

```
export IN3_PK=`in3 keystore mykeyfile.json`
```

if no method is passed, this tool will read json-rpc-requests from stdin and response on stdout until stdin is closed.

```
echo '{"method":"eth_blockNumber","params":[]}' | in3 -q -c goerli
```

This can also be used process to communicate with by starting a `in3`-process and send `rpc-comands` through stdin and read the responses from stout. if multiple requests are passed in the input stream, they will executed in the same order. The result will be terminated by a newline-character.

17.5 Running as Server

While you can use `in3` to execute a request, return a result and quit, you can also start it as a server using the specified port (`-port 8545`) to serve RPC-requests. This way you can replace your local parity or geth with a incubed client. All Dapps can then connect to `http://localhost:8545`.

```
# starts a server at the standard port for kovan.
in3 -c kovan -port 8545
```

17.6 Cache

Even though Incubed does not need a configuration or setup and runs completely statelessly, caching already verified data can boost the performance. That's why `in3` uses a cache to store.

NodeLists List of all nodes as verified from the registry.

Reputations Holding the score for each node to improve weights for honest nodes.

Code For `eth_call`, Incubed needs the code of the contract, but this can be taken from a cache if possible.

Validators For PoA changes, the validators and their changes over time will be stored.

By default, Incubed will use `~/ .in3` as a folder to cache data.

If you run the docker container, you need to mount `/root/ .in3` in to persist the cache.

17.7 Signing

While Incubed itself uses an abstract definition for signing, at the moment, the command-line utility only supports raw private keys. There are two ways you can specify the private keys that Incubed should use to sign transactions:

1. Use the environment variable `IN3_PK`. This makes it easier to run multiple transaction.

Warning: Since the key is stored in an environment variable all subprocesses have access to this. That's why this method is potentially unsafe.

```
#!/bin/sh

# reads the key from the keyfile and asks the user for the passphrase.
IN3_PK = `in3 key my_keyfile.json`

# you can now use this private key since it is stored in an environment-
↪variable
in3 -to 0x27a37a1210df14f7e058393d026e2fb53b7cf8c1 -value 3.5eth -wait send
in3 -to 0x5a0b54d5dc17e0aad3c383d2db43b0a0d3e029c4c -gas 1000000 send
↪"registerServer(string,uint256)" "https://in3.slock.it/kovan1" 0xFF
```

2. Use the `-pk` option

This option takes the path to the keystore-file and will ask the user to unlock as needed. It will not store the unlocked key anywhere.


```
in3 -pk my_keyfile.json -to 0x27a37a1210df14f7e058393d026e2fb53b7cf8c1 -value_
↳200eth -wait send
```

17.8 Autocompletion

If you want autocompletion, simply add these lines to your `.bashrc` or `.bash_profile`:

```
_IN3_WORDS=`in3 autocompletelist`
complete -W "$_IN3_WORDS" in3
```

if you are using zshell, you can install the more advanced version of it

```
curl https://raw.githubusercontent.com/blockchainsllc/in3/master/scripts/_in3.sh > /
↳usr/local/share/zsh/site-functions/_in3.sh
```

17.9 Function Signatures

When using `send` or `call`, the next optional parameter is the function signature. This signature describes not only the name of the function to call but also the types of arguments and return values.

In general, the signature is built by simply removing all names and only holding onto the types:

```
<FUNCTION_NAME> (<ARGUMENT_TYPES>) : (<RETURN_TYPES>)
```

It is important to mention that the type names must always be the full Solidity names. Most Solidity functions use aliases. They would need to be replaced with the full type name.

e.g., `uint` -> `uint256`

17.10 Examples

17.10.1 Getting the Current Block

```
# On a command line:
in3 eth_blockNumber
> 8035324

# For a different chain:
in3 -c kovan eth_blockNumber
> 11834906

# Getting it as hex:
in3 -c kovan -hex eth_blockNumber
> 0xb49625

# As part of shell script:
BLOCK_NUMBER=`in3 eth_blockNumber`
```

17.10.2 Using jq to Filter JSON

```
# Get the timestamp of the latest block:
in3 eth_getBlockByNumber latest false | jq -r .timestamp
> 0x5d162a47

# Get the first transaction of the last block:
in3 eth_getBlockByNumber latest true | jq '.transactions[0]'
> {
  "blockHash": "0xe4edd75bf43cd8e334ca756c4df1605d8056974e2575f5ea835038c6d724ab14",
  "blockNumber": "0x7ac96d",
  "chainId": "0x1",
  "condition": null,
  "creates": null,
  "from": "0x91fdebe2e1b68da999cb7d634fe693359659d967",
  "gas": "0x5208",
  "gasPrice": "0xba43b7400",
  "hash": "0x4b0fe62b30780d089a3318f0e5e71f2b905d62111a4effe48992fcfda36b197f",
  "input": "0x",
  "nonce": "0x8b7",
  "publicKey":
  ↪ "0x17f6413717c12dab2f0d4f4a033b77b4252204bfe4ae229a608ed724292d7172a19758e84110a2a926842457c351f80",
  ↪ ",
  "r": "0x1d04ee9e31727824a19a4fcd0c29c0ba5dd74a2f25c701bd5fdabbf5542c014c",
  "raw":
  ↪ "0xf86e8208b7850ba43b7400825208947fb38d6a092bbdd476e80f00800b03c3f1b2d332883aefa89df48ed4008026a01",
  ↪ ",
  "s": "0x43f8df6c171e51bf05036c8fe8d978e182316785d0aace8ecc56d2add157a635",
  "standardV": "0x1",
  "to": "0x7fb38d6a092bbdd476e80f00800b03c3f1b2d332",
  "transactionIndex": "0x0",
  "v": "0x26",
  "value": "0x3aefa89df48ed400"
}
```

17.10.3 Calling a Function of a Smart Contract

```
# Without arguments:
in3 -to 0x2736D225f85740f42D17987100dc8d58e9e16252 call "totalServers():uint256"
> 5

# With arguments returning an array of values:
in3 -to 0x2736D225f85740f42D17987100dc8d58e9e16252 call "servers(uint256):(string,
↪ address,uint256,uint256,uint256,address)" 1
> https://in3.slock.it/mainnet/nd-1
> 0x784bfa9eb182c3a02dbeb5285e3dba92d717e07a
> 65535
> 65535
> 0
> 0x0000000000000000000000000000000000000000000000000000000000000000

# With arguments returning an array of values as JSON:
in3 -to 0x2736D225f85740f42D17987100dc8d58e9e16252 -json call
↪ "servers(uint256):(string,address,uint256,uint256,uint256,address)" 1
> ["https://in3.slock.it/mainnet/nd-4","0xbc0ea09c1651a3d5d40bacb4356fb59159a99564",
↪ "0xffff","0xffff","0x00","0x0000000000000000000000000000000000000000000000000000000000000000"]
```

17.10.4 Sending a Transaction

```
# Sends a transaction to a register server function and signs it with the private key_
↳given :
in3 -pk mykeyfile.json -to 0x27a37a1210df14f7e058393d026e2fb53b7cf8c1 -gas 1000000 _
↳send "registerServer(string,uint256)" "https://in3.slock.it/kovan1" 0xFF
```

17.10.5 Deploying a Contract

```
# Compiling the Solidity code, filtering the binary, and sending it as a transaction_
↳returning the txhash:
solc --bin ServerRegistry.sol | in3 -gas 5000000 -pk my_private_key.json -d - send

# If you want the address, you would need to wait until the text is mined before_
↳obtaining the receipt:
solc --bin ServerRegistry.sol | in3 -gas 5000000 -pk my_private_key.json -d - -wait_
↳send | jq -r .contractAddress
```

API Reference Node/Server

The term `in3-server` and `in3-node` are used interchangeably.

Nodes are the backend of Incubed. Each node serves RPC requests to Incubed clients. The node itself runs like a proxy for an Ethereum client (Geth, Parity, etc.), but instead of simply passing the raw response, it will add the required proof needed by the client to verify the response.

To run such a node, you need to have an Ethereum client running where you want to forward the request to. At the moment, the minimum requirement is that this client needs to support `eth_getProof` (see <http://eips.ethereum.org/EIPS/eip-1186>).

You can create your own docker compose file/docker command using our command line descriptions below. But you can also use our tool `in3-server-setup` to help you through the process.

18.1 Command-line Arguments

- autoRegistry-capabilities-multiChain** If true, this node is able to deliver multiple chains.
- autoRegistry-capabilities-proof** If true, this node is able to deliver proofs.
- autoRegistry-capacity** Max number of parallel requests.
- autoRegistry-deposit** The deposit you want to store.
- autoRegistry-depositUnit** Unit of the deposit value.
- autoRegistry-url** The public URL to reach this node.
- cache** Cache Merkle tries.
- chain** ChainId.
- clientKeys** A comma-separated list of client keys to use for simulating clients for the watch-dog.
- db-database** Name of the database.
- db-host** Db-host (default: local host).

--db-password	Password for db-access.
--db-user	Username for the db.
--defaultChain	The default chainId in case the request does not contain one.
--freeScore	The score for requests without a valid signature.
--handler	The implementation used to handle the calls.
--help	Output usage information.
--id	An identifier used in log files for reading the configuration from the database.
--ipfsUrl	The URL of the IPFS client.
--logging-colors	If true, colors will be used.
--logging-file	The path to the log file.
--logging-host	The host for custom logging.
--logging-level	Log level.
--logging-name	The name of the provider.
--logging-type	The module of the provider.
--maxThreads	The maximal number of threads running parallel to the processes.
--maxPointsPerMinute	The Score for one client able to use within one minute, which is used as DOS-Protection.
--maxBlocksSigned	The max number of blocks signed per in3_sign-request
--maxSignatures	The max number of signatures to sign per request
--minBlockHeight	The minimal block height needed to sign.
--persistentFile	The file name of the file keeping track of the last handled blockNumber.
--privateKey	The path to the keystore-file for the signer key used to sign blockhashes.
--privateKeyPassphrase	The password used to decrypt the private key.
--profile-comment	Comments for the node.
--profile-icon	URL to an icon or logo of a company offering this node.
--profile-name	Name of the node or company.
--profile-noStats	If active, the stats will not be shown (default: false).
--profile-url	URL of the website of the company.
--profile-prometheus	URL of the prometheus gateway to report stats
--registry	The address of the server registry used to update the NodeList.
--registryRPC	The URL of the client in case the registry is not on the same chain.
--rpcUrl	The URL of the client. User can specify multiple clients for higher security and data availability. If multiple URLs are used server will check block hash on all RPC clients before signing. Also server will only switch to another node when any request will fail on previous. Format for using multiple clients is: --rpcUrl=http://rpc1.com --rpcUrl=http://rpc2.com
--startBlock	BlockNumber to start watching the registry.
--timeout	Number of milliseconds needed to wait before a request times out.

- version** Output of the version number.
- watchInterval** The number of seconds before a new event.
- watchdogInterval** Average time between sending requests to the same node. 0 turns it off (default).

18.2 in3-server-setup tool

The in3-server-setup tool can be found both [online](<https://in3-setup.slock.it>) and on [DockerHub](<https://hub.docker.com/r/slockit/in3-server-setup>). The DockerHub version can be used to avoid relying on our online service, a full source will be released soon.

The tool can be used to generate the private key as well as the docker-compose file for use on the server.

Note: The below guide is a basic example of how to setup an in3 node, no assurances are made as to the security of the setup. Please take measures to protect your private key and server.

Setting up a server on AWS:

1. Create an account on AWS and create a new EC2 instance
2. Save the key and SSH into the machine with ``ssh -i "SSH_KEY.pem" user@IP``
3. Install docker and docker-compose on the EC2 instance ``apt-get install docker docker-compose``
4. Use scp to transfer the docker-compose file and private key, ``scp -i "SSH_KEY" FILE user@IP:.``
5. Run the Ethereum client, for example parity and allow it to sync
6. Once the client is synced, run the docker-compose file with ``docker-compose up``
7. **Test the in3 node by making a request to the address**

```
curl -X POST -H 'Content-Type:application/json' \
--data '{"id":1,"jsonrpc":"2.0","method":"in3_nodeList", \
"params":[],"in3":{"version": "0x2","chainId":"0x1","verification":"proof
↪"}}' \
<MY_NODE_URL>
```

8. Consider using tools such as AWS Shield to protect your server from DOS attacks

18.3 Registering Your Own Incubed Node

If you want to participate in this network and register a node, you need to send a transaction to the registry contract, calling `registerServer(string _url, uint _props)`.

To run an Incubed node, you simply use docker-compose:

First run parity, and allow the client to sync:

```
version: '2'
services:
  incubed-parity:
    image: parity:latest # Parity image with ↪
    ↪the proof function implemented.
    command:
```

(continues on next page)

(continued from previous page)

```
- --auto-update=none                                # Do not
↪automatically update the client.
- --pruning=archive                                  # Limit storage.
- --pruning-memory=30000                             # Currently still
↪needed until EIP 1186 is finalized.
```

Then run in3 with the below docker-compose file:

```
version: '2'
services:
  incubed-server:
    image: slockit/in3-server:latest
    volumes:
      - $PWD/keys:/secure                                # Directory
↪where the private key is stored.
    ports:
      - 8500:8500/tcp                                    # Open the port
↪8500 to be accessed by the public.
    command:
      - --privateKey=/secure/myKey.json                  # Internal path
↪to the key.
      - --privateKeyPassphrase=dummy                    # Passphrase to
↪unlock the key.
      - --chain=0x1                                      # Chain (Kovan).
      - --rpcUrl=http://incubed-parity:8545              # URL of the
↪Kovan client.
      - --registry=0xFdb0eA8AB08212A1fFfDB35aFacf37C3857083ca # URL of the
↪Incubed registry.
      - --autoRegistry-url=http://in3.server:8500        # Check or
↪register this node for this URL.
      - --autoRegistry-deposit=2                         # Deposit to
↪use when registering.
```


This page contains a list of function for the registry contracts.

19.1 NodeRegistryData functions

19.1.1 adminRemoveNodeFromRegistry

Removes an in3-node from the nodeList

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_signer address`: the signer

19.1.2 adminSetLogic

Sets the new Logic-contract as owner of the contract.

Development notice:

- only callable by the current Logic-contract / owner
- the `0x00`-address as owner is not supported

Return Parameters:

- `true` when successful

19.1.3 adminSetNodeDeposit

Sets the deposit of an existing in3-node

Development notice:

- only callable by the NodeRegistryLogic-contract
- used to remove the deposit of a node after he had been convicted

Parameters:

- `_signer address`: the signer of the in3-node
- `_newDeposit uint`: the new deposit

Return Parameters:

- true when successful

19.1.4 adminSetStage

Sets the stage of a signer

Development notice:

- only callable by the current Logic-contract / owner

Parameters:

- `_signer address`: the signer of the in3-node
- `stage uint`: the new stage

Return Parameters:

- true when successful

19.1.5 adminSetSupportedToken

Sets a new erc20-token as supported token for the in3-nodes.

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_newToken address`: the address of the new supported token

Return Parameters:

- true when successful

19.1.6 adminSetTimeout

Sets the new timeout until the deposit of a node can be accessed after he was unregistered.

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_newTimeout uint`: the new timeout

Return Parameters:

- `true` when successful

19.1.7 adminTransferDeposit

Transfers a certain amount of ERC20-tokens to the provided address

Development notice:

- only callable by the NodeRegistryLogic-contract
- reverts when the transfer failed

Parameters:

- `_to address`: the address to receive the tokens
- `_amount: uint`: the amount of tokens to be transferred

Return Parameters:

- `true` when successful

19.1.8 setConvict

Writes a value to the convictMapping to be used later for revealConvict in the logic contract.

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_hash bytes32`: the data to be written
- `_caller address`: the address for that called convict in the logic-contract

Development notice:

- only callable by the NodeRegistryLogic-contract

19.1.9 registerNodeFor

Registers a new node in the nodeList

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_url string`: the url of the in3-node
- `_props uint192`: the properties of the in3-node
- `_signer address`: the signer address
- `_weight uint64`: the weight
- `_owner address`: the address of the owner

- `_deposit uint`: the deposit in erc20 tokens
- `_stage uint`: the stage the in3-node should have

Return Parameters:

- true when successful

19.1.10 transferOwnership

Transfers the ownership of an active in3-node

Development notice:

- only callable by the NodeRegistryLogic-contract

Parameters:

- `_signer address`: the signer of the in3-node
- `_newOwner address`: the address of the new owner

Return Parameters:

- true when successful

19.1.11 unregisteringNode

Removes a node from the nodeList

Development notice:

- only callable by the NodeRegistryLogic-contract
- calls `_unregisterNodeInternal()`

Parameters:

- `_signer address`: the signer of the in3-node

Return Parameters:

- true when successful

19.1.12 updateNode

Updates an existing in3-node

Development notice:

- only callable by the NodeRegistryLogic-contract
- reverts when the an updated url already exists

Parameters:

- `_signer address`: the signer of the in3-node
- `_url string`: the new url
- `_props uint192` the new properties
- `_weight uint64` the new weight

- `_deposit uint` the new deposit

Return Parameters:

- `true` when successful

19.1.13 `getIn3NodeInformation`

Returns the `In3Node`-struct of a certain index

Parameters:

- `index uint`: the index-position in the nodes-array

Return Parameters:

- the `In3Node`-struct

19.1.14 `getSignerInformation`

Returns the `SignerInformation` of a signer

Parameters:

- `_signer address`: the signer

Return Parameters: the `SignerInformation` of a signer

19.1.15 `totalNodes`

Returns the length of the `nodeList`

Return Parameters: The length of the `nodeList`

19.1.16 `adminSetSignerInfo`

Sets the `SignerInformation`-struct for a signer

Development notice:

- only callable by the `NodeRegistryLogic`-contract
- gets used for updating the information after returning the deposit

Parameters:

- `_signer address`: the signer
- `_si: SignerInformation` the struct to be set

Return Parameters:

- `true` when successful

19.2 NodeRegistryLogic functions

19.2.1 activateNewLogic

Applies a new update to the logic-contract by setting the pending NodeRegistryLogic-contract as owner to the NodeRegistryData-contract

Development notice:

- Only callable after 47 days have passed since the latest update has been proposed

19.2.2 adminRemoveNodeFromRegistry

Removes an malicious in3-node from the nodeList

Development notice:

- only callable by the admin of the smart contract
- only callable in the 1st year after deployment
- only usable on registered in3-nodes

Parameters:

- `_signer address`: the malicious signer

19.2.3 adminUpdateLogic

Proposes an update to the logic contract which can only be applied after 47 days. This will allow all nodes that don't approve the update to unregister from the registry

Development notice:

- only callable by the admin of the smart contract
- does not allow for the 0x0-address to be set as new logic

Parameters:

- `_newLogic address`: the malicious signer

19.2.4 convict

Must be called before revealConvict and commits a blocknumber and a hash.

Development notice:

- The `v,r,s` parameters are from the signature of the wrong blockhash that the node provided

Parameters:

- `_hash bytes32: keccak256(wrong_blockhash, msg.sender, v, r, s)`; used to prevent frontrunning.

19.2.5 registerNode

Registers a new node with the sender as owner

Development notice:

- will call the registerNodeInternal function
- the amount of `_deposit` token have be approved by the signer in order for them to be transferred by the logic contract

Parameters:

- `_url string`: the url of the node, has to be unique
- `_props uint64`: properties of the node
- `_weight uint64`: how many requests per second the node is able to handle
- `_deposit uint`: amount of supported ERC20 tokens as deposit

19.2.6 registerNodeFor

Registers a new node as a owner using a different signer address*

Development notice:

- will revert when a wrong signature has been provided which is calculated by the hash of the url, properties, weight and the owner in order to prove that the owner has control over the signer-address he has to sign a message
- will call the registerNodeInternal function
- the amount of `_deposit` token have be approved by the in3-node-owner in order for them to be transferred by the logic contract

Parameters:

- `_url string`: the url of the node, has to be unique
- `_props uint64`: properties of the node
- `_signer address`: the signer of the in3-node
- `_weight uint64`: how many requests per second the node is able to handle
- `_depositAmount uint`: the amount of supported ERC20 tokens as deposit
- `_v uint8`: v of the signed message
- `_r bytes32`: r of the signed message
- `_s bytes32`: s of the signed message

19.2.7 returnDeposit

Returns the deposit after a node has been removed and it's timeout is over.

Development notice:

- reverts if the deposit is still locked
- reverts when there is nothing to transfer
- reverts when not the owner of the former in3-node

Parameters:

- `_signer address`: the signer-address of a former in3-node

19.2.8 revealConvict

Reveals the wrongly provided blockhash, so that the node-owner will lose its deposit while the sender will get half of the deposit

Development notice:

- reverts when the wrong convict hash (see convict-function) is used
- reverts when the `_signer` did not sign the block
- reverts when trying to reveal immediately after calling convict
- reverts when trying to convict someone with a correct blockhash
- reverts if a block with that number cannot be found in either the latest 256 blocks or the blockhash registry

Parameters:

- `_signer address`: the address that signed the wrong blockhash
- `_blockhash bytes32`: the wrongly provided blockhash
- `_blockNumber uint`: number of the wrongly provided blockhash
- `_v uint8`: v of the signature
- `_r bytes32`: r of the signature
- `_s bytes32`: s of the signature

19.2.9 transferOwnership

Changes the ownership of an in3-node.

Development notice:

- reverts when the sender is not the current owner
- reverts when trying to pass ownership to `0x0`
- reverts when trying to change ownership of an inactive node

Parameters:

- `_signer address`: the signer-address of the in3-node, used as an identifier
- `_newOwner address`: the new owner

19.2.10 unregisteringNode

A node owner can unregister a node, removing it from the `nodeList`. Doing so will also lock his deposit for the timeout of the node.

Development notice:

- reverts when not called by the owner of the node
- reverts when the provided address is not an in3-signer

- reverts when node is not active

Parameters:

- `_signer address`: the signer of the in3-node

19.2.11 `updateNode`

Updates a node by changing its props

Development notice:

- if there is an additional deposit the owner has to approve the `tokenTransfer` before
- reverts when trying to change the url to an already existing one
- reverts when the signer does not own a node
- reverts when the sender is not the owner of the node

Parameters:

- `_signer address`: the signer-address of the in3-node, used as an identifier
- `_url string`: the url, will be changed if different from the current one
- `_props uint64`: the new properties, will be changed if different from the current one
- `_weight uint64`: the amount of requests per second the node is able to handle
- `_additionalDeposit uint`: additional deposit in supported erc20 tokens

19.2.12 `maxDepositFirstYear`

Returns the current maximum amount of deposit allowed for registering or updating a node

Return Parameters:

- `uint` the maximum amount of tokens

19.2.13 `minDeposit`

Returns the current minimal amount of deposit required for registering a new node

Return Parameters:

- `uint` the minimal amount of tokens needed for registering a new node

19.2.14 `supportedToken`

Returns the current supported ERC20 token-address

Return Parameters:

- `address` the address of the currently supported erc20 token

19.3 BlockHashRegistry functions

19.3.1 searchForAvailableBlock

Searches for an already existing snapshot

Parameters:

- `_startNumber uint`: the blocknumber to start searching
- `_numBlocks uint`: the number of blocks to search for

Return Parameters:

- `uint` returns a blocknumber when a snapshot had been found. It will return 0 if no blocknumber was found.

19.3.2 recreateBlockheaders

Starts with a given blocknumber and its header and tries to recreate a (reverse) chain of blocks. If this has been successful the last blockhash of the header will be added to the smart. contract. It will be checked whether the provided chain is correct by using the `reCalculateBlockheaders` function.

Development notice:

- only usable when the given blocknumber is already in the smart contract
- function is public due to the usage of a dynamic bytes array (not yet supported for external functions)
- reverts when the chain of headers is incorrect
- reverts when there is not parent block already stored in the contract

Parameters:

- `_blockNumber uint`: the block number to start recreation from
- `_blockheaders bytes[]`: array with serialized blockheaders in reverse order (youngest -> oldest) => (e.g. 100, 99, 98)

19.3.3 saveBlockNumber

Stores a certain blockhash to the state

Development notice:

- reverts if the block can't be found inside the evm

Parameters:

- `_blockNumber uint`: the blocknumber to be stored

19.3.4 snapshot

Stores the `currentBlock-1` in the smart contract

19.3.5 getRlpUint

Returns the value from the rlp encoded data

Development notice: *This function is limited to only value up to 32 bytes length!

Parameters:

- `_data bytes`: the rlp encoded data
- `_offset uint`: the offset

Return Parameters:

- `value uint` the value

19.3.6 getParentAndBlockhash

Returns the blockhash and the parent blockhash from the provided blockheader

Parameters:

- `_blockheader bytes`: a serialized (rlp-encoded) blockheader

Return Parameters:

- `parentHash bytes32`
- `bhash bytes32`

19.3.7 reCalculateBlockheaders

Starts with a given blockhash and its header and tries to recreate a (reverse) chain of blocks. The array of the block-headers have to be in reverse order (e.g. [100,99,98,97]).

Parameters:

- `_blockheaders bytes[]`: array with serialized blockheaders in reverse order, i.e. from youngest to oldest
- `_bHash bytes32`: blockhash of the 1st element of the `_blockheaders`-array

To enable smart devices of the internet of things to be connected to the Ethereum blockchain, an Ethereum client needs to run on this hardware. The same applies to other blockchains, whether based on Ethereum or not. While current notebooks or desktop computers with a broadband Internet connection are able to run a full node without any problems, smaller devices such as tablets and smartphones with less powerful hardware or more restricted Internet connection are capable of running a light node. However, many IoT devices are severely limited in terms of computing capacity, connectivity and often also power supply. Connecting an IoT device to a remote node enables even low-performance devices to be connected to blockchain. By using distinct remote nodes, the advantages of a decentralized network are undermined without being forced to trust single players or there is a risk of malfunction or attack because there is a single point of failure.

With the presented Trustless Incentivized Remote Node Network, in short INCUBED, it will be possible to establish a decentralized and secure network of remote nodes, which enables trustworthy and fast access to blockchain for a large number of low-performance IoT devices.

20.1 Situation

The number of IoT devices is increasing rapidly. This opens up many new possibilities for equipping these devices with payment or sharing functionality. While desktop computers can run an Ethereum full client without any problems, small devices are limited in terms of computing power, available memory, Internet connectivity and bandwidth. The development of Ethereum light clients has significantly contributed to the connection of smaller devices with the blockchain. Devices like smartphones or computers like Raspberry PI or Samsung Artik 5/7/10 are able to run light clients. However, the requirements regarding the mentioned resources and the available power supply are not met by a large number of IoT devices.

One option is to run the client on an external server, which is then used by the device as a remote client. However, central advantages of the blockchain technology - decentralization rather than having to trust individual players - are lost this way. There is also a risk that the service will fail due to the failure of individual nodes.

A possible solution for this may be a decentralized network of remote-nodes (netservice nodes) combined with a protocol to secure access.

20.2 Low-Performance Hardware

There are several classes of IoT devices, for which running a full or light client is somehow problematic and a INNN can be a real benefit or even a job enabler:

- **Devices with insufficient calculation power or memory space**

Today, the majority of IoT devices do not have processors capable of running a full client or a light client. To run such a client, the computer needs to be able to synchronize the blockchain and calculate the state (or at least the needed part thereof).

- **Devices with insufficient power supply**

If devices are mobile (for instance a bike lock or an environment sensor) and rely on a battery for power supply, running a full or a light client, which needs to be constantly synchronized, is not possible.

- **Devices which are not permanently connected to the Internet**

Devices which are not permanently connected to the Internet, also have trouble running a full or a light client as these clients need to be in sync before they can be used.

20.3 Scalability

One of the most important topics discussed regarding blockchain technology is scalability. Of course, a working INCUBED does not solve the scaling problems that more transactions can be executed per second. However, it does contribute to providing access to the Ethereum network for devices that could not be integrated into existing clients (full client, light client) due to their lack of performance or availability of a continuous Internet connection with sufficient bandwidth.

20.4 Use Cases

With the following use cases, some realistic scenarios should be designed in which the use of INCUBED will be at least useful. These use cases are intended as real-life relevant examples only to envision the potential of this technology but are by no means a somehow complete list of possible applications.

20.4.1 Publicly Accessible Environment Sensor

Description

An environment sensor, which measures some air quality characteristics, is installed in the city of Stuttgart. All measuring data is stored locally and can be accessed via the Internet by paying a small fee. Also a hash of the current data set is published to the public Ethereum blockchain to validate the integrity of the data.

The computational power of the control unit is restricted to collecting the measuring data from the sensors and storing these data to the local storage. It is able to encrypt or cryptographically sign messages. As this sensor is one of thousands throughout Europe, the energy consumption must be as low as possible. A special low-performance hardware is installed. An Internet connection is provided, but the available bandwidth is not sufficient to synchronise a blockchain client.

Blockchain Integration

The connection to the blockchain is only needed if someone requests the data and sends the validation hash code to the smart contract.

The installed hardware (available computational power) and the requirement to minimize energy consumption disable the installation and operation of a light client without installing additional hardware (like a Samsung Artik 7) as PBCD (Physical Blockchain Connection Device/Ethereum computer). Also, the available Internet bandwidth would need to be enhanced to be able to synchronize properly with the blockchain.

Using a netservice-client connected to the INCUBED can be realized using the existing hardware and Internet connection. No additional hardware or Internet bandwidth is needed. The netservice-client connects to the INCUBED only to send signed messages, to trigger transactions or to request information from the blockchain.

20.4.2 Smart Bike Lock

Description

A smart bike lock which enables sharing is installed on an e-bike. It is able to connect to the Internet to check if renting is allowed and the current user is authorized to open the lock.

The computational power of the control unit is restricted to the control of the lock. Because the energy is provided by the e-bike's battery, the controller runs only when needed in order to save energy. For this reason, it is also not possible to maintain a permanent Internet connection.

Blockchain Integration

Running a light-client on such a platform would consume far too much energy, but even synchronizing the client only when needed would take too much time and require an Internet connection with the corresponding bandwidth, which is not always the case. With a netservice-client running on the lock, a secure connection to the blockchain can be established at the required times, even if the Internet connection only allows limited bandwidth. In times when there is no rental process in action, neither computing power is needed nor data is transferred.

20.4.3 Smart Home - Smart Thermostat

Description

With smart home devices it is possible to realize new business models, e. g. for the energy supply. With smart thermostats it is possible to bill heating energy pay-per-use. During operation, the thermostat must only be connected to the blockchain if there is a heating requirement and a demand exists. Then the thermostat must check whether the user is authorized and then also perform the transactions for payment.

Blockchain Integration

Similar to the cycle lock application, a thermostat does not need to be permanently connected to the blockchain to keep a client in sync. Furthermore, its hardware is not able to run a full or light client. Here, too, it makes sense to use a netservice-client. Such a client can be developed especially for this hardware.

20.4.4 Smartphone App

Description

The range of smartphone apps that can or should be connected to the blockchain is widely diversified. These can be any apps with payment functions, apps that use blockchain as a notary service, apps that control or lend IoT devices, apps that visualize data from the blockchain, and much more.

Often these apps only need sporadic access to the blockchain. Due to the limited battery power and limited data volume, neither a full client nor a light client is really suitable for such applications, as these clients require a permanent connection to keep the blockchain up-to-date.

Blockchain Integration

In order to minimize energy consumption and the amount of data to be transferred, it makes sense to implement smartphone applications that do not necessarily require a permanent connection to the Internet and thus also to the blockchain with a netservice-client. This makes it possible to dispense with a centralized remote server solution, but only have access to the blockchain when it is needed without having to wait long before the client is synchronized.

20.4.5 Advantages

As has already been pointed out in the use cases, there are various advantages that speak in favor of using INCUBED:

- Devices with low computing power can communicate with the blockchain.
- Devices with a poor Internet connection or limited bandwidth can communicate with the blockchain.
- Devices with a limited power supply can be integrated.
- It is a decentralized solution that does not require a central service provider for remote nodes.
- A remote node does not need to be trusted, as there is a verification facility.
- Existing centralized remote services can be easily integrated.
- Net service clients for special and proprietary hardware can be implemented independently of current Ethereum developments.

20.4.6 Challenges

Of course, there are several challenges that need to be solved in order to implement a working INCUBED.

Security

The biggest challenge for a decentralized and trust-free system is to ensure that one can make sure that the information supplied is actually correct. If a full client runs on a device and is synchronized with the network, it can check the correctness itself. A light client can also check if the block headers match, but does not have the transactions available and requires a connection to a full client for this information. A remote client that communicates with a full client via the REST API has no direct way to verify that the answer is correct. In a decentralized network of netservice-nodes whose trustworthiness is not known, a way to be certain with a high probability that the answer is correct is required. The INCUBED system provides the nodes that supply the information with additional nodes that serve as validators.

Business models

In order to provide an incentive to provide nodes for a decentralized solution, any transaction or query that passes through such a node would have to be remunerated with an additional fee for the operator of the node. However, this would further increase the transaction costs, which are already a real problem for micro-payments. However, there are also numerous non-monetary incentives that encourage participation in this infrastructure.

20.5 Architecture

20.5.1 Overview

An INCUBED network consists of several components:

1. The INCUBED registry (later called registry). This is a Smart Contract deployed on the Ethereum Main-Net where all nodes that want to participate in the network must register and, if desired, store a security deposit.
2. The INCUBED or Netservice node (later called node), which are also full nodes for the blockchain. The nodes act as information providers and validators.
3. The INCUBED or Netservice clients (later called client), which are installed e.g. in the IoT devices.
4. Watchdogs who as autonomous authorities (bots) ensure that misbehavior of nodes is uncovered and punished.

Initialization of a Client

Each client gets an initial list of boot nodes by default. Before its first “real” communication with the network, the current list of nodes must be queried as they are registered in the registry (see section [subsec:IN3-Registry-Smart-Contract]). Initially, this can only be done using an invalidated query (see figure [fig:unvalidated request]). In order to have the maximum possible security, this query can and should be made to several or even all boot nodes in order to obtain a valid list with great certainty.

This list must be updated at regular intervals to ensure that the current network is always available.

Unvalidated Requests / Transactions

Unvalidated queries and transactions are performed by the client by selecting one or more nodes from the registry and sending them the request (see figure [fig:unvalidated request]). Although the responses cannot be verified directly, the option to send the request to multiple nodes in parallel remains. The returned results can then be checked for consistency by the client. Assuming that the majority will deliver the correct result (or execute the transaction correctly), this will at least increase the likelihood of receiving the correct response (Proof of Majority).

There are other requests too that can only be returned as an unverified response. This could be the case, for example:

- Current block number (the node may not have synchronized the latest block yet or may be in a micro fork, ...)
- Information from a block that has not yet been finalized
- Gas price

The multiple parallel query of several nodes and the verification of the results according to the majority principle is a standard functionality of the client. With the number of nodes requested in parallel, a suitable compromise must be made between increased data traffic, effort for processing the data (comparison) and higher security.

The selection of the nodes to be queried must be made at random. In particular, successive queries should always be sent to different nodes. This way it is not possible, or at least only very difficult, for a possibly misbehaving node to send specific incorrect answers to a certain client, since it cannot be foreseen at any time that the same client will


also send a follow-up query to the same node, for example, and thus the danger is high that the misbehavior will be uncovered.

In the case of a misbehavior, the client can blacklist this node or at least reduce the internal rating of this node. However, inconsistent responses can also be provided unintentionally by a node, i.e. without the intention of spreading false information. This can happen, for example, if the node has not yet synchronized the current block or is running on a micro fork. These possibilities must therefore always be taken into consideration when the client “reacts” to such a response.

An unvalidated answer will be returned unsigned. Thus, it is not possible to punish the sender in case of an incorrect response, except that the client can blacklist or downgrade the sender in the above-mentioned form.

Validated Requests

The second form of queries are validated requests. The nodes must be able to provide various verification options and proofs in addition to the result of the request. With validated requests, it is possible to achieve a similar level of security with an INCUBED client as with a light or even full client, without having to blindly trust a centralized middleman (as is the case with a remote client). Depending on the security requirements and the available resources (e.g. computing power), different validations and proofs are possible.



As with an invalidated query, the node to be queried should be selected randomly. However, there are various criteria, such as the deposited security deposit, reliability and performance from previous requests, etc., which can or must also be included in the selection.

Call Parameter

A validated request consists of the parts:

- Actual request
- List of validators
- Proof request
- List of already known validations and proofs (optional).

Return values

The return depends on the request:

- The requested information (signed by the node)
- The signed answers of the validators (block hash) - 1 or more

- The Merkle Proof
- Request for a payment.

Validation

Validation refers to the checking of a block hash by one or more additional nodes. A client cannot perform this check on its own. To check the credibility of a node (information provider), the block hash it returns is checked by one or more independent nodes (validators). If a validator node can detect the malfunction of the originally requested node (delivery of an incorrect block), it can receive its security deposit and the compromised node is removed from the registry. The same applies to a validator node.

Since the network connection and bandwidth of a node is often better than that of a client, and the number of client requests should be as small as possible, the validation requests are sent from the requested node (information provider) to the validators. These return the signed answer, so that there is no possibility for the information provider to manipulate the answer. Since the selection of nodes to act as validators is made only by the client, a potentially malfunctioning node cannot influence it or select a validator to participate in a conspiracy with it.

If the selected validator is not available or does not respond, the client can specify several validators in the request, which are then contacted instead of the failed node. For example, if multiple nodes are involved in a conspiracy, the requested misbehaving node could only send the validation requests to the nodes that support the wrong response.

Signed block-hash verification

Such responses can be broadly classified into 3 categories - signed block-hashes, unsigned (deniable) errors and signed errors as shown below.

```
{
  "signatures": [
    {
      "blockHash": "0x3b1d2d185af8856ae03743b632ce1ed2c949e5d857870b7dae15f5b0601efff7
      ↪",
      "block": 3662142,
      "r": "0x389656b8924ab3b0f05b5d618e14a6b561cc85023bde9a96f1b78487eb1872a4",
      "s": "0x49c00342564b30e8b17488941aa3afde8bc85728d2a2814094c0afb7ce84c926",
      "v": 28,
      "msgHash": "0x2367ad2a1ff16e8af634f6e1062b0954f6898b5340d849b8b5b79bc936b57950"
    },
    {
      "error": {
        "message": "Internal Error",
        "code": -32603,
        "data": {
          "address": "0x1fe2e9bf29aa1938859af64c413361227d04059a"
        }
      }
    },
    {
      "error": {
        "message": "block is not final",
        "code": -16001,
        "data": {
          "signedError": {
            "r": "0xbf484c898764b35095d9f352b80d730d55a5be9ac7a6b76609756161ed2d55ed",
            "s": "0x446530191b76833b74557732a840971f68b9de7bfe645fc0beb9b0d63f739c1c",
            "v": 27,
            "msgHash":
            ↪"0x2367ad2a1ff16e8af634f6e1062b0954f6898b5340d849b8b5b79bc936b57950"
          },
          "signedData": {
```

(continues on next page)

(continued from previous page)

```


        "timestamp": 1605774047,
        "blocks": [3662142],
        "currentBlock": 3662145
    }
}
}
]
}

```

1. Verification begins by checking if we have previously verified the block-hash for the same block-number and if we have it cached in memory. If this is the case and if the block-hashes match, we simply return otherwise we return and blacklist the responding node.
2. We then serialize the block-hash, block-number and registry id (in that same order) and hash it to compute the message hash. Note that the block-hash & block-number are obtained from the block-header while the registry id is obtained by querying the nodelist implementation.
3. Now, we verify each response in the `signatures` array. If the response is a signed block-hash, we validate it to check whether or not it is well-formed (i.e. if it has all required fields, namely `blockHash`, `block`, `r`, `s`, `v` and `msgHash`). Then we check if the `block` and `blockHash` fields match the block-header or not. If any of these checks fails, we return and blacklist the responding node. Now we proceed to verify the signature with the hash we calculated in Step 2 using ECDSA public key recovery. We keep note of verified responses by setting corresponding index for this signer node in a bitmask.
4. If the response happens to be an error, we determine whether it is a signed or unsigned error. If it is unsigned, we defer handling until completion of verification of remaining signature and simply continue with the next response. In general we treat all unsigned responses as an indication that the signer node is offline.
5. If the error is of the signed variety, we need to handle it according to the error type. First we validate that the error is not malformed (i.e. it has all required fields, namely `code`, `data.signedError`, `data.signedError.r`, `data.signedError.s`, `data.signedError.v`, `data.signedData.block`, `data.signedData.timestamp` and `data.signedError.msgHash`). Then we check if the `data.signedData.block` fields matches the block-header or not. Now we calculate the message hash which is defined as the keccak hash of the serialization of the absolute value of the `code` concatenated with field-wise serialization of all `signedData` fields in the same sequence in which they appear in the response. This hash is verified against `data.signedError.msgHash`. Now we proceed to verify the signature with the message hash using ECDSA public key recovery. We keep note of verified responses by setting corresponding index for this signer node in a second bitmask.
6. Henceforth, we can be certain that the signed error was indeed reported by a signer node, so we begin handling them on a case-by-case basis. For example, `JSON_RPC_ERR_FINALITY` (i.e. code `-16001`) is returned by a signer node if its `minBlockHeight` is set such that it doesn't consider the block we're asking it to sign as final. This could only mean two things -
 - The signer is indeed correct and the client disregarded the `min_block_height` setting for this node in the nodelist prop field. This is a client error and doesn't need to be handled.
 - The signer is out-of-sync or is malicious and is trying to lie to us. In such cases, we could verify the following condition, if it is satisfied we know the signer lied so we can blacklist it ->

```
(current_block > block_to_sign && current_block - block_to_sign >= min_blk_height)
```

7. Once we are done with verifying the individual responses, we have bitmasks indicating verified signed responses and errors. Using these, we mark all signer nodes whose responses are missing as `offline`. If even one response is missing or is an error, we return but don't blacklist the responding node. Otherwise, the verification is complete and we add this block-hash to the verified block-hash cache.



Proof

The validators only confirm that the block hash of the block from which the requested information originates is correct. The consistency of the returned response cannot be checked in this way.

Optionally, this information can be checked directly by the client. However, this is obligatory, but considerably increases safety. On the other hand, more information has to be transferred and a computationally complex check has to be performed by the client.

When a proof is requested, the node provides the Merkle Tree of the response so that the client can calculate and check the Merkle Root for the result itself.

Payment and Incentives

As an incentive system for the return of verified responses, the node can request a payment. For this, however, the node must guarantee with its security deposit that the answer is correct.


There are two strong incentives for the node to provide the correct response with high performance since it loses its deposit when a validator (wrong block hash) detects misbehavior and is eliminated from the registry, and receives a reward for this if it provides a correct response.

If a client refuses payment after receiving the correctly validated information which it requested, it can be blacklisted or downgraded by the node so that it will no longer receive responses to its requests.

If a node refuses to provide the information for no reason, it is blacklisted by the client in return or is at least downgraded in rating, which means that it may no longer receive any requests and therefore no remuneration in the future.

If the client detects that the Merkle Proof is not correct (although the validated block hash is correct), it cannot attack the node's deposit but has the option to blacklist or downgrade the node to no longer ask it. A node caught this way of misbehavior does not receive any more requests and therefore cannot make any profits.

The security deposit of the node has a decisive influence on how much trust is placed in it. When selecting the node, a client chooses those nodes that have a corresponding deposit (stake), depending on the security requirements (e.g. high value of a transaction). Conversely, nodes with a high deposit will also charge higher fees, so that a market with supply and demand for different security requirements will develop.



20.5.2 IN3-Registry Smart Contract

Each client is able to fetch the complete list including the deposit and other information from the contract, which is required in order to operate. The client must update the list of nodes logged into the registry during initialization

and regularly during operation to notice changes (e.g. if a node is removed from the registry intentionally or due to misbehavior detected).

In order to maintain a list of network nodes offering INCUBED-services a smart contract IN3Registry in the Ethereum Main-Net is deployed. This contract is used to manage ownership and deposit for each node.

```
contract ServerRegistry {

    /// server has been registered or updated its registry props or deposit
    event LogServerRegistered(string url, uint props, address owner, uint deposit);

    /// a caller requested to unregister a server.
    event LogServerUnregisterRequested(string url, address owner, address caller);

    /// the owner canceled the unregister-process
    event LogServerUnregisterCanceled(string url, address owner);

    /// a Server was convicted
    event LogServerConvicted(string url, address owner);

    /// a Server is removed
    event LogServerRemoved(string url, address owner);

    struct In3Server {
        string url; // the url of the server
        address owner; // the owner, which is also the key to sign blockhashes
        uint deposit; // stored deposit
        uint props; // a list of properties-flags representing the capabilities of
        ↪ the server

        // unregister state
        uint128 unregisterTime; // earliest timestamp in to to call unregister
        uint128 unregisterDeposit; // Deposit for unregistering
        address unregisterCaller; // address of the caller requesting the unregister
    }

    /// server list of incubed nodes
    In3Server[] public servers;

    /// length of the serverlist
    function totalServers() public view returns (uint) ;

    /// register a new Server with the sender as owner
    function registerServer(string _url, uint _props) public payable;

    /// updates a Server by adding the msg.value to the deposit and setting the props
    ↪
    function updateServer(uint _serverIndex, uint _props) public payable;

    /// this should be called before unregistering a server.
    /// there are 2 use cases:
    /// a) the owner wants to stop offering the service and remove the server.
    /// in this case he has to wait for one hour before actually removing the
    ↪ server.
    /// This is needed in order to give others a chance to convict it in case this
    ↪ server signs wrong hashes
    /// b) anybody can request to remove a server because it has been inactive.
    /// in this case he needs to pay a small deposit, which he will lose

```

(continues on next page)

(continued from previous page)

```

    //      if the owner become active again
    //      or the caller will receive 20% of the deposit in case the owner does not
    ↪react.
    function requestUnregisteringServer(uint _serverIndex) payable public;

    /// this function must be called by the caller of the requestUnregisteringServer-
    ↪function after 28 days
    /// if the owner did not cancel, the caller will receive 20% of the server
    ↪deposit + his own deposit.
    /// the owner will receive 80% of the server deposit before the server will be
    ↪removed.
    function confirmUnregisteringServer(uint _serverIndex) public ;

    /// this function must be called by the owner to cancel the unregister-process.
    /// if the caller is not the owner, then he will also get the deposit paid by the
    ↪caller.
    function cancelUnregisteringServer(uint _serverIndex) public;

    /// convicts a server that signed a wrong blockhash
    function convict(uint _serverIndex, bytes32 _blockhash, uint _blocknumber, uint8 _
    ↪v, bytes32 _r, bytes32 _s) public ;
}

```

To register, the owner of the node needs to provide the following data:

- **props** : a bitmask holding properties like.
- **url** : the public url of the server.
- **msg.value** : the value sent during this transaction is stored as deposit in the contract.
- **msg.sender** : the sender of the transaction is set as owner of the node and therefore able to manage it at any given time.

Deposit

The deposit is an important incentive for the secure operation of the INCUBED network. The risk of losing the deposit if misconduct is detected motivates the nodes to provide correct and verifiable answers.

The amount of the deposit can be part of the decision criterion for the clients when selecting the node for a request. The “value” of the request can therefore influence the selection of the node (as information provider). For example, a request that is associated with a high value may not be sent to a node that has a very low deposit. On the other hand, for a request for a dashboard, which only provides an overview of some information, the size of the deposit may play a subordinate role.

20.5.3 Netservice-Node


The net service node (short: node) is the communication interface for the client to the blockchain client. It can be implemented as a separate application or as an integrated module of a blockchain client (such as Geth or Parity).

Nodes must provide two different services:

- Information Provider
- Validator.

Information Provider

A client directly addresses a node (information provider) to retrieve the desired information. Similar to a remote client, the node interacts with the blockchain via its blockchain client and returns the information to the requesting client. Furthermore, the node (information provider) provides the information the client needs to verify the result of the query (validation and proof). For the service, it can request payment when it returns a validated response.



If an information provider is found to return incorrect information as a validated response, it loses its deposit and is removed from the registry. It can be transferred by a validator or watchdog.

Validator

The second service that a node has to provide is validation. When a client submits a validated request to the information provider, it also specifies the node(s) that are designated as validators. Each node that is logged on to the registry must also accept the task as validator.

If a validator is found to return false information as validation, it loses its deposit and is removed from the registry. It can be transferred by another validator or a watchdog.

Watchdog

Watchdogs are independent bots whose random validators logged in to the registry are checked by specific queries to detect misbehavior. In order to provide an incentive for validator activity, watchdogs can also deliberately pretend misbehavior and thus give the validator the opportunity to claim the security deposit.

20.5.4 NetService-Client

The netservice client (short client) is the instance running on the device that needs the connection to the blockchain. It communicates with the nodes of the INCUBED network via a REST API.

The client can decide autonomously whether it wants to request an unvalidated or a validated answer (see section. . .). In addition to communicating with the nodes, the client has the ability to verify the responses by evaluating the majority (unvalidated request) or validations and proofs (validated requests).

The client receives the list of available nodes of the INCUBED network from the registry and ensures that this list is always kept up-to-date. Based on the list, the client also manages a local reputation system of nodes to take into account performance, reliability, trustworthiness and security when selecting a node.

A client can communicate with different blockchains at the same time. In the registry, nodes of different blockchains (identified by their ID) are registered so that the client can and must filter the list to identify the nodes that can process (and validate, if necessary) its request.

Local Reputation System

The local reputations system aims to support the selection of a node.

The reputation system is also the only way for a client to blacklist nodes that are unreliable or classified as fraudulent. This can happen, for example, in the case of an unvalidated query if the results of a node do not match those of the majority, or in the case of validated queries, if the validation is correct but the proof is incorrect.

Performance-Weighting

In order to balance the network, each client may weight each node by:

$$weight = \frac{\max(\lg(deposit), 1)}{\max(avgResponseTime, 100)}$$

Based on the weight of each node a random node is chosen for each request. While the deposit is read by the contract, the avgResponseTime is managed by the client himself. The does so by measuring the time between request and response and calculate the average (in ms) within the last 24 hours. This way the load is balanced and faster servers will get more traffic.

20.5.5 Payment / Incentives

To build an incentive-based network, it is necessary to have appropriate technologies to process payments. The payments to be made in INCUBED (e.g. as a fee for a validated answer) are, without exception micro payments (other than the deposit of the deposit, which is part of the registration of a node and which is not mentioned here, however). When designing a suitable payment solution, it must therefore be ensured that a reasonable balance is always found between the actual fee, transaction costs and transaction times.

Direct Transaction Payment

Direct payment by transaction is of course possible, but this is not possible due to the high transaction costs. Exceptions to this could be transactions with a high value, so that corresponding transaction costs would be acceptable.

However, such payments are not practical for general use.

State Channels

State channels are well-suited for the processing of micropayments. A decisive point of the protocol is that the node must always be selected randomly (albeit weighted according to further criteria). However, it is not practical for a client to open a separate state channel (including deposit) with each potential node that it wants to use for a request. To establish a suitable micropayment system based on state channels, a state channel network such as Raiden is required. If enough partners are interconnected in such a network and a path can be found between two partners, payments can also be exchanged between these participants.

Probabilistic Payment

Another way of making small payments is probabilistic micropayments. The idea is based on issuing probabilistic lottery tickets instead of very small direct payments, which, with a certain probability, promise to pay out a higher amount. The probability distribution is adjusted so that the expected value corresponds to the payment to be made.

For a probabilistic payment, an amount corresponding to the value of the lottery ticket is deposited. Instead of direct payment, tickets are now issued that have a high likelihood of winning. If a ticket is not a winning ticket, it expires and does not entitle the recipient to receive a payment. Winning tickets, on the other hand, entitle the recipient to receive the full value of the ticket.

Since this value is so high that a transaction is worthwhile, the ticket can be redeemed in exchange for a payment.

Probabilistic payments are particularly suitable for combining a continuous, preferably evenly distributed flow of small payments into individual larger payments (e.g. for streaming data).

Similar to state channels, a type of payment channel is created between two partners (with an appropriate deposit).

For the application in the INCUBED protocol, it is not practical to establish individual probabilistic payment channels between each client and requested node, since on the one hand the prerequisite of a continuous and evenly distributed payment stream is not given and, on the other hand, payments may be very irregularly required (e.g. if a client only rarely sends queries).

The analog to a state channel network is pooled probabilistic payments. Payers can be pooled and recipients can also be connected in a pool, or both.

20.6 Scaling

The interface between client and node is independent of the blockchain with which the node communicates. This allows a client to communicate with multiple blockchains / networks simultaneously as long as suitable nodes are registered in the registry.

For example, a payment transaction can take place on the Ethereum Mainnet and access authorization can be triggered in a special application chain.

20.6.1 Multi Chain Support

Each node may support one or more network or chains. The supported list can be read by filtering the list of all servers in the contract.

The ChainId refers to a list based on EIP-155. The ChainIds defined there will be extended by enabling even custom chains to register a new chainId.


20.6.2 Conclusion

INCUBED establishes a decentralized network of validatable remote nodes, which enables IoT devices in particular to gain secure and reliable access to the blockchain. The demands on the client's computing and storage capacity can be reduced to a minimum, as can the requirements on connectivity and network traffic.

INCUBED also provides a platform for scaling by allowing multiple blockchains to be accessed in parallel from the same client. Although INCUBED is designed in the first instance for the Ethereum network (and other chains using the Ethereum protocol), in principle other networks and blockchains can also be integrated, as long as it is possible to realize a node that can work as information provider (incl. proof) and validator.

21.1 Blockheader Verification

Since all proofs always include the blockheader it is crucial to verify the correctness of these data as well. But verification depends on the consensus of the underlying blockchain. (For details, see [Ethereum Verification](#) and [MerkleProof](#).)



21.2 Proof of Work

Currently, the public chain uses proof of work. This makes it very hard to verify the header since anybody can produce such a header. So the only way to verify that the block in question is an accepted block is to let registered nodes sign the blockhash. If they are wrong, they lose their previously stored deposit. For the client, this means that the required security depends on the deposit stored by the nodes.

This is why a client may be configured to require multiple signatures and even a minimal deposit:

```
client.sendRPC('eth_getBalance', [account, 'latest'], chain, {
  minDeposit: web3.utils.toWei(10, 'ether'),
  signatureCount: 3
})
```

The `minDeposit` lets the client preselect only nodes with at least that much deposit. The `signatureCount` asks for multiple signatures and so increases the security.

Since most clients are small devices with limited bandwidth, the client is not asking for the signatures directly from the nodes but, rather, chooses one node and lets this node run a subrequest to get the signatures. This means not only fewer requests for the clients but also that at least one node checks the signatures and “convicts” another if it lied.

21.3 Proof of Authority

The good thing about proof of authority is that there is already a signature included in the blockheader. So if we know who is allowed to sign a block, we do not need an additional blockhash signed. The only critical information we rely on is the list of validators.

Currently, there are two consensus algorithms:

21.3.1 Aura

Aura is only used by Parity, and there are two ways to configure it:

- **static list of nodes** (like the Kovan network): in this case, the `validatorlist` is included in the chain-spec and cannot change, which makes it very easy for a client to verify blockheaders.
- **validator contract**: a contract that offers the function `getValidators()`. Depending on the chain, this contract may contain rules that define how validators may change. But this flexibility comes with a price. It makes it harder for a client to find a secure way to detect validator changes. This is why the proof for such a contract depends on the rules laid out in the contract and is chain-specific.

21.3.2 Clique

Clique is a protocol developed by the Geth team and is now also supported by Parity (see Görli testnet).

Instead of relying on a contract, Clique defines a protocol of how validator nodes may change. All votes are done directly in the blockheader. This makes it easier to prove since it does not rely on any contract.

The Incubed nodes will check all the blocks for votes and create a `validatorlist` that defines the `validatorset` for any given `blockNumber`. This also includes the proof in form of all blockheaders that either voted the new node in or out. This way, the client can ask for the list and automatically update the internal list after it has verified each blockheader and vote. Even though malicious nodes cannot forge the signatures of a validator, they may skip votes in the `validatorlist`. This is why a `validatorlist` update should always be done by running multiple requests and merging them together.

21.4 Ethereum Verification

The Incubed is also often called Minimal Verifying Client because it may not sync, but still is able to verify all incoming data. This is possible since ethereum is based on a technology allowing to verify almost any value.

Our goal was to verify at least all standard `eth_...rpc` methods as described in the [Specification](#).

In order to prove something, you always need a starting value. In our case this is the `BlockHash`. Why do we use the `BlockHash`? If you know the `BlockHash` of a block, you can easily verify the full `BlockHeader`. And since the `BlockHeader` contains the `stateRoot`, `transactionRoot` and `receiptRoot`, these can be verified as well. And the rest will simply depend on them.

There is also another reason why the `BlockHash` is so important. This is the only value you are able to access from within a `SmartContract`, because the `evm` supports a `OpCode` (`BLOCKHASH`), which allows you to read the last 256 `Blockhashes`, which gives us the chance to even verify the `blockhash` onchain.

Depending on the method, different proofs are needed, which are described in this document.

- *Block Proof* - verifies the content of the `BlockHeader`
- *Transaction Proof* - verifies the input data of a transaction

- *Receipt Proof* - verifies the outcome of a transaction
- *Log Proof* - verifies the response of `eth_getPastLogs`
- *Account Proof* - verifies the state of an account
- *Call Proof* - verifies the result of a `eth_call` - response

21.4.1 BlockProof

BlockProofs are used whenever you want to read data of a Block and verify them. This would be:

- `eth_getBlockTransactionCountByHash`
- `eth_getBlockTransactionCountByNumber`
- `eth_getBlockByHash`
- `eth_getBlockByNumber`

The `eth_getBlockBy...` methods return the Block-Data. In this case all we need is somebody verifying the blockhash, which is done by requiring somebody who stored a deposit and would lose it, to sign this blockhash.

The Verification is then simply by creating the blockhash and comparing this to the signed one.

The Blockhash is calculated by [serializing the blockdata](#) with `rlp` and hashing it:

```
blockHeader = rlp.encode([
    bytes32( parentHash ),
    bytes32( sha3Uncles ),
    address( miner || coinbase ),
    bytes32( stateRoot ),
    bytes32( transactionsRoot ),
    bytes32( receiptsRoot || receiptRoot ),
    bytes256( logsBloom ),
    uint( difficulty ),
    uint( number ),
    uint( gasLimit ),
    uint( gasUsed ),
    uint( timestamp ),
    bytes( extraData ),

    ... sealFields
    ? sealFields.map( rlp.decode )
    : [
        bytes32( b.mixHash ),
        bytes8( b.nonce )
    ]
])
```

For POA-Chains the blockheader will use the `sealFields` (instead of `mixHash` and `nonce`) which are already `rlp`-encoded and should be added as raw data when using `rlp.encode`.

```
if (keccak256(blockHeader) !== signedBlockHash)
    throw new Error('Invalid Block')
```

In case of the `eth_getBlockTransactionCountBy...` the proof contains the full `blockHeader` already serialized + all `transactionHashes`. This is needed in order to verify them in a `merkleTree` and compare them with the `transactionRoot`

21.4.2 Transaction Proof

TransactionProofs are used for the following transaction-methods:

- `eth_getTransactionByHash`
- `eth_getTransactionByBlockHashAndIndex`
- `eth_getTransactionByBlockNumberAndIndex`

In order to verify we need :

1. serialize the blockheader and compare the blockhash with the signed hash as well as with the blockHash and number of the transaction. (See [BlockProof](#))
2. serialize the transaction-data

```
transaction = rlp.encode([
    uint( tx.nonce ),
    uint( tx.gasPrice ),
    uint( tx.gas || tx.gasLimit ),
    address( tx.to ),
    uint( tx.value ),
    bytes( tx.input || tx.data ),
    uint( tx.v ),
    uint( tx.r ),
    uint( tx.s )
])
```

1. verify the merkleProof of the transaction with

```
verifyMerkleProof(
    blockHeader.transactionRoot, /* root */,
    keccak256(proof.txIndex), /* key or path */
    proof.merkleProof, /* serialized nodes starting with the root-node */
    transaction /* expected value */
)
```

The Proof-Data will look like these:

```
{
  "jsonrpc": "2.0",
  "id": 6,
  "result": {
    "blockHash": "0xf1a2fd6a36f27950c78ce559b1dc4e991d46590683cb8cb84804fa672bca395b",
    "blockNumber": "0xca",
    "from": "0x7e5f4552091a69125d5dfcb7b8c2659029395bdf",
    "gas": "0x55f0",
    "gasPrice": "0x0",
    "hash": "0xe9c15c3b26342e3287bb069e433de48ac3fa4ddd32a31b48e426d19d761d7e9b",
    "input": "0x00",
    "value": "0x3e8"
    ...
  },
  "in3": {
    "proof": {
      "type": "transactionProof",
      "block": "0xf901e6a040997a53895b48...", // serialized blockheader
      "merkleProof": [ /* serialized nodes starting with the root-node */
```

→ "f868822080b863f86136808255f0942b5ad5c4795c026514f8317c7a215e218dcd6c7828328001c0d39967310342af504" (continues on next page)
→ "

(continued from previous page)

```

    ],
    "txIndex": 0,
    "signatures": [...]
  }
}
}

```

21.4.3 Receipt Proof

Proofs for the transactionReceipt are used for the following transaction-method:

- `eth_getTransactionReceipt`

In order to verify we need :

1. serialize the blockheader and compare the blockhash with the signed hash as well as with the blockHash and number of the transaction. (See [BlockProof](#))
2. serialize the transaction receipt

```

transactionReceipt = rlp.encode([
  uint( r.status || r.root ),
  uint( r.cumulativeGasUsed ),
  bytes256( r.logsBloom ),
  r.logs.map(l => [
    address( l.address ),
    l.topics.map( bytes32 ),
    bytes( l.data )
  ])
].slice(r.status === null && r.root === null ? 1 : 0))

```

1. verify the merkleProof of the transaction receipt with

```

verifyMerkleProof(
  blockHeader.transactionReceiptRoot, /* root */,
  keccak256(proof.txIndex), /* key or path */
  proof.merkleProof, /* serialized nodes starting with the root-node */
  transactionReceipt /* expected value */
)

```

1. Since the merkle-Proof is only proving the value for the given transactionIndex, we also need to prove that the transactionIndex matches the transactionHash requested. This is done by adding another MerkleProof for the Transaction itself as described in the [Transaction Proof](#)

21.4.4 Log Proof

Proofs for logs are only for the one rpc-method:

- `eth_getLogs`

Since logs or events are based on the TransactionReceipts, the only way to prove them is by proving the Transaction-Receipt each event belongs to.

That's why this proof needs to provide

- all blockheaders where these events occurred

- all TransactionReceipts + their MerkleProof of the logs
- all MerkleProofs for the transactions in order to prove the transactionIndex

The Proof data structure will look like this:

```
Proof {
  type: 'logProof',
  logProof: {
    [blockNr: string]: { // the blockNumber in hex as key
      block : string // serialized blockheader
      receipts: {
        [txHash: string]: { // the transactionHash as key
          txIndex: number // transactionIndex within the block
          txProof: string[] // the merkle Proof-Array for the transaction
          proof: string[] // the merkle Proof-Array for the receipts
        }
      }
    }
  }
}
```

In order to verify we need :

1. deserialize each blockheader and compare the blockhash with the signed hashes. (See [BlockProof](#))
2. for each blockheader we verify all receipts by using

```
verifyMerkleProof(
  blockHeader.transactionReceiptRoot, /* root */,
  keccak256(proof.txIndex), /* key or path */
  proof.merkleProof, /* serialized nodes starting with the root-node */
  transactionReceipt /* expected value */
)
```

1. The resulting values are the receipts. For each log-entry, we are comparing the verified values of the receipt with the returned logs to ensure that they are correct.

21.4.5 Account Proof

Prooving an account-value applies to these functions:

- `eth_getBalance`
- `eth_getCode`
- `eth_getTransactionCount`
- `eth_getStorageAt`

`eth_getProof`

For the Transaction or Block Proofs all needed data can be found in the block itself and retrieved through standard rpc calls, but if we want to approve the values of an account, we need the MerkleTree of the state, which is not accessible through the standard rpc. That's why we have created a [EIP](#) to add this function and also implemented this in geth and parity:

- `parity` (Status: pending pull request) - [Docker](#)
- `geth` (Status: pending pull request) - [Docker](#)

This function accepts 3 parameter :

1. account - the address of the account to proof
2. storage - a array of storage-keys to include in the proof.
3. block - integer block number, or the string “latest”, “earliest” or “pending”

```
{
  "jsonrpc": "2.0",
  "id": 1,
  "method": "eth_getProof",
  "params": [
    "0x7F0d15C7FAae65896648C8273B6d7E43f58Fa842",
    [ "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421" ],
    "latest"
  ]
}
```

The result will look like this:

```
{
  "jsonrpc": "2.0",
  "result": {
    "accountProof": [
      "0xf90211a...0701bc80",
      "0xf90211a...0d832380",
      "0xf90211a...5fb20c80",
      "0xf90211a...0675b80",
      "0xf90151a0...ca08080"
    ],
    "address": "0x7f0d15c7faae65896648c8273b6d7e43f58fa842",
    "balance": "0x0",
    "codeHash": "0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470",
    "nonce": "0x0",
    "storageHash": "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421",
    "storageProof": [
      {
        "key": "0x56e81f171bcc55a6ff8345e692c0f86e5b48e01b996cad001622fb5e363b421",
        "proof": [
          "0xf90211a...0701bc80",
          "0xf90211a...0d832380"
        ],
        "value": "0x1"
      }
    ]
  },
  "id": 1
}
```

In order to run the verification the blockheader is needed as well.

The Verification of such a proof is done in the following steps:

1. serialize the blockheader and compare the blockhash with the signed hash as well as with the blockHash and number of the transaction. (See *BlockProof*)
2. Serialize the account, which holds the 4 values:

```
account = rlp.encode([
    uint( nonce),
    uint( balance),
    bytes32( storageHash || ethUtil.KECCAK256_RLP),
    bytes32( codeHash || ethUtil.KECCAK256_NULL)
])
```

1. verify the merkle Proof for the account using the stateRoot of the blockHeader:

```
verifyMerkleProof(
    block.stateRoot, // expected merkle root
    util.keccak(accountProof.address), // path, which is the hashed address
    accountProof.accountProof.map(bytes), // array of Buffer with the merkle-proof-data
    isNotExistent(accountProof) ? null : serializeAccount(accountProof), // the expected
    ↪ serialized account
)
```

In case the account does exist yet, (which is the case if `none == startNonce` and `codeHash == '0xc5d2460186f7233c927e7db2dcc703c0e500b653ca82273b7bfad8045d85a470'`), the proof may end with one of these nodes:

- the last node is a branch, where the child of the next step does not exist.
- the last node is a leaf with different relative key

Both would prove, that this key does not exist.

1. Verify each merkle Proof for the storage using the storageHash of the account:

```
verifyMerkleProof(
    bytes32( accountProof.storageHash ), // the storageRoot of the account
    util.keccak(bytes32(s.key)), // the path, which is the hash of the key
    s.proof.map(bytes), // array of Buffer with the merkle-proof-data
    s.value === '0x0' ? null : util.rlp.encode(s.value) // the expected value or none
    ↪ to proof non-existence
)
```

21.4.6 Call Proof

Call Proofs are used whenever you are calling a read-only function of smart contract:

- `eth_call`

Verifying the result of a `eth_call` is a little bit more complex. Because the response is a result of executing opcodes in the vm. The only way to do so, is to reproduce it and execute the same code. That's why a Call Proof needs to provide all data used within the call. This means :

- all referred accounts including the code (if it is a contract), storageHash, nonce and balance.
- all storage keys, which are used (This can be found by tracing the transaction and collecting data based on the SLOAD-opcode)
- all blockdata, which are referred at (besides the current one, also the BLOCKHASH-opcodes are referring to former blocks)

For Verifying you need to follow these steps:

1. serialize all used blockheaders and compare the blockhash with the signed hashes. (See [BlockProof](#))
2. Verify all used accounts and their storage as showed in [Account Proof](#)

3. create a new **VM** with a MerkleTree as state and fill in all used value in the state:

```
// create new state for a vm
const state = new Trie()
const vm = new VM({ state })

// fill in values
for (const adr of Object.keys(accounts)) {
  const ac = accounts[adr]

  // create an account-object
  const account = new Account([ac.nonce, ac.balance, ac.stateRoot, ac.codeHash])

  // if we have a code, we will set the code
  if (ac.code) account.setCode( state, bytes( ac.code ))

  // set all storage-values
  for (const s of ac.storageProof)
    account.setStorage( state, bytes32( s.key ), rlp.encode( bytes32( s.value )))

  // set the account data
  state.put( address( adr ), account.serialize())
}

// add listener on each step to make sure it uses only values found in the proof
vm.on('step', ev => {
  if (ev.opcode.name === 'SLOAD') {
    const contract = toHex( ev.address ) // address of the current code
    const storageKey = bytes32( ev.stack[ev.stack.length - 1] ) // last element
    ↪ on the stack is the key
    if (!getStorageValue(contract, storageKey))
      throw new Error(`incomplete data: missing key ${storageKey}`)
  }
  /// ... check other opcodes as well
})

// create a transaction
const tx = new Transaction(txData)

// run it
const result = await vm.runTx({ tx, block: new Block([block, [], []]) })

// use the return value
return result.vm.return
```

In the future we will be using the same approach to verify calls with ewasm.

Bitcoin may be a complete different chain but there are ways to verify a Bitcoin block header within an Ethereum Smart Contract and Bitcoin data in general on the client-side as well. This requires a little bit more effort but you can use all the features of Incubed.

22.1 Concept

For the verification of Bitcoin we make use of the Simplified Payment Verification (SPV) proposed in the [Bitcoin paper](#) by Satoshi Nakamoto.

It is possible to verify payments without running a full network node. A user only needs to keep a copy of the block headers of the longest proof-of-work chain, which he can get by querying network nodes until he's convinced he has the longest chain, and obtain the Merkle branch linking the transaction to the block it's timestamped in. He can't check the transaction for himself, but by linking it to a place in the chain, he can see that a network node has accepted it, and blocks added after it further confirm the network has accepted it. As such, the verification is reliable as long as honest nodes control the network, but is more vulnerable if the network is overpowered by an attacker. While network nodes can verify transactions for themselves, the simplified method can be fooled by an attacker's fabricated transactions for as long as the attacker can continue to overpower the network.

In contrast to SPV-clients an Incubed client does not keep a copy of all block headers, instead the client is stateless and only requests required block headers. We are following a simple process: A client requests certain data, the server sends a response with proof data in addition to the actual result, the client verifies the result by using the proof data. We rely on the fact that it is extremely expensive to deliver a wrong block (wrong data) which still has following blocks referring the wrong block (i.e. delivering a chain of fake-blocks). This does not really work for very old blocks. Beside the very low difficulty at this time, the miner has many years of time to pre-mine a wrong chain of blocks. Therefore, a different approach is required which will be explained [here](#)

22.1.1 Bitcoin Block Header

Size	Field	Description
4 bytes	Version	A version number to track software/protocol upgrades
32 bytes	Parent Hash	A reference to the hash of the previous (parent) block in the chain
32 bytes	Merkle Root	A hash of the root of the merkle tree of this block's transactions
4 bytes	Timestamp	The approximate creation time of this block (seconds from Unix Epoch)
4 bytes	Bits	The Proof-of-Work algorithm difficulty target for this block
4 bytes	Nonce	A counter used for the Proof-of-Work algorithm

22.1.2 Finality in Bitcoin

In terms of Bitcoin, finality is the assurance or guarantee that a block and its included transactions will not be revoked once committed to the blockchain. Bitcoin uses a probabilistic finality in which the probability that a block will not be reverted increases as the block sinks deeper into the chain. The deeper the block, the more likely that the fork containing that block is the longest chain. After being 6 blocks deep into the Bitcoin blockchain it is very unlikely (but not impossible) for that block to be reverted. (For more information see [here](#))

22.1.3 Mining in Bitcoin

The process of trying to add a new block of transactions to the Bitcoin blockchain is called *mining*. Miners are competing in a network-wide competition, each trying to find a new block faster than anyone else. The first miner who finds a block broadcasts it across the network and other miners are adding it to their blockchain after verifying the block. Miners restart the mining-process after a new block was added to the blockchain to build on top of this block. As a result, the blockchain is constantly growing – one block every 10 minutes on average.

But how can miners *find* a block?

They start by filling a candidate block with transactions from their memory pool. Next they construct a block header for this block, which is a summary of all the data in the block including a reference to a block that is already part of the blockchain (known as the parent hash). Now the actual mining happens: miners put the block header through the SHA256 hash function and hope that the resulting hash is below the current target. If this is not the case, miners keep trying by incrementing a number in the block header resulting in a completely different hash. This process is referred to as proof-of-work.

22.1.4 Difficulty Adjustment Period

This section is important to understand how the adjustment of the difficulty (and therefore the target) works. The knowledge of this section serves as the basis for the remaining part.

The white paper of Bitcoin specifies the block time as 10 minutes. Due to the fact that Bitcoin is a decentralized network that can be entered and exited by miners at any time, the computing power in the network constantly changes depending on the number of miners and their computing power. In order to still achieve an average block time of 10 minutes a mechanism to adjust the difficulty of finding a block is required: the `difficulty`.

The adjustment of the difficulty happens every 2016 blocks - roughly every two weeks and (which is one epoch/period). Since Bitcoin is a decentralized network there is no authority which adjusts the difficulty. Instead every miner calculates the expected time to mine 2016 blocks (20160 minutes) and compares it with the actual time it took to mine the last 2016 blocks (using timestamps). The difficulty increases when the blocks were mined faster than expected and vice versa. Although the computing power increased heavily since the introduction of Bitcoin in 2009 the average block time is still 10 minutes due to this mechanism.

What is the difference between the `difficulty` and the `target`?

The difficulty is a big number used for the adjustment process. The target is used for the mining process and for the verification of a block hash. As mentioned above the hash of a block has to be smaller than the target to be accepted across the network. The target can be calculated using the difficulty and the constant value `targetmax`:

```
target = targetmax / difficulty  
targetmax = 0x00000000FFFF00000000000000000000000000000000000000000000000000000
```

22.2 Security Calculation

How secure is the Incubed Bitcoin Verification?

22.2.1 Blocks Before 227,836 (BIP34)

The verification of blocks before BIP34 relies on checkpoints as explained [here](#).

Although one checkpoint is only 12 bytes in total, it provides a security of 16 bytes because we know that the first 4 bytes are *always* zeros. An attacker has to test 2128 possibilities to (probably) find a hash whose leading 16 bytes are equal to the checkpoint's.

With a current total hash rate of 120 EH/s in the Bitcoin network:

```
2^128 = 3.4 * 10^38 possible hashes
3.4 * 10^38 H / 120 EH/s = 2,835,686,391,007,820,529 s
= 89,919,025,590 years
```

It would take up to **89,919,025,590** years if the whole bitcoin network with its total hash rate would try to find such a hash.

Does the security increase if the requested block is further away from a checkpoint?

Slightly - but actually not. The further away a requested block is from a checkpoint, the more proof-of-work has to be done. Due to the low difficulty in the early days of Bitcoin this is not a problem with the today's computing power. Solving the proof-of-work does not really have to be taken into account - because this is "nothing" compared to the many years to brute force a hash whose leading 16 bytes are equal to the checkpoint's. Therefore, the security does not really increase with a greater distance to a checkpoint.

22.2.2 Blocks After 227,836 (BIP34)

The highest risk is a situation, where a malicious node could provide a manipulated or fake block header (i.e. changing the data to gain benefits) and finality block headers which fulfill the rules but are not actually valid (i.e. not part of the longest chain / chain of fake-blocks). The client would trust this data in case he has no other information to check against. The following calculation outlines the security (in terms of \$) when the client is requesting one of the newer blocks and 6 finality headers. This results in a total of 7 fake-blocks that an attacker has to calculate to fool the client. The calculation is based on assumptions and averages.

Assume that the attacker has 10% of the total mining power. This would mean he needs around 100 minutes to mine 1 block (average block time of Bitcoin is 10 minutes) and around 700 minutes to mine 7 blocks. While mining fake-blocks, the attacker loses his chance of earning block rewards. Assuming that we would have been able to mine 7 blocks, with a current block reward of 6.25 BTC and \$11,400 per Bitcoin at the time of writing:

$$7 * 6.25 \text{ BTC} = 43.75 \text{ BTC}$$

$$43.75 \text{ BTC} * (\$11,400 / 1 \text{ BTC}) = \$498,750$$

Furthermore, the attacker needs to achieve 10% of the mining power. With a current total hash rate of 120 EH/s, this would mean 12 EH/s. There are two options: buying the hardware or renting the mining power from others. A new [Antminer S9](#) with 16 TH/s can be bought for ~\$100. This would mean an attacker has to pay \$75,000,000 to buy so many of these miners to reach 12 EH/s. The costs for electricity, storage room and cooling still needs to be added.

Hashing power can also be rented online. Obviously nobody is offering to lend 12 EH/s of hashing power – but for this calculation we assume that an attacker is still able to rent this amount of hashing power. The website [nicehash.com](#) is offering 1 PH/s for 0.0098 BTC (for 24 hours).

$$1 \text{ PH/s} = 0.0098 \text{ BTC}$$

$$12 \text{ EH/s} = 117.6 \text{ BTC}$$

Assuming it is possible to rent it for 700 minutes only (which would be 48.6% of one day).

$$117.6 \text{ BTC} * 0.486 = 57.15 \text{ BTC}$$

$$57.15 \text{ BTC} * (\$11,400 / 1 \text{ BTC}) = \$651,510$$

$$\text{Total: } \$498,750 + \$651,510 = \$1,150,260$$


Therefore, 6 finality headers provide a security of estimated **\$1,150,260** in total.

What does that mean for the client?

A rental car is equipped with an Incubed client running on a microship to perform authorization checks and activate the ignition if necessary. The car is its own owner and it has a Bitcoin address to receive payments to rent itself to customers. Part of the authorization check is the verification of the existence and correctness of the payment (using the Incubed client). Therefore, a customers sends the hash of the payment transaction to the car to be authorized in case the transaction gets verified.

Assuming that a customer (Bob) runs a malicious Incubed node and the car randomly asks exactly this node for the verification of the transaction. Bob could fool the car by creating a fake-transaction in a fake-block. To prove the correctness of the fake-transaction, Bob needs to calculate a chain of fake-blocks as well (to prove the finality). In this case the car would authorize Bob because it was able to verify the transaction, even though the transaction is fake.

Bob would be able to use the car without having to pay for it, **but** performing such an attack (calculate a wrong block and 6 finality headers) is very expensive as shown above. And this is what is meant by *security in terms of \$* - fooling the client in such a scenario is definitely not worth it (since paying the actual fees for the car would be a *far* less than the cost of performing such an attack). Hence, Incubed clients can trust in the correctness of a transaction (with a high probability) if the value is less than \$1,150,260 and the server is able to provide 6 finality headers for the block that transaction is included. The higher the number of finality blocks, the higher the security (i.e. the higher the costs for an attack). The following figure shows the cost to mine n fake-blocks based on the numbers mentioned above.



22.3 Proofs

22.3.1 Target Proof

Having a verified target on the client-side is important to verify the proof of work and therefore the data itself (assuming that the data is correct when someone put a lot of work into it). Since the target is part of a block header (`bits`-field) we can verify the target by verifying the block header. This is a dilemma since we want to verify the target by verifying the block header but we need a verified target to verify the block header (as shown in [block proof](#)). You will read about two different options to verify a target.

Verification using finality headers

The client maintains a cache with the number of a difficulty adjustment period (dap) and the corresponding target - which stays the same for the duration of one period. This cache was filled with default values at the time of the release of the Bitcoin implementation. If a target is not yet part of the cache it needs to be verified first and added to the cache afterwards.

How does the verification works?

We completely rely on the finality of a block. We can verify the target of a block (and therefore for a whole period) by requesting a block header (`getblockheader`) and n-amount of finality headers. If we are able to prove the finality using the [finality proof](#) we can consider the target as verified as mentioned earlier.

The client sets a limit in his configuration regarding the maximum change of the target from a verified one to the one he wants to verify. The client will not trust the changes of the target when they are too big (i.e. greater than the limit). In this case the client will use the [proofTarget-method](#) to verify the big changes in smaller steps.

Verification using signatures

Important: This concept is still in development and discussion and is not yet fully implemented.

This approach uses signatures of Incubed nodes to verify the target.

Since the target is part of the block header we just have to be very sure that the block header is correct - which leads us to a correct target. The client fetches the node list and chooses n nodes which will provide signature. Afterwards he sends a `getblockheader`-request (also containing the addresses of the selected nodes) to a random provider node. This node asks the signatures nodes to sign his result (the block header). The response will include the block header itself and all the signatures as well. The client can verify all signatures by using the node list and therefore verifying

the actual result (a verified block header and therefore a verified target). The incentivisation for the nodes to act honest is their deposit which they will loose in case they act malicious. (see [here](#) for more details of this process)

The amount of signatures nodes n should be chosen with the [Risk Calculation](#) in mind.

22.3.2 Block Proof

Verifying a Bitcoin block is quite easy when you already have a verified block hash.

1. We take the first 80 bytes of the block data - which is the block header - and hash it with `sha256` twice. Since Bitcoin stores the hashes in little endian we have to reverse the order of the bytes afterwards:

```
// btc hash = sha256(sha256(data))
const hash(data: Buffer) => crypto.createHash('sha256').update(crypto.createHash(
  ↪ 'sha256').update(data).digest()).digest()

const blockData: Buffer = ...
// take the first 80 bytes, hash them and reverse the order
const blockHash = hash(blockData.slice(0, 80)).reverse()
```

2. In order to check the proof of work in the block header we compare the target with the hash:

```
const target = Buffer.alloc(32)
// we take the first 3 bytes from the bits-field and use the 4th byte as exponent
blockData.copy(target, blockData[75]-3, 72, 75);

// the hash must be lower than the target
if (target.reverse().compare(blockHash) < 0)
  throw new Error('blockHash must be smaller than the target')
```

22.3.3 Finality Proof

Necessary data to perform this proof:

- Block header (block X)
- Finality block header (block $X+1, \dots, X+n$)

The finality for block X can be proven as follows:

The proof data contains the block header of block X as well as n following block headers as finality headers. In Bitcoin every block header includes a `parentHash`-field which contains the block hash of its predecessor. By checking this linking the finality can be proven for block X . Meaning the block hash of block X is the `parentHash` of block $X+1$, the hash of block $X+1$ is the `parentHash` of block $X+2$, and so on. If this linking correct until block $X+n$ (i.e. the last finality header) then block X can be considered as final (Hint: as mentioned above Bitcoin uses a probabilistic finality, meaning a higher n increases the probability of being actual final).

Example

This example will use two finality headers to demonstrate the process:

Hash: 000000000000000000000000140a7289f3aada855dfd23b0bb13bb5502b0ca60cdd7 (block #625000)

Finality Headers:

```

(1) 00e00020d7cd60cab00255bb13bbb023fd5d85daaaf389720a14000000000000000000040273a5828953c61554c98540f
(2) 00e0ff7fc78d20fab2c28de35d00f7ec5fb269a63d597146d9b3100000000000000000052960bb1aa3c233581ab3c233a2

```

```

Hash (reversed): d7cd60cab00255bb13bbb023fd5d85daaaf389720a14000000000000000000
Parent Hash (1): d7cd60cab00255bb13bbb023fd5d85daaaf389720a14000000000000000000

Hash of (1):      c78d20fab2c28de35d00f7ec5fb269a63d597146d9b31000000000000000000
Parent Hash (2): c78d20fab2c28de35d00f7ec5fb269a63d597146d9b31000000000000000000

```

22.3.4 Transaction Proof (Merkle Proof)


Necessary data to perform this proof:

- Block header
- Transaction
- Merkle proof (for this transaction)
- Index (of this transaction)

All transactions of a Bitcoin block are stored in a **merkle tree**. Every leaf node is labelled with the hash of a transaction, and every non-leaf node is labelled with the hash of the labels of its two child nodes. This results in one single hash - the **merkle root** - which is part of the block header. Attempts to change or remove a leaf node after the block was mined (i.e. changing or removing a transaction) will not be possible since this will cause changes in the merkle root, thereby changes in the block header and therefore changes in the hash of this block. By checking the block header against the block hash such an attempt will be discovered.

Having a verified block header and therefore a verified merkle root allows us to perform a merkle root proving the existence and correctness of a certain transaction.

The following example explains a merkle proof (for more details see [here](#)):



In order to verify the existence and correctness of transaction [K] we use sha256 to hash [K] twice to obtain H(K). For this example the merkle proof data will contain the hashes H(L), H(IJ), H(MNOP) and H(ABCDEFGH). These hashes can be used to calculate the merkle root as shown in the picture. The hash of the next level can be calculated by concatenating the two hashes of the level below and then hashing this hash with sha256 twice. The index determines which of the hashes is on the right and which one on the left side for the concatenation (Hint: the placement is

important, since swapped hashes will result in a completely different hash). When the calculated merkle root appears to be equal to the one contained by the block header we've hence proven the existence and correctness of transaction [K].

This can be done for every transaction of a block by simply hashing the transaction and then keep on hashing this result with the next hash from the merkle proof data. The last hash must match the merkle root. (Hint: obviously the merkle proof data will be different for different transactions).

22.3.5 Block Number Proof

Necessary data to perform this proof:

- Block header
- Coinbase transaction (first transaction of the block)
- Merkle proof (for the coinbase transaction)

In comparison to Ethereum there is no block number in a [Bitcoin block header](#). Bitcoin uses the height of a block, which is the number of predecessors. The genesis block is at height 0 since there are no predecessors (the block with 100 predecessors is at height 100). Therefore, you need to know the complete Bitcoin blockchain to verify the height of a block (by counting the links back to the genesis block). Hence, actors that do not store the complete chain (like an Incubed client) are not able to verify the height of a block. To change that Gavin Andresen proposed a change to the Bitcoin protocol in 2012.

Bitcoin Improvement Proposal 34 (BIP-34) introduces an upgrade path for versioned transactions and blocks. A unique value is added to newly produced coinbase transactions, and blocks are updated to version 2. After block number 227,835 all blocks must include the block height in their coinbase transaction.

For all blocks after block number 227,835 the block number can be proven as follows:

1.) Extract block number out of the coinbase transaction

Coinbase transaction of block [624692](#)

```
03348809041f4e8b5e7669702f7777772e6f6b65782e636f6d2ffabe6d6db388905769d4e3720b1e59081407ea75173ba3ed
```

Decode:

a) 03: first byte signals the length of the block number (push the following 3 bytes) b) 348809: the block number in big endian (convert to little endian) c) 098834: the block number in little endian (convert to decimal) d) **624692**: the actual block number e) 041f4e . . . : the rest can be anything

2.) Prove the existence and correctness of the coinbase transaction

To trust the extracted block number it's necessary to verify the existence and correctness of the coinbase transaction. This can be done by performing a [merkle proof](#) using the provided block header and the merkle proof data.

Size of a block number proof

As mentioned above three things are required to perform this proof:

- block header (fixed size): 80 bytes
- coinbase transaction (variable size): 300 bytes on average (there are some extra ordinary large ones: e.g. of block [#376992](#) with 9,534 bytes)
- merkle proof (variable size): block limit of 1 MB, a maximum of approximately 3500 transactions in one block, maximum of 12 hashes needed in the merkle proof = $12 * 32 \text{ bytes} = 384 \text{ bytes}$

Conclusion: a block number proof will be **764 bytes** on average (the size of this proof can be much smaller - but can also be much bigger - depending on the size of the coinbase transaction and the total amount of transaction)

22.3.6 Blocks Before 227,836 (BIP34)


As mentioned in the introduction, relying on the finality does not really work for very old blocks (old in this context always means before BIP34, block number $< 227,836$) due to the following problems:

- **low difficulty** The total hash rate of the bitcoin network was around 1-10 TH/s in 2011, whereas today the total hash rate is around 130 EH/s and a single Antminer S9 is capable of running at 14 TH/s (which is more than the total hash rate back in 2011). Therefore, an attacker can easily mine a chain of fake-blocks with today's computing power and finality blocks provide almost no security. See [here](#) for the evolution of the total hash rate.
- **missing BIP34** The verification of the block number is an important part of the verification of bitcoin data in general. Since the block number is not part of the block header in Bitcoin the client needs a different way to verify the block number to make sure that a requested block X really is block X. For every block after block number 227,835 the block number is part of the coinbase transaction due to BIP34. The verification described in [Block Number Proof](#) obviously does not work for very old blocks (before the introduction of BIP34).

The verification of blocks before BIP34 relies on hard-coded checkpoints of hashes of bygone blocks on the client-side. The server needs to provide the corresponding finality headers from a requested block up to the next checkpoint. By checking the linking the client is able to verify the existence and correctness of the requested block. The only way for an attacker to fool the client would be by finding a hash collision (find different inputs that produce the same hash) of a certain checkpoint (the attacker could provide a chain of fake-blocks and the client accepts it because he was able to verify the chain against a checkpoint). The client has the opportunity to decide whether he wants to verify old blocks or not. By turning on this option the checkpoints will be included in the client and the server will provide the corresponding finality headers in each request of old blocks.

Creation of the checkpoints

The reason why we need checkpoints is that it is not feasible for the client to save every single hash from the genesis block up to the introduction of BIP34. The checkpoints are hashes of bygone blocks, and to save on space the checkpoints have a distance X. The larger this distance is, the smaller is the amount of checkpoints and the larger is the amount of necessary finality headers to reach a checkpoint (maximum X finality headers). Therefore, having a large distance requires less storage space to save the checkpoints BUT the amount of finality headers per request will be very big (resulting in a lot of data to transfer). The following graph should help to decide where the sweetspot is.




```
y: size in kB
x: distance between checkpoints (blocks)
green: size of record of checkpoints
red: size of finality headers per request (maximum)
```

As you can see in the graph the distance of **200** is the sweetspot we were looking for. This means the record of checkpoints includes the hash of every 200th block of the Bitcoin blockchain starting with block 200 (storing the genesis block is not necessary since a checkpoint always has to be in the future of a requested block). It takes 32 bytes to store a block hash. To save on space we decided to store the first 16 bytes only - and to save even more space we removed the first 4 bytes of every hash because each hash started with at least 4 bytes of zeros (storing only 12 bytes is still very secure). The record of checkpoints needs a total of **13680 bytes**. Depending on the distance from a requested block to the next checkpoint a response will include a maximum of 199 finality headers which is a total of around *16 kB*.

Why is it necessary having checkpoints in the future (from the view of a requested block)? Why can a checkpoint not be in past to have a maximum distance of 100 (either forwards or backwards to the next checkpoint)?

Simple answer: Since the hash of block X-1 is part of block X (not not vice versa) checking the links backward does not provide any security. An attacker can simply modify block X and refer to block X-1 (using the hash of block X-1 as the parent hash of block X). The attacker just have to solve the proof-of-work again for block X (which should not be too hard with the today's computing power and the low difficulty at that time). To verify that block X is correct the client always needs a chain of blocks **up to** the next checkpoint.

22.4 Conviction

Important: This concept is still in development and discussion and is not yet fully implemented.

Just as the Incubed Client can ask for signed block hashes in Ethereum, he can do this in Bitcoin as well. The signed payload from the node will have to contain these data:

```
bytes32 blockhash;
uint256 timestamp;
bytes32 registryId;
```

Client requires a Signed Blockhash

and the Data Provider Node will ask the chosen node to sign.

The Data Provider Node (or Watchdog) will then check the signature

If the signed blockhash is wrong it will start the convicting process:

Convict with BlockHeaders

In order to convict, the Node needs to provide proof, which is the correct blockheader.

But since the BlockHeader does not contain the BlockNumber, we have to use the timestamp. So the correct block as proof must have either the same timestamp or a the last block before the timestamp. Additionally the Node may provide FinalityBlockHeaders. As many as possible, but at least one in order to prove, that the timestamp of the correct block is the closest one.

The Registry Contract will then verify

- the Signature of the convicted Node.
- the BlockHeaders gives as Proof

The Verification of the BlockHeader can be done directly in Solidity, because the EVM offers a precompiled Contract at address `0x2 : sha256`, which is needed to calculate the Blockhash. With this in mind we can follow the steps as described in [Block Proof](#) implemented in Solidity.

While doing so we need to add the difficulties of each block and store the last blockHash and the `totalDifficulty` for later.

Challenge the longest chain

Now the convicted Server has the chance to also deliver blockheaders to proof that he has signed the correct one.

The simple rule is:

If the other node (convicted or convitor) is not able to add enough verified BlockHeaders with a higher `totalDifficulty` within 1 hour, the other party can get the deposit and kick the malicious node out.

Even though this game could go for a while, if the convicted Node signed a hash, which is not part of the longest chain, it will not be possible to create enough mining power to continue mining enough blocks to keep up with the longest chain in the mainnet. Therefore he will most likely give up right after the first transaction.


Important: This concept is still in development and discussion and is not yet fully implemented.

The original idea of blockchain is a permissionless peer-to-peer network in which anybody can participate if they run a node and sync with other peers. Since this is still true, we know that such a node won't run on a small IoT-device.

23.1 Decentralizing Access

This is why a lot of users try remote-nodes to serve their devices. However, this introduces a new single point of failure and the risk of man-in-the-middle attacks.

So the first step is to decentralize remote nodes by sharing rpc-nodes with other apps.



23.2 Incentivization for Nodes


In order to incentivize a node to serve requests to clients, there must be something to gain (payment) or to lose (access to other nodes for its clients).

23.3 Connecting Clients and Server

As a simple rule, we can define this as:

The Incubed network will serve your client requests if you also run an honest node.


This requires a user to connect a client key (used to sign their requests) with a registered server. Clients are able to share keys as long as the owner of the node is able to ensure their security. This makes it possible to use one key for the same mobile app or device. The owner may also register as many keys as they want for their server or even change them from time to time (as long as only one client key points to one server). The key is registered in a client-contract, holding a mapping of the key to the server address.



23.4 Ensuring Client Access

Connecting a client key to a server does not mean the key relies on that server. Instead, the requests are simply served in the same quality as the connected node serves other clients. This creates a very strong incentive to deliver to all clients, because if a server node were offline or refused to deliver, eventually other nodes would deliver less or even stop responding to requests coming from the connected clients.

To actually find out which node delivers to clients, each server node uses one of the client keys to send test requests and measure the availability based on verified responses.



The servers measure the $A_{availability}$ by checking periodically (about every hour in order to make sure a malicious server is not only responding to test requests). These requests may be sent through an anonymous network like tor.


Based on the long-term (>1 day) and short-term (<1 day) availability, the score is calculated as:

$$A = \frac{R_{received}}{R_{sent}}$$

In order to balance long-term and short-term availability, each node measures both and calculates a factor for the score. This factor should ensure that short-term availability will not drop the score immediately, but keep it up for a while before dropping. Long-term availability will be rewarded by dropping the score slowly.

$$A = 1 - \left(1 - \frac{A_{long} + 5 \cdot A_{short}}{6}\right)^{10}$$

- A_{long} - The ratio between valid requests received and sent within the last month.
- A_{short} - The ratio between valid requests received and sent within the last 24 hours.



Depending on the long-term availability the disconnected node will lose its score over time.

The final score is then calculated:

$$score = \frac{A \cdot D_{weight} \cdot C_{max}}{weight}$$

- A - The availability of the node.
- $weight$ - The weight of the incoming request from that server's clients (see LoadBalancing).
- C_{max} - The maximal number of open or parallel requests the server can handle (will be taken from the registry).
- D_{weight} - The weight of the deposit of the node.

This score is then used as the priority for incoming requests. This is done by keeping track of the number of currently open or serving requests. Whenever a new request comes in, the node does the following:

1. Checks the signature.
2. Calculates the score based on the score of the node it is connected to.
3. Accepts or rejects the request.

```
if ( score < openRequests ) reject()
```

This way, nodes reject requests with a lower score when the load increases. For a client, this means if you have a low score and the load in the network is high, your clients may get rejected often and will have to wait longer for responses. If the node has a score of 0, they are blacklisted.


23.5 Deposit

Storing a high deposit brings more security to the network. This is important for proof-of-work chains. In order to reflect the benefit in the score, the client multiplies it with the D_{weight} (the deposit weight).

$$D_{weight} = \frac{1}{1 + e^{1 - \frac{3D}{D_{avg}}}}$$

- D - The stored deposit of the node.
- D_{avg} - The average deposit of all nodes.

A node without any deposit will only receive 26.8% of the max cap, while any node with an average deposit gets 88% and above and quickly reaches 99%.



23.6 LoadBalancing

In an optimal network, each server would handle an equal amount and all clients would have an equal share. In order to prevent situations where 80% of the requests come from clients belonging to the same node, we need to decrease the score for clients sending more requests than their shares. Thus, for each node the weight can be calculated by:

$$weight_n = \frac{\sum_{i=0}^n C_i \cdot R_n}{\sum_{i=0}^n R_i \cdot C_n}$$

- R_n - The number of requests served to one of the clients connected to the node.
- $\sum_{i=0}^n R_i$ - The total number of requests served.
- $\sum_{i=0}^n C_i$ - The total number of capacities of the registered servers.
- C_n - The capacity of the registered node.

Each node will update the *score* and the *weight* for the other nodes after each check in order to prioritize incoming requests.

The capacity of a node is the maximal number of parallel requests it can handle and is stored in the ServerRegistry. This way, all clients know the cap and will weigh the nodes accordingly, which leads to stronger servers. A node declaring a high capacity will gain a higher score, and its clients will receive more reliable responses. On the other hand, if a node cannot deliver the load, it may lose its availability as well as its score.

23.7 Free Access

Each node may allow free access for clients without any signature. A special option `--freeScore=2` is used when starting the server. For any client requests without a signature, this *score* is used. Setting this value to 0 would not allow any free clients.

```
if (!signature) score = conf.freeScore
```

A low value for freeScore would serve requests only if the current load or the open requests are less than this number, which would mean that getting a response from the network without signing may take longer as the client would have to send a lot of requests until they are lucky enough to get a response if the load is high. Chances are higher if the load is very low.

23.8 Convict

Even though servers are allowed to register without a deposit, convicting is still a hard punishment. In this case, the server is not part of the registry anymore and all its connected clients are treated as not having a signature. The device or app will likely stop working or be extremely slow (depending on the freeScore configured in all the nodes).

23.9 Handling conflicts

In case of a conflict, each client now has at least one server it knows it can trust since it is run by the same owner. This makes it impossible for attackers to use blacklist-attacks or other threats which can be solved by requiring a response from the “home”-node.

23.10 Payment

Each registered node creates its own ecosystem with its own score. All the clients belonging to this ecosystem will be served only as well as the score of the ecosystem allows. However, a good score can not only be achieved with a good performance, but also by paying for it.

For all the payments, a special contract is created. Here, anybody can create their own ecosystem even without running a node. Instead, they can pay for it. The payment will work as follows:

The user will choose a price and time range (these values can always be increased later). Depending on the price, they also achieve voting power, thus creating a reputation for the registered nodes.

Each node is entitled to its portion of the balance in the payment contract, and can, at any given time, send a transaction to extract its share. The share depends on the current reputation of the node.

$$payment_n = \frac{weight_n \cdot reputation_n \cdot balance_{total}}{weight_{total}}$$

Why should a node treat a paying client better than others?

Because the higher the price a user paid, the higher the voting power, which they may use to upgrade or downgrade the reputation of the node. This reputation will directly influence the payment to the node.

That’s why, for a node, the score of a client depends on what follows:

$$score_c = \frac{paid_c \cdot requests_{total}}{requests_c \cdot paid_{total} + 1}$$

The score would be 1 if the payment a node receives has the same percentage of requests from an ecosystem as the payment of the ecosystem represented relative to the total payment per month. So, paying a higher price would increase its score.

23.11 Client Identification

As a requirement for identification, each client needs to generate a unique private key, which must never leave the device.

In order to securely identify a client as belonging to an ecosystem, each request needs two signatures:

1. **The Ecosystem-Proof** This proof consists of the following information:

```
proof = rlp.encode(
    bytes32(registry_id),      // The unique ID of the registry.
    address(client_address),  // The public address of a client.
    uint(ttl),                // Unix timestamp when this proof expires.
    bytes(signature)          // The signature with the signer-key of the
    ↪ ecosystem. The message hash is created by rlp.encode, the client_address, and
    ↪ the ttl.
)
```

For the client, this means they should always store such a proof on the device. If the ttl expires, they need to renew it. If the ecosystem is a server, it may send a request to the server. If the ecosystem is a payer, this needs to happen in a custom way.

2. **The Client-Proof** This must be created for each request. Here the client will create a hash of the request (simply by adding the method, params and a timestamp-field) and sign this with its private key.

```
message_hash = keccak(  
    request.method  
    + JSON.stringify(request.params)  
    + request.timestamp  
)
```

With each request, the client needs to send both proofs.

The server may cache the ecosystem-proof, but it needs to verify the client signature with each request, thus ensuring the identity of the sending client.


Decentralizing Central Services

Important: This concept is still in early development, meaning it has not been implemented yet.

Many dApps still require some off-chain services, such as search services running on a server, which, of course, can be seen as a single point of failure. To decentralize these dApp-specific services, they must fulfill the following criteria:

1. **Stateless:** Since requests may be sent to different servers, they cannot hold a user's state, which would only be available on one node.
2. **Deterministic:** All servers need to produce the exact same result.

If these requirements are met, the service can be registered, defining the server behavior in a docker image.



24.1 Incentivization

Each server can define (1) a list of services to offer or (2) a list of services to reward.

The main idea is simply the following:

If you run my service, I will run yours.

Each server can specify which services we would like to see used. If another server offers them, we will also run at least as many rewarded services as the other node.

24.2 Verification

Each service specifies a verifier, which is a Wasm module (specified through an IPFS hash). This Wasm offers two functions:

```
function minRequests():number  
  
function verify(request:RPCRequest[], responses:RPCResponse[])
```

A minimal version could simply ensure that two requests were running and then compare them. If different, the Wasm could check with the home server and “convict” the nodes.

24.2.1 Convicting

Convicting on chain cannot be done, but each server is able to verify the result and, if false, downgrade the score.

25.1 Registry Issues

25.1.1 Long Time Attack

Status: open

A client is offline for a long time and does not update the NodeList. During this time, a server is convicted and/or removed from the list. The client may now send a request to this server, which means it cannot be convicted anymore and the client has no way to know that.

Solutions:

CHR: I think that the fallback is often “out of service.” What will happen is that those random nodes (A, C) will not respond. We (slock.it) could help them update the list in a centralized way.

But I think the best way is the following: Allow nodes to commit to stay in the registry for a fixed amount of time. In that time, they cannot withdraw their funds. The client will most likely look for those first, especially those who only occasionally need data from the chain.

SIM: Yes, this could help, but it only protects from regular unregistering. If you convict a server, then this timeout does not help.

To remove this issue completely, you would need a trusted authority where you could update the NodeList first. But for the 100% decentralized way, you can only reduce it by asking multiple servers. Since they will also pass the latest block number when the NodeList changes, the client will find out that it needs to update the NodeList, and by having multiple requests in parallel, it reduces the risk of relying on a manipulated NodeList. The malicious server may return a correct NodeList for an older block when this server was still valid and even receive signatures for this, but the server cannot do so for a newer block number, which can only be found out by asking as many servers as needed.

Another point is that as long as the signature does not come from the same server, the DataProvider will always check, so even if you request a signature from a server that is not part of the list anymore, the DataProvider will reject this. To use this attack, both the DataProvider and the BlockHashSigner must work together to provide a proof that matches the wrong blockhash.

CHR: Correct. I think the strategy for clients who have been offline for a while is to first get multiple signed blockhashes from different sources (ideally from bootstrap nodes similar to light clients and then ask for the current list). Actually, we could define the same bootstrap nodes as those currently hard-coded in Parity and Geth.

25.1.2 Inactive Server Spam Attack

Status: partially solved

Everyone can register a lot of servers that don't even exist or aren't running. Somebody may even put in a decent deposit. Of course, the client would try to find out whether these nodes were inactive. If an attacker were able to onboard enough inactive servers, the chances for an Incubed client to find a working server would decrease.

Solutions:

1. Static Min Deposit

There is a min deposit required to register a new node. Even though this may not entirely stop any attacker, but it makes it expensive to register a high number of nodes.

Decision :

Will be implemented in the first release, since it does not create new Risks.

2. Unregister Key

At least in the beginning we may give us (for example for the first year) the right to remove inactive nodes. While this goes against the principle of a fully decentralized system, it will help us to learn. If this key has a timeout coded into the smart contract all users can rely on the fact that we will not be able to do this after one year.

Decision :

Will be implemented in the first release, at least as a workaround limited to one year.

3. Dynamic Min Deposit

To register a server, the owner has to pay a deposit calculated by the formula:

$$deposit_{min} = \frac{86400 \cdot deposit_{average}}{(t_{now} - t_{lastRegistered})}$$

To avoid some exploitation of the formula, the `deposit_average` gets capped at 50 Ether. This means that the maximum `deposit_min` calculated by this formula is about 4.3 million Ether when trying to register two servers within one block. In the first year, there will also be an enforced deposit limit of 50 Ether, so it will be impossible to rapidly register new servers, giving us more time to react to possible spam attacks (e.g., through voting).

Decision :

This dynamic deposit creates new Threats, because an attacker can stop other nodes from registering honest nodes by adding a lot of nodes and so increasing the min deposit. That's why this will not be implemented right now.

4. Voting

In addition, the smart contract provides a voting function for removing inactive servers: To vote, a server has to sign a message with a current block and the owner of the server they want to get voted out. Only the latest 256 blockhashes are allowed, so every signature will effectively expire after roughly 1 hour. The power of each vote will be calculated by the amount of time when the server was registered. To make sure that the oldest servers won't get too powerful, the voting power gets capped at one year and won't increase further. The server being voted out will also get an oppositional voting power that is capped at two years.

For the server to be voted out, the combined voting power of all the servers has to be greater than the oppositional voting power. Also, the accumulated voting power has to be greater than at least 50% of all the chosen voters.

As with a high amount of registered in3-servers, the handling of all votes would become impossible. We cap the maximum amount of signatures at 24. This means to vote out a server that has been active for more than two years, 24 in3-servers with a lifetime of one month are required to vote. This number decreases when more older servers are voting. This mechanism will prevent the rapid onboarding of many malicious in3-servers that would vote out all regular servers and take control of the in3-nodelist.

Additionally, we do not allow all servers to vote. Instead, we choose up to 24 servers randomly with the blockhash as a seed. For the vote to succeed, they have to sign on the same blockhash and have enough voting power.

To “punish” a server owner for having an inactive server, after a successful vote, that individual will lose 1% of their deposit while the rest is locked until their deposit timeout expires, ensuring possible liabilities. Part of this 1% deposit will be used to reimburse the transaction costs; the rest will be burned. To make sure that the transaction will always be paid, a minimum deposit of 10 finney (equal to 0.01 Ether) will be enforced.

Desicion:

Voting will also create the risc of also Voting against honest nodes. Any node can act honest for a long time and then become a malicious node using their voting power to vote against the remaining honest nodes and so end up kicking all other nodes out. That’s why voting will be removed for the first release.

25.1.3 DDOS Attack to uncontrolled urls

Status: not implemented yet

As a owner I can register any url even a server which I don’t own. By doing this I can also add a high weight, which increases the chances to get request. This way I can get potentially a lot of clients to send many requests to a node, which is not expecting it. Even though clients may blacklist this node, it would be to easy to create a DDOS-Attack.

Solution:

Whenever there is a new node the client has never communicated to, we should should check using a DNS-Entry if this node is controlled by the owner. The Entry may look like this:

```
in3-signer: 0x21341242135346534634634, 0xabf21341242135346534634634,
↳ 0xdef21341242135346534634634
```

Only if this DNS record contains the signer-address, the client should communicate with this node.

25.1.4 Self-Convict Attack

Status: solved

A user may register a mailcious server and even store a deposit, but as soon as they sign a wrong blockhash, they use a second account to convict themself to get the deposit before somebody else can.

Solution:

SIM: We burn 50% of the depoist. In this case, the attacker would lose 50% of the deposit. But this also means the attacker would get the other half, so the price they would have to pay for lying is up to 50% of their deposit. This should be considered by clients when picking nodes for signatures.

Desicion: Accepted and implemented

25.1.5 Convict Frontrunner Attack

Status: solved

Servers act as watchdogs and automatically call `convict` if they receive a wrong blockhash. This will cost them some gas to send the transaction. If the block is older than 256 blocks, this may even cost a lot of gas since the server needs to put blockhashes into the `BlockhashRegistry` first. But they are incentivized to do so, because after successfully convicting, they receive a reward of 50% of the deposit.

A miner or other attacker could now wait for a pending transaction for `convict` and simply use the data and send the same transaction with a high gas price, which means the transaction would eventually be mined first and the server, after putting so much work into preparing the convict, would get nothing.

Solution:

Convicting a server requires two steps: The first is calling the `convict` function with the block number of the wrongly signed block `keccak256(_blockhash, sender, v, r, s)`. Both the real blockhash and the provided hash will be stored in the smart contract. In the second step, the function `revealConvict` has to be called. The missing information is revealed there, but only the previous sender is able to reproduce the provided hash of the first transaction, thus being able to convict a server.

Decision: Accepted and implemented

25.2 Network Attacks

25.2.1 Blacklist Attack

Status: partially solved

If the client has no direct internet connection and must rely on a proxy or a phone to make requests, this would give the intermediary the chance to set up a malicious server.

This is done by simply forwarding the request to its own server instead of the requested one. Of course, they may prepare a wrong answer, but they cannot fake the signatures of the blockhash. Instead of sending back any signed hashes, they may return no signatures, which indicates to the client that the chosen nodes were not willing to sign them. The client will then blacklist them and request the signature from other nodes. The proxy or relay could return no signature and repeat that until all are blacklisted and the client finally asks for the signature from a malicious node, which would then give the signature and the response. Since both come from a bad-acting server, they will not convict themselves and will thus prepare a proof for a wrong response.

Solutions:

1. Signing Responses

SIM: First, we may consider signing the response of the `DataProvider` node, even if this signature cannot be used to convict. However, the client then knows that this response came from the client they requested and was also checked by them. This would reduce the chances of this attack since this would mean that the client picked two random servers that were acting malicious together.

Decision:

Not implemented yet. Maybe later.

2. Reject responses when 50% are blacklisted

If the client blacklisted more than 50% of the nodes, we should stop. The only issue here is that the client does not know whether this is an ‘Inactive Server Spam Attack’ or not. In case of an ‘Inactive Server Spam Attack,’ it would actually be good to blacklist 90% of the servers and still be

able to work with the remaining 10%, but if the proxy is the problem, then the client needs to stop blacklisting.

CHR: I think the client needs a list of nodes (bootstrap nodes) that should be signed in case the response is no signature at all. No signature at all should default to an untrusted relay. In this case, it needs to go to trusted relayers. Or ask the untrusted relay to get a signature from one of the trusted relayers. If they forward the signed response, they should become trusted again.

SIM: We will allow the client to configure optional trusted nodes, which will always be part of the nodelist and used in case of a blacklist attack. This means in case more than 50% are blacklisted the client may only ask trusted nodes and if they don't respond, instead of blacklisting it will reject the request. While this may work in case of such an attack, it becomes an issue if more than 50% of the registered nodes are inactive and blacklisted.

Decision:

The option of allowing trusted nodes is implemented.

25.2.2 DDoS Attacks

Status: solved (as much as possible)

Since the URLs of the network are known, they may be targets for DDoS attacks.

Solution:

SIM: Each node is responsible for protecting itself with services like Cloudflare. Also, the nodes should have an upper limit of concurrent requests they can handle. The response with status 500 should indicate reaching this limit. This will still lead to blacklisting, but this protects the node by not sending more requests.

CHR: The same is true for bootstrapping nodes of the foundation.

25.2.3 None Verifying DataProvider

Status: solved (more signatures = more security)

A DataProvider should always check the signatures of the blockhash they received from the signers. Of course, the DataProvider is incentivized to do so because then they can get 50% of their deposit, but after getting the deposit, they are not incentivized to report this to the client. There are two scenarios:

1. The DataProvider receives the signature but does not check it.

In this case, at least the verification inside the client will fail since the provided blockheader does not match.

2. The DataProvider works together with the signer.

In this case, the DataProvider would prepare a wrong blockheader that fits the wrong blockhash and would pass the verification inside the client.

Solution:

SIM: In this case, only a higher number of signatures could increase security.

25.3 Privacy

25.3.1 Private Keys as API Keys

Status: solved

For the scoring model, we are using private keys. The perfect security model would register each client, which is almost impossible on mainnet, especially if you have a lot of devices. Using shared keys will very likely happen, but this a nightmare for security experts.

Solution:

1. Limit the power of such a key so that the worst thing that can happen is a leaked key that can be used by another client, which would then be able to use the score of the server the key is assigned to.
2. Keep the private key secret and manage the connection to the server only off chain.
3. Instead of using a private key as API-Key, we keep the private key private and only get a signature from the node of the ecosystem confirming this relationship. This may happen completely offchain and scales much better.

Decision: clients will not share private keys, but work with a signed approval from the node.

25.3.2 Filtering of Nodes

Status: partially solved

All nodes are known with their URLs in the NodeRegistry-contract. For countries trying to filter blockchain requests, this makes it easy to add these URLs to blacklists of firewalls, which would stop the Incubed network.

Solution:

Support Onion-URLs, dynamic IPs, LORA, BLE, and other protocols. The registry may even use the props to indicate the capabilities, so the client can choose which protocol to he is capable to use.

Decision: Accepted and prepared, but not fully implemented yet.

25.3.3 Inspecting Data in Relays or Proxies

For a device like a BLE, a relay (for example, a phone) is used to connect to the internet. Since a relay is able to read the content, it is possible to read the data or even pretend the server is not responding. (See Blacklist Attack above.)

Solution:

Encrypt the data by using the public key of the server. This can only be decrypted by the target server with the private key.

25.4 Risk Calculation

Just like the light client there is not 100% protection from malicious servers. The only way to reach this would be to trust special authority nodes to sign the blockhash. For all other nodes, we must always assume they are trying to find ways to cheat.


The risk of losing the deposit is significantly lower if the DataProvider node and the signing nodes are run by the same attacker. In this case, they will not only skip over checks, but also prepare the data, the proof, and a blockhash that matches the blockheader. If this were the only request and the client had no other anchor, they would accept a malicious response.

Depending on how many malicious nodes have registered themselves and are working together, the risk can be calculated. If 10% of all registered nodes would be run by an attacker (with the same deposit as the rest), the risk of getting a malicious response would be 1% with only one signature. The risk would go down to 0.006% with three signatures: 0.0003% with five signatures: 0% with six signatures:



bad

In case of an attacker controlling 50% of all nodes, it looks a bit different. Here, one signature would give you a risk of 25% to get a bad response, and it would take more than four signatures to reduce this to under 1%.



bad

Solution:

The risk can be reduced by sending two requests in parallel. This way the attacker cannot be sure that their attack would be successful because chances are higher to detect this. If both requests lead to a different result, this conflict can be forwarded to as many servers as possible, where these servers can then check

the blockhash and possibly convict the malicious server.

- `genindex`

Symbols

<JSON-RPC>-method, [1335](#)

A

abi_decode <signature> data, [1335](#)

abi_encode <signature> ...args, [1335](#)

C

call <signature> ...args, [1335](#)

Code, [1336](#)

createKey, [1335](#)

E

ecrecover <msg> <signature>, [1335](#)

I

IN3_CHAIN, [1334](#)

in3_nodeList, [1335](#)

IN3_PK, [1334](#)

in3_sign <blocknumber>, [1335](#)

in3_stats, [1335](#)

K

key <keyfile>, [1335](#)

N

NodeLists, [1336](#)

P

pk2address <privatekey>, [1335](#)

pk2public <privatekey>, [1335](#)

R

Reputations, [1336](#)

S

send <signature> ...args, [1335](#)

sign <data>, [1335](#)

V

Validators, [1336](#)